n example of a Newton error would be -48002, which is 'store format is too old to understand'. Ignore the -4, as far as I know it currently has no meaning except to be there. The '80' part of the number is the error type, which would be 'Store Errors'. These are listed in the 'Error Type' section. The '002' is the error number that specifically identifies what the error is. These are listed in the 'Error Number' section. Put the two together and you're on a roll...

Error Type

80 Store Error 82 Object System Error 84 Bad Type Error 88 Interpreter Error

Error Number

2

store format is too old to understand

store format is too new to understand 4 store is corrupted, cannot recover 5

single object is corrupted, cannot recover

not a soup entry 10

tried to remove a store that was not registered 11

soup index has an unknown type 12

```
soup index has an unknown key structure
13
soup index does not exist
a soup with this name already exists
tried to CopyEntries to an unknown soup
soup is invalid
17
soup is invalid
entry is invalid
key does not have the type specified in the index
store is in ROM
21
soup already has an index with this path
22
internal error
23
tried to call RemoveIndex on the _uniqueID index
queary type missing or unknown
discovered index inconsistency
expected frame, array, or binary object, but got something else
202
empty path
203
invalid segment in path
204
path failed
205
index out of bounds (string or array)
source and destination must be different objects
207
```

```
long out of range (too large or small)
210
bad arguments
211
string too big
214
object is read-only
215
functionality is unimplemented
400
expected a frame
401
expected an array
402
expected a string
403
expected a pointer
404
expected a number
405
expected a real
406
expected an integer
407
expected a character
408
expected a binary object
409
expected a path expression, symbol or integer
410
expected a symbol
411
expected a symbol
expected a fram or an array
413
expected an array or NIL
414
expected a string or NIL
415
expected a binary object or NIL
416
unexpected frame
417
unexpected binary object
unexpected immediate
499
unexpected Spanish Inquisition
800
not in a break loop, but presumably called break
802
too many arguments for a CFunction
803
wrong number of arguments
```

804
FOR loop BY expression has value zero
806
no current exception
807
undefined variable
808
undefined global function
809
undefined method
810
no _proto for inherited send
811
tried to access slot in NIL context
814
local variables and FOR/WITH loops are not

allowed at top level