Index

#

#define, 48, 255

$

$HOME/.Xdefaults-*name*, 352
$HOME/.Xdefaults, 352

/

/etc/ttys, 207
/etc/X?.hosts, 151

A

Above, 35, 36, 178
Access control list, 150, **356**
Active grab, **196**, **356**
AllHints, 265
AllocAll, 66, 73
Allocation:
  colormap, 69
  read-only colormap cells, 69
allocation:
  read-only colormap cells, 69, 70
  read/write colormap cells, 71
  read/write colormap planes, 71
AllocNamedColor, 192
AllocNone, 66
AllowEvents, 205
AllowExposures, 149, 150
AllPlanes, **8**, 101
AllTemporary, 148
AlreadyGrabbed, 198, 201
Always, 17, 28, 41, 46, 169
Ancestors, **356**
AnyButton, 199, 200
AnyKey, 202, 203
AnyModifier, 199, 200, 202, 203
AnyPropertyType, 51
ArcChord, 105, 114, 127
ArcPieSlice, 100, 105, 114, 127
Arcs:
  drawing, 122
  filling, 126
Areas:
  clearing, 116
  copying, 117
AsyncBoth, 203
AsyncKeyboard, 203, 205
AsyncPointer, 203, 205
Atom, 48, 244, 340, 342, **356**
  getting name, 50
  interning, 50
  predefined, 48, 255
Authentication, 150
AutoRepeatModeDefault, 208
AutoRepeatModeOff, 208, 209
AutoRepeatModeOn, 208, 209

B

B16, 340
B32, 340
Background, **356**
Backing store, **356**
BadAccess, 41, 73, 74, 75, 151, 152, 153, **193**, 200, 203
BadAlloc, 31, 32, 50, 53, 56, 57, 58, 66, 105, 106, 108, 109, 110, 112, 113, 114, 115, 130, 131, **193**, 214, 215, 262, 263, 265, 266, 268, 269, 270, 271, 272, 273, 274, 276, 277, 282, 307, 313, 314, 347, 348, 349, 350
BadAtom, 50, 52, 53, 54, 55, **193**, 194, 239, 240, 244, 262, 269, 270, 282, 349, 350
BadColor, 31, 41, 43, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 146, 147, **193**, 194, 239, 240, 244
BadCursor, 31, 41, 43, 59, **193**, 194, 198, 199, 200, 240, 245
BadDrawable, 46, 47, 56, 59, 105, 111, 118, 120, 121, 122, 124, 125, 126, 127, 138, 139, 140, 141, 142, 143, **193**, 194, 313, 350
BadFont, 58, 105, 106, 112, 131, 132, 136, 138, 192, **193**, 194, 228
BadGC, 20, 105, 106, 107, 108, 109, 110, 112, 113, 114, 115, 118, 120, 121, 122, 124, 125, 126, 127, 136, 138, 139, 140, 141, 143, **193**, 194
BadIDChoice, **193**
BadImplementation, 193, **194**
BadLength, 193, **194**, 215, 340
BadMatch, 24, 26, 29, 31, 32, 35, 36, 37, 40, 41, 42, 43, 53, 54, 58, 66, 103, 104, 105, 106, 111, 112, 113, 114, 116, 117, 118, 120, 121, 122, 124, 125, 126, 127, 138, 139, 140, 141, 142, 143, 144, 145, 146, 193, **194**, 206, 207, 208, 257, 308, 313, 314

BadName, 75, 130, 192, 193, **194**
BadPixmap, 31, 41, 42, 43, 57, 58, 105, 106, 112, 113, 193, **194**, 239, 240, 244
BadRequest, 193, **194**
BadValue, 20, 30, 31, 32, 35, 37, 38, 39, 41, 50, 52, 53, 56, 57, 58, 66, 71, 72, 73, 74, 75, 76, 77, 104, 105, 106, 108, 109, 110, 111, 114, 115, 117, 118, 120, 121, 126, 141, 142, 143, 145, 147, 149, 150, 151, 152, 153, 190, 193, **194**, 198, 199, 200, 201, 203, 205, 207, 208, 209, 210, 211, 213, 214, 215, 258, 262
BadWindow, 31, 32, 33, 34, 35, 37, 38, 39, 40, 41, 42, 43, 44, 46, 47, 48, 52, 53, 54, 55, 66, 117, 145, 146, 147, 184, 190, 191, 193, **194**, 198, 200, 201, 203, 206, 207, 239, 240, 242, 243, 257, 258, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 276, 277, 282, 347, 348, 349, 350
Base font name, **356**
Below, 35, 36
Bit:
  gravity, **356**
  plane, **356**
Bitmap, 2, **356**
BitmapBitOrder, **15**
BitmapFileInvalid, 312
BitmapNoMemory, 312, 313
BitmapOpenFailed, 312, 313
BitmapPad, **15**
BitmapSuccess, 313
BitmapUnit, **14**
BlackPixel, 8, **9**
BlackPixelOfScreen, **16**
Bool, **4**, 156, 187, 188
Border, **357**
BottomIf, 35, 36, 37
Button1, 162
Button1Mask, 162, 163
Button1Motion, 28
Button1MotionMask, 156, 160, 197
Button2, 162
Button2Mask, 162, 163
Button2Motion, 28
Button2MotionMask, 156, 197
Button3, 162
Button3Mask, 162, 163
Button3Motion, 28
Button3MotionMask, 156, 197
Button4, 162
Button4Mask, 162, 163
Button4Motion, 28
Button4MotionMask, 156, 197
Button5, 162
Button5Mask, 162, 163
Button5Motion, 28
Button5MotionMask, 156, 160, 197
Button:
  grabbing, 199, **357**
  ungrabbing, 200
ButtonMotion, 28
ButtonMotionMask, 156, 157, 160, 197
ButtonPress, 28, 154, 157, **160**, 165, 183, 199, 203
ButtonPressMask, 41, 156, 157, 160, 183, 197
ButtonRelease, 28, 154, **160**, 165, 203
ButtonReleaseMask, 156, 160, 197
Byte:
  order, **357**

C

CallbackPrototype, **246**
CapButt, 100, 102, 103, 109
CapNotLast, 102, 103, 109
CapProjecting, 102, 103, 109
CapRound, 102, 103, 109
CCC, 65
  creation, 80
  default, 65, 77, 78
  freeing, 81
  of colormap, 65, 77
CellsOfScreen, **16**
CenterGravity, 27, 45
Changing:
  pointer grab, 198
Character glyph, **357**
Character set, **357**
Character, **357**
Charset, **357**
CharSetEncoding, 221, 356, 359
CharSetRegistry, 221, 356, 359
Child window, 1
Child Window, 44
Children, **357**
Chroma, 91, 92
  maximum, 91, 92
CIE metric lightness, 88, 89, 90
  maximum, 88, 90
  minimum, 89, 90
CirculateNotify, 39, 154, 157, 162, **171**, 176
CirculateRequest, 39, 154, **177**, 183
Class, **357**
Clearing:
  areas, 116
  windows, 117
Client White Point, 65
  of Color Conversion Context, 79
Client, **357**

ClientMessage, 49, 154, 156, **180**, 257
ClientWhitePointOfCCC, **79**
ClipByChildren, 100, 104, 114, 116
Clipping region, **357**
Coded character set, **358**
Coded character, **358**
Codepoint, **358**
Color Characterization Data, 98
Color Conversion Context, 65
  creation, 65, 77, 80
  default, 65, 77, 78
  freeing, 81
  of colormap, 65, 77
color conversion, 81
Color map, 61, 69
Color, 61
  allocation, 69
color:
  allocation, 69, 70, 71
  conversion, 81
  deallocation, 72
  naming, 67, 68, 69, 70, 75
  querying, 75, 76
  storing, 73, 74, 75
Colormap, 2, 20, 21, 244, 340, **358**
colormap:
  CCC of, 77
ColormapChangeMask, 156, 179
ColormapInstalled, 179
ColormapNotify, 41, 67, 146, 154, **179**
colormaps:
  standard, 280
ColormapUninstalled, 179
Complex, 125, 126
ConfigureNotify, 35, 36, 154, 157, 162, **171**, 172, 176
ConfigureRequest, 2, 35, 37, 38, 39, 40, 154, **177**, 178, 183
ConfigureRequestEvent, 258
ConfigureWindow, 178, 257
Connection, **358**
ConnectionNumber, **9**
Containment, **358**
Control, 215
ControlMask, 162, 163, 197, 200
ConvertSelection, 182
Convex, 125, 126
Coordinate system, **358**
CoordModeOrigin, 120, 121, 125
CoordModePrevious, 120, 121, 125
CopyArea, 118
CopyFromParent, 25, 26, 29, 30, 41, 43
Copying:
  areas, 117
  planes, 118
CreateNotify, 31, 154, 157, 171, **172**
CurrentTime, 54, 55, 157, 182, 191, **196**, 197, 198, 199, 201, 202, 203, 206, 366
Cursor, 2, 20, 21, 245, 340, **358**
  Initial State, 31
  limitations, 59
CursorShape, 110, 111
Cut Buffers, 306
CWBackingPixel, 24
CWBackingPlanes, 24
CWBackingStore, 24
CWBackPixel, 24
CWBackPixmap, 24
CWBitGravity, 24
CWBorderPixel, 24
CWBorderPixmap, 24
CWBorderWidth, 35
CWColormap, 24
CWCursor, 24
CWDontPropagate, 24
CWEventMask, 24
CWHeight, 35
CWOverrideRedirect, 24
CWSaveUnder, 24
CWSibling, 35
CWStackMode, 35
CWWidth, 35
CWWinGravity, 24
CWX, 35
CWY, 35

D

Data16, 343
Data32, 343
Data, 342, 343
Debugging:
  error event, 192
  error handlers, 192
  error message strings, 194
  error numbers, 193
  synchronous mode, 192
Default Protection, 150
DefaultBlanking, 149, 150
DefaultColormap, **9**, 61
DefaultColormapOfScreen, **16**
DefaultDepth, **9**
DefaultDepthOfScreen, **17**
DefaultExposures, 149, 150
DefaultGC, **10**

DefaultGCOfScreen, **17**
DefaultRootWindow, **10**
DefaultScreen, 7, 8, **11**
DefaultScreenOfDisplay, **10**
DefaultVisual, **11**, 61
DefaultVisualOfScreen, **17**
Depth, **358**
Destination, **101**
DestroyAll, 20, 21
DestroyNotify, 32, 154, 157, 171, **173**
Device Color Characterization, 96
device profile, 65, 98
Device, **358**
DirectColor, 22, 23, 61, 66, 71, 72, 281, **358**, 366
DisableAccess, 153
Display Functions, **101**
Display, 7, 8, 20, 215, 336, 337, 342, 343, **359**, 365
  data structure, 8
  structure, 359, 365
DisplayCells, **11**
DisplayHeight, **15**
DisplayHeightMM, **15**
DisplayOfCCC, **78**
DisplayOfScreen, **17**
DisplayPlanes, **11**
DisplayString, **12**
DisplayWidth, **15**
DisplayWidthMM, **16**
DoBlue, 61, 67, 73, 74, 75, 76
DoesBackingStore, **17**
DoesSaveUnders, **17**
DoGreen, 61, 67, 73, 74, 75, 76
DontAllowExposures, 149, 150
DontPreferBlanking, 149, 150
DoRed, 61, 67, 73, 74, 75, 76
Drawable, 2, 340, 342, **359**
Drawing:
  arcs, 122
  image text, 139
  lines, 120
  points, 119
  polygons, 120
  rectangles, 121
  strings, 138
  text items, 137

E

EastGravity, 27, 45
EnableAccess, 153
Encoding, **359**
EnterNotify, 154, **162**, 163, 164, 165, 166, 168, 176, 198
EnterWindowMask, 156, 162, 197
Environment:
  DISPLAY, 7
Error:
  codes, 193
  handlers, 192
  handling, 3
Escapement, **359**
EvenOddRule, 100, 104, 105, 110, 303
event mask, **156**
Event, 2, 154, **359**
  categories, 154
  Exposure, **360**
  mask, **359**
  propagation, 183, **359**
  source, **359**
  synchronization, **359**
  types, 154
EventMaskOfScreen, **18**
Events:
  ButtonPress, 160
  ButtonRelease, 160
  CirculateNotify, 171
  CirculateRequest, 177
  ClientMessage, 180
  ColormapNotify, 179
  ConfigureNotify, 171
  ConfigureRequest, 177
  CreateNotify, 172
  DestroyNotify, 173
  EnterNotify, 162
  Expose, 169
  FocusIn, 165
  FocusOut, 165
  GraphicsExpose, 170
  GravityNotify, 173
  KeymapNotify, 168
  KeyPress, 160
  KeyRelease, 160
  LeaveNotify, 162
  MapNotify, 174
  MappingNotify, 174
  MapRequest, 178
  MotionNotify, 160
  NoExpose, 170
  PropertyNotify, 180
  ReparentNotify, 175
  ResizeRequest, 179
  SelectionClear, 181
  SelectionNotify, 182
  SelectionRequest, 181
  UnmapNotify, 175

VisibilityNotify, 176
Expose, 2, 24, 26, 27, 28, 32, 33, 34, 35, 37, 38, 39, 116, 144, 149, 154, 162, 166, **169**, 176
ExposureMask, 156, 169
Extension, **360**

F

False, **4**, 17, 25, 28, 29, 33, 35, 37, 38, 39, 40, 46, 47, 48, 50, 74, 81, 117, 131, 156, 159, 162, 163, 178, 179, 184, 186, 187, 188, 189, 190, 192, 197, 201, 217, 251, 266, 291, 292, 295, 329, 334, 335, 343, 344
FamilyChaos, 151
FamilyDECnet, 151
FamilyInternet, 151
Files:
  $HOME/.Xdefaults, 352
  /etc/ttys, 207
  /etc/X?.hosts, 151
  <sys/socket.h>, 152
  <X11/Xlib.h>, 330, 337
  <X11/Xlibint.h>, 329, 339, 342
  <X11/Xproto.h>, 339, 340, 341, 342
  <Xproto.h>, 340
Filling:
  arcs, 126
  polygon, 125
  rectangles, 124
FillOpaqueStippled, 103, 104, 110, 118
FillPolygon, 125
FillSolid, 100, 103, 104, 110, 140
FillStippled, 103, 104, 110
FillTiled, 103, 104, 110
FlushGC, **338**, 339
FocusChangeMask, 156, 165
FocusIn, 154, **165**, 166, 167, 168, 201, 202, 206, 207
FocusOut, 154, 162, **165**, 166, 167, 168, 176, 201, 202, 206, 207
Font glyph, **360**
Font, 2
font, 6
Font, 20, 21, 127, 340, **360**
FontLeftToRight, 128, 134, 135, 136
FontRightToLeft, 128, 134, 135, 136
Fonts, 354
  freeing font information, 130
  getting information, 130
  unloading, 130
Forget, 27
ForgetGravity, 25, 27, 45
fork, 12
Freeing:
  colors, 72
  resources, 24, 42, 43
Frozen events, **360**
function set, 96
  LINEAR_RGB, 96

G

gamut compression, 65
  client data, 79
  procedure, 79
  setting in Color Conversion Context, 79
gamut handling, 65
gamut querying, 85
GC, 336, **360**
GCArcMode, 99, 106
GCBackground, 99, 106
GCCapStyle, 99, 106
GCClipMask, 99, 106
GCClipXOrigin, 99, 106
GCClipYOrigin, 99
GCCLipYOrigin, 106
GCDashList, 99, 106
GCDashOffset, 99, 106
GCFillRule, 99, 106
GCFillStyle, 99, 106
GCFont, 99, 106
GCForeground, 99, 106
GCFunction, 99, 106
GCGraphicsExposures, 99, 106
GCJoinStyle, 99, 106
GCLineStyle, 99, 106
GCLineWidth, 99, 106
GContext, 2, 20, 21, 107, 130, 135, 193, 340
GCPlaneMask, 99, 106
GCStipple, 99, 106
GCSubwindowMode, 99, 106
GCTile, 99, 106
GCTileStipXOrigin, 99, 106
GCTileStipYOrigin, 99, 106
GeometryCallback, **246**
GetEmptyReq, 342
GetKeyboardControl, 341, 343
GetReq, 342
GetReqExtra, 342
GetResReq, 342
GetWindowAttributes, 341, 343
Glyph image, **360**
Glyph, **360**
Grab, **360**

Grabbing:
buttons, 199
keyboard, 201
keys, 202
pointer, 197
server, 148
GrabFrozen, 198, 201
GrabInvalidTime, 198, 201
GrabModeAsync, 159, 197, 198, 199, 201, 202
GrabModeSync, 197, 198, 199, 201, 202
GrabNotViewable, 198, 201
GrabSuccess, 197
Graphics context, 99, **360**
initializing, 105
path, 102
GraphicsExpose, 105, 115, 117, 154, 155, 156, **170**
Gravity, **360**
GravityNotify, 27, 35, 154, 157, 162, 171, **173**, 176
GrayScale, 22, 23, 58, 61, 66, 71, 280, 281, 350, **360**, 366
GXand, 101
GXandInverted, 101
GXandReverse, 101
GXclear, 101
GXcopy, 100, 101, 117, 140
GXcopyInverted, 101
GXequiv, 101
GXinvert, 101
GXnand, 101
GXnoop, 101
GXnor, 101
GXor, 101
GXorInverted, 101
GXorReverse, 101
GXset, 101
GXxor, 101

H

Hash Lookup, 354
HeightMMOfScreen, **18**
HeightOfScreen, **18**
HeightValue, 302
Host Portable Character Encoding, **360**
Hotspot, **361**

I

IconicState, 257, 266
IconMaskHint, 265
IconPixmapHint, 265
IconPositionHint, 265
IconWindowHint, 265
Identifier, **361**
Image text:
drawing, 139
ImageByteOrder, **14**
IncludeInferiors, 104, 114
Inferiors, **361**
InitExtension, 195
Input Control, 154
Input:
focus, **361**
manager, **361**
InputFocus, 190
InputHint, 265
InputOnly, 24, 25, 27, 28, 29, 30, 31, 32, 35, 42, 43, 45, 47, 56, 111, 116, 117, 145, 169, 176, 193, 357, 359, 361, 362
InputOutput, 23, 24, 25, 26, 27, 28, 29, 30, 31, 33, 45, 104, 356, 357, 361, 362
Internationalization, **361**
IsCursorKey, **300**
IsFunctionKey, **300**
IsKeypadKey, **300**
IsMiscFunctionKey, **300**
IsModifierKey, **300**
ISO2022, **361**
IsPFKey, **300**
isspace, 367
IsUnmapped, 46
IsUnviewable, 46
IsViewable, 46

J

JoinBevel, 103, 109
JoinMiter, 100, 103, 109
JoinRound, 103, 109

K

KBAutoRepeatMode, 207
KBBellDuration, 207
KBBellPercent, 207
KBBellPitch, 207
KBKey, 207
KBKeyClickPercent, 207
KBLed, 207
KBLedMode, 207
Key:
grabbing, 202, **361**
ungrabbing, 203

Keyboard:
bell volume, 207
bit vector, 207
grabbing, 201, **361**
keyclick volume, 207
ungrabbing, 201
KeymapNotify, 154, **168**
KeymapStateMask, 156, 168
KeyMapStateMask, 197
KeyPress, 28, 154, **160**, 168, 201, 202, 203, 208, 212, 252, 253, 298
KeyPressMask, 156, 160
KeyRelease, 28, 154, **160**, 168, 201, 203, 208, 252, 298
KeyReleaseMask, 156, 160
Keysym, **361**

L

LastKnownRequestProcessed, **12**
Latin Portable Character Encoding, **362**
Latin-1, **362**
LeaveNotify, 154, **162**, 163, 164, 165, 166, 176, 198
LeaveWindowMask, 156, 162, 197
LedModeOff, 208
LedModeOn, 208
LineDoubleDash, 102, 103, 104, 109
LineOnOffDash, 102, 103, 109
Lines:
drawing, 120
LineSolid, 100, 102, 103, 109
Locale name, **362**
Locale, **362**
Localization, **362**
Lock, 215
LockDisplay, **341**
LockMask, 162, 163, 197, 200
LookupColor, 192
LowerHighest, 39, 40
LSBFirst, 14, 15

M

MapNotify, 33, 154, 157, 162, 171, **174**, 176
Mapped window, **362**
MappingBusy, 210, 215
MappingFailed, 215
MappingKeyboard, 175, 299
MappingModifier, 175, 299
MappingNotify, 154, 156, 171, **174**, 210, 214, 215, 299
MappingPointer, 175
MappingSuccess, 210, 215
MapRequest, 33, 154, 177, **178**, 183
MapWindow, 20, 144
MaxCmapsOfScreen, **19**
mblen, 220
mbtowc, 220
Menus, 148
MinCmapsOfScreen, **19**
Mod1, 215
Mod1Mask, 162, 163, 197, 200
Mod2, 215
Mod2Mask, 162, 163, 197, 200
Mod3, 215
Mod3Mask, 162, 163, 197, 200
Mod4, 215
Mod4Mask, 162, 163, 197, 200
Mod5, 215
Mod5Mask, 162, 163, 197, 200
Modifier keys, **362**
Monochrome, **362**
MotionNotify, 154, 157, **160**, 162, 191
Mouse:
programming, 207
MSBFirst, 14, 15
Multibyte, **362**

N

NextRequest, **12**, 193
NoEventMask, 28, 29, 156
NoExpose, 115, 118, 154, 156, **170**
Nonconvex, 125, 126
None, **4**, 25, 26, 29, 41, 42, 43, 46, 47, 48, 50, 51, 54, 55, 57, 58, 67, 100, 104, 113, 114, 116, 117, 136, 137, 159, 162, 163, 167, 168, 172, 178, 179, 181, 182, 197, 198, 199, 205, 206, 207, 229, 251, 282, 314, 347
NoOperation, 19
NormalState, 266
NorthEastGravity, 27, 45, 303
NorthGravity, 27, 45
NorthWestGravity, 25, 27, 45, 303
NoSymbol, 213, 214, 298, 299
NotifyAncestor, 163, 164, 166
NotifyDetailNone, 166, 167, 168
NotifyGrab, 163, 164, 165, 168
NotifyHint, 160, 162
NotifyInferior, 163, 164, 166
NotifyNonlinear, 163, 164, 166, 167, 168
NotifyNonlinearVirtual, 163, 164, 166, 167, 168
NotifyNormal, 162, 163, 165, 166
NotifyPointer, 166, 167, 168
NotifyPointerRoot, 166, 167, 168

NotifyUngrab, 163, 164, 165, 168
NotifyVirtual, 163, 164, 166
NotifyWhileGrabbed, 165, 166
NotUseful, 17, 25, 28, 46
NULLQUARK, 295

O

Obscure, **362**
Occlude, **362**
OpenFont, 192
Opposite, 35, 36, 37
Output Control, 154
OwnerGrabButtonMask, 156, 159

P

PackData, 346
Padding, **363**
PAllHints, 267, 268
Parent Window, 1, 44
ParentRelative, 24, 26, 41, 42, 145
PAspect, 267
Passive grab, 196, **363**
PBaseSize, 267
Pixel value, 101, **363**
Pixmap, 2, 20, 21, 244, 340, 342, **363**
Pixmaps, 354
PlaceOnBottom, 171, 177
PlaceOnTop, 171, 177
Plane, **363**
  copying, 118
  mask, 101, **363**
PlanesOfScreen, **19**
PMaxSize, 267
PMinSize, 267
Pointer, **363**
  grabbing, 197, 198, **363**
  ungrabbing, 198
PointerMotion, 28
PointerMotionHintMask, 156, 160, 197
PointerMotionMask, 156, 157, 160, 197
PointerRoot, 21, 167, 168, 206, 207, 266
PointerWindow, 190
Pointing device, **363**
Points:
  drawing, 119
Polygons:
  drawing, 120
  filling, 125
PolyLine, 121, 122
POSIX Portable Filename Character Set, **363**
POSIX System Call:
  fork, 12
POSIX, **363**
PPosition, 267
PreeditCaretCallback, **248**
PreeditDoneCallback, **247**
PreeditDrawCallback, **247**
PreeditStartCallback, **246**
PreferBlanking, 149, 150
PResizeInc, 267
Property list, **364**
Property, **364**
  appending, 52
  changing, 52
  deleting, 54
  format, 52
  getting, 50
  listing, 52
  prepending, 52
  replacing, 52
  type, 52
PropertyChangeMask, 156, 180
PropertyDelete, 181
PropertyNewValue, 181
PropertyNotify, 52, 53, 54, 154, **180**
PropModeAppend, 53
PropModePrepend, 53
PropModeReplace, 53
Protocol:
  DECnet, 8
  TCP, 8
ProtocolRevision, **13**
ProtocolVersion, **12**
PseudoColor, 22, 23, 61, 66, 71, 72, 281, 360, **364**, 366
PSize, 267
Psychometric Chroma, 88, 89, 90
  maximum, 88, 89, 90
Psychometric Hue Angle, 88, 89, 90
PWinGravity, 267

Q

QLength, **13**
QueryFont, 192, 341, 343
QueryKeymap, 341, 343
QueuedAfterFlush, 184, 185
QueuedAfterReading, 184, 185

QueuedAlready, 184, 185

R

RaiseLowest, 39, 40
read-only colormap cells, 68, 69
  allocating, 69, 70
read/write colormap cells, 68
  allocating, 71
read/write colormap planes:
  allocating, 71
Rectangle, **364**
  filling, 124
RectangleIn, 306
RectangleOut, 306
RectanglePart, 306
Rectangles:
  drawing, 121
Redirecting control, **364**
Region, 303
ReleaseByFreeingColormap, 279
ReparentNotify, 144, 154, 157, 171, **175**
ReplayKeyboard, 203, 205
ReplayPointer, 203, 205
Reply, **364**
Request, **364**
Requests, **154**
ResizeRedirect, 179
ResizeRedirectMask, 33, 35, 41, 156, 183
ResizeRequest, 33, 35, 154, 177, **179**, 183
Resource IDs, 2, 20, 354
  Cursor, 2
  Font, 2
  freeing, 24, 42, 43
  GContext, 2
  Pixmap, 2
  Window, 2
Resource, **364**
ResourceName, 294
RetainPermanent, 20, 21, 148
RetainTemporary, 20, 21, 148, 149
RevertToNone, 206, 207
RevertToParent, 206, 207
RevertToPointerRoot, 206, 207
RGB values, **364**
Root, 99, **364**
RootWindow, **13**, 232
RootWindowOfScreen, **19**

S

Save set, **365**
Save Unders, 28
Scanline, **365**
  order, **365**
Screen White Point, 86
Screen, 1, 7, 8, 16, 17, 18, 19, 68, 82, 336, **365**
  structure, 365
ScreenCount, **13**
ScreenFormat, 336
ScreenNumberOfCCC, **78**
ScreenOfDisplay, **11**
ScreenSaverActive, 149, 150
ScreenSaverReset, 149, 150
ScreenWhitePointOfCCC, **78**
Selection, 54, **365**
  converting, 55
  getting the owner, 55
  setting the owner, 54
SelectionClear, 55, 154, 156, 180, **181**
SelectionNotify, 55, 154, 156, 180, **182**, 189
SelectionRequest, 55, 154, 156, 180, **181**
SendEvent, 155, 333
Serial Number, 193
Server, **365**
  grabbing, 148, **365**
ServerVendor, **13**
setlocale, 217, 219, 362
SetModeDelete, 145
SetModeInsert, 145
Shift sequence, **365**
Shift, 215
ShiftMask, 162, 163, 197, 200
Sibling, **365**
Source, **101**
SouthEastGravity, 27, 45, 303
SouthGravity, 27, 45
SouthWestGravity, 27, 45, 303
special, 6
Stacking order, 1, **366**
Standard Colormaps, 280
State-dependent encoding, **366**
State-independent encoding, **366**
StateHint, 265
StaticColor, 22, 23, 61, 66, **366**
StaticGravity, 27, 45
StaticGray, 22, 23, 58, 61, 66, 362, **366**
Status, 2, 65, **366**
StatusDoneCallback, **250**
StatusDrawCallback, **250**
StatusStart, 250
StatusStartCallback, **250**
stdio.h, 346
Stipple, **366**
StippleShape, 110, 111
STRING encoding, **366**

String Equivalence, **366**
Strings:
  drawing, 138
strlen, 294
strtok, 220
StructureNotify, 171, 172, 173, 174, 175, 176
StructureNotifyMask, 156, 171, 172, 173, 174, 175
SubstructureNotify, 171, 172, 173, 174, 175, 176
SubstructureNotifyMask, 156, 157, 171, 172, 173, 174, 175, 257
SubstructureRedirectMask, 29, 33, 35, 37, 38, 39, 40, 41, 156, 177, 178, 183, 257
Success, 52, 258, 259, 260
SyncBoth, 203
SyncHandle, 345
SyncKeyboard, 203, 205
SyncPointer, 203, 205

T

Text:
  drawing, 137
this, 6
Tile, 2, **366**
  mode, 24
  pixmaps, 24
TileShape, 110, 111
time, **196**
Timestamp, **366**
TopIf, 35, 36, 37
True, **4**, 17, 28, 29, 33, 46, 47, 48, 52, 71, 72, 74, 81, 82, 84, 96, 100, 116, 117, 118, 129, 131, 144, 155, 156, 159, 162, 163, 170, 172, 173, 174, 175, 176, 179, 181, 184, 186, 187, 188, 189, 190, 192, 197, 201, 211, 217, 224, 251, 260, 266, 290, 291, 292, 295, 300, 306, 329, 334, 335, 343, 344
TrueColor, 22, 23, 61, 66, **366**
Type, **367**

U

Ungrabbing:
  buttons, 200
  keyboard, 201
  keys, 203
  pointer, 198
UngrabKeyboard, 202
UngrabPointer, 198
UnlockDisplay, **341**
UnmapGravity, 27, 45, 176
UnmapNotify Event, 34, 35
UnmapNotify, 27, 34, 154, 157, 162, 166, 171, **175**, 176, 257
UnmapWindow, 144
Unsorted, 113, 114
USPosition, 267
USSize, 267

V

Value, 91, 92, 93
  maximum, 91, 92
  minimum, 93
VendorRelease, **14**
Vertex, 352, **353**
VertexCurved, **353**
VertexDontDraw, **353**
VertexDrawLastPoint, 352
VertexEndClosed, 352, **353**
VertexRelative, **353**
VertexStartClosed, 352, **353**
Viewable, **367**
VisibilityChangeMask, 156, 176
VisibilityFullyObscured, 176, 177
VisibilityNotify, 30, 154, 162, 166, 171, **176**
VisibilityPartiallyObscured, 176
VisibilityUnobscured, 176
Visible, **367**
Visual Classes:
  GrayScale, 22
  PseudoColor, 22
  StaticColor, 22
  StaticGray, 22
  TrueColor, 22
Visual Type, **22**
Visual, **22**, 23, 45, 310, 336
VisualAllMask, 308
VisualBitsPerRGBMask, 308
VisualBlueMaskMask, 308
VisualClassMask, 308
VisualColormapSizeMask, 308
VisualDepthMask, 308
VisualGreenMaskMask, 308
VisualID, 340
VisualIDMask, 308
VisualNoMask, 308
VisualOfCCC, **78**
VisualRedMaskMask, 308
VisualScreenMask, 308

W

wctomb, 220
WestGravity, 27, 45
WhenMapped, 17, 28, 41, 46, 169
white point adjustment, 65

client data, 80
procedure, 80
setting in Color Conversion Context, 80
white point, 65
WhitePixel, 8, **9**
WhitePixelOfScreen, **16**
Whitespace, **367**
WidthMMOfScreen, **18**
WidthOfScreen, **18**
WidthValue, 302
WindingRule, 104, 105, 110, 303
Window, **2**, 20, 23, 243, 340, 342
attributes, 23
background, 42
clearing, 117
defining the cursor, 43
determining location, 301, 351
gravity, **367**
icon name, 264
IDs, 354
InputOnly, 30, **361**
InputOutput, **361**
manager, **367**
managers, 148
mapping, 24
name, 263
parent, **363**
root, **365**
RootWindow, 13
undefining the cursor, 43
XRootWindow, 13
WindowGroupHint, 265
Windows, 354
WithdrawnState, 266

X

X Portable Character Set, **367**
X10 compatibility:
XDraw, 352
XDrawDashed, 352
XDrawFilled, 352, 354
XDrawPatterned, 352
XDrawTiled, 352, 354
X11/cursorfont.h, 3
X11/keysym.h, 4, 212
X11/keysymdef.h, 3, 4, 212, 299
X11/X.h, 2, 3, 101, 154, 156
X11/X10.h, 4, 353
X11/Xatom.h, 3, 48, 131, 255, 280
X11/Xcms.h, 3, 60
X11/Xlib.h, 3, 4, 8, 60, 155, 253, 309, 330, 337
X11/Xlibint.h, 4, 329, 339, 342
X11/Xproto.h, 4, 170, 193, 339, 340, 341, 342
X11/Xprotostr.h, 4
X11/Xresource.h, 3, 284
X11/Xutil.h, 3, 265, 267, 270, 273, 302, 303, 308, 310, 314, 348
XActivateScreenSaver, **150**
XAddExtension, **330**, 331
XAddHost, **151**
XAddHosts, **151**, 152
XAddPixel, **311**
XAddToExtensionList, **337**
XAddToSaveSet, **145**
XAllocClassHint, **270**
XAllocColor, 66, **69**, 70, 71, 72, 85
XAllocColorCells, 66, **71**, 72, 281
XAllocColorPlanes, 66, **71**, 72, 280, 281
XAllocIconSize, **273**, 274
XAllocID, **337**, 342
XAllocNamedColor, 63, 66, **69**, 70, 72
XAllocSizeHints, **267**
XAllocStandardColormap, **279**
XAllocWMHints, **265**
XAllowEvents, 196, 197, 198, 201, **203**, 205
XAllPlanes, **8**
XAnyEvent, **155**
XAppendVertex, 352
XArc, **119**
XAssocTable, 354, 355
XAutoRepeatOff, **209**
XAutoRepeatOn, **209**
XBaseFontNameListOfFontSet, 221, **223**
XBell, **209**
XBitmapBitOrder, **15**
XBitmapPad, **15**
XBitmapUnit, **14**
XBlackPixel, **9**
XBlackPixelOfScreen, **16**
XBufferOverflow, 252
XButtonEvent, **160**
XButtonPressedEvent, **160**, 162
XButtonReleasedEvent, **160**, 162
XCellsOfScreen, **16**
XChangeActivePointerGrab, 159, **198**, 199
XChangeGC, **105**, 106, 114, 342
XChangeKeyboardControl, 207, **208**, 209
XChangeKeyboardMapping, 174, **213**, 214
XChangePointerControl, **210**, 211
XChangeProperty, **52**, 53, 181
XChangeSaveSet, **145**
XChangeWindowAttributes, 24, 40, **41**, 67, 146, 179, 183
XChar2b, **128**, 135, 136, 138
XCharStruct, **127**, 128, 129, 130, 134, 135, 136

XCheckIfEvent, **186**, 187
XCheckMaskEvent, **188**
XCheckTypedEvent, **188**, 189
XCheckTypedWindowEvent, **189**
XCheckWindowEvent, **187**, 188
XCirculateEvent, **171**
XCirculateRequestEvent, **177**
XCirculateSubwindows, **39**, 40, 171, 177
XCirculateSubwindowsDown, **40**, 171, 177
XCirculateSubwindowsUp, **39**, 40, 171, 177
XClassHint, **270**, 271, 275, 276
XClearArea, **116**, 117
XClearVertexFlag, 352
XClearWindow, 41, **117**
XClientMessageEvent, **180**
XClipBox, **304**
XCloseDisplay, **19**, 20, 331
XCloseIM, 233, **236**, 237
XcmsAddColorSpace, 82, 85, **93**, 94
XcmsAddFunctionSet, 93, **97**
XcmsAllocColor, **69**, 85
XcmsAllocNamedColor, 63, **70**, 71
XcmsCCC, 78, 97
XcmsCCCOfColormap, **77**
XcmsCCCofColormap, 77
XcmsCIELab, **62**, 84
XcmsCIELabClipab, 83
XcmsCIELabClipL, 83
XcmsCIELabClipLab, 83
XcmsCIELabFormat, 61, 96
XcmsCIELabQueryMaxC, 83, **88**
XcmsCIELabQueryMaxL, **88**
XcmsCIELabQueryMaxLC, **88**, 89
XcmsCIELabQueryMinL, **89**
XcmsCIELabToCIEXYZ, 96
XcmsCIELabWhiteShiftColors, 84
XcmsCIELuv, **63**, 85
XcmsCIELuvClipL, 83
XcmsCIELuvClipLuv, 83
XcmsCIELuvClipuv, 83
XcmsCIELuvFormat, 61, 96
XcmsCIELuvQueryMaxC, 83, **89**, 90
XcmsCIELuvQueryMaxL, **90**
XcmsCIELuvQueryMaxLC, **90**
XcmsCIELuvQueryMinL, **90**, 91
XcmsCIELuvToCIEuvY, 96
XcmsCIELuvWhiteShiftColors, 84, 85
XcmsCIEuvY, **62**, 85
XcmsCIEuvYFormat, 61, 79, 96
XcmsCIEuvYToCIELuv, 96
XcmsCIEuvYToCIEXYZ, 96
XcmsCIEuvYToTekHVC, 96
XcmsCIExyY, **62**
XcmsCIExyYFormat, 61, 79, 96
XcmsCIExyYToCIEXYZ, 96
XcmsCIEXYZ, **62**, 81, 82, 85
XcmsCIEXYZFormat, 61, 79, 96
XcmsCIEXYZToCIELab, 96
XcmsCIEXYZToCIEuvY, 96
XcmsCIEXYZToCIExyY, 96
XcmsCIEXYZToRGBi, 96
XcmsClientWhitePointOfCCC, **79**
XcmsColor, **61**, 70, 74, 76, 77, 81, 82, 84, 93, 95, 96
XcmsColorFormat, 61
XcmsColorSpace, 93, 94, 95, 97
XcmsColorSpaces, 94
XcmsCompressionProc, **82**
XcmsConvertColors, **81**
XcmsCreateCCC, **80**, 81
XcmsDefaultCCC, **78**
XcmsDisplayOfCCC, **78**
XcmsFailure, 65, 68, 69, 79, 80, 81, 88, 89, 90, 91, 98
XcmsFormatOfPrefix, 62, **94**, 97
XcmsFreeCCC, 77, 80, **81**
XcmsFunctionSet, 97, 98
XcmsInitFailure, 98
XcmsInitNone, 98
XcmsInitSuccess, 98
XcmsLookupColor, 63, **68**, 70
XcmsPad, **63**
XcmsParseStringProc, **95**
XcmsPerScrnInfo, 97, 98
XcmsPrefixOfFormat, 62, **94**, 97
XcmsQueryBlack, **86**
XcmsQueryBlue, **86**
XcmsQueryColor, 74, **76**
XcmsQueryColors, 75, **76**, 77
XcmsQueryGreen, **86**, 87
XcmsQueryRed, **87**
XcmsQueryWhite, **87**
XcmsRGB, **62**, 63, 85
XcmsRGBFormat, 61, 69, 71, 81, 96
XcmsRGBi, **62**, 63, 81, 82, 85
XcmsRGBiFormat, 61, 81, 96
XcmsRGBiToCIEXYZ, 96
XcmsRGBiToRGB, 96
XcmsRGBToRGBi, 96
XcmsScreenFreeProc, **98**
XcmsScreenInitProc, **97**
XcmsScreenNumberOfCCC, **78**
XcmsScreenWhitePointOfCCC, **78**
XcmsSetCCCOfColormap, **77**
XcmsSetCompressionProc, **79**
XcmsSetWhiteAdjustProc, **80**

XcmsSetWhitePoint, **79**
XcmsStoreColor, **74**
XcmsStoreColors, **74**, 75
XcmsSuccess, 65, 68, 74, 75, 94, 98
XcmsSuccessWithCompression, 65, 68
XcmsTekHVC, **63**, 85
XcmsTekHVCClipC, 84
XcmsTekHVCClipV, 83
XcmsTekHVCClipVC, 84
XcmsTekHVCFormat, 61, 96
XcmsTekHVCQueryMaxC, 86, **91**
XcmsTekHVCQueryMaxV, **91**, 92
XcmsTekHVCQueryMaxVC, **92**
XcmsTekHVCQueryMaxVSamples, **92**
XcmsTekHVCQueryMinV, **93**
XcmsTekHVCToCIEuvY, 96
XcmsTekHVCWhiteShiftColors, 85
XcmsUndefinedFormat, 61, 68, 70, 79, 94
XcmsVisualOfCCC, **78**
XcmsWhiteAdjustProc, **84**
XCNOENT, 315
XCNOMEM, 315
XColor, 59, **61**, 63, 69, 73, 74, 75, 76
XColormapEvent, **179**
XComposeStatus, 301
XCompoundTextStyle, 259
XConfigureEvent, **172**
XConfigureRequestEvent, **178**
XConfigureWindow, 35, **36**, 37, 171, 173, 177, 179
XConnectionNumber, **9**
XContextDependentDrawing, **224**
XConverterNotFound, 258, 260
XConvertSelection, **55**, 181
XCopyArea, 105, 115, **117**, 118, 156, 170
XCopyColormapAndFree, **66**
XCopyGC, **105**
XCopyPlane, 56, 105, 115, **118**, 156, 170
XCreateAssocTable, **354**
XCreateBitmapFromData, **314**
XCreateColormap, **65**, 66, 73, 279
XCreateFontCursor, **57**, 328
XCreateFontSet, 219, **220**, 221, 222, 223, 226, 227, 229, 230, 260, 261
XCreateGC, 99, **105**, 106, 114, 170, 303, 342
XCreateGlyphCursor, **57**, 58
XCreateIC, 219, 233, **238**, 239, 241
XCreateImage, **309**, 310, 311, 312
XCreatePixmap, **56**, 342
XCreatePixmapCursor, **58**
XCreatePixmapFromBitmapData, **313**, 314
XCreateRegion, **303**
XCreateSimpleWindow, 30, **31**, 32, 146, 172
XCreateWindow, 24, **30**, 31, 41, 67, 146, 172, 183
XCreateWindowEvent, **172**
XCrossingEvent, **162**
XDefaultColormap, **9**
XDefaultColormapOfScreen, **16**
XDefaultDepth, **9**
XDefaultDepthOfScreen, **17**
XDefaultGC, **10**
XDefaultGCOfScreen, **17**
XDefaultRootWindow, **10**
XDefaultScreen, 7, 8, **11**
XDefaultScreenOfDisplay, **10**
XDefaultString, **260**
XDefaultVisual, **11**
XDefaultVisualOfScreen, **17**
XDefineCursor, 31, **43**
XDeleteAssoc, **355**
XDeleteContext, **315**
XDeleteModifiermapEntry, **215**
XDeleteProperty, **54**, 181
XDestroyAssocTable, **355**
XDestroyIC, **239**
XDestroyImage, 310, **311**, 312
XDestroyRegion, **304**
XDestroySubwindows, **32**, 173
XDestroyWindow, **32**, 173
XDestroyWindowEvent, **173**
XDisableAccessControl, **153**
XDisplayCells, 8, **11**
XDisplayHeight, 8, **15**
XDisplayHeightMM, 8, **15**
XDisplayKeycodes, **212**, 213, 214
XDisplayMotionBufferSize, **191**
XDisplayName, **195**
XDisplayOfIM, **238**
XDisplayOfScreen, **17**
XDisplayPlanes, 8, **11**
XDisplayString, **12**
XDisplayWidth, 8, **15**
XDisplayWidthMM, 8, **16**
XDoesBackingStore, **17**
XDoesSaveUnders, **17**
xDoSomethingReply, **341**
xDoSomethingReq, **340**, 342
XDraw, **352**, 353
XDrawArc, 103, **122**, 123, 124
XDrawArcs, 122, **123**, 124
XDrawDashed, 352
XDrawFilled, 352, **354**
XDrawImageString16, **139**, 140
XDrawImageString, 137, **139**, 140, 228
XDrawLine, 103, 116, **120**, 121
XDrawLines, **120**, 121, 352

XDrawPatterned, 352
XDrawPoint, 116, **119**, 120, 338
XDrawPoints, 12, **119**, 120
XDrawRectangle, 103, 116, **121**, 122
XDrawRectangles, 12, 121, **122**
XDrawSegments, 12, 103, 120, **121**, 352
XDrawString16, **138**, 139
XDrawString, **138**, 139, 228
XDrawText16, 103, 136, **137**, 138
XDrawText, 103, 136, **137**, 138, 228
XDrawTiled, 352, 354
XEDataObject, 337
XEHeadOfExtensionList, **337**
XEmptyRegion, **305**, 306
XEnableAccessControl, **153**
XEnterWindowEvent, **162**, 163, 164, 165
XEqualRegion, **306**
XErrorEvent, 192, 335, 336
XESetCloseDisplay, **331**
XESetCopyGC, **331**, 336
XESetCreateFont, **332**
XESetCreateGC, **331**
XESetError, **335**
XESetErrorString, **335**, 336
XESetEventToWire, **334**
XESetFlushGC, **336**
XESetFreeFont, **332**
XESetFreeGC, **332**
XESetPrintErrorValues, **336**
XESetWireToError, **334**, 336
XESetWireToEvent, **333**
XEvent, **155**, 156, 185, 186, 187, 188, 189, 190, 251, 333
xEvent, 333
XEvent, 334
xEvent, 334
XEvent, 335, 336
XEventMaskOfScreen, **18**
XEventsQueued, 13, **184**, 185
XExposeEvent, **169**
XExtCodes, **330**, 331, 346
XExtData, **337**
XExtentsOfFontSet, 219, **225**
XFetchBuffer, **307**
XFetchBytes, **307**
XFetchName, **263**, 264
XFillArc, 103, 116, **126**, 127
XFillArcs, 12, 105, **126**, 127
XFillPolygon, 103, 104, **125**, 126
XFillRectangle, 103, 116, **124**, 125
XFillRectangles, 12, **124**, 125
XFilterEvent, **251**
XFindContext, **315**
XFindOnExtensionList, **337**
XFlush, **184**
XFlushGC, **107**
XFocusChangeEvent, **165**
XFocusInEvent, **165**, 166, 167, 168
XFocusOutEvent, **165**, 166, 167, 168
XFontProp, **127**
XFontSet, 219, 220, 221, 222, 223, 225, 226, 227, 229, 230, 245, 260, 356
XFontSetExtents, 223, **224**, 225
XFontsOfFontSet, **222**
XFontStruct, 127, **128**, 130, 131, 133, 134, 137, 222, 223, 336
XFontStructs, 222
XFontStructSet, 223
XForceScreenSaver, **149**, 150
XFree, 10, 14, **19**, 44, 50, 52, 147, 152, 191, 213, 236, 237, 240, 241, 259, 261, 264, 265, 267, 270, 271, 272, 273, 274, 279, 289, 307, 309
XFreeColormap, **66**, 67, 179
XFreeColors, 66, **72**, 73
XFreeCursor, 29, **59**
XFreeExtensionList, **330**
XFreeFont, 58, **131**, 333
XFreeFontInfo, 130, **133**
XFreeFontNames, **132**, 133
XFreeFontPath, **148**
XFreeFontSet, 222, **223**, 225
XFreeGC, **106**, 107
XFreeModifiermap, **215**, 216
XFreePixmap, **56**, 57, 313, 314
XFreeStringList, 222, 260, **261**, 277
XGContextFromGC, **107**, 130
XGCValues, 99, **100**, 106
xGenericReply, 341
XGeometry, **351**
XGetAtomName, **50**
XGetClassHint, **270**, 271
XGetCommand, **277**
XGetDefault, **351**, 352
XGetErrorDatabaseText, **194**, 195, 219
XGetErrorText, **194**, 219, 336
XGetFontPath, **147**, 148
XGetFontProperty, **131**
XGetGCValues, **106**
XGetGeometry, **46**, 47
XGetIconName, **265**
XGetIconSizes, **274**
XGetICValues, **240**, 241, 243
XGetImage, **141**, 142, 143, 309, 310, 312
XGetIMValues, 234, **237**, 242
XGetInputFocus, **207**
XGetKeyboardControl, **208**, 209

XGetKeyboardMapping, **213**
XGetModifierMapping, **216**
XGetMotionEvents, 160, **191**
XGetNormalHints, **348**, 350
XGetPixel, **310**, 311
XGetPointerControl, **211**
XGetPointerMapping, **210**
XGetRGBColormap, 350
XGetRGBColormaps, 244, **282**
XGetScreenSaver, **150**
XGetSelectionOwner, **55**
XGetSizeHints, **349**, 350
XGetStandardColormap, **350**
XGetSubImage, **142**, 143
XGetTextProperty, **262**, 263, 264, 278
XGetTransientForHint, **271**
XGetVisualInfo, **308**, 309
XGetWindowAttributes, **44**, 45, 46
xGetWindowAttributesReply, 343
XGetWindowProperty, **50**, 51, 52, 181
XGetWMClientMachine, **278**
XGetWMColormapWindows, **273**
XGetWMHints, **267**
XGetWMIconName, **264**
XGetWMName, **263**
XGetWMNormalHints, **268**, 269, 348
XGetWMProtocols, **272**
XGetWMSizeHints, **269**, 270, 349
XGetZoomHints, **349**, 350
XGrabButton, 159, 198, **199**, 200, 203
XGrabKey, **202**, 203
XGrabKeyboard, 168, 196, **201**, 202, 203
XGrabPointer, 162, 164, 196, **197**, 198, 199, 200, 203
XGrabServer, **148**
XGraphicsExposeEvent, 155, **170**
XGravityEvent, **173**
XHeightMMOfScreen, **18**
XHeightOfScreen, **18**
XHostAddress, **151**
XIC, 219, 233, 234
XICCEncodingStyle, **258**
XIconifyWindow, **256**, 257
XIconSize, 255, 273, **274**
XID, **4**
XIfEvent, **186**
XIM, 219, 233, 251
XIMAbsolutePosition, 249, **250**
XImage, **140**, 141, 142, 143, 309, 310, 311, 312
XImageByteOrder, **14**
XIMBackwardChar, **249**
XIMBackwardWord, **249**
XIMCallback, 243, **245**
XIMCaretDirection, **249**
XIMCaretDown, **249**
XIMCaretStyle, **249**
XIMCaretUp, **249**
XIMDontChange, 249, **250**
XIMFeedback, 248
XIMForwardChar, **249**
XIMForwardWord, **249**
XIMHighlight, **248**
XIMLineEnd, 249, **250**
XIMLineStart, 249, **250**
XIMNextLine, 249, **250**
XIMOfIC, **240**
XIMPreeditArea, 234, , **237**, 243, 244
XIMPreeditCallbacks, **237**, 245
XIMPreeditCaretCallbackStruct, **249**
XIMPreeditDrawCallbackStruct, **247**
XIMPreeditNone, **237**
XIMPreeditNothing, **237**
XIMPreeditPosition, **237**, 243, 244
XIMPreviousLine, 249, **250**
XIMPrimary, **248**
XIMProc, **245**
XIMReverse, **248**
XIMSecondary, **248**
XIMStatusArea, 234, **237**, **238**, 243, 244
XIMStatusCallbacks, **237**, **238**, 245
XIMStatusDataType, **250**
XIMStatusDrawCallbackStruct, **250**
XIMStatusNone, **237**, **238**
XIMStatusNothing, **237**, **238**
XIMStyle, **237**
XIMStyles, 234, **237**
XIMTertiary, **248**
XIMText, 247, 248
XIMUnderline, **248**
XInitExtension, **330**, 346
XInsertModifiermapEntry, **214**, 215
XInstallColormap, 29, 41, 60, **146**, 179
XInternAtom, 48, **50**
XIntersectRegion, **304**
XKeyboardControl, **207**, 208
XKeyboardState, 208, **209**
XKeycodeToKeysym, **298**, 299
XKeyEvent, **161**
XKeymapEvent, **168**
XKeyPressedEvent, **161**, 162, 298, 300
XKeyReleasedEvent, **161**, 162, 298, 300
XKeysymToKeycode, **299**
XKeysymToString, **299**
XKillClient, **148**, 149, 280
XLastKnownRequestProcessed, **12**
XLeaveWindowEvent, **162**, 163, 164, 165

XLFD, **367**
XlibSpecificationRelease, **3**
XListDepths, **10**
XListExtensions, **329**, 330
XListFonts, **132**
XListFontsWithInfo, **132**, 133
XListHosts, **152**
XListInstalledColormaps, **147**
XListPixmapFormats, **14**
XListProperties, **52**
XLoadFont, **130**, 131
XLoadQueryFont, 127, **130**, 131, 133, 332
XLocaleNotSupported, 217, 258, 259, 260
XLocaleOfFontSet, **223**
XLocaleOfIM, 219, **238**
XLookUpAssoc, **355**
XLookupBoth, 252
XLookupChars, 252
XLookupColor, 63, **67**, 70
XLookupKeySym, 252
XLookupKeysym, **298**
XLookupNone, 252
XLookupString, **300**, 301
XLowerWindow, **39**, 171, 177, 178
XMakeAssoc, **355**
XMapEvent, **174**
XMappingEvent, **174**
XMapRaised, **33**, 34, 172, 174, 177, 178
XMapRequestEvent, **178**
XMapSubwindows, **34**, 174, 178
XMapWindow, 24, 31, 32, **33**, 34, 174, 178
XMaskEvent, **188**
XMatchVisualInfo, 9, **309**
XMaxCmapsOfScreen, **19**
XMaxRequestSize, **12**
XmbDrawImageString, **229**, 230
XmbDrawString., 224
XmbDrawString, 224, **229**
XmbDrawText, 219, **228**, 229
XmbLookupString, 233, 234, 235, 236, **251**, 252, 253
XmbLookupText, 219
XmbPerCharExtents, 224
XmbResetIC, **239**, 240
XmbSetWMProperties, 219, 274, **275**, 276
XmbTextEscapement, **225**, 226
XmbTextExtents, 219, 224, **225**, 226, 227, 229, 230
XmbTextItem, **228**
XmbTextListToTextProperty, 219, **258**, 259, 260
XmbTextPerCharExtents, 224, **226**, 227, 229
XmbTextPropertyToTextList, 219, **259**, 260, 261, 288, 289
XMinCmapsOfScreen, **19**
XModifierKeymap, **214**, 215, 216
XMotionEvent, **161**
XMoveResizeWindow, **38**, 172, 173, 177, 179, 342
XMoveWindow, **37**, 171, 177, 342
XNArea, 234, 237, 238, **243**, 244, **254**
XNAreaNeeded, 234, 237, 238, **244**, **254**
XNBackground, **244**, **254**
XNBackgroundPixmap, 244, 254
XNClientWindow, **242**, **253**
XNColormap, **244**, **254**
XNCursor, 245, **254**
XNegative, 302
XNewModifiermap, **214**
XNextEvent, 2, 184, **185**, 251
XNextRequest, **12**
XNFilterEvents, 235, 239, 240, **243**, **253**
XNFocusWindow, 234, 237, **242**, 243, **253**
XNFontSet, 235, **245**, **254**
XNForeground, **244**, **254**
XNGeometryCallback, **243**, **253**
XNInputStyle, 234, 242, 244, **253**
XNLineSpace, 245, **254**
XNLineSpacing, 235
XNoExposeEvent, **170**
XNoMemory, 258, 259, 260
XNoOp, **19**
XNPreeditAttributes, **243**, **253**
XNPreeditCaretCallback, 237, **245**, **253**
XNPreeditDoneCallback, 237, **245**, **253**
XNPreeditDrawCallback, 237, **245**, **253**
XNPreeditStartCallback, 237, **245**, **253**
XNQueryInputStyle, 237, 242, **253**
XNResourceClass, **243**, **253**
XNResourceName, **243**, **253**
XNSpotLocation, 237, **244**, **254**
XNStatusAttributes, **243**, **254**
XNStatusDoneCallback, 238, **245**, **254**
XNStatusDrawCallback, 238, **245**, **254**
XNStatusStartCallback, 238, **245**, **254**
XNStdColormap, **244**, **254**
XNVaNestedList, **253**
XOffsetRegion, **304**
XOpenDisplay, **7**, 8, 11, 12, 22, 154, 195, 288
XOpenIM, 219, 233, **236**
XParseColor, 63, **67**, 68
XParseGeometry, **301**, 302, 303, 351
XPeekEvent, **185**
XPeekIfEvent, 186, **187**
XPending, 184, **185**
Xpermalloc, **301**
XPixmapFormatValues, 14

XPlanesOfScreen, **19**
XPoint, **119**, 121, 244
XPointer, **4**, 235
XPointerMovedEvent, 160, **161**, 162
XPointInRegion, **306**
XPolygonRegion, **303**
XPropertyEvent, **180**
XProtocolRevision, **13**
XProtocolVersion, **12**
XPutBackEvent, **189**
XPutImage, 12, **141**, 309, 314
XPutPixel, **311**
XQLength, **13**, 185
XQueryBestCursor, 57, **58**, 59
XQueryBestSize, **110**, 111
XQueryBestStipple, **111**
XQueryBestTile, **111**
XQueryColor, **75**, 76
XQueryColors, 75, **76**
XQueryExtension, **329**
XQueryFont, **130**, 131, 332
XQueryKeymap, **209**, 210
XQueryPointer, **47**, 48, 160
XQueryTextExtents16, 134, **135**, 136
XQueryTextExtents, 134, **135**, 136, 140
XQueryTree, **44**
XRaiseWindow, 2, **38**, 39, 171, 177
XReadBitmapFile, **312**, 313
XRebindKeysym, **301**
XRecolorCursor, 57, **59**
XReconfigureWMWindow, **257**, 258
XRectangle., 243
XRectangle, **119**, 227, 244
XRectangles, 224, 226, 227
XRectInRegion, **306**
XRefreshKeyboardMapping, 175, **299**, 301
XRemoveFromSaveSet, **145**, 146
XRemoveHost, **152**
XRemoveHosts, **152**
XReparentEvent, **175**
XReparentWindow, **144**, 145, 174, 175
xReply, 343
xReq, 338, 340
XResetScreenSaver, **150**
XResizeRequestEvent, **179**
XResizeWindow, **37**, 38, 172, 173, 177, 179
XResourceManagerString, **288**
xResourceReq, **340**
XRestackWindows, **40**, 171, 177
XrmBindingList, 287
XrmBindLoosely, 287
XrmBindTightly, 287
XrmCombineDatabase, **290**
XrmCombineFileDatabase, **290**
XrmDatabase, 219, **287**
XrmDestroyDatabase, **289**
XrmEnumAllLevels, 294, 295
XrmEnumerateDatabase, **294**, 295
XrmEnumOneLevel, 294, 295
XrmGetDatabase, **289**
XrmGetFileDatabase, 219, **288**, 289
XrmGetResource, **291**, 292
XrmGetStringDatabase, 219, 288, **289**
XrmInitialize, **288**
XrmLocaleOfDatabase, 219, **289**
XrmMergeDatabases, **290**, 291
XrmOptionDescRec.value, 295
XrmOptionDescRec, **295**
XrmOptionKind, **295**
XrmoptionNoArg, 296
XrmoptionSkipArg, 295
XrmoptionSkipNArgs, 295
XrmParseCommand, **295**, 296
XrmPermStringToQuark, **286**
XrmPutFileDatabase, 219, **288**
XrmPutLineResource, **294**
XrmPutResource, 291, 292, **293**
XrmPutStringResource, **293**
XrmQGetResource, **291**, 292
XrmQGetSearchList, **291**, 292
XrmQGetSearchResource, 291, **292**
XrmQPutResource, 291, 292, **293**, 294
XrmQPutStringResource, **294**
XrmQuark, 285, 286
XrmQuarkToString, **286**, 287
XrmSetDatabase, **289**, 352
XrmStringToBindingQuarkList, **287**, 293
XrmStringToQuark, **286**
XrmStringToQuarkList, **287**
XrmUniqueQuark, **286**
XrmValue, **287**, 294
XRootWindow, **13**
XRootWindowOfScreen, **19**
XRotateBuffers, **308**
XRotateWindowProperties, **53**, 54, 181
XSaveContext, **314**, 315
XScreenCount, **13**
XScreenNumberOfScreen, **18**
XScreenOfDisplay, **11**
XScreenResourceString, **288**
XSegment, **119**, 121
XSelectInput, **183**, 184
XSelectionClearEvent, **181**
XSelectionEvent, **182**
XSelectionRequestEvent, **181**
XSendEvent, 180, 182, 189, **190**

XServerVendor, **13**
XSetAccessControl, **153**
XSetAfterFunction, **192**
XSetArcMode, **114**
XSetBackground, **108**, 342
XSetClassHint, **270**, 276
XSetClipMask, **113**, 114
XSetClipOrigin, **113**
XSetClipRectangles, 104, 106, **113**, 114
XSetCloseDownMode, **20**, 282
XSetCommand, 276, **277**
XSetDashes, 104, 106, **109**, 110
XSetErrorHandler, **192**
XSetFillRule, **110**
XSetFillStyle, **110**
XSetFont, **112**
XSetFontPath, 132, **147**
XSetForeground, 99, **108**
XSetFunction, **108**
XSetGraphicsExposures, **114**, 115, 170
XSetICFocus, 234, **239**
XSetIconName, **264**, 265
XSetIconSizes, **274**
XSetICValues, 234, **240**, 241, 242, 243
XSetInputFocus, **206**, 207
XSetIOErrorHandler, **195**
XSetLineAttributes, 99, **109**
XSetLocaleModifiers, **218**, 219, 220, 236
XSetModifierMapping, 174, **215**
XSetNormalHints, **348**, 349
XSetPlaneMask, **108**
XSetPointerMapping, 174, **210**
XSetRegion, 104, **303**, 304
XSetRGBColormap, 350
XSetRGBColormaps, **281**, 282
XSetScreenSaver, **149**
XSetSelectionOwner, 20, **54**, 55, 181
XSetSizeHints, **349**
XSetStandardColormap, **350**
XSetStandardProperties, **347**
XSetState, **107**, 108
XSetStipple, **112**
XSetSubwindowMode, **114**
XSetTextProperty, **261**, 262, 263, 264, 278
XSetTile, **111**, 112
XSetTransientForHint, **271**
XSetTSOrigin, **112**
XSetWindowAttributes, 24, **25**, 40, 41, 179, 183
XSetWindowBackground, **41**, 42
XSetWindowBackgroundPixmap, **42**
XSetWindowBorder, **42**
XSetWindowBorderPixmap, **42**, 43
XSetWindowBorderWidth, **38**, 172, 177
XSetWindowColormap, **43**, 67, 146, 179
XSetWMClientMachine, 275, 276, **278**
XSetWMColormapWindows, **272**, 273
XSetWMHints, **266**, 274, 275, 276
XSetWMIconName, **264**, 276
XSetWMName, **262**, 263, 276
XSetWMNormalHints, **268**, 269, 275, 276, 348
XSetWMProperties, **276**, 277, 347
XSetWMProtocols, **272**
XSetWMSizeHints, **269**, 349
XSetZoomHints, **348**, 349
XShrinkRegion, **304**
XSizeHints, 255, **267**, 268, 269, 303, 348, 349, 350
XStandardColormap, **279**, 280, 281, 282, 350
XStdICCTextStyle, 259
XStoreBuffer, **307**
XStoreBytes, **306**, 307
XStoreColor, 72, **73**, 74
XStoreColors, 72, **73**, 74, 75, 282
XStoreName, **263**
XStoreNamedColor, 63, 72, **75**
XStringListToTextProperty, **260**, 261
XStringResourceString, 288
XStringStyle, 259
XStringToKeysym, **299**
XSubImage, 310, **311**, 312
XSubtractRegion, **305**
XSupportsLocale, **217**, 218, 219, 259, 260
XSync, 2, 20, **184**
XSynchronize, **192**, 345
XTextExtents16, **134**, 136
XTextExtents, **134**, 136
XTextItem16, **136**
XTextItem, **136**
XTextProperty, **258**, 259, 260, 261, 262, 263, 264, 278
XTextPropertyToStringList, **261**
XTextStyle, 259
XTextWidth16, **133**
XTextWidth, **133**
XTimeCoord, **191**
XTranslateCoordinates, **47**
XUndefineCursor, **43**
XUngrabButton, **200**
XUngrabKey, **203**
XUngrabKeyboard, 20, **201**, 202
XUngrabPointer, 20, 159, 162, **198**
XUngrabServer, 20, **148**
XUninstallColormap, 60, 67, **146**, 147, 179
XUnionRectWithRegion, **305**
XUnionRegion, **305**
XUniqueContext, **315**

XUnloadFont, 130, **131**, 132
XUnmapEvent, **176**
XUnmapSubwindows, **34**, 35
XUnmapWindow, **34**
XUnsetICFocus, 234, **239**
XVaCreateNestedList, 236
XValue, 302
XVaNestedList, 235
XVendorRelease, **14**
XVisibilityEvent, **176**, 177
XVisualIDFromVisual, **23**
XVisualInfo, 22, **308**
XWarpPointer, **205**, 206
XwcDrawImageString, **229**, 230
XwcDrawString, **229**
XwcDrawText, 219, **228**, 229
XwcFreeStringList, **260**
XwcLookupString, 233, 234, 235, 236, **251**, 252, 253
XwcLookupText, 219
XwcPerCharExtents, 224
XwcResetIC, 239, 240
XwcTextEscapement, **225**, 226
XwcTextExtents, 219, 224, **225**, 226, 227, 230
XwcTextItem, **228**
XwcTextListToTextProperty, 219, **258**, 259
XwcTextPerCharExtents, 224, **226**, 227, 229
XwcTextPropertyToTextList, 219, **259**, 260
XWhitePixel, **9**
XWhitePixelOfScreen, **16**
XWidthMMOfScreen, **18**
XWidthOfScreen, **18**
XWindowAttributes, **45**
XWindowChanges, **35**, 36, 37, 257
XWindowEvent, 2, 184, **187**
XWithdrawWindow, **257**
XWMGeometry, **302**, 303, 351
XWMHints, 255, **265**, 266, 267, 275, 276
XWriteBitmapFile, **313**, 314
XXorRegion, **305**
XY format, **367**
XYBitmap, 141, 310
XYPixmap, 141, 142, 143, 310
X_CopyArea, 170
X_CopyPlane, 170
X_MapWindow, 342

Y

YNegative, 302
YSorted, 113, 114
YValue, 302
YXBanded, 113, 114
YXSorted, 113, 114

Z

Z format, **367**
ZPixmap, 141, 142, 143, 310

_

_XAllocScratch, **345**
_Xdebug, 191
_XFlushGCCache, **338**
_XRead16, 344
_XRead16Pad, 345
_XRead32, 344
_XRead, 344
_XReadPad, 345
_XReply, 335, **343**, 344
_XSend, 342, 343
_XSetLastRequestRead, **334**