

in

Georg Steger

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Georg Steger	August 7, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	StackAttack	1
1.2	Introduction	1
1.3	Requirements	2
1.4	Legal Stuff	2
1.5	Installation	2
1.6	Configuration	3
1.7	History	4
1.8	Author	4
1.9	Credits	5
1.10	Other Software created by Georg Steger	5

Chapter 1

in

1.1 StackAttack

-> StackAttack V1.2 <-

(C) Copyright 1997 by Georg Steger.
All rights reserved!

Introduction

Requirements

Legal Stuff

Installation

Configuration

History

Author

Credits

Other Stuff

1.2 Introduction

StackAttack is a little program that can kill/avoid strange or casual GURUs. If one is running many programs that patch system routines (many commodities and "hacks" do that) it might happen that more GURUs than usual occur. The strange thing is that one time a certain operation can bring up a GURU while another time nothing happens.

Very often the reason for such unmotivated GURUs is, that some or many programs do not have enough Stack when one is running lots of system-

patches, hacks or commodities.

Each program that patches library functions increases the amount of stack needed by these functions when they are called. If another program patches one of these functions again the amount of needed Stack is increased again.

Example: Commodity "A" patches OpenWindow(). The new function has some variables on Stack, and therefore increases the Stack-Usage by 30 Bytes.

Commodity "B" patches OpenWindow() again. Commodity "A" is still running. The new function increases the Stack-Usage by 40 Byte.

--> The overall Stack-Usage increases by $(40+30) = 70$ Bytes!!

Note: To be true, not all Patches might do that. For example if one patches OpenWindow() the following way, the Stack-Usage might not be altered:

New function jumps to a subroutine (the variables on Stack are used by this subroutine), returns from it, and jumps to the original Function after that.

StackAttack patches CreateProc(), CreateNewProc(), RunCommand() and SystemTagList() and alters the stack-size passed to them (depending on what arguments you supply).

1.3 Requirements

At least AmigaOS 2.0 (V36) is required to run StackAttack.

1.4 Legal Stuff

StackAttack is Freeware. Do anything you want with it, but remember: I can not be held responsible for any damage that might occur when using StackAttack!

1.5 Installation

Use the supplied installation script to install StackAttack. It will copy

StackAttack to SYS:C and add the following start line (the installation script allows you to select at which position you want the line to be inserted) to your S:startup-sequence

```
C:StackAttack MIN=<minimal Stack> ADD=<additional Stack>
```

The installation script asks you what values you want to use for MIN and ADD. If you don't know what values to pick accept the suggested ones. Have a look at

Configuration Note:

- o If you install StackAttack by hand then remember to put the start line after the "C:SetPatch QUIET" line.

Experts: There's no need to start StackAttack immediately after SetPatch. If you know that certain programs do have enough stack you can put the StackAttack line after.

- o If you have already used StackAttack (it's also part of PowerWindows) then change the "run <>NIL: C:StackAttack ..." line to "C:StackAttack ..." "Run" is no more required because now StackAttack allocs memory for a copy of the required routines and quits immediately. Now StackAttack only eats some hundred Bytes!!!

1.6 Configuration

The first time you can configure StackAttack with the installation script. All other times you have to edit s:startup-sequence. The line with "StackAttack" in it is the one you have to edit.

StackAttack has the following argument template:

```
MINSTACK=MIN/N/K,ADDSTACK=ADD/N/K
```

MINSTACK is the minimum amount of stack in bytes a new process shall have. The default of the operating system is 4000 (or was it 4096?). The value suggested by the installation script is 5000. If you are still encountering strange/casual GURUs try increasing ADDSTACK first.

With ADDSTACK you can specify how many bytes you want to be added to the old value (the amount of Stack that would be used when StackAttack is not running eventually corrected to MINSTACK (if it was lower))

Examples:

You start a program that usually uses a Stack-Size of 10000 Bytes:

Program	Arguments	New Stack Size
StackAttack	MINSTACK=11000	11000
StackAttack	ADDSTACK=200	10200
StackAttack	MINSTACK=13000 ADDSTACK=400	13400
StackAttack	MINSTACK=5000	10000
StackAttack	MINSTACK=5000 ADDSTACK=600	10600

If you are still encountering strange/casual/unmotivated GURUs try increasing ADDSTACK, let's say by 100 or 200 Bytes. I think it is not necessary/advisable setting MINSTACK to a higher value than 6000.

Of course you cannot expect StackAttack to kill every GURU. It can only kill the ones which are caused by a too low stack!!

1.7 History

V 0.x ???.??.??: - StackAttack was only part of PowerWindows

V 0.9 17.08.97: - First release outside from PowerWindows

V 1.0 06.09.97: - Fixed a stupid bug in CreateNewProc() patch

- SystemTagList() patch will no longer do anything if no taglist was supplied or no NP_StackSize tag was found. C:ICONX and SYS:SYSTEM/SHELL did not get the correct stack if the STACK tooltype was used!? If you are a programmer please have a look at the "HELP ME!!" file!

V 1.1 11.09.97: - CreateProc() and RunCommand() patch no longer trash the "stack-register" (d4 for CreateProc() and d2 for RunCommand()). The registers were not really trashed, they just kept the corrected value.

V 1.2 03.11.97: - Specifying only ADDSTACK but no MINSTACK caused very big trouble!

- The patches for CreateNewProc() and SystemTagList() no longer change the original taglist but make a clone, change it, and pass it to the old (ROM) routine. Anyway, if cloning fails, the original taglist will be patched, but this should only happen if you are very low on memory.

1.8 Author

StackAttack was created by:

Georg Steger
Hochlercher 30

I-39030 St. Johann

SOUTH TYROL - ITALY

Send bug reports, comments, to:

E-Mail: steger@pass.dnet.it

Write in german (prefered), italian or english!

1.9 Credits

Thanks fly to:

- Llorenç 'Llor69' Grau for the català translation of the FileAttack (installation utility) catalog

1.10 Other Software created by Georg Steger

Image

PowerCrawler V1.10 (SHAREWARE):

A Map-Editor with some incredible features:

- o Blocksize from 1 x 1 to 255 x 255
 - o Mapsize from 2 x 2 to 32767 x 32767
 - o Upto 10 Layers (not parallax) with Mask-Support
 - o Localized
 - o Userdefined Screenmodes/Fonts for Editscreen
 - o Userdefined Font for Main Window on Workbench
 - o Fontsensitive GUI
 - o Userdefined Screenmode for BlockScreen
 - o External Loader/Saver-Support
 - o Many Draw-Tools (Freehand, Line, Rectangle, filled Rectangle, Airbrush, Fill) some with variable modes (vertical/horizontal Filling, OnePointPerRow/Column-Line, ...)
 - o MAP-EDITING WITH VARIABLE ZOOM (1% - 100%)
 - o Zoom Pre-Calculation for faster Editing
 - o Fliptable for controlled flipping
 - o Savable MAP-PREVIEW (1% - 100%)
 - o Brushes. You can give them names, sort them, save them!
 - o Mask-Creation inside program. Invert Mask. Load Mask as IFF-File.
 - o Up to 6 projects in memory which can all have different settings, pictures, ...
 - o Project-Saving/Loading which will save/load Map-Data, Settings, FileNames, Fliptable, Brushes, Mask in/from one file!
 - o Shortcuts for nearly everything.
 - o Popup-Menus for Brushes and Zoom.
-

- o Undo/Redo
- o Datatypes-Support
- o Iff-Library-Support
- o HAM/EHB-Mode-Support
- o Color0-Remapping and DRIPENS for good looking GUI in all modes!
- o OS-conform (hopefully)
- o Thousands of TOOLTYPES to change GUI, Flags for AllocBitmap, internal routines, ...
- o Loading/Saving settings to a file
- o Online Help

How to get the registered Version of PowerCrawler:

Send US\$ 25 (DM 35) (LIRE 30000) CASH ONLY to the following address:

Georg Steger
Hochlercher 30

I-39030 St. Johann/Ahrntal

ITALY

E-Mail: steger@pass.dnet.it

YOU MUST INCLUDE: ONE EMPTY DISK
RETURN STAMPS

PowerWindows (Shareware):

This Program allows you to move Windows out of Screen!!!!!! No joke! It's real! The Windows also get an Iconify-Gadget which allows you to iconify Windows in a 100 % compatible way! Check this out!! Tons of features, works on GFX-Boards!!!

PowerWB (Shareware):

PowerWB improves the good (??) old (!!) standard Workbench of the Amiga a little bit. I know there are more and more Workbench replacements coming out, these days. Some of them are really good but anyway not everybody of us will stop using the standard Workbench, whatever the reasons might be (too much memory usage, incompatibility, too expensive, too slow etc.)

PowerWB adds the following new features to the Workbench:

- Two new gadgets will be added to the titlebar of the workbench windows. One to switch the "View by" mode ("Icon" / "Name") and the other to switch the "Show" mode ("Only Icons" / "All Files")
-

- PowerWB allows you to use the keyboard for some operations which normally can only be done by accessing the menu or the gadgets.

PowerIcons (Giftware):

This little commodity removes the border around the Icons when you drag them. It makes color 0 of the Icons transparent. This program is especially useful if you use NewIcons V3. NewIcons already removed the border around the Icons but not when you dragged them.

WBAttack (Freeware):

WBAttack is a little program which allows you to change the backdrop mode of the main Workbench window. It is (mainly) intended to be used with programs like Toolmanager which allow starting programs with a configurable hotkey. As such hotkeys can be used in any occasion (it does not matter which window or screen is the active one) accessing the icons of the main Workbench window (by switching the Workbench backdrop mode off, which brings the Workbench window automatically to front) will be very very easy.
