

**AminetPart**

**COLLABORATORS**

|               |                              |                |                  |
|---------------|------------------------------|----------------|------------------|
|               | <i>TITLE :</i><br>AminetPart |                |                  |
| <i>ACTION</i> | <i>NAME</i>                  | <i>DATE</i>    | <i>SIGNATURE</i> |
| WRITTEN BY    |                              | August 7, 2022 |                  |

**REVISION HISTORY**

| <i>NUMBER</i> | <i>DATE</i> | <i>DESCRIPTION</i> | <i>NAME</i> |
|---------------|-------------|--------------------|-------------|
|               |             |                    |             |

# Contents

|                                 |          |
|---------------------------------|----------|
| <b>1 AminetPart</b>             | <b>1</b> |
| 1.1 Selfmade hardware . . . . . | 1        |

## Chapter 1

# AminetPart

### 1.1 Selfmade hardware

Click name to unpack, description to read the readme or get help

| File               | Dir       | Size | Age | Description  |
|--------------------|-----------|------|-----|--|
| 1080MonitorHck.lha | hard/hack | 8K   | 243 | *1080 electronic vertical resize hack                    |
| 1084Siz.txt        | hard/hack | 9K   | 229 | *Modify 1084S vertical height externally                 |
| 1084vga.lha        | hard/hack | 8K   | 86  | *Use a 1084 AND a VGA-monitor                            |
| 1200ExKb.lha       | hard/hack | 9K   | 229 | *External Keyboard Hack for A1200.                       |
| 1200Tower.lha      | hard/hack | 10K  | 133 | *How to put your 1200 in a TOWER                         |
| 1200Tower21.lha    | hard/hack | 22K  | 102 | *V2.1 - How to put your 1200 in a TOWER                  |
| 14mhz.lha          | hard/hack | 5K   | 439 | *Amiga 500 processor accelerator for \$25                |
| 14MhzA500.lha      | hard/hack | 26K  | 105 | *Brute force A500 14MHz hack                             |
| 15khzhackext.lha   | hard/hack | 5K   | 92  | *Flickerfri 1084s monitor...                             |
| 15khzhackV2.lha    | hard/hack | 8K   | 208 | *Flicker free screens on 15khz monitor                   |
| 15khz_vga.txt      | hard/hack | 2K   | 84  | *15khz and VGA monitor without switchers                 |
| 2000slot.lha       | hard/hack | 5K   | 364 | *Use A500/A1000 expansion as A2000 slot                  |
| 20rom_A1000.lha    | hard/hack | 2K   | 161 | *Kick20 in A1000 freak's hack                            |
| 2HDsOn1200.lha     | hard/hack | 2K   | 132 | *How to get 2HD's on a 1200 or 1HD and a CD ←            |
| Rom                |           |      |     |  |
| 2megagnus50d4.lha  | hard/hack | 182K | 273 | *Build a 2 meg Agnus board for 500/2000                  |
| 2MegAgnus50d5.lha  | hard/hack | 183K | 175 | *Build (or buy) a low-price 2 meg Agnus ←<br>board for 5 |
| 2Megram.lha        | hard/hack | 11K  | 105 | *2Meg Ram mod for A500                                   |
| 4IDE.lha           | hard/hack | 14K  | 56  | *Connect 4 IDE drivers to your A1200/4000                |
| 512kWOM.lha        | hard/hack | 57K  | 165 | *Amiga A1000 with 512K Kicks !                           |
| 8052_BAS.lha       | hard/hack | 244K | 237 | *8052-BASIC-MicroController                              |
| 8052_BAS.lha       | hard/hack | 334K | 209 | *8052-BASIC-MicroController                              |
| 8052_BAS.lha       | hard/hack | 460K | 140 | *8052-BASIC-MicroController                              |
| 8meg.lha           | hard/hack | 47K  | 352 | *8 meg ram expander                                      |
| a1000hacks.lha     | hard/hack | 441K | 215 | *Collection of Amiga 1000 hardware hacks                 |
| A1200FDfix.lha     | hard/hack | 11K  | 157 | *Make new A1200 compatible to old ones                   |
| A1200MTowerFAQ.lha | hard/hack | 5K   | 192 | *Hardware FAQ 'Mirconik-Tower for Amiga 500'             |
| A1200tower_XTR.txt | hard/hack | 14K  | 92  | *EXTRA help on putting your 1200 in a Tower ←<br>v3      |
| A12Hack2.lha       | hard/hack | 11K  | 315 | *3.5' IDE instead of DF0:                                |
| A12ooTDoSelf.lha   | hard/hack | 13K  | 151 | *How to put a A1200 into PC-Tower, German                |
| A1300_V2_0.lha     | hard/hack | 53K  | 98  | *A1200mTower and keep your A1200 keyboard                |
| A1k2TReset.lha     | hard/hack | 5K   | 89  | *Reset your tower Amiga!                                 |

|                                 |           |      |   |
|---------------------------------|-----------|------|---|
| A2000T.lha                      | hard/hack | 113K | 121*Doc to make an Amiga 2000 a Tower case        |
| A2000T.lha<br>fixed             | hard/hack | 115K | 48*Doc to make an Amiga 2000 a Tower case ←       |
| A2024BigColor.lha<br>A2024 (Vi  | hard/hack | 21K  | 297*How to get 1024x1024x4 out of >16.8M with ←   |
| A2060.txt                       | hard/hack | 1K   | 165*Modify the A2060 for A4000                    |
| a2232tuning.lha                 | hard/hack | 24K  | 101*Enhance the A2232 in many ways [Update]       |
| a2232tuning.lha                 | hard/hack | 43K  | 61*Enhance the A2232 [Release with SOURCE]        |
| A2386_16MB.lha<br>A2386s        | hard/hack | 5K   | 40*Be able to use 16 MB of on-board RAM on the ←  |
| a2386_ps2.lha                   | hard/hack | 160K | 124*How to use PS2-Simms on A2386                 |
| a2386_ps2fix.lha                | hard/hack | 167K | 115*Use PS2-Simms on A2386 V1.1                   |
| A2386_PS2_V1_3.lha              | hard/hack | 204K | 83*Use PS2-SIMMs on A2386 V1.3                    |
| A2630Fix.lha                    | hard/hack | 4K   | 160*A collection of A2360 fixes, V1.0             |
| A2630Fix.lha                    | hard/hack | 6K   | 129*A collection of A2630 fixes, V1.1             |
| a2k2cttvKBD.lha                 | hard/hack | 3K   | 305*CDTV gets A2000 keyboard                      |
| a2kVSA5hKBD.lha                 | hard/hack | 1K   | 305*A500 gets A2000 keyboard                      |
| A2K_agnus_hack.lha              | hard/hack | 4K   | 128*Install a 2MB Agnus on A2000 motherboard      |
| A2K_agnus_hack.lha              | hard/hack | 6K   | 112*Install a 2MB Agnus on A2000 motherboard      |
| A2K_agnus_hack.lha<br>V1.4      | hard/hack | 8K   | 67*Install a 2MB Agnus on A2000 motherboard, ←    |
| A3000_50.lha<br>!               | hard/hack | 6K   | 208*Hack the A3000's FPU to 50mhz w/o any parts ← |
| A4000_35.lha                    | hard/hack | 76K  | 148*4000/040 running at 35 MHz                    |
| A4K33Mhz.lha                    | hard/hack | 2K   | 248*A4000/030 Speed Up Hack + AIBB Module         |
| A4kExtSCSI.lha                  | hard/hack | 601K | 46*External DB25 SCSI socket for the A4000        |
| a4kslot5.lha                    | hard/hack | 258K | 145*Hack A4000 to 5 real slots                    |
| A4_S_V_11.lha<br>more abo       | hard/hack | 584K | 113*Amiga 4000/030 Tuning CPU, FPU ,Rom`s and ←   |
| A5001MChip.lha                  | hard/hack | 2K   | 8 1 Meg Chip Activation (A500)                    |
| a500chip.lha                    | hard/hack | 4K   | 285*The REAL way to make your A501 chip ram       |
| a500ide.lha                     | hard/hack | 93K  | 71*IDE-interface project for Amiga 500            |
| a500ide.lha                     | hard/hack | 210K | 25*Connect IDE-harddisk to Amiga 500 V1.2         |
| a500key1.lha<br>in A120         | hard/hack | 160K | 97*How to conect the keyboard of our old A500 ←   |
| a500keyhack.txt                 | hard/hack | 6K   | 421*Make A500 keyboard detachable                 |
| a500mon.lha                     | hard/hack | 7K   | 166*A500 to Amstrad CPC monitor                   |
| A500_Tower_FAQ.lha              | hard/hack | 7K   | 192*Hardware FAQ 'Mirconik-Tower for Amiga 500'   |
| AddDF2.lha                      | hard/hack | 14K  | 190*Add internal floppy drives to an Amiga        |
| AddZorro2slot.lha               | hard/hack | 8K   | 150*I ADDED a Picasso2 in a NEW slot of my A500   |
| AGAEmul10.lha<br>Amiga..        | hard/hack | 503K | 152*AGAEmul v1.0 , Emulate AGA-chipset on your ←  |
| ami2vga.lha<br>cable.           | hard/hack | 7K   | 374*Build an Amiga to Multisync VGA buffered ←    |
| AmigaScope.lha<br>parallel port | hard/hack | 25K  | 330*8 channel digital oscilloscope, uses ←        |
| Amikeyterm.lha                  | hard/hack | 7K   | 105*Keyboard to serial with PIC16C84              |
| AmScsi.lha                      | hard/hack | 7K   | 620*Hardware project; build SCSI controller.      |
| ArcMouse.lha                    | hard/hack | 5K   | 186*Modify Acorn mouse for use with Amiga         |
| ArcMouse.lha                    | hard/hack | 6K   | 151*Modify Acorn mouse for use with Amiga         |
| AT1200mod.lha                   | hard/hack | 2K   | 96*AT1200 disk drive modification                 |
| AtariTBconv.lha                 | hard/hack | 6K   | 211*Atari Trak-Ball to Amiga conversion info      |
| ATkeyboard.lha                  | hard/hack | 77K  | 112*Connect an (PC) AT-keyboard to an Amiga       |
| atomuhr12.lha                   | hard/hack | 27K  | 164*AtomUhr V1.2 - DCF77 Receiver                 |
| audioidig.lha                   | hard/hack | 6K   | 333*Do it yourself audio digitizer plans.         |
| autofire.lha                    | hard/hack | 8K   | 374*Autofire for all joysticks for \$4            |
| AvailCIA.lha                    | hard/hack | 2K   | 187*V1.0, checks for cia timers                   |

|                    |           |      |   |
|--------------------|-----------|------|---|
| B1220+4M.lha       | hard/hack | 697K | 98*Blizzard1220_4Mb add 4Mb Simms ram                 |
| BetterPaula.lha    | hard/hack | 4K   | 75*Very, very simple hack to improve the stereo effec |
| BootDelay.lha      | hard/hack | 14K  | 106*Get rid of bootscreen caused by slow HD's         |
| bppcscsi.lha       | hard/hack | 11K  | 39*How to build a SCSI cable for BlizzardPPC boards.  |
| CardAttack11b.lha  | hard/hack | 202K | 60*Chipcard reader and writer                         |
| cd32pins.lha       | hard/hack | 8K   | 77*Inner diagram of the CD-32 joypad connector        |
| CD32_Amigall.lha   | hard/hack | 28K  | 201*Serial cable+keyboard on the CD32 explained       |
| cd32_floppy.lha    | hard/hack | 166K | 151*Disk Drive Interface for CD32                     |
| CDTVJoystickAd.lha | hard/hack | 6K   | 226*Hack to add mouse/joystick to CDTV                |
| CDTV_Keyboard.lha  | hard/hack | 11K  | 87*IDEA TEAM - Connect Amiga keyboard to CDTV!        |
| DansAmigaMouse.lha | hard/hack | 2K   | 99*A three button C= Amiga mouse? Yes!                |
| DB50XGHack.lha     | hard/hack | 259K | 1 DB50XG <-> AMIGA Deu&Eng                            |
| dca1200t.lha       | hard/hack | 57K  | 121*Complete installation docs for an A1200 T         |
| DCF77_Plus.lha     | hard/hack | 379K | 123*Cheap radio-controlled watch                      |
| DCF77_Plus1_21.lha | hard/hack | 401K | 94*Radio-controlled watch NEW Features                |
| DCF77_Plus1_22.lha | hard/hack | 405K | 62*Radio-controlled watch NEW Features                |
| Deluxe22.lha       | hard/hack | 27K  | 148*Analog Joystick Hack.. Deluxe Version             |
| DesktopAmiga.lha   | hard/hack | 658K | 32*SlideShow of A1200 conversion to desktop.          |
| DigiViewClone.lha  | hard/hack | 6K   | 364*Make own video digitizer                          |
| disktracer.lha     | hard/hack | 8K   | 105*Disk drive track counter                          |
| DriveSolution.lha  | hard/hack | 288K | 97*New solution for A1200's new drive                 |
| drv_1_44.lha       | hard/hack | 16K  | 383*Connect PC HD floppies                            |
| dsa.lha            | hard/hack | 141K | 38*16channel Digital Signal Analyser, A1200 IDE       |
| ECSDiag.lha        | hard/hack | 7K   | 254*Amiga repair/diagnose program                     |
| eleguide.lha       | hard/hack | 68K  | 96*Little guide about electronic basics               |
| epic13.lha         | hard/hack | 68K  | 37*PIC16C89 Programmer & Project                      |
| Epic1_0.lha        | hard/hack | 23K  | 153*Programmer for PIC16C84 microcontroller           |
| Epic1_1.lha        | hard/hack | 23K  | 124*Programmer for PIC16C84 microcontroller           |
| Epic1_2.lha        | hard/hack | 64K  | 109*PIC 16C84 programmer & PC keyboard hack           |
| ExtInCableSCSI.lha | hard/hack | 15K  | 42*Cable SCSI de interior 50 pins a exterior 25 pins. |
| FGrab.lha          | hard/hack | 712K | 66*Frame grabber V1.2, produces 768x575 colour pics   |
| flickerfix.lha     | hard/hack | 2K   | 74*Multiscan/Db1PAL flickering stripes h/w fix        |
| flickfix.lha       | hard/hack | 5K   | 167*A1200 Screen flicker fix V1.0                     |
| flipf.lha          | hard/hack | 1K   | 180*Flips audio filter on or off                      |
| floppyinterfac.lha | hard/hack | 72K  | 377*Connect PC HD floppies                            |
| Floppy_fix.lha     | hard/hack | 6K   | 163*Fix for the floppy problem of newer Amiga 1200    |
| floppy_int.lha     | hard/hack | 72K  | 257*diagram for connecting PC 720K drives             |
| frame.lha          | hard/hack | 173K | 120*Amiga video digitizer                             |
| frame.lha          | hard/hack | 166K | 105*Amiga Video Digitizer. Update 3                   |
| frame.lha          | hard/hack | 194K | 73*Amiga Video Digitizer. Update 4                    |
| Genes_PC_Mouse.lha | hard/hack | 3K   | 102*Make an AMiga mouse from a pc mouse               |
| GVPmidiHack.lha    | hard/hack | 1K   | 21*Convert 2nd ser port on IOExtender to allow midi   |
| gvpsim64.lzh       | hard/hack | 46K  | 145*Hack 72-pin SIMM to fit GVP cards (French)        |
| gvpsim64.lzh       | hard/hack | 57K  | 138*Hack 72-pin SIMM to fit GVP cards                 |
| Gyromouse.txt      | hard/hack | 2K   | 61*PC gyromouse adaptor                               |
| hackpics.lha       | hard/hack | 12K  | 320*PAL switch via solder pads                        |
| HappyHardDrive.lha | hard/hack | 19K  | 90*How to move your floppy outside/disable it!        |
| hddmem.lha         | hard/hack | 76K  | 68*IDE HDD, ROM and RAM controller for A500           |
| hdoncd32.lha       | hard/hack | 6K   | 77*How to add an external 3'1/2 HD on CD32+SX1        |

|                    |           |      |  |   |
|--------------------|-----------|------|--|---|
| HiDensity.lha      | hard/hack | 6K   | 103*Use HD Disks on Amiga Tech. A1200 internal drive.  | ↔ |
| hst_dual.lha       | hard/hack | 16K  | 327*From USR HST to Dual Standard                      |   |
| i2clib38.lha       | hard/hack | 28K  | 212*I2C-bus hard/software interface project.           |   |
| i2clib39.lha       | hard/hack | 35K  | 115*I2C-bus hard/software interface project.           |   |
| i2clib40.lha       | hard/hack | 116K | 24*I2C-bus hard/software interface project.            |   |
| i2clib40.lha       | hard/hack | 117K | 7 I2C-bus hard/software interface project.             |   |
| i2c_support.lha    | hard/hack | 30K  | 97*Useful stuff for i2clib39 users, updated            |   |
| IBM_Keyboard.lha   | hard/hack | 43K  | 333*How to connect an IBM keyb to Amiga                |   |
| ide1200cdrom.lzh   | hard/hack | 5K   | 140*How to connect an IDE CDROM to an A1200            |   |
| ide2ami4.lha       | hard/hack | 80K  | 271*How To Connect A 3.5' IDE Hard Disk To An Amiga A1 | ↔ |
| ide2ami5.lha       | hard/hack | 84K  | 183*IDE-2-AMI V5 - How to install HD's in A1200s       | ↔ |
| idecdrom.lzh       | hard/hack | 4K   | 143*How to connect an IDE CDROM to an A1200            |   |
| IDE_Killer.lha     | hard/hack | 5K   | 155*IDE-Killer   |   |
| InOutBoard.lha     | hard/hack | 182K | 155*In-Out-Board                                       |   |
| In_Out_Board.lha   | hard/hack | 171K | 180*In-Out-Board                                       |   |
| in_out_board.lha   | hard/hack | 171K | 168*In-Out-Board                                       |   |
| IOBoard.lha        | hard/hack | 349K | 397*Public domain hardware project. V2.10              |   |
| ioexpansion.lha    | hard/hack | 270K | 415*2 serial, 2 parallel for A500/1000/2000            |   |
| ispar.lha          | hard/hack | 6K   | 305*PD SCSI interface                                  |   |
| JoyProject20.lha   | hard/hack | 4K   | 174*How to connect PC-analog-joystick etc.             |   |
| ju257.lha          | hard/hack | 121K | 162*How to modify Panasonic 3.5' disk drives           |   |
| KBD_Reset102.lha   | hard/hack | 5K   | 118*Solution for the Keyboardreset-Problem             |   |
| KBD_Reset103.lha   | hard/hack | 8K   | 102*Solution for the keyboard-reset-problem            |   |
| KeyboardRepair.lha | hard/hack | 6K   | 100*How to overhaul an Amiga keyboard                  |   |
| KeybRep.lha        | hard/hack | 6K   | 56*Keyboard Cable Repair Docs                          |   |
| Kick1000.lha       | hard/hack | 14K  | 161*A1000 with 2.0 EPROM/ROM !                         |   |
| Kick2File.lha      | hard/hack | 3K   | 141*Writes ROM data to file.                           |   |
| Kick31onA600.txt   | hard/hack | 3K   | 174*Using Kick3.1 roms on A600 NO HACKS                |   |
| Kick31onA600.txt   | hard/hack | 3K   | 133*Using Kick3.1 roms on A600 NO HACKS                |   |
| kickswitch.lha     | hard/hack | 102K | 124*Automatic Kickstartswitch (16 bit ROMs)            |   |
| killfilters.lha    | hard/hack | 3K   | 81*Improve Audio-quality (A500-A4000)                  |   |
| lcdaem18.lha       | hard/hack | 133K | 120*Control LCD through parallel port (V1.8)           |   |
| LCDaemon.lha       | hard/hack | 108K | 143*Connect a Liquid Crystal Display to your parallel  | ↔ |
| LCDaemon.lha       | hard/hack | 131K | 92*Control LCD through parallel port (V2.0)            |   |
| LCDaemon.lha       | hard/hack | 139K | 71*Control LCD through parallel port (V2.1)            |   |
| lcdaemon.lha       | hard/hack | 215K | 28*Control LCD through parallel port (V2.3)            |   |
| lcdaemon_src.lha   | hard/hack | 460K | 28*Control LCD through parallel port (source V2.3)     | ↔ |
| LithBatt.lha       | hard/hack | 4K   | 33*Replace NiCad battery with Lithium coin battery     | ↔ |
| loudspeaker.lha    | hard/hack | 4K   | 157*A4000T loudspeaker enhancer (paper HW hack)        |   |
| macdrive.lha       | hard/hack | 7K   | 408*Connect Mac floppy to Amiga                        |   |
| MacFloppyV1_01.lha | hard/hack | 8K   | 312*Amig interface for mac drives                      |   |
| MacInterface.lha   | hard/hack | 26K  | 284*PCB-Layout of MacDrive-Interface                   |   |
| Mac_FloppyPCB.lha  | hard/hack | 8K   | 333*Connecting Mac 800K drives to Amiga                |   |
| Maps1.lha          | hard/hack | 38K  | 148*Misc Hardware hacks                                |   |
| MC68010.lha        | hard/hack | 9K   | 621*How to upgrade from MC68000 to MC68010.            |   |
| MClock.lha         | hard/hack | 60K  | 272*Battrly backed up clock for all Amigas             |   |
| MemExpansion.lha   | hard/hack | 13K  | 609*Directions to build own memory expansion           |   |
| MemUtil.lha        | hard/hack | 30K  | 23*Memory testing, clearing, speed measuring tools     | ↔ |
| MIDI_2_0.lha       | hard/hack | 2K   | 333*How to build a MIDI interface                      |   |
| MiscHacks.lha      | hard/hack | 100K | 287*13 HW hacks incl peripheral exchange               |   |

|                    |           |      |  |
|--------------------|-----------|------|--|
| mitsc_ls.lha       | hard/hack | 12K  | 136*How to connect Mitsubishi monitor to Amiga   |
| Mix_and_Tick.lha   | hard/hack | 8K   | 102*Audiomix- and Ticksignalgeneratorcircuit     |
| ModemPower.lha     | hard/hack | 15K  | 167*Converts 12VDC to 12VAC for ext. modem       |
| monitorfix.txt     | hard/hack | 9K   | 374*Fix prob with high voltage snaps             |
| MouseClock.lha     | hard/hack | 39K  | 248*Battery backed-up clock/calendar project     |
| MouseClock20.lha   | hard/hack | 69K  | 209*Battery backed-up clock/cal project v2.0     |
| mousehack.txt      | hard/hack | 13K  | 417*Connect standard mice to Amiga               |
| mswitch.lha        | hard/hack | 10K  | 373*Connect mouse & joystick to same port        |
| MyWideSCSI.lha     | hard/hack | 13K  | 46*SCSI68>SCSI50 adaptor & Active terminator     |
| my_pc_mouse.lha    | hard/hack | 6K   | 31*How to modify a serial mouse to work on the ← |
| Amiga              |           |      |  |
| new14acc_31.lha    | hard/hack | 65K  | 370*14MHz accelerator update                     |
| no4000ide.lha      | hard/hack | 0K   | 195*Hardware hack to disable A4000 IDE port      |
| NT70_2_0.lha       | hard/hack | 2K   | 154*72hz NTSC monitor driver WORKS!              |
| PAL_on_SVGA.lha    | hard/hack | 3K   | 165*Use 15kHz PAL on SVGA monitors! IT WORKS     |
| pcb.lha            | hard/hack | 53K  | 167*How to create PCB s German+Italian AG        |
| PCFloppy2Amiga.lha | hard/hack | 19K  | 220*Use 1.44 PC drives as Amiga HD drives.=      |
| PCFloppy2Amiga.lha | hard/hack | 56K  | 205*Use 1.44 PC drives as Amiga HD drives.=      |
| PCGamepad2Ami.lha  | hard/hack | 7K   | 163*Built an adapter for PC gamepads and ←       |
| joysticks          |           |      |  |
| PCGamepad2Ami.lha  | hard/hack | 8K   | 19*Build an adapter for PC gamepads V1.1         |
| pkeybhack.lha      | hard/hack | 61K  | 159*Plug a PC keyboard to your Amiga (1.1)       |
| pkeybhack.lha      | hard/hack | 74K  | 141*Plug a PC keyboard to your Amiga (1.3)       |
| pcmciafix.lha      | hard/hack | 1K   | 67*Fixes problems with A1200 PCMCIA-port.        |
| Play-Hitach.lha    | hard/hack | 9K   | 0 Connect Hitachi RGB TV to Playstation          |
| pocket.lzh         | hard/hack | 47K  | 333*Parallel port ARCnet adaptor                 |
| PortDiag.lha       | hard/hack | 10K  | 107*CIA & other hardware diagnostics             |
| ppazip.lha         | hard/hack | 70K  | 57*Iomega ZIP Parallel Interface.                |
| ppazip.lha         | hard/hack | 81K  | 25*Iomega ZIP Parallel Interface 0.8             |
| protapp.lha        | hard/hack | 52K  | 66*Protection circuit for amiga parallel port    |
| PRTSwitch.lha      | hard/hack | 56K  | 286*Switch for 2 printers and 2 computers        |
| PR_MODEM.lha       | hard/hack | 66K  | 204*Packet-Radio-Modem                           |
| pr_modem.lha       | hard/hack | 95K  | 108*Packet-Radio-Modem                           |
| PS2_adapter.lha    | hard/hack | 20K  | 153*Use PS/2 Simms in an A3000.                  |
| psu.lha            | hard/hack | 6K   | 109*EPROM Burner PSU!                            |
| psxTO1084.lha      | hard/hack | 78K  | 19*Connect the PSX to the C=1084 RGB-Input       |
| psxTO1084.lha      | hard/hack | 78K  | 19*Connect the PSX to the C=1084 RGB-Input       |
| pygmy_pckbd.lha    | hard/hack | 12K  | 179*Cheap pc keyboard adapter into Parallel ←    |
| port               |           |      |  |
| Ramrom.lha         | hard/hack | 7K   | 105*Ram/Rom overlay mod for A500                 |
| RAM_2630.lha       | hard/hack | 17K  | 249*A2630 RAM-Expansion to 8/16 MB               |
| ResetPrinter.lha   | hard/hack | 16K  | 253*Software controlled parallel port reset      |
| romswitcher31.lzh  | hard/hack | 98K  | 288*Build a Kickstart ROM switcher 500/2000      |
| rvc.lha            | hard/hack | 23K  | 93*Control the volume of an audiosource.         |
| rvc.lha            | hard/hack | 23K  | 74*Control the volume of an audiosource.         |
| sapep2.lha         | hard/hack | 83K  | 148*Simple Amiga Parallel Eprom Programmer       |
| sapep_v2.lha       | hard/hack | 83K  | 317*EPROM-burner project                         |
| SCART_2_Amiga.lha  | hard/hack | 6K   | 284*How to connect Amiga to SCART TV-Set         |
| Schaltuhr.lha      | hard/hack | 14K  | 61*Turn on and off your amiga automatically      |
| scsinetz.lha       | hard/hack | 18K  | 204*SCSI network Amiga <-> PC                    |
| SCSITerminator.lha | hard/hack | 34K  | 142*External SCSI Terminator                     |
| SCSItower.lha      | hard/hack | 6K   | 146*Fitting up a SCSI tower                      |
| SCSITowerII.lha    | hard/hack | 12K  | 111*Fitting up a SCSI tower (V2.0)               |
| sdii.lzh           | hard/hack | 732K | 23*Show 15khz on VGA Monitor, no Patch           |
| SerialBuffer.lha   | hard/hack | 11K  | 194*Project to make a buffer for serial links.   |
| SerialCable.lha    | hard/hack | 7K   | 194*Instructions to make a null modem cable.     |



---

|                          |           |      |   |
|--------------------------|-----------|------|---|
| SetFilter.lha<br>filter  | hard/hack | 5K   | 181*Very _tiny_ utility to set on/off the audio ← |
| SNES1084.lha<br>1084     | hard/hack | 13K  | 192*Connect a Super Nintendo to a Commodore ←     |
| Spartan.lha              | hard/hack | 80K  | 341*Selfmade SCSI for the A500                    |
| spartan.lha              | hard/hack | 80K  | 333*PD SCSI interface for A500/A1000              |
| speedup.lha              | hard/hack | 7K   | 132*Speedup your Blizzard1260!                    |
| stereosampler.lha        | hard/hack | 504K | 322*Stereo sampler project                        |
| SwG-MboX.lha             | hard/hack | 32K  | 52*Make a MIDI interface for \$20 USD. (DIY)      |
| SX_1_IDE_Adapt.lha       | hard/hack | 2K   | 171*SX-1 External IDE -> AT-BUS HD adaptor        |
| Syncdoubler.lha          | hard/hack | 273K | 143*Show 15khz on VGA Monitor, no Patch           |
| TickIt.lha               | hard/hack | 7K   | 62*Generates TICK-Signal for CIA-Timer            |
| TMKBP.lha                | hard/hack | 97K  | 373*Lets you build a Kickstart ROM switcher       |
| top_hk11.lha             | hard/hack | 48K  | 222*Put A500 in a tower case                      |
| top_hk12.lha<br>.2       | hard/hack | 47K  | 208*How to put your A500 into a Tower Case! V1 ←  |
| top_hk14.lha<br>.4       | hard/hack | 284K | 147*'HOW TO' build A500 Black Tower + More! V1 ←  |
| TowerFit.lha             | hard/hack | 140K | 206*Fitting an A1200 into a tower case            |
| trakdisp.lha             | hard/hack | 10K  | 374*Track display readout for floppy drives       |
| tt120.lha                | hard/hack | 316K | 269*TeleText v1.20 hardware & software            |
| TT120_Fonts.lha          | hard/hack | 14K  | 129*Localized char sets for TeleText1.20          |
| turbo2088.lzh            | hard/hack | 8K   | 321*run the A2088 bridgeboard at 9.54MHz          |
| UART68661.lha            | hard/hack | 10K  | 150*UART68661 gives another slow Serial-Port.     |
| VGA_Hack.lha             | hard/hack | 7K   | 197*Connect VGA-monitor to Amiga RGB              |
| VideoDigitizer.lha       | hard/hack | 6K   | 333*Interface for popular digitizing software     |
| VideoText.lha            | hard/hack | 245K | 190*Teletext 'terminal', German, V4.2             |
| VideoText.lha            | hard/hack | 255K | 144*Teletext 'terminal', german, V5.05            |
| w95key.lha               | hard/hack | 81K  | 37*Patch for IBMKEY25.ASM (see Epic12.lha)        |
| WaterCooledAmi.lha       | hard/hack | 15K  | 128*V1.1 of the Water Cooled Amiga                |
| Waveblaster.lha          | hard/hack | 10K  | 122*How to connect PC soundcards to your Amiga!   |
| Waveblaster.lha          | hard/hack | 23K  | 93*How to connect PC soundcards to your Amiga!    |
| Waveblst2midi.lha        | hard/hack | 4K   | 111*Convert Waveblaster hack to use midi          |
| WDHD.lha<br>problem fixi | hard/hack | 6K   | 136*Western Digital 3 1/2 hd acceleration ←       |
| XTPCPOWER.lha            | hard/hack | 34K  | 438*Better A500 power supply for \$50             |
| XtPcPower.lha            | hard/hack | 34K  | 364*A500: External PC power supply                |

---