

**AminetPart**

**COLLABORATORS**

	<i>TITLE :</i> AminetPart		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 7, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1 AminetPart</b>	<b>1</b>
1.1 Datatypes for OS 3.x . . . . .	1

## Chapter 1

# AminetPart

### 1.1 Datatypes for OS 3.x

Click name to unpack, description to read the readme or get help

File	Dir	Size	Age	Description
16svdtc012.lha	util/dtype	82K	67*	IFF 16SV V1.2 - sound_dtc reference ↔
implementation				
acbmdtc013.lha	util/dtype	78K	67*	IFF ACBM V1.3 - picdtc reference ↔
implementation				
AHI_SoundDT.lha	util/dtype	12K	97*	AHI patch for OS 3.1 sound.datatype
aiff_dtc.lha	util/dtype	25K	215*	AIFF/AIFC datatype, v1.11
AIFF_dtc.lha	util/dtype	14K	131*	V1.14, AIFF sound DataType
AIFF_dtc.lha	util/dtype	15K	95*	V1.16, AIFF sound DataType
AIFF_dtc.lha	util/dtype	16K	53*	V1.19, AIFF sound DataType
akGIF_Note.lha	util/dtype	2K	105*	AkGIF-dt *INFORMATION* (GIF, 68000-060)
akJFIF-dt.lha	util/dtype	227K	23*	AkJFIF-dt V44.6 (JPEG, 68000-060, PPC)
akJFIF433.lha	util/dtype	69K	119*	AkJFIF.datatype V43.3 (JPEG for V40 and V43 ↔
)				
akJFIF43x.lha	util/dtype	216K	92*	AkJFIF-dt V43.75 (JPEG, 68000-060)
akJFIF43x.lha	util/dtype	228K	57*	AkJFIF-dt V43.140 (JPEG, 68000-060)
akJFIF_PS.lha	util/dtype	2K	106*	Descriptor file for akJFIF and Photoshop ↔
JPEGs (2n				
akLJPG-dt.lha	util/dtype	109K	29*	AkJLJPG-dt V44.4 (LJPG, 68000-060. PPC)
akLJPG43x.lha	util/dtype	97K	92*	AkJLJPG-dt V43.75 (LJPG, 68000-060)
akLJPG43x.lha	util/dtype	102K	57*	AkJLJPG-dt V43.140 (LJPG, 68000-060)
akMUIPrefs.lha	util/dtype	35K	56*	MUI replacements for akXXXPrefs
akMUIPrefs.lha	util/dtype	35K	52*	MUI replacements for akXXXPrefs
akPNG-dt.lha	util/dtype	241K	23*	AkPNG-dt V44.6 (PNG, 68000-060, PPC)
akPNG43x.lha	util/dtype	169K	117*	AkPNG-dt V43.6 (PNG, 000/030-060)
akPNG43x.lha	util/dtype	211K	92*	AkPNG-dt V43.75 (PNG, 68000-060)
akPNG43x.lha	util/dtype	228K	57*	AkPNG-dt V43.140 (PNG, 68000-060)
akPrefs.lha	util/dtype	29K	104*	Ak-Datatypes Prefs, V43.31
akPrefs.lha	util/dtype	12K	31*	Prefs for Datatypes from A. Kleinert
akPrefs.lha	util/dtype	16K	19*	Prefs for Datatypes from A. Kleinert
akPrefs.lha	util/dtype	21K	4	Prefs for Datatypes from A. Kleinert
akPrefs_fr.lha	util/dtype	1K	30*	French catalog for akPrefs
akSVG-dt.lha	util/dtype	78K	29*	AkSVG-dt V44.4 (SVG, 68000-060, PPC indir.)
akSVG43x.lha	util/dtype	82K	118*	AkSVG-dt V43.3 (SVG, 000/030-060)
akSVG43x.lha	util/dtype	79K	92*	AkSVG-dt V43.75 (SVG, 68000-060)

---

akSVG43x.lha	util/dtype	87K	57*AkSVG-dt V43.140 (SVG, 68000-060)
akTIFF-dt.lha	util/dtype	273K	23*AkTIFF-dt V44.6 (TIFF, 68000-060, PPC)
akTIFF-dt.lha	util/dtype	278K	19*AkTIFF-dt V44.7 (TIFF, 68000-060, PPC)
ams.lha	util/dtype	16K	253*Sun audio (.au) and X-Bitmap datatypes.
animation4104.lha	util/dtype	31K	67*Animation.datatype V41.4
animation4106.lha	util/dtype	34K	39*Animation.datatype V41.6
animdtc0112.lha	util/dtype	92K	67*IFF ANIM DataType V1.12
animdtc019.lha	util/dtype	56K	92*IFF ANIM DataType V1.9, now supports saving ↔ of IFF
AOM_Raw_dt40_2.lha	util/dtype	15K	208*Loads pics on American/World Vista Atlas
Be_DataType.lha	util/dtype	95K	117*BeBox screen dump picture datatype V43.1
binarydt_39_11.lha	util/dtype	41K	203*Binary.datatype -> displays any binary file
BMPdt404.lha	util/dtype	12K	184*Bmp picture datatype v40.4 for >= OS 3.0
BMPdt405.lha	util/dtype	19K	149*Bmp picture datatype v40.5 for >= OS 3.0
cdt.lha	util/dtype	108K	182*C.datatype 39.14 highlights c/c++ keywords ↔ etc.
cdt_39_15.lha	util/dtype	82K	170*C.datatype 39.15 highlights c/c++ keywords ↔ etc.
cdxldtc011.lha	util/dtype	8K	67*CDXL DataType V1.1
cdxldtc012.lha	util/dtype	8K	55*CDXL DataType V1.2
clidt.lha	util/dtype	26K	186*V39.1 displays stdout of a cli-cmd (lha,tar ↔ , etc)
clidt_39_2.lha	util/dtype	32K	172*V39.2 displays stdout of a cli-cmd (lha,tar ↔ , etc)
damap-dt.lha	util/dtype	8K	7 DT for DigitalAlmanac textures
DeBox_DT40_2.lha	util/dtype	21K	206*Loads debbox images from CDTV/CD32 titles
DecompressorDT.lha	util/dtype	13K	122*Datatype for multiformat compressed files
Deep43_1.lha	util/dtype	12K	91*Deep DataType (XiPaint format)
dfadt_391.lha	util/dtype	30K	200*Datatype for DFA.
Dirdatatype016.lha	util/dtype	43K	123*Directory datatype V1.6
dirdtc018.lha	util/dtype	62K	67*Directory datatype V1.8
drawpicdtc011.lha	util/dtype	18K	96*Picture.datatype image patch. V1.1
dt2ps.lha	util/dtype	59K	43*Datatype to postscript. Unique features
dtconv30.lha	util/dtype	27K	76*Converts Picture-Datatypes to IFF-ILBM
dtmake.lha	util/dtype	41K	73*DataType Descriptor utils, v1.0
DTpref.lha	util/dtype	111K	145*Prefs-Editor for Datatypes with GUI
DTprefV30_D.lha	util/dtype	3K	144*German catalog for DTpref V3.0
DTypeGuide.lha	util/dtype	7K	123*Guide of datatypes
DT_Descriptors.lha	util/dtype	18K	84*16 bugfixed + 8 new datatype descriptors
dt_metaview.lha	util/dtype	6K	97*AMF, DR2D, DXF, WMF, XFIG DataTypes for ↔ MetaView (regi
DT_MetaView.lha	util/dtype	63K	72*AMF, DR2D, DSDR, DXF, CGM, WMF, XFIG DataTypes
embeddtc013.lha	util/dtype	59K	67*Embed V1.3 - Embed objects in other objects
exeDT394.lha	util/dtype	23K	208*Executable datatype v39.4 for >= OS3.0
flgp_bkg_dt.lha	util/dtype	9K	110*Datatype for F1GP backdrop pictures V1.1
flgp_bkg_dt.lha	util/dtype	13K	2 Datatype for F1GP backdrop pictures V1.2
FasterDataType.lha	util/dtype	19K	105*Speedup for AddDataTypes
FAXX-dt.lha	util/dtype	174K	38*FAXX-dt V43.12 (IFF-FAXX, 68000-060)
FAXX43x.lha	util/dtype	182K	74*FAXX-dt V43.7 (IFF-FAXX, 68000-060)
FAXXFix4312.lha	util/dtype	1K	37*Fix FAXX-dt 43.12 installation
filmdtc015.lha	util/dtype	62K	92*IFF FILM DataType V1.5
filmdtc016.lha	util/dtype	63K	75*IFF FILM DataType V1.6
FontDT_1_1.lha	util/dtype	22K	189*DataType for Amiga fonts
FontDT_1_2.lha	util/dtype	30K	146*DataType for Amiga fonts
FontDT_1_3.lha	util/dtype	30K	142*DataType for Amiga fonts
fpHSN_dt40_1.lha	util/dtype	15K	213*A datatype for MaxonMagic's .HSN samples
fpVOC_dt40_2.lha	util/dtype	13K	214*Simply the best VOC datatype around!

---

---

fpWAV_dt40_2.lha	util/dtype	12K	214*Simply the best WAV datatype around!
gifanimdtc203.lha	util/dtype	239K	40*GIF Animation DataType V2.3
GIFdatatype_39.lha	util/dtype	5K	308*GIF datatype for OS 3.0 and up
HTDS_Es.lha	util/dtype	2K	95*Official Spanish Translation for HTDS (made ← by ATO
HTDS_020.lha	util/dtype	38K	128*HTDS 40.5 datatype binaries for 68020
HTDS_030.lha	util/dtype	38K	128*HTDS 40.5 datatype binaries for 68030
HTDS_040.lha	util/dtype	38K	128*HTDS 40.5 datatype binaries for 68040
icondt.lha	util/dtype	3K	94*Simple Amiga icon datatype
IconDT402.lha	util/dtype	26K	123*Icon.datatype V40.2
icon_394.lha	util/dtype	18K	179*Icon datatype v39.4 for >= OS3.0
iffDT402.lha	util/dtype	41K	74*Iff.datatype V40.2
ilbmdt.lha	util/dtype	6K	28*Improved ilbmdt (44.13)
ilbmdt44.lha	util/dtype	4K	57*Cybergraphics ilbm.datatype (44.4)
ilbmdt44.lha	util/dtype	8K	6 Improved ilbmdt (44.17)
infodt391_upd.lha	util/dtype	2K	99*DataType for Amiga .info files
infoDT39_1.lha	util/dtype	33K	219*DataType for Amiga .info files
jfif_FIX.lha	util/dtype	4K	218*Bugfix for JFIF/JPEG datatype (AGA)
JpegDataType.lha	util/dtype	28K	288*A JPEG datatype, 3.0+ and '020+ required
KoalaDT.lha	util/dtype	3K	117*Koala painter datatype (43.0)
KoalaDT.lha	util/dtype	3K	108*Koala painter datatype (43.2)
MacPaint_DT.lha	util/dtype	10K	85*Replacement for CBM's macpaint.datatype
MacPict2-dtc.lha	util/dtype	107K	25*Macintosh PICT2 pictures datatype (v40.1)
MacPict2-dtc.lha	util/dtype	108K	23*Macintosh PICT2 pictures datatype (v40.2)
MacPict2_dtc.lha	util/dtype	76K	102*Datatype for Macintosh PICT2 pictures
MacPict2_dtc.lha	util/dtype	101K	82*Datatype for Macintosh PICT2 pictures (v39 ← .1)
MacSND_dtc.lha	util/dtype	19K	131*V1.9, Apple Macintosh 'snd ' sound resource ← DataTy
MacSND_dtc_107.lha	util/dtype	19K	220*DataType subclass for Mac sound resources, ← v1.7
mandt_v39_4.lha	util/dtype	20K	216*Unix manual page datatype v39.4
Markabletextdt.lha	util/dtype	16K	123*Text.datatype mark patch. V1.2
markabletextdt.lha	util/dtype	17K	104*Text.datatype mark patch. V1.3
markttextdtc014.lha	util/dtype	19K	102*Text.datatype mark patch. V1.4
maudDTr1.lha	util/dtype	5K	216*Sounddatatype: MAUD IFF Format 32Bit/OS3.0 ← require
MidiDT.lha	util/dtype	63K	73*Superclass datatype for midi files, V40.0
mpadtc011.lha	util/dtype	71K	67*MPEG audio datatype V1.1
mpadtc012.lha	util/dtype	142K	55*MPEG audio datatype V1.2
mpegadt203.lha	util/dtype	255K	26*MPEG audio datatype V2.3
mpegsdt106.lha	util/dtype	77K	26*MPEG System datatype V1.6
mpegvdt205.lha	util/dtype	554K	38*MPEG video datatype V2.5
mpegvdt206.lha	util/dtype	564K	22*MPEG video datatype V2.6
MPG3_DTd.lha	util/dtype	0K	35*MPG3 Audio-Datatype-Descriptor
mpsdtc011.lha	util/dtype	59K	67*MPEG System datatype V1.1
mpvdtc0111.lha	util/dtype	645K	67*MPEG video datatype V1.11
mpvdtc018.lha	util/dtype	194K	92*MPEG video datatype V1.8
MREKO_1_0.lha	util/dtype	11K	202*DataTypes for KlondikeAGA cardsets
mreko_1_2.lha	util/dtype	19K	106*DataType for KlondikeAGA cardsets
MultiPrint.lha	util/dtype	11K	186*Datatype based printer driver V39.0beta
NewIconDT.lha	util/dtype	18K	122*DT for 'NewIcon' icons.Can convert 2 IFF
PalmIMGV_dt.lha	util/dtype	4K	1 Datatype for PalmPilot IMGV image files
panimdtcptchl2.lha	util/dtype	13K	102*Animation.dtc patch for parallel anims. V1 ← .2
Paranimdtcpatc.lha	util/dtype	12K	123*Animation.datatype patch for parallel ← active anima

---

PCD-DT.lha	util/dtype	130K	31*Datatype for Photo-CD Images (43.7)
PCD-DT.lha	util/dtype	135K	7 Datatype for Photo-CD Images (43.9)
PCD_DT.lha	util/dtype	49K	65*Datatype for Photo-CD Images (V43.0)
PCX_datatype.lha	util/dtype	5K	316*PCX datatype V39.2 for Amiga OS 3.0 and up
PDF_TeXpk_SGI.lha	util/dtype	72K	28*PDF, TeXpk & SGI datatype descriptors
PicBench.lha	util/dtype	15K	51*Datatype picture viewer & benchmark V1.1
picdt_42_1.lha	util/dtype	10K	270*C= Datatypes for Windows Icons, .BMP, ← MacPaint, and
PictDT43.lha	util/dtype	182K	146*Picture.datatype V43.714 for AGA/CGraphX
png_dt.lha	util/dtype	76K	192*PNG DataType v1.0
png_dt.lha	util/dtype	79K	169*PNG DataType (68000/020) v. 43.2 + docs
PNG_dt.lha	util/dtype	66K	70*PNG DataType (68000/020) v. 43.3 + docs
PostScriptDT.lha	util/dtype	4K	233*PostScript DataType V39.0
ProDev_jfifdt.lha	util/dtype	31K	128*JFIF-Datatype V43 replacement (jpg v6a)
ProtrackerDT.lha	util/dtype	5K	97*Protracker datatype (AHI)
ProtrackerDT.lha	util/dtype	7K	85*Protracker datatype 1.12 (AHI)
ProtrackerDT.lha	util/dtype	7K	29*Protracker datatype 1.14 (AHI)
QRT_DT.lha	util/dtype	3K	213*Datatype for PovRay dump format (QRT)
QRT_V43DT.lha	util/dtype	21K	86*24-bit DT for QRT & fix for QRT_DT.lha
REKOdt392.lha	util/dtype	14K	214*Datatype for REKO cardsets, needs WB 3.0+
RGBx_DT.lha	util/dtype	15K	50*RGBx DataType for RGBN and RGB8.
RGBx_DT.lha	util/dtype	15K	6 Release 1.1, RGBx DataType for RGBN and ← RGB8.
rgfx-dt.lha	util/dtype	104K	31*Datatype for IFF-RGFX-Format (43.7)
rgfx-dt.lha	util/dtype	104K	20*Datatype for IFF-RGFX-Format (43.8)
rgfx-dt.lha	util/dtype	119K	7 Datatype for IFF-RGFX-Format (43.9)
rgfx_dt.lha	util/dtype	22K	64*Datatype for the new IFF-RGFX-Format (V43 ← .0)
RSND-DT.lha	util/dtype	32K	7 Datatype for IFF-RSND-Format (41.0)
ScionDT.lha	util/dtype	7K	54*Scion Genealogist datatype
smpDTr1.lha	util/dtype	5K	217*Sounddatatype: Samplevision 32Bit/OS3.0 ← required
SoundDT.lha	util/dtype	8K	122*New sound.datatype w/fixes for OS3.0
SoundDT.lha	util/dtype	17K	98*New sound.datatype w/fixes for OS3.0
SoundDT.lha	util/dtype	17K	87*Improved sound.datatype w/Prefs
SoundDT41.lha	util/dtype	22K	18*New sound.datatype incl. svx.datatype
SoundDT41.lha	util/dtype	38K	4 Sounddt 41.8a, svxdt 41.5
SUNdt396.lha	util/dtype	17K	214*V 39.6 of datatype for Sun Raster images, ← needs WB
sundtype.lha	util/dtype	18K	157*Datatype for Sun Raster images, V 43.0
sundtype.lha	util/dtype	16K	104*Datatype for Sun Raster images, V 43.1
SVGDT402.lha	util/dtype	39K	173*SVG.datatype V40.2 - SVG Graphics File ← Format
SVGDT431.lha	util/dtype	42K	119*SVG.datatype V43.1 - SVG Graphics File ← Format
SwitchWindowAl.lha	util/dtype	168K	154*SwitchWindow alpha REXX/BOOPSI envirenment ← V1.2
TargaDType.lha	util/dtype	18K	203*Datatype for Targa or TGA images, V 39.2
targadtype.lha	util/dtype	20K	157*Datatype for Targa or TGA images, V 43.0
targadtype.lha	util/dtype	18K	104*Datatype for Targa or TGA images, V 43.1
textdtpatch.lha	util/dtype	9K	190*Patches text.datatype to support searching
textdtpch39_2.lha	util/dtype	11K	172*V39.2 patches text.datatype to support ← searching
TIFFDT.lha	util/dtype	37K	182*V40.3 to read TIFF files. Includes 24 bit & ← CMYK s
TIFFDT.lha	util/dtype	80K	145*V43.2 datatype for TIFF files.

---

TIFFDT_ITA.lha	util/dtype	6K	144*Italian Catalog and Guide for TIFF datatype ←
V43.2			
tiff_d_guide.lha	util/dtype	7K	144*Ger. Guide-File for TIFF-DataType V43.2
tiff_d_guide.lha	util/dtype	7K	142*Ger. Guide-File for TIFF-DataType V43.2
TPD.lha	util/dtype	7K	205*Tron's PCX DataType 39.7
tx16wDTr2.lha	util/dtype	5K	214*Sounddatatype: Yamaha TX16W 32Bit/OS3.0 ←
required			
VideoCDdt101.lha	util/dtype	254K	38*VideoCD datatypes V1.1
WPGdtype.lha	util/dtype	15K	201*Datatype for wpg images, V 39.0
XBM_DT.lha	util/dtype	11K	56*X BitMap DataType
XBM_DT.lha	util/dtype	42K	27*V43.7, X BitMap DataType.
XPKDT_1_0B.lha	util/dtype	14K	170*DataType for XPK compressed files
XPM.lha	util/dtype	12K	117*Datatype for XPM-Pictures
XPM.lha	util/dtype	5K	115*Datatype for XPM-Pictures/ New: supports ←
more vari			
XpmDT.lha	util/dtype	13K	56*Xpm picture datatype
XpmDT.lha	util/dtype	19K	40*Xpm picture datatype
ycbcrdatatype.lha	util/dtype	4K	36*TBCPlus YCrCb image V1.0 datatype
YUVNdt.lha	util/dtype	10K	2 Datatype for IFF-YUVN/VLAB images (43.0)
ZGIFDT39_16.lha	util/dtype	7K	193*The FASTEST gif.datatype there is.
ZGIFDT39_18.lha	util/dtype	7K	152*The FASTEST gif.datatype there is.
ZX_DataType.lha	util/dtype	31K	144*ZX Spectrum picture datatype V39.0
ZX_DataType.lha	util/dtype	37K	118*ZX Spectrum picture datatype V39.3

---