SMSEngineer

BlitzEngineers dawez deftone

SMSEngineer ii

COLLABORATORS							
	I						
	TITLE:						
	SMSEngineer						
	ONOLIIGIIIOOI						
ACTION	NAME	DATE	SIGNATURE				
WRITTEN BY	BlitzEngineers dawez deftone	August 10, 2022					

REVISION HISTORY							
NUMBER	DATE	DESCRIPTION	NAME				

SMSEngineer ii

Contents

1	SMS	Engineer	1
	1.1	Welcome	1
	1.2	new	2
	1.3	Requires	2
	1.4	Instruction	3
	1.5	How to install SmsEngineer	3
	1.6	Configuration	3
	1.7	How to use	5
	1.8	Registration	5
	1.9	Support	6
	1.10	History	7
	1.11	Authors	8
	1.12	Disclaimer	9
	1.13	What is an sms?	12
	1 14	Inday	12

SMSEngineer 1 / 13

Chapter 1

SMSEngineer

1.1 Welcome

```
(c)2ooo BLitzEngineers
All Rights Reserved.
```

SMSEngineer 1.o (16.11.2000)

News - News since 1.0. Introduction - What is it? Requires - What is need? Install - How to install? Disclaimer - AFD-COPYRIGHT How to use - How to use it. ShortMailService - Whats a SMS?. Registration - How to registrate it. Configuration - How to cfg it. Support - Who can help me?

SMSEngineer 2/13

```
History

- The history of it.

Contact

- How to contact us.
```

1.2 new

News since v1.o:

Currently the full version is not out, if you want to know what is new just view the

History

.

Full version will be great. There are a lot of features we plan to add. And of course, if you have any smart idea, just let us know it :-).

Locale is now supported. Thanks for the translation to...

German - dEFTONE Svenska - SnorsleX

Françias - Jerome Chesnot Italiano - Giacomo Mazzullo Hungarian - Dósa Márton

Espaniol – Javier de las Rivas Croatian – Tomislav Vadja

We need help for other languages, if you can translate catalog or guide in your local language, let us know. Your name will be mentioned here.

1.3 Requires

```
Software requirements:
- MUI v3.8 by Stefan Stuntz
- AmiTCP or compatible TCP/IP stack (based on bsdsocket.library)

MCC requirements:
- Betterstring.mcc
- Lamp.mcc
- Newstring.mcc
- Transferanim.mcc

All the MCC's are copyrighted by several coders

Other requirements:
- Sense of humor :-)
```

SMSEngineer 3 / 13

- Lot of numbers to play with.

1.4 Instruction

```
Welcome to SmsEngineer

a simple tool to send sms. It was developed mainly for personal usage and to cut our gsm's bill costs :).

Then you know, we uploaded to aminet to make it available for all the users 
around the world :) and we got lot of regs...

This was enough for us to continue supporting and develop it.

happy sms sending !

And don't forget to ask for you registration :-) [cause it's free ]
```

1.5 How to install SmsEngineer

```
Well nothing can be easier...
You can of course use the standard installer wich will make all the work for 
   you.

Instead if you're a linux kernel hacker, a master of coding or simply hate the 
   installer,
you can do it by hands... Just make a dir called smsengineer and put the exe 
   file
and all of its configs to it. Copy also the catalogs to locale directory.

That's all now
```

1.6 Configuration

Default Text

```
You can use the prefs from smsengineer or use

.-----
|TOOLTYPES PREFERENCES:|

'-----'

Default Number

Tooltype command: DefNumber
Example: DefNumber=1234567
To use for: Set a default number
```

SMSEngineer 4 / 13

Tooltype command : DefText

Example : DefText=I am Online!
To use for : Set a default send text

Default Signatur

Tooltype command : DefSign

Example : DefSign=SMSEngineerMUI

To use for : Set a default Signatur wich is be the one

wich is be shown in the GUI

InfoWindow

Tooltype command : InfoWindow

Commands : ON - Start with intro OFF - Start without intro

Example : InfoWindow=off

To use for : Put Start intro on and off

Nation

Tooltype command : Nation Commands : 1 - xx

Example : Nation = 14 (Germany)

To use for : With this you can set up the Nation cycle on

startup

Prefix

Tooltype command : Prefix Commands : 1 - xx

Example : Prefix = 3 (On Germany = 0171)

To use for : With this you can set up the Prefix cycle on

startup

Server

Tooltype command : Server Commands : 1 - xx

Example : Server = 5 (E-Loft)

To use for : With this you can set up the Server cycle on

startup

Signatur

Tooltype command : SGNx (x = 1 - 10) Example : SGN1 = dEFTONE

To use for : Set up your default signatures for the

Listview

SignPos

Tooltype command : SignPos

Commands : START - Signature on Start END - Signature on End

NOSIGN - No Signature

Example : SignPos = START (SIGNATUR: message)
To use for : Set up the Position of the Signature

SMSEngineer 5 / 13

```
## TOOLTYPES ONLY WORKS IN THE FULL VERSION ##
```

1.7 How to use

```
Ok.. First of all u want to know how to personalize to your own \hookleftarrow
                     need smseng ?
If so go to
              configuration...
                 Ok hope you know how to activate a program ;-), now you'll get \leftrightarrow
                     a window
in front of you full of buttons...
SmsEngineer use mui bubble help, so if you need an help on a particular gadget
leave the mouse pointer over it and the bubble will pop up (refer to mui \,\,\,\,\,\,\,\,\,\,\,\,
   documentation
for how to activate bubble)
The first row of buttons are SEND (send current message)
                               ABOUT (info about the program)
                               QUIT
                                     (quess it ?)
on the left side you'll note a field called SIGNATURE. Here you can write the
text that should be tagged to you sms or use the left popupgadget to select \,\,\,\,\,\,\,\,\,
   from a list
(the list of signature is user-definable... refer to
              configuration
Under this we get the field MESSAGE (here you can write the full sms message)
Under you'll see the remaining chars gadget wich show how much chars you can \ \leftarrow
   still write in sms.
And then you've to enter the gsm number. This is done by selecting the country \leftrightarrow
then the local prefix. After them add the gsmnumber to the NUMBER field.
So if you've to send a sms to an italian boy/girl wich used wind (0328):
Select ITALY on the nation cycle, then 0328 on the local prefix and write the \leftrightarrow
   number
to NUMBER gadget
ITALY 0328 1234567
 NOTE plz don't flood people with your sms. In some countryes reciving sms
 in not free :-(
```

1.8 Registration

SMSEngineer 6 / 13

What ? Is this program shareware ?

We know that coding is done just for fun and this is the spirit behind smsengineer. So if you want to receive your keyfile, just start the smsregister program and send us the generated form via email and you get your personal keyfile.

See

Authors for addresses

As we're still working on it and we plan to make it really use comfortable for the user and nice, we need your help. If you know any others gateway plz mail us them.

Let us know the critics and the compliment cause we want to develop something you like ! We'll try to implement as much as we can.

This software is subject to the "Standard Amiga FD-Software Copyright Note". It is MAILWARE as defined in paragraph 4b.

If you like it and use it regularly please send use the register form and you will get your personal keyfile \dots For more information please read "

AFD-COPHYRIGHT

" (Version 1.4 or higher).

1.9 Support

All the support info, should be gained directly from the $\ensuremath{\hookleftarrow}$ blitzengineer's

mailing list. The list is keep in 3 languages ENGLISH, GERMAN and ITALIAN.

How to Join:

Send a empty email to bengineers-subscribe@egroups.com and you will get all the infos you need.

Rules:

The mailinglist is just for those user which want to communicate about problems, info, news and all the other nice things for smsengineer. Spam is absolutely proibhited!

If you know a particular gateway that is not supported by the $\ensuremath{\hookleftarrow}$ program, you

can report it to us and we'll try to add to the program.

SMSEngineer 7 / 13

1.10 History

HISTORY:

```
v1.o.7 PrefsPageGUI is finishd and it works! :)
           Added Croatian catalog
           Fixed catalog .cd filez for prefs
   v1.o.6 Sixth Aminet Preview
            ***Fixed Bug! Now the Prefix tooltype work :)
            ***Fixed Bug! Now the chars free works now correctly
           Added Listview for the comming soon adress book
           Few internal changes
           New tooltype to setup the position of the signature
           Signature will not be displayed when SignPos$=NOSIGN
***Fixed Bug! CharsFree works now with the gateway.dat
           Changed Output From CharsFree
   v1.o.5 Fifth Aminet Preview
           Changed a little bit the GUI
           Added new tooltype to setup the default Signatur
            ***Fixed Bug! Now the signatur will be sended too
   v1.o.4
           Fourth Aminet Preview
           Rewrite the catalog stuff for 100% of translation
   v1.o.3
           Third Aminet Preview
           Added new tooltype to setup the cycles positions
           Added new tooltype to start with (out) intro
           Added new toolbar
           Added Signatur PopListView. Many user request this :)
           Added Tooltype to change the Signatur files
           Add AFD-COPYRIGHT (English, German)
   v1.o.2
           Second Aminet Preview
           Add the new Register programm
   v1.o.1
           First Aminet Preview
           Add new GSM servers to a extra file
           Add three Bars to GUI
           Change SMSMaster Image To SMSEngineer Logo :)
           Change text.mcc for informations to infotext.mcc
           Added tooltype for defaultnumber
           Added tooltype for defaulttext
           Added Toolbar do not work now : (
   v1.o.o
           First Internal Version
```

And here is the darkside of development of smsengineer... It was started just

SMSEngineer 8 / 13

for personal usage for sending sms to friends... the first version was a $\,\,\hookrightarrow\,\,$ simple

Gadgtools gui with support for freesms server. After that freesms server was hacked (yeah it was quite funny coming back home on the 1st jan and see "xxxx was here!" written on freesms page :-) Nice work whoever you are :-)) We started to support more gateways and the serious development started.

The first working version of smsengineer was dated 10-oct-99.

1.11 Authors

Blitzengineers is formed by two people dawez and dEFtONE.

```
Dawez:
```

24 years old (don't forget my birthday on 2nd january)
Job: Student of Telecommunication Engineering at University of Siena

Computer: Amiga 1200 + Apollo 040 / 40mhz 32mb fast ram, Hd 6.4 gb Samsung, Monitor C=1942 Cdrom 32x Pioneer (Slot in!)

Pc celeron 500mhz 64mb ram, monitor Nec 17" Ethernet on board. Soon this two toys will be linked toghether in a lan using ethernet :-))

Hobbies: Public realation with girls :-) Coding and almost everything about technology.

I also love to collect postcards.. So why not send one to me ?

Deftone:

19 years old German

Job: (BKI) Berufsfachschule für Informations und Telekommunikation

Computer: Amiga12oo Blizzard123oIV+SCSI o3o+68882 24MB Fast Ram 1,2GB \hookleftarrow HD

If you have any comments for smsengineer just send us a email :)

Or Visit our homepage @ http://blitz-engineers.virtualave.net Do not forget to write something into Guestbook.

Soory for tha real bad english but we are not professional english talking people. If you can fix it and want to send us, plz don't wait:)

For main programm dawez@libero.it or meganet@www.seeseiten.de For translations meganet@www.seeseiten.de

SMSEngineer 9 / 13

1.12 Disclaimer

\$VER: "AFD-COPYRIGHT"(TM) English Version 1.4 (27.10.99)

```
+==========++
           * Standard Amiga FD-Software
     / // /
              Copyright Note (TM)
                                           / // /
           *=======*
                                          / // /
    / // /
    / // /
                                         / // /
\ \ \ / // /
                                     \ \ \ / // /
              Version 1.4 - English
\ \/ // /
               27-Oct-1999
                                  * \ \/ // /
 \ / // /
                                     \ / // /
          *======*
```

0. INTRODUCTION

==========

If you are a user I hope you like this Standard Copyright Note for Freely Distributable Amiga® Software you only have to read once instead of individual notes. There are translated versions of this document available on Aminet® named:

/pub/aminet/docs/misc/AFD-Files1-xx.lha (xx = number of languages).

If you are a software developer and want to include this document in your own FD package then please read it carefully first, especially chapter 5 "DEVELOPERS INFORMATION". Thank you for your support.

1. COPYRIGHT

- a. This software is copyrighted by its developer(s). That means that you are NOT ALLOWED to modify the program(s) and documentation in any way. Especially you MUST NOT REMOVE the documentation or this text file.
- b. You are NOT allowed to use this software or any part of it for any other purpose than that one mentioned in its documentation, this also includes any fonts, images or samples. If the developer(s) did NOT include the source code of the program(s) in this package you are NOT allowed to decompile any part of it.

2. DISTRIBUTION

==========

This package is freely distributable. That means you are allowed to redistribute this package as long as you follow these points:

- a. Any re-distribution has to include all files in this archive, including this "AFD-COPYRIGHT" file, without any modifications. You are NOT allowed to add any files to the archive.
- b. This package may be freely distributed via BBSs, InterNet/UseNet, software libraries such as Fred Fish's and Aminet® CD-ROM, and other similar electronic channels.

SMSEngineer 10 / 13

c. Disk magazines and services that charge extra for file transfers may NOT distribute it without written permission by the developer(s)!

3. DISCLAIMER

=========

By using this product, you accept the FULL responsibility for any damage or loss that might occur through its use or the inability to use it. The developer(s) of the software and the author and the translators of this "Copyright Note" can NOT be held responsible.

IMPORTANT: The author and the translators of this "Copyright Note" do NOT give any guarantee for the quality and usefulness of ANY products that are subject to this note!!!

Some names used in this text are trademarks or registered trademarks. The use of these names does not imply that they are free.

4. RETURN SERVICE

============

"Freely distributable" only says that you do not have to pay for copying or redistributing the software. You are allowed to test this product for 30 days. If you like it and decide to use the product regularly, most of the developers want something in return for their efforts.

The documentation of this software contains one classification out of these:

- a. Freeware You are allowed to use this software for FREE.
- c. Cardware You have to send the developer(s) a POSTCARD.
- d. Donationware You have to make a DONATION to an organization as stated in the documentation to this product.
- g. Giftware You are requested to send the developer(s) a GIFT, for example:
 - some candy or
 - a package of disks or
 - a copy of a self-made program or
 - some money or
 - an Amiga 5000 PowerTower ;-)
- s. Shareware You have to send the developer(s) the amount of MONEY demanded in the documentation.

5. DEVELOPERS INFORMATION

The concept of a "Standard-Licence" like this one has several advantages:

SMSEngineer 11 / 13

- You as a developer don't have to think about copyright stuff yourself.
- The users of your product have to read it only if they haven't done so before.
- This document is available in several languages via Aminet®. So you can be sure that the users have read it at least once and did understand it.

If you want to include "AFD-COPYRIGHT"(TM) in your own Amiga® FD-Software package you have to follow these rules:

a. Read this whole document carefully and make sure that you agree with the whole text WITHOUT ANY EXCEPTIONS.

(If you do not agree with it, do not use it! You are allowed to copy parts of it, but IF you do so, you MUST NOT use the names "AFD-COPYRIGHT"(TM) and "Standard Amiga FD-Software Copyright Note"(TM).)

b. Make sure that you use the following Default-Tools in the .info-files you are going to release:

- for ASCII texts: More

- for AmigaGuide® documents: AmigaGuide

- for AmigaOS scripts: Ico
- for ARexx scripts: RX
- for configuration files: Ed

(The idea of this rule was inspired by Osma "Tau" Ahvenlampi, Finland. It was included to set a standard. If someone does not use these tools (s)he has to make not more than one link per file type!)

c. Include a paragraph like the following in the manual to your product:

This software is subject to the "Standard Amiga FD-Software Copyright Note". It is <type_of_software> as defined in paragraph 4<x>. [...]
For more information please read "AFD-COPYRIGHT" (Version 1.4 or higher).

Example:

This software is subject to the "Standard Amiga FD-Software Copyright Note". It is SHAREWARE as defined in paragraph 4s. If you like it and use it regularly please send \$15 to ... For more information please read "AFD-COPYRIGHT" (Version 1.4 or higher).

d. You have to include this file called "AFD-COPYRIGHT" (TM) (English). Please do not add more than two translations of this file to your package. So your package doesn't get too big.

6. AUTHORS

"AFD-COPYRIGHT"(TM) was written by Dietmar Knoll. It is itself subject to the

SMSEngineer 12 / 13

above copyright note (© 10.12.1994, 27.10.1999).

If you have any comments, hints or questions or some suggestions for the next version, please write to the following addresses:

Dietmar Knoll InterNet-Email: To: dknoll@myokay.net

Iltisweg 6 Subject: AFD

D-37081 Göttingen

GERMANY/EUROPE AFD-Homepage: http://AFD.home.pages.de/

The translators of this document and their addresses are stated in the corresponding files. The translations are © by the translators.

1.13 What is an sms?

Ok let's go into tech... Sms stand for Short Message System. Sms are little text message sended to gsm phone. There are also phones who can send picture messages... We don't know anything about them cause we don't have that gsm. If you can supply further info about that format, plz contact us.

Sms are usually sended and received by two gsm phones. Another way to send sms is using internet gateways and this what smsengineer do.

Sms sended by gsm phones can consist of up to 160 chars, but usually sms from internet are shorter due to server adverts.

How can you know if another person get your sms ?

No way ! Sometimes sms (from gsm) are delivered almost immediately (3, 4 mins delay) but other time they will take up to 24 hours to be delivered...:-(

This is caused by several cause.. lack of field, lack of free band from the operator. For sms from internet the situation is even worse... Someday all sms are delivered other days none. So you can't used sms for importand messagge: "Would you like to marry me" or things like that!

1.14 Index

This is the index of topics.

News

- News since 1.0.

Introduction

- What is it?

Requires

- What is need?

Install

- How to install?

SMSEngineer 13 / 13

Disclaimer

- AFD-COPHYRIGHT

How to use

- How to use it.

ShortMailService

- Whats a SMS?.

Registration

- How to registrate it.

Configuration

- How to cfg it.

Support

- Who can help me?

History

- The history of it.

Contact

- How to contact us.