

BareED, changes...

·ONIX·

COLLABORATORS

	<i>TITLE :</i> BareED, changes...		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	·ONIX·	August 10, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	BareED, changes...	1
1.1	Changes to initial release...	1

Chapter 1

BareED, changes...

1.1 Changes to initial release...

This version of BareED differs to the initial release in:

negative offsets (horizontal) for button bank allowed (solves problems with
GlowIcon style gadgets) ←

export of archive removes automatically Amiga Guide style attributes and links ←
(not the commands
and keywords!) ←

added drag & drop to BareED's text window for use in conjunction with Workbench

fixed several bugs concerning button bank (referenced wrong item ID)

printed out wrong text in case archive changed and a new file should be loaded ←
in ←

re-work of start-up-code, now even more system compliant; thanks to Gunther ←
Nikl ←

fault removed that could accidentally erase existing file when "IBM Compatible ←
Save?" switch had ←

been turned on but user decided to abandon file save since wrong file name had ←
been entered ←

Example:

Original file: BareED.guide (previously loaded in - and still "IBM ←
Compatible Save?" switch turned on) ←

"Save" or "Save As..." chosen

Right Margin Requester: - abandoned - (since new file should be named BareED. ←
txt) ←

Result: BareED.guide with no bytes of data!!!

If previously changes have been made to the file and saving as IBM ←
compatible file-layout, ←

BareED does not anymore procure impression of an un-changed file; fellows, ←
this is not a bug but ←

a feature!

IBM compatible file-layout save now shows how much it already has saved (in percent) ←

Replace-engine now more than twice as fast as previously used versions

Changed BareED.guide to be better readable under amigaguide library v40 and up (use of tab command) ←

Counts, which are used in the configuration file (Button.cfg), may now be entered in decimal, hexadecimal and dual formats. ←

Release: 0.9545

IBM compatible file-layout save now offers to choose if you would like to remove extra spaces and tab-stops off the archive. Unfortunately, there is no item to choose it, instead a requester appears when going to write the data to disk. ←

Please note that leading tab-stops will not be removed, so that the basic layout is not lost! ←

In some circumstances extra used spaces and tab-stops can not be removed, for example when ←

an amiga-guide link was found and removed, also when a line within a paragraph starts with a ←

tab-stop, in this case the tab-stop is replaced by a space which results in the new created file with an extra space. ←

Fixed bug in icon parser for BareED's main icon.

Implemented a simple revision control system with date check (multi lingual).

Fixed bug in line tracking routine (bookmark and revision control).

Used final start-up-code »ASync v23« which has been great enhanced by Gunther Nikl and which allows BareED now to be compiled in ANSI-C and C++. ←

BareED displays immediately changes of colours; even the archive contains no letter - so that a default project can be made - to run BareED with your wishes! »» Hi Jerome, hope you like it :-)

BareED now allows you to start with the button interface turned on. Enter therefore in BareED's icon: »BUTTONS=YES« ←

Fixed bug in button bar that caused cursor not to be displayed.

Fixed Enforcer hit raised in ASL-file-requester module due to mistake made by me. ←

Release: 0.9556

Removed a bug that could lead BareED to crash when an icon should be ←
loaded from - or
backed up to disk. I don't think that this fault was made by me but either ←
settled in the Icon library
or the CD-ROM driver I'm using. The crash occurred only when a directory ←
tree contained more
than 5 levels.

Example, when BareED attempted to read in the icon of the file:

```
"ADCD_2.1:Extras/Development/Example_Code_v37/AmigaMail/Aspect/GetAspect.c"
```

BareED crashed! Increased stack size did not solve the problem (was a ←
possibility...) so there is
now a workaround for GetDiskObject() and PutDiskObject() where only one ←
directory-tree is used.

By the way: Earlier versions of BareED got already a workaround for ←
MatchToolValue() that
accepts "|" signs for multiple tool values since the original OS 3 Icon Library ←
didn't support it!

Found bug in AppWindow parser that set "modifications" to zero and ←
therewith lead BareED to
procure impression of an unchanged file even the "Revision Control" updated the ←
source!

Took first step for designing a DAC-port. Result is a graphic-dumper who ←
dumps one or more
text-lines onto paper! Documentation for user and developer are in this archive ←
(DAC), too.

Shortened BareED and re-ordered (again) the source to gain less relocations.

Enclosed right version of Start-Up-Code - last release with obsolete - sorry »» ←
Hi, Gunther!

Enclosed German Guide (stripped down version) in man-drawer.

Fixed hit shown by IO_torture (raised in clipboard device) due to unset ←
IOF_QUICK flag.

Fixed bug that lead cursor to move beyond bottom border of window due not ←
calculated page end.

Current release: 0.9605
