

**Pixload**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> Pixload	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		August 13, 2022

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1 Pixload</b>	<b>1</b>
1.1 Pixload Documentation - Contents . . . . .	1
1.2 description . . . . .	1
1.3 installation . . . . .	2
1.4 configuration . . . . .	2
1.5 authors . . . . .	3
1.6 distribution . . . . .	3
1.7 tests . . . . .	3
1.8 future . . . . .	3
1.9 error . . . . .	4

---

# Chapter 1

## Pixload

### 1.1 Pixload Documentation - Contents

Pixload (version 1.74)  
(by Pixel Art Asc.)

DESCRIPTION  
INSTALLATION  
CONFIGURATION  
ERROR  
TESTS  
AUTHORS  
DISTRIBUTION  
FUTURE

### 1.2 description

DESCRIPTION :

This little "bar" allows to you load any program or script by one click on icon  
A bubble help tells you the name of loaded program. Two help files (GUIDE and ↔  
HTML)  
are available.

NEWS : Pixload Prefs available from contextual menu, news icons !

---

WHAT'S :

It is a window with buttons including pictures. Each click on button, loads a ↔ command line which loads a program or script. It was made in AREXX and RXMUI for graphic part ↔ . You can modify everything (colors, aspect, etc.. from the contextual menu Pixload bar).

## 1.3 installation

INSTALLATION :

Click on "Install-Pixload" (you must have INSTALLER in your C folder)

You must install BEFORE ! :

- MUI (version 3.8)
- RXMUI (version 26.2 or more ONLY - Freeware on <http://web.tiscalinet.it/amiga/> ↔ rxmui)
- Rexxmast (in your system folder from Workbench)

## 1.4 configuration

CONFIGURATION :

There are 3 elements to configure :

- Icons (in Pixload/icones folder from 0 to 9) - First color of icon will be ↔ TRANSPARENT !!!
- Mui (look at Mui documentation) : You can configure MUI from contextual menu ↔ Pixload bar  
Prefs file : Pixload.1.prefs is located at : SYS:prefs/env-archive/mui and RAM ↔ :Env/mui
- The Pixload bar via Pixload-Prefs which loads configuration program
  - Click on Pixload-Prefs in the Prefs folder
  - Choose if you want to display Pixload horizontaly
  - Choose number of icons
  - Choose yours programs and fill the bubble help
- Buttons after icon mean if the file is a program (by default) or a script ( ↔ button pushed)

Example : to launch DOPUS, don't use this option

---

to launch a command : "lha x -x ram: etc..... " from file, use this ↔  
option

That's all, the graphic interface from MUI, is available under the right mouse ↔  
button.

## 1.5 authors

AUTHORS :

It was made in Arexx and RXMui by PIXEL ART

[Http://www.Pixel-Art.fr.st](http://www.Pixel-Art.fr.st) - E-mail : [pixelart@wanadoo.fr](mailto:pixelart@wanadoo.fr)

Rmxui was made by : : Alfonso Ranieri - [alforan@tin.it](mailto:alforan@tin.it) - <http://web.tiscalinet.it/amiga> ↔

Rxmui official web site : <http://web.tiscalinet.it/amiga/rxmui>

(Thanks to Polymère, Bernd Gollesch and also Alfonso Ranieri)

## 1.6 distribution

DISTRIBUTION :

FREEWARE

## 1.7 tests

TESTS :

- A1260, Rom 3.0 et OS 3.0, graphic card under Picasso96, screen in 800x600 24 ↔  
bits
- A1260, Rom 3.1 et OS 3.9, graphic card under Picasso96, screen in 1024x768 16 ↔  
bits

Thanks to Mr Bérengué, Triple A and Mr Halvadjian

## 1.8 future

FUTURE :

---

- Drag and Drop
- Yours suggests

## 1.9 error

ERROR :

If you have got this message : "Arithmetic conversion error" or 'Speedbar"

It means :

- One or more of icon is mislocated
- The access to files are not correct
- A " or ' or ) is missing in a command line
- You have got an old RXMUI version

An RXMUI update is available at : <http://web.tiscalinet.it/amiga/rxmui>

---