

AminetPart

COLLABORATORS

| | | | |
|---------------|------------------------------|-----------------|------------------|
| | <i>TITLE :</i> AminetPart | | |
| <i>ACTION</i> | <i>NAME</i> | <i>DATE</i> | <i>SIGNATURE</i> |
| WRITTEN BY | | August 13, 2022 | |

REVISION HISTORY

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
| | | | |

Contents

| | |
|---------------------------------|----------|
| 1 AminetPart | 1 |
| 1.1 Selfmade hardware | 1 |

Chapter 1

AminetPart

1.1 Selfmade hardware

Click name to unpack, description to read the readme or get help

| File | Dir | Size | Age | Description |
|--------------------|-----------|------|------|----------------------------------------------|
| 1080MonitorHck.lha | hard/hack | 8K | 421* | 1080 electronic vertical resize hack |
| 1084Siz.txt | hard/hack | 9K | 406* | Modify 1084S vertical height externally |
| 1084vga.lha | hard/hack | 8K | 264* | Use a 1084 AND a VGA-monitor |
| 1200ExKb.lha | hard/hack | 9K | 407* | External Keyboard Hack for A1200. |
| 1200Tower.lha | hard/hack | 10K | 311* | How to put your 1200 in a TOWER |
| 1200Tower21.lha | hard/hack | 22K | 280* | V2.1 - How to put your 1200 in a TOWER |
| 14mhz.lha | hard/hack | 5K | 617* | Amiga 500 processor accelerator for \$25 |
| 14MhzA500.lha | hard/hack | 26K | 283* | Brute force A500 14MHz hack |
| 15khzhack.txt | hard/hack | 5K | 386* | Flicker free screens on 15khz monitor |
| 15khzhackext.lha | hard/hack | 5K | 270* | Flickerfri 1084s monitor... |
| 15khzhackV2.lha | hard/hack | 8K | 386* | Flicker free screens on 15khz monitor |
| 15khz_vga.txt | hard/hack | 2K | 261* | 15khz and VGA monitor without switchers |
| 1MBChip.lha | hard/hack | 3K | 163* | 1MB ChipRAM on Amiga500 Rev.5 |
| 2000slot.lha | hard/hack | 5K | 541* | Use A500/A1000 expansion as A2000 slot |
| 20rom_A1000.lha | hard/hack | 2K | 339* | Kick20 in A1000 freak's hack |
| 2HDsOn1200.lha | hard/hack | 2K | 310* | How to get 2HD's on a 1200 or 1HD and a CD ← |
| Rom | | | | |
| 2megagnus50d4.lha | hard/hack | 182K | 451* | Build a 2 meg Agnus board for 500/2000 |
| 2MegAgnus50d5.lha | hard/hack | 183K | 353* | Build (or buy) a low-price 2 meg Agnus ← |
| board for 5 | | | | |
| 2Megram.lha | hard/hack | 11K | 283* | 2Meg Ram mod for A500 |
| 3tolmix.lha | hard/hack | 147K | 100* | 3 Devices to 1 Mixer |
| 4IDE.lha | hard/hack | 14K | 234* | Connect 4 IDE drivers to your A1200/4000 |
| 500hacks.txt | hard/hack | 45K | 103* | Hardware hacks for the A500 |
| 512kWOM.lha | hard/hack | 57K | 343* | Amiga A1000 with 512K Kicks ! |
| 8052_BAS.lha | hard/hack | 244K | 415* | 8052-BASIC-MicroController |
| 8052_BAS.lha | hard/hack | 334K | 387* | 8052-BASIC-MicroController |
| 8052_BAS.lha | hard/hack | 460K | 318* | 8052-BASIC-MicroController |
| 8meg.lha | hard/hack | 47K | 530* | 8 meg ram expander |
| a1000hacks.lha | hard/hack | 441K | 393* | Collection of Amiga 1000 hardware hacks |
| A1200-ccreset.txt | hard/hack | 1K | 103* | How to fix the A1200 PCMCIA Reset problem |
| A1200FDfix.lha | hard/hack | 11K | 335* | Make new A1200 compatible to old ones |
| a1200kbpbc.lha | hard/hack | 96K | 14* | A Logical choice in A1200 tower keyboard ← |
| solution | | | | |

| | | | |
|--------------------|-----------|------|---------------------------------------------------|
| A1200MTowerFAQ.lha | hard/hack | 5K | 370*Hardware FAQ 'Mirconik-Tower for Amiga 500' |
| A1200tower_XTR.txt | hard/hack | 14K | 270*EXTRA help on putting your 1200 in a Tower ↩ |
| v3 | | | |
| A12Hack2.lha | hard/hack | 11K | 493*3.5' IDE instead of DF0: |
| A12ooTDoSelf.lha | hard/hack | 13K | 329*How to put a A1200 into PC-Tower, German |
| A1300_V2_0.lha | hard/hack | 53K | 276*A1200mTower and keep your A1200 keyboard |
| A1k2-KEYB.lha | hard/hack | 136K | 168*Pinout of A1200Rev.2B keyboard connector |
| A1k2TReset.lha | hard/hack | 5K | 266*Reset your tower Amiga! |
| A2000T.lha | hard/hack | 113K | 299*Doc to make an Amiga 2000 a Tower case |
| A2000T.lha | hard/hack | 115K | 226*Doc to make an Amiga 2000 a Tower case ↩ |
| fixed | | | |
| A2000tower.lha | hard/hack | 178K | 76*A2000 tower project pictures |
| A2024BigColor.lha | hard/hack | 21K | 474*How to get 1024x1024x4 out of >16.8M with ↩ |
| A2024 (Vi | | | |
| A2060.txt | hard/hack | 1K | 343*Modify the A2060 for A4000 |
| a2232tuning.lha | hard/hack | 24K | 279*Enhance the A2232 in many ways [Update] |
| a2232tuning.lha | hard/hack | 43K | 239*Enhance the A2232 [Release with SOURCE] |
| A2386_16MB.lha | hard/hack | 5K | 218*Be able to use 16 MB of on-board RAM on the ↩ |
| A2386s | | | |
| a2386_ps2.lha | hard/hack | 160K | 301*How to use PS2-Simms on A2386 |
| a2386_ps2fix.lha | hard/hack | 167K | 293*Use PS2-Simms on A2386 V1.1 |
| A2386_PS2_V1_3.lha | hard/hack | 204K | 261*Use PS2-SIMMs on A2386 V1.3 |
| A2630Fix.lha | hard/hack | 4K | 338*A collection of A2360 fixes, V1.0 |
| A2630Fix.lha | hard/hack | 6K | 306*A collection of A2630 fixes, V1.1 |
| a2k2cttvKBD.lha | hard/hack | 3K | 483*CDTV gets A2000 keyboard |
| a2kVSA5hKBD.lha | hard/hack | 1K | 483*A500 gets A2000 keyboard |
| A2K_agnus_hack.lha | hard/hack | 4K | 306*Install a 2MB Agnus on A2000 motherboard |
| A2K_agnus_hack.lha | hard/hack | 6K | 289*Install a 2MB Agnus on A2000 motherboard |
| A2K_agnus_hack.lha | hard/hack | 8K | 245*Install a 2MB Agnus on A2000 motherboard, ↩ |
| V1.4 | | | |
| A3000_50.lha | hard/hack | 6K | 385*Hack the A3000's FPU to 50mhz w/o any parts ↩ |
| ! | | | |
| A4000_35.lha | hard/hack | 76K | 326*4000/040 running at 35 MHz |
| A4K33Mhz.lha | hard/hack | 2K | 426*A4000/030 Speed Up Hack + AIBB Module |
| A4kExtSCSI.lha | hard/hack | 601K | 224*External DB25 SCSI socket for the A4000 |
| a4kslot5.lha | hard/hack | 258K | 323*Hack A4000 to 5 real slots |
| A4_S_V_11.lha | hard/hack | 584K | 291*Amiga 4000/030 Tuning CPU, FPU ,Rom's and ↩ |
| more abo | | | |
| a500chip.lha | hard/hack | 4K | 463*The REAL way to make your A501 chip ram |
| a500ide.lha | hard/hack | 93K | 249*IDE-interface project for Amiga 500 |
| a500ide.lha | hard/hack | 210K | 203*Connect IDE-harddisk to Amiga 500 V1.2 |
| a500ide.lha | hard/hack | 272K | 71*Connect IDE HDD or CDROM to A500 V1.5 |
| a500key1.lha | hard/hack | 160K | 275*How to conect the keyboard of our old A500 ↩ |
| in A120 | | | |
| a500keyhack.txt | hard/hack | 6K | 599*Make A500 keyboard detachable |
| a500mon.lha | hard/hack | 7K | 344*A500 to Amstrad CPC monitor |
| A500_Reset.lha | hard/hack | 87K | 112*Reset Button on Amiga 500 |
| A500_Tower_FAQ.lha | hard/hack | 7K | 370*Hardware FAQ 'Mirconik-Tower for Amiga 500' |
| AddDF2.lha | hard/hack | 14K | 368*Add internal floppy drives to an Amiga |
| AddZorro2slot.lha | hard/hack | 8K | 328*I ADDED a Picasso2 in a NEW slot of my A500 |
| AGAEmul10.lha | hard/hack | 503K | 330*AGAEmul v1.0 , Emulate AGA-chipset on your ↩ |
| Amiga.. | | | |
| AHD.lha | hard/hack | 81K | 130*Connect MFM/RLL Harddisks to A500 |
| ami2vga.lha | hard/hack | 7K | 552*Build an Amiga to Multisync VGA buffered ↩ |
| cable. | | | |
| AmigaATX.lha | hard/hack | 8K | 11 Turn your Amiga off from cli |

| | | | | |
|--------------------|-----------|------|--------------------------------------------------------|---|
| Amigafix.txt | hard/hack | 36K | 103*Repair information for the A500, A1000 and A2000 | ↔ |
| Amigahwfiles.lha | hard/hack | 242K | 43*Various documents on the Amiga hardware. | |
| AmigaScope.lha | hard/hack | 25K | 508*8 channel digital oscilloscope, uses parallel port | ↔ |
| Amikeyterm.lha | hard/hack | 7K | 283*Keyboard to serial with PIC16C84 | |
| amiram.lzh | hard/hack | 309K | 95*An idea of how to get A4000 RAM to STAY IN! | |
| AmScsi.lha | hard/hack | 7K | 798*Hardware project; build SCSI controller. | |
| appe_v3.lha | hard/hack | 31K | 108*Use any PlayStation Pad in your Amiga | |
| appe_v31.lha | hard/hack | 41K | 107*Use any PlayStation Pad in your Amiga | |
| appe_v32.lha | hard/hack | 37K | 106*PSX pad adaptor (bug FREE) | |
| ArcMouse.lha | hard/hack | 5K | 364*Modify Acorn mouse for use with Amiga | |
| ArcMouse.lha | hard/hack | 6K | 329*Modify Acorn mouse for use with Amiga | |
| AT1200mod.lha | hard/hack | 2K | 274*AT1200 disk drive modification | |
| AtariTBconv.lha | hard/hack | 6K | 389*Atari Trak-Ball to Amiga conversion info | |
| ATkeyboard.lha | hard/hack | 77K | 290*Connect an (PC) AT-keyboard to an Amiga | |
| atomuhr12.lha | hard/hack | 27K | 342*AtomUhr V1.2 - DCF77 Receiver | |
| AtomUhr14.lha | hard/hack | 42K | 128*AtomUhr V1.4 - DCF77 Receiver | |
| atx_psu.lha | hard/hack | 42K | 12 Using ATX PSU with Amiga | |
| audiodig.lha | hard/hack | 6K | 511*Do it yourself audio digitizer plans. | |
| autofire.lha | hard/hack | 8K | 552*Autofire for all joysticks for \$4 | |
| AvailCIA.lha | hard/hack | 2K | 364*V1.0, checks for cia timers | |
| B1220+4M.lha | hard/hack | 697K | 276*Blizzard1220_4Mb add 4Mb Simms ram | |
| BetterPaula.lha | hard/hack | 4K | 252*Very, very simple hack to improve the stereo effec | ↔ |
| BootDelay.lha | hard/hack | 14K | 284*Get rid of bootscreen caused by slow HD's | |
| bppscsi.lha | hard/hack | 11K | 217*How to build a SCSI cable for BlizzardPPC boards. | ↔ |
| CardAttack11b.lha | hard/hack | 202K | 237*Chipcard reader and writer | |
| cd32pins.lha | hard/hack | 8K | 255*Inner diagram of the CD-32 joypad connector | |
| CD32_Amigall.lha | hard/hack | 28K | 379*Serial cable+keyboard on the CD32 explained | |
| cd32_floppy.lha | hard/hack | 166K | 329*Disk Drive Interface for CD32 | |
| cddamixer.lha | hard/hack | 15K | 165*HTML guide for making a CDDA Mixer/ amplifier | ↔ |
| CDTVJoystickAd.lha | hard/hack | 6K | 404*Hack to add mouse/joystick to CDTV | |
| CDTV_Keyboard.lha | hard/hack | 11K | 265*IDEA TEAM - Connect Amiga keyboard to CDTV! | |
| CGX2TV.lha | hard/hack | 3K | 108*Very simple TVout for GFX card v0.1 | |
| CGX2TV.lha | hard/hack | 9K | 93*Very simple TVout for GFX card v0.2 | |
| CGX2TV.lha | hard/hack | 8K | 76*Very simple TVout for GFX card v0.3 | |
| clkserial.lha | hard/hack | 127K | 55*A1200 clockport serial card design | |
| clock_port.txt | hard/hack | 3K | 103*Information on the A1200 clock port | |
| clock_port.txt | hard/hack | 6K | 84*A1200 Clock port info, updated | |
| DansAmigaMouse.lha | hard/hack | 2K | 277*A three button C= Amiga mouse? Yes! | |
| dca1200t.lha | hard/hack | 57K | 299*Complete installation docs for an A1200 T | |
| DCF77_Plus.lha | hard/hack | 379K | 300*Cheap radio-controlled watch | |
| DCF77_Plus1_21.lha | hard/hack | 401K | 272*Radio-controlled watch NEW Features | |
| DCF77_Plus1_22.lha | hard/hack | 405K | 240*Radio-controlled watch NEW Features | |
| Delayccta4000.lha | hard/hack | 35K | 43*A4000 IDE Spinup delay circuit. | |
| Deluxe22.lha | hard/hack | 27K | 326*Analog Joystick Hack.. Deluxe Version | |
| DesktopAmiga.lha | hard/hack | 658K | 210*SlideShow of A1200 conversion to desktop. | |
| DiabloMon.lha | hard/hack | 33K | 18*Diavolo Backup monitor on i2c LED display | |
| DiabloMon.lha | hard/hack | 28K | 5 Diavolo Backup monitor on i2c LED display | |
| DigiViewClone.lha | hard/hack | 6K | 542*Make own video digitizer | |
| disktracer.lha | hard/hack | 8K | 283*Disk drive track counter | |
| DriveSolution.lha | hard/hack | 288K | 275*New solution for A1200's new drive | |
| drv-1.44.lha | hard/hack | 16K | 561*Connect PC HD floppies | |

| | | | | |
|--------------------|-----------|------|-------------------------------------------------|---|
| dsa.lha | hard/hack | 141K | 216*16channel Digital Signal Analyser, A1200 | ↔ |
| IDE | | | | |
| ECSDiag.lha | hard/hack | 7K | 432*Amiga repair/diagnose program | |
| eleguide.lha | hard/hack | 68K | 274*Little guide about electronic basics | |
| epic13.lha | hard/hack | 68K | 215*PIC16C89 Programmer & Project | |
| Epic1_0.lha | hard/hack | 23K | 331*Programmer for PIC16C84 microcontroller | |
| Epic1_1.lha | hard/hack | 23K | 302*Programmer for PIC16C84 microcontroller | |
| Epic1_2.lha | hard/hack | 64K | 286*PIC 16C84 programmer & PC keyboard hack | |
| ExtInCableSCSI.lha | hard/hack | 15K | 220*Cable SCSI de interior 50 pins a exterior | ↔ |
| 25 pins. | | | | |
| FDDx2toInt.lha | hard/hack | 21K | 69*How to connect two PC FDD to internal port | ↔ |
| on A120 | | | | |
| FDDx2toInt.lha | hard/hack | 22K | 61*How to connect two PC FDD to internal port | ↔ |
| on A120 | | | | |
| FGrab.lha | hard/hack | 712K | 244*Frame grabber V1.2, produces 768x575 colour | ↔ |
| pics | | | | |
| flickerfix.lha | hard/hack | 2K | 252*Multiscan/DblPAL flickering stripes h/w fix | |
| flickfix.lha | hard/hack | 5K | 345*A1200 Screen flicker fix V1.0 | |
| flipf.lha | hard/hack | 1K | 358*Flips audio filter on or off | |
| floppyinterfac.lha | hard/hack | 72K | 555*Connect PC HD floppies | |
| FloppyLED.lha | hard/hack | 1K | 163*A1200T floppy LED project | |
| Floppy_fix.lha | hard/hack | 6K | 341*Fix for the floppy problem of newer Amiga | ↔ |
| 1200 | | | | |
| floppy_int.lha | hard/hack | 72K | 435*diagram for connecting PC 720K drives | |
| frame.lha | hard/hack | 173K | 298*Amiga video digitizer | |
| frame.lha | hard/hack | 166K | 283*Amiga Video Digitizer. Update 3 | |
| frame.lha | hard/hack | 194K | 251*Amiga Video Digitizer. Update 4 | |
| Genes_PC_Mouse.lha | hard/hack | 3K | 280*Make an AMiga mouse from a pc mouse | |
| gvpsim64.lzh | hard/hack | 46K | 322*Hack 72-pin SIMM to fit GVP cards (French) | |
| gvpsim64.lzh | hard/hack | 57K | 316*Hack 72-pin SIMM to fit GVP cards | |
| Gyromouse.txt | hard/hack | 2K | 239*PC gyromouse adaptor | |
| hackpics.lha | hard/hack | 12K | 498*PAL switch via solder pads | |
| HappyHardDrive.lha | hard/hack | 19K | 268*How to move your floppy outside/disable it! | |
| hddmem.lha | hard/hack | 76K | 246*IDE HDD, ROM and RAM controller for A500 | |
| hdoncd32.lha | hard/hack | 6K | 255*How to add an external 3'1/2 HD on CD32+SX1 | |
| HiDensity.lha | hard/hack | 6K | 281*Use HD Disks on Amiga Tech. A1200 internal | ↔ |
| drive. | | | | |
| hst_dual.lha | hard/hack | 16K | 505*From USR HST to Dual Standard | |
| i2clib38.lha | hard/hack | 28K | 390*I2C-bus hard/software interface project. | |
| i2clib39.lha | hard/hack | 35K | 292*I2C-bus hard/software interface project. | |
| i2clib40.lha | hard/hack | 116K | 202*I2C-bus hard/software interface project. | |
| i2clib40.lha | hard/hack | 120K | 134*I2C-bus hard/software interface project. | |
| i2c_support.lha | hard/hack | 30K | 275*Useful stuff for i2clib39 users, updated | |
| IBM-KeyBoard.lha | hard/hack | 43K | 511*How to connect an IBM keyb to Amiga | |
| ide1200cdrom.lzh | hard/hack | 5K | 317*How to connect an IDE CDROM to an A1200 | |
| ide2ami4.lha | hard/hack | 80K | 449*How To Connect A 3.5' IDE Hard Disk To An | ↔ |
| Amiga A1 | | | | |
| ide2ami5.lha | hard/hack | 84K | 361*IDE-2-AMI V5 - How to install HD's in | ↔ |
| A1200s | | | | |
| idecdrom.lzh | hard/hack | 4K | 320*How to connect an IDE CDROM to an A1200 | |
| IDE_Killer.lha | hard/hack | 5K | 333*IDE-Killer | |
| InOutBoard.lha | hard/hack | 182K | 333*In-Out-Board | |
| In_Out_Board.lha | hard/hack | 171K | 358*In-Out-Board | |
| in_out_board.lha | hard/hack | 171K | 346*In-Out-Board | |
| IOBoard.lha | hard/hack | 349K | 575*Public domain hardware project. V2.10 | |
| ioexpansion.lha | hard/hack | 270K | 593*2 serial, 2 parallel for A500/1000/2000 | |
| IR-Tuner.lha | hard/hack | 9K | 121*Infrared 'tuner' for light barriers | |

| | | | |
|--------------------|-----------|------|------------------------------------------------------------|
| ispar.lha | hard/hack | 6K | 483*PD SCSI interface |
| JoyProject20.lha | hard/hack | 4K | 351*How to connect PC-analog-joystick etc. |
| ju257.lha | hard/hack | 121K | 340*How to modify Panasonic 3.5' disk drives |
| KBD_Reset102.lha | hard/hack | 5K | 296*Solution for the Keyboardreset-Problem |
| KBD_Reset103.lha | hard/hack | 8K | 280*Solution for the keyboard-reset-problem |
| KeyboardRepair.lha | hard/hack | 6K | 278*How to overhaul an Amiga keyboard |
| KeybRep.lha | hard/hack | 6K | 234*Keyboard Cable Repair Docs |
| Keyswitch.lha | hard/hack | 13K | 82*Automatic keyboard&mouse switch (German) |
| Kick1000.lha | hard/hack | 14K | 339*A1000 with 2.0 EPROM/ROM ! |
| Kick2File.lha | hard/hack | 3K | 319*Writes ROM data to file. |
| Kick3lonA600.txt | hard/hack | 3K | 352*Using Kick3.1 roms on A600 NO HACKS |
| Kick3lonA600.txt | hard/hack | 3K | 311*Using Kick3.1 roms on A600 NO HACKS |
| kickswitch.lha | hard/hack | 102K | 302*Automatic Kickstartswitch (16 bit ROMs) |
| killfilters.lha | hard/hack | 3K | 259*Improve Audio-quality (A500-A4000) |
| lcdaem18.lha | hard/hack | 133K | 298*Control LCD through parallel port (V1.8) |
| LCDaemon.lha | hard/hack | 108K | 321*Connect a Liquid Crystal Display to your parallel ← |
| LCDaemon.lha | hard/hack | 131K | 270*Control LCD through parallel port (V2.0) |
| LCDaemon.lha | hard/hack | 139K | 248*Control LCD through parallel port (V2.1) |
| lcdaemon.lha | hard/hack | 215K | 206*Control LCD through parallel port (V2.3) |
| lcdaemon_src.lha | hard/hack | 460K | 206*Control LCD through parallel port (source V2.3) ← |
| LithBatt.lha | hard/hack | 4K | 211*Replace NiCad battery with Lithium coin ← battery |
| LogiTech_BusMo.lha | hard/hack | 1K | 169*Amiga conversion of LogiTech Bus MouseMan. |
| loudspeaker.lha | hard/hack | 4K | 334*A4000T loudspeaker enhancer (paper HW hack) |
| macdrive.lha | hard/hack | 7K | 586*Connect Mac floppy to Amiga |
| MacFloppyV1_01.lha | hard/hack | 8K | 490*Amig interface for mac drives |
| MacInterface.lha | hard/hack | 26K | 462*PCB-Layout of MacDrive-Interface |
| Mac_FloppyPCB.lha | hard/hack | 8K | 511*Connecting Mac 800K drives to Amiga |
| Maps1.lha | hard/hack | 38K | 326*Misc Hardware hacks |
| MC68010.lha | hard/hack | 9K | 799*How to upgrade from MC68000 to MC68010. |
| MCControl.lha | hard/hack | 154K | 161*V1.16 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 295K | 128*V1.39 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 339K | 120*V1.42 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 364K | 112*V1.46 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 399K | 101*V1.49 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 420K | 91*V1.52 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 542K | 82*V1.56 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 673K | 79*V1.59 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 723K | 67*V1.60 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 730K | 57*V1.62 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 769K | 48*V1.65 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 770K | 38*V1.67 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 772K | 20*V1.68 PSX MemoryCard Reader |
| mccontrol.lha | hard/hack | 809K | 10 V1.69 PSX MemoryCard Reader |
| MClock.lha | hard/hack | 60K | 450*Battery backed up clock for all Amigas |
| MemExpansion.lha | hard/hack | 13K | 787*Directions to build own memory expansion |
| Mice.lha | hard/hack | 42K | 133*Schematics for converting PC mice to the Amiga. ← |
| MIDI_2_0.lha | hard/hack | 2K | 511*How to build a MIDI interface |
| MiscHacks.lha | hard/hack | 100K | 465*13 HW hacks incl peripheral exchange |
| mitsc_ls.lha | hard/hack | 12K | 314*How to connect Mitsubishi monitor to Amiga |
| Mix_and_Tick.lha | hard/hack | 8K | 280*Audiomix- and Ticksignalgeneratorcircuit |
| MMKeyboard.lha | hard/hack | 140K | 69*V1.00 Use entire Multimedia Keyboard on Amiga! ← |

| | | | | |
|--------------------------------|-----------|------|-------------------------------------------------|---|
| MMKeyboard.lha Amiga! | hard/hack | 152K | 62*V1.12 Use entire Multimedia Keyboard on | ↔ |
| MMKeyboard.lha Amiga! | hard/hack | 242K | 41*V1.18 Use entire Multimedia Keyboard on | ↔ |
| MMKeyboard.lha Amiga! | hard/hack | 279K | 21*V1.21 Use entire Multimedia Keyboard on | ↔ |
| MMKeyboard.lha Amiga! | hard/hack | 340K | 15*V2.11 Use entire Multimedia Keyboard on | ↔ |
| MMKeyboard.lha Amiga/Amith | hard/hack | 433K | 4 V2.18 Use entire Multimedia Keyboard on | ↔ |
| ModemPower.lha | hard/hack | 15K | 345*Converts 12VDC to 12VAC for ext. modem | |
| monitorfix.txt | hard/hack | 9K | 552*Fix prob with high voltage snaps | |
| MouseClock.lha | hard/hack | 39K | 426*Battery backed-up clock/calendar project | |
| MouseClock20.lha | hard/hack | 69K | 387*Battery backed-up clock/cal project v2.0 | |
| MouseClock21f.lha | hard/hack | 249K | 127*Battery backed-up clock/cal project v2.1f | |
| mousehack.txt | hard/hack | 13K | 595*Connect standard mice to Amiga | |
| mouseps2.lha | hard/hack | 12K | 55*PS/2 Mouse conv. No drivers needed! v1.0 | |
| mswitch.lha | hard/hack | 10K | 551*Connect mouse & joystick to same port | |
| MyWideSCSI.lha | hard/hack | 13K | 224*SCSI68>SCSI50 adaptor & Active terminator | |
| my_pc_mouse.lha Amiga | hard/hack | 6K | 209*How to modify a serial mouse to work on the | ↔ |
| new14acc_31.lha | hard/hack | 65K | 548*14MHz accelerator update | |
| no4000ide.lha | hard/hack | 0K | 373*Hardware hack to disable A4000 IDE port | |
| NT70_2_0.lha | hard/hack | 2K | 332*72hz NTSC monitor driver WORKS! | |
| PAL_on_SVGA.lha | hard/hack | 3K | 342*Use 15kHz PAL on SVGA monitors! IT WORKS | |
| pariol5.lha | hard/hack | 21K | 84*Parallel Port access routines | |
| pcb.lha | hard/hack | 53K | 345*How to create PCB s German+Italian AG | |
| PCDrive.lha | hard/hack | 4K | 234*Use PC 3.5' floppy drive as external | |
| PcF2AmF.lha | hard/hack | 32K | 106*Use 1.44 PC drive as 880k amiga drive. | |
| PCFloppy2Amiga.lha | hard/hack | 19K | 398*Use 1.44 PC drives as Amiga HD drives.= | |
| PCFloppy2Amiga.lha | hard/hack | 56K | 383*Use 1.44 PC drives as Amiga HD drives.= | |
| PCGamepad2Ami.lha joysticks | hard/hack | 7K | 341*Built an adapter for PC gamepads and | ↔ |
| pckeybhack.lha | hard/hack | 61K | 337*Plug a PC keyboard to your Amiga (1.1) | |
| pckeybhack.lha | hard/hack | 74K | 319*Plug a PC keyboard to your Amiga (1.3) | |
| pcmciafix.lha | hard/hack | 1K | 245*Fixes problems with A1200 PCMCIA-port. | |
| pinouts.lha | hard/hack | 349K | 43*Custom chip pinouts. | |
| pocket.lzh | hard/hack | 47K | 511*Parallel port ARCnet adaptor | |
| PortDiag.lha | hard/hack | 10K | 285*CIA & other hardware diagnostics | |
| ppazip.lha | hard/hack | 70K | 235*Iomega ZIP Parallel Interface. | |
| ppazip.lha | hard/hack | 81K | 203*Iomega ZIP Parallel Interface 0.8 | |
| protapp.lha | hard/hack | 52K | 244*Protection circuit for amiga parallel port | |
| protapp.lha | hard/hack | 18K | 15*Protection for Amiga parallel port | |
| PRTSwitch.lha | hard/hack | 56K | 464*Switch for 2 printers and 2 computers | |
| PR_MODEM.lha | hard/hack | 66K | 382*Packet-Radio-Modem | |
| pr_modem.lha | hard/hack | 95K | 286*Packet-Radio-Modem | |
| ps2m.lha | hard/hack | 45K | 65*Ultimate Amiga PS/2 WheelMouseController | |
| ps2m.lha | hard/hack | 53K | 60*Ultimate Amiga PS/2 WheelMouseController | |
| ps2m.lha | hard/hack | 191K | 55*Ultimate Amiga PS/2 WheelMouseController | |
| ps2m_example.lha | hard/hack | 153K | 67*PS/2 WheelMouseController - PCB photos | |
| ps2m_example.lha | hard/hack | 150K | 55*PS/2 WheelMouseController - PCB photos | |
| PS2_adapter.lha | hard/hack | 20K | 331*Use PS/2 Simms in an A3000. | |
| psu.lha | hard/hack | 6K | 287*EPROM Burner PSU! | |
| PSX-MCTool.lha | hard/hack | 105K | 165*Use Playstation Memcard with Amiga (v0.07) | |
| pygmy_pckbd.lha port | hard/hack | 12K | 357*Cheap pc keyboard adapter into Parallel | ↔ |
| Ramrom.lha | hard/hack | 7K | 283*Ram/Rom overlay mod for A500 | |

| | | | | |
|--------------------|-----------|------|------------------------------------------------------|---|
| RAM_2630.lha | hard/hack | 17K | 427*A2630 RAM-Expansion to 8/16 MB | |
| resetfix.lha | hard/hack | 165K | 100*Resetfix applied on Powerflyer | |
| ResetPrinter.lha | hard/hack | 16K | 431*Software controlled parallel port reset | |
| romswitcher31.lzh | hard/hack | 98K | 466*Build a Kickstart ROM switcher 500/2000 | |
| rvc.lha | hard/hack | 23K | 271*Control the volume of an audiosource. | |
| rvc.lha | hard/hack | 23K | 252*Control the volume of an audiosource. | |
| sapep2.lha | hard/hack | 83K | 326*Simple Amiga Parallel Eprom Programmer | |
| sapep_v2.lha | hard/hack | 83K | 495*EPROM-burner project | |
| Sayett_LCD.lha | hard/hack | 9K | 169*Amiga interface for Sayett DATASHOW HR/M | ↔ |
| LCD Panel | | | | |
| SCART_2_Amiga.lha | hard/hack | 6K | 462*How to connect Amiga to SCART TV-Set | |
| Schaltuhr.lha | hard/hack | 14K | 239*Turn on and off your amiga automatically | |
| scsinetz.lha | hard/hack | 18K | 382*SCSI network Amiga <-> PC | |
| SCSITerminator.lha | hard/hack | 34K | 320*External SCSI Terminator | |
| SCSItower.lha | hard/hack | 6K | 324*Fitting up a SCSI tower | |
| SCSITowerII.lha | hard/hack | 12K | 289*Fitting up a SCSI tower (V2.0) | |
| sdii.lzh | hard/hack | 732K | 201*Show 15khz on VGA Monitor, no Patch | |
| SerialBuffer.lha | hard/hack | 11K | 372*Project to make a buffer for serial links. | |
| SerialCable.lha | hard/hack | 7K | 372*Instructions to make a null modem cable. | |
| SetFilter.lha | hard/hack | 5K | 358*Very <u>tiny</u> utility to set on/off the audio | ↔ |
| filter | | | | |
| ShineR.lha | hard/hack | 7K | 130*PSX card reader hardware/software | |
| slimcdrom_in_a.txt | hard/hack | 6K | 52*Use Slimline CD/CDR/DVD in your Amiga | |
| SMIF.lha | hard/hack | 140K | 67*Cheap SmartMedia interface + sourcecode | |
| SMIF.lha | hard/hack | 141K | 48*Cheap SmartMedia interface + sourcecode | |
| SNES1084.lha | hard/hack | 13K | 370*Connect a Super Nintendo to a Commodore | ↔ |
| 1084 | | | | |
| softPSUoff.lha | hard/hack | 5K | 39*Small 'hack' to turn off an ATX-PSU from | ↔ |
| the shell | | | | |
| Spartan.lha | hard/hack | 80K | 519*Selfmade SCSI for the A500 | |
| spartan.lha | hard/hack | 80K | 511*PD SCSI interface for A500/A1000 | |
| speedup.lha | hard/hack | 7K | 310*Speedup your Blizzard1260! | |
| stereosampler.lha | hard/hack | 504K | 500*Stereo sampler project | |
| SwG-MboX.lha | hard/hack | 32K | 230*Make a MIDI interface for \$20 USD. (DIY) | |
| SX_1_IDE_Adapt.lha | hard/hack | 2K | 349*SX-1 External IDE -> AT-BUS HD adaptor | |
| Syncdoubler.lha | hard/hack | 273K | 321*Show 15khz on VGA Monitor, no Patch | |
| TestCard.lha | hard/hack | 169K | 130*Testcard generator for PAL/NTSC systems. | |
| TestCard.lha | hard/hack | 169K | 122*Testcard generator for PAL/NTSC systems. | |
| TestCard.lha | hard/hack | 169K | 88*Testcard generator for PAL/NTSC systems. | |
| TestCard.lha | hard/hack | 170K | 27*Testcard generator for PAL/NTSC systems. | |
| TestCard.lha | hard/hack | 232K | 15*Testcard generator for PAL/NTSC systems. | ↔ |
| Full GPL | | | | |
| TestGear-Notes.lha | hard/hack | 4K | 88*Test equipment projects, general notes. | |
| TestGear-Notes.lha | hard/hack | 7K | 74*Test equipment projects, general notes. | |
| TestGear-Notes.lha | hard/hack | 7K | 69*Test equipment projects, general notes. | |
| TestGear-Notes.lha | hard/hack | 7K | 60*Test equipment projects, general notes. | |
| TestGear-Notes.lha | hard/hack | 7K | 49*Test equipment projects, general notes. | |
| TestGear-Notes.lha | hard/hack | 8K | 43*Test equipment projects, general notes. | |
| TestGear-Notes.lha | hard/hack | 715K | 22*Test equipment projects, general notes. | |
| TestGear-Notes.lha | hard/hack | 740K | 13*Test equipment projects, general notes. | |
| TestGear1.lha | hard/hack | 325K | 129*Simple test equipment projects. | |
| TestGear1.lha | hard/hack | 325K | 118*Simple test equipment projects, Disk 1. | |
| TestGear1.lha | hard/hack | 325K | 112*Simple test equipment projects, Disk 1. | |
| TestGear1.lha | hard/hack | 325K | 96*Simple test equipment projects, Disk 1. | |
| TestGear1.lha | hard/hack | 325K | 89*Simple test equipment projects, Disk 1. | |
| TestGear1.lha | hard/hack | 326K | 29*Simple test equipment projects, Disk 1. | |

| | | | |
|--------------------|-----------|------|--------------------------------------------------|
| TestGear1.lha | hard/hack | 332K | 13*Simple test equipment projects, Disk 1. ← |
| Full GPL r | | | |
| TestGear2.lha | hard/hack | 192K | 129*Simple test equipment projects. |
| TestGear2.lha | hard/hack | 264K | 122*Simple test equipment projects, Disk 2. |
| TestGear2.lha | hard/hack | 330K | 112*Simple test equipment projects, Disk 2. |
| TestGear2.lha | hard/hack | 330K | 96*Simple test equipment projects, Disk 2. |
| TestGear3.lha | hard/hack | 126K | 108*Simple test equipment projects, Disk 3. |
| TestGear3.lha | hard/hack | 194K | 96*Simple test equipment projects, Disk 3. |
| TestGear3.lha | hard/hack | 262K | 90*Simple test equipment projects, Disk 3. |
| TestGear3.lha | hard/hack | 262K | 79*Simple test equipment projects, Disk 3. |
| TestGear3.lha | hard/hack | 257K | 69*Simple test equipment projects, Disk 3. |
| TestGear4A.lha | hard/hack | 288K | 69*The Oscilloscope Project Disk 4A. |
| TestGear4A.lha | hard/hack | 616K | 60*The Oscilloscope Project Disk 4A. |
| TestGear4A.lha | hard/hack | 1.0M | 49*The Oscilloscope Project Disk 4A. |
| TestGear4A.lha | hard/hack | 129K | 43*The Oscilloscope Disk 4A. |
| TestGear4B.lha | hard/hack | 260K | 40*The Oscilloscope Construction Disk 4B. |
| TestGear4C.lha | hard/hack | 2K | 43*The PCB Layouts Disk 4C. |
| TestGear4D.lha | hard/hack | 692K | 43*The Oscilloscope Photographs Disk 4D. |
| TestGear5.lha | hard/hack | 124K | 23*Test equipment projects, Disk 5. |
| TickIt.lha | hard/hack | 7K | 240*Generates TICK-Signal for CIA-Timer |
| TMKBP.lha | hard/hack | 97K | 551*Lets you build a Kickstart ROM switcher |
| top_hk11.lha | hard/hack | 48K | 400*Put A500 in a tower case |
| top_hk12.lha | hard/hack | 47K | 386*How to put your A500 into a Tower Case! V1 ← |
| .2 | | | |
| top_hk14.lha | hard/hack | 284K | 325*'HOW TO' build A500 Black Tower + More! V1 ← |
| .4 | | | |
| TowerFit.lha | hard/hack | 140K | 384*Fitting an A1200 into a tower case |
| TPPset.lha | hard/hack | 7K | 133*Softwareswitch for the TPP-project |
| trakdisp.lha | hard/hack | 10K | 552*Track display readout for floppy drives |
| tt120.lha | hard/hack | 316K | 447*TeleText v1.20 hardware & software |
| TT120_Fonts.lha | hard/hack | 14K | 306*Localized char sets for TeleText1.20 |
| turbo2088.lzh | hard/hack | 8K | 499*run the A2088 bridgeboard at 9.54MHz |
| UART68661.lha | hard/hack | 10K | 328*UART68661 gives another slow Serial-Port. |
| VGA_Hack.lha | hard/hack | 7K | 374*Connect VGA-monitor to Amiga RGB |
| VideoDigitizer.lha | hard/hack | 6K | 511*Interface for popular digitizing software |
| VideoText.lha | hard/hack | 245K | 368*Teletext 'terminal', German, V4.2 |
| VideoText.lha | hard/hack | 255K | 322*Teletext 'terminal', german, V5.05 |
| vtxthack.lha | hard/hack | 6K | 96*At the I C BUS adapts the signal lengths of ← |
| the Am | | | |
| w95key.lha | hard/hack | 81K | 215*Patch for IBMKEY25.ASM (see Epic12.lha) |
| WaterCooledAmi.lha | hard/hack | 15K | 306*V1.1 of the Water Cooled Amiga |
| Waveblaster.lha | hard/hack | 10K | 300*How to connect PC soundcards to your Amiga! |
| Waveblaster.lha | hard/hack | 23K | 271*How to connect PC soundcards to your Amiga! |
| Waveblst2midi.lha | hard/hack | 4K | 288*Convert Waveblaster hack to use midi |
| WDHD.lha | hard/hack | 6K | 313*Western Digital 3 1/2 hd acceleration ← |
| problem fixi | | | |
| XTPCPOWER.lha | hard/hack | 34K | 616*Better A500 power supply for \$50 |
| XtPcPower.lha | hard/hack | 34K | 542*A500: External PC power supply |
| ya2t4.lha | hard/hack | 256K | 133*Convert CD-R Yamaha 200 in 400 |
| zip2simml.1.lha | hard/hack | 210K | 40*SIMMs used instead of ZIPs (German Only!) |