

PerfectPaint

Georges HALVADJIAN"

Copyright © CopyrightÂ©1998-2002 Georges HALVADJIAN"

COLLABORATORS

	<i>TITLE :</i> PerfectPaint		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Georges HALVADJIAN"	August 13, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	PerfectPaint	1
1.1	PerfectPaint	1
1.2	ToolTypes	2
1.3	Fenetre d’Historique	2
1.4	Image Palette	3
1.5	To do	3
1.6	Popup Menus	3
1.7	Extra tools	5
1.8	Example Scripts	7
1.9	Box	7
1.10	Circle	7
1.11	Ellipse	8
1.12	Spline	8
1.13	General	8
1.14	Line	9
1.15	Arexx Port	9
1.16	History	11
1.17	V2.83	12
1.18	V2.82	12
1.19	V2.81	13
1.20	V2.8	13
1.21	V2.75b	14
1.22	V2.7	15
1.23	V2.6	16
1.24	V2.5	17
1.25	V2.4	17
1.26	V2.3	18
1.27	V2.2	19
1.28	V2.0	19
1.29	V1.3	19

1.30 V1.2	21
1.31 V1.1	21
1.32 Asyncio.library	22
1.33 XPKmaster.library	23
1.34 Render.library	24
1.35 Jpeg.library	25
1.36 Keyboard Shortcuts	25
1.37 Author	27
1.38 Introduction	27
1.39 Installation	28
1.40 Toolbox	28
1.41 Animation	30
1.42 Processing Tools	30
1.43 Palette Editor	31
1.44 Undo/Redo	31
1.45 Symmetry	32
1.46 Arexx	32
1.47 Trashcan	32
1.48 Boing tools	32
1.49 Stencil or Mask	33
1.50 Antialiasing	33
1.51 Effects	33
1.52 Spare page	34
1.53 Grid	34
1.54 Text tool	34
1.55 Capture brush	35

Chapter 1

PerfectPaint

1.1 PerfectPaint

PerfectPaint

Version 2.83

What's new ?

Paint, Anim and Manipulate pictures
from 1Bit to 24Bits

© Copyright 1998-2002 Georges Halvadjian
All Rights Reserved, FreeWare

Introduction

Installation

ToolTypes

Toolbox

Popup Menus
Picture

Image Palette
Picture

History Window
Picture

Keyboard Shortcuts

Arexx Port
Arexx Commands

Example Scripts

History
Author
Extra Tools
To do
Jpeg.library
Render.library
XPKmaster.library
AsyncIO.library

Copyright © 1998–2002 Georges HALVADJIAN All Rights Reserved FreeWare

1.2 ToolTypes

NO_STARTUP_WINDOW

Allows you to start Pfpaint without the startup requester.

CLASSIC

By default, this tooltype is disable.

This Tooltype will change the WorkSpace of Perfectpaint.

Disable 'Classic' will show you only the zoom window (like other Processing ↔ software)

Enable 'Classic' will show you for each picture the main window (always 100%) ↔ and

optionnaly the Zoom window (like other version of Pfpaint).

PICASSO96

Use this tooltype if you have problem

while displaying brush or text in zoom window.

(Pfpaint will disable the cybergraphics command scalepixelarray_ and will improve compatibility with Picasso96)

1.3 Fenetre d'Historique

Image

You can activate this window with the 'Picture/Show history' item.

This window will show you all loading and saving picture you made. (max 100)
For each file PfPaint will keep the path, name, size and preview of the picture.

Menu:

- Clear: Will clear the current files from the history.
- Clear history: Will clear all files in the history window.
- Visual requester: Will show you all files by preview.
- Prefs: will show you the pref requester of the history.

Gadget:

- On/Off gadget
- Info: Will show you some informations of the selected files.
- Load: Will show you a loading requester with path and name of the selected files ←
- .
- Save: Will show you a saving requester with path and name of the selected files.

1.4 Image Palette

The image palette will show you all the 10 buffers.
These buffers can be pictures or animations.

RMB on a thumbnail will show you the size and depth of the buffer.
LMB on a thumbnail will activate the selected buffer.

LMB over the trashcan button to erase the current buffer.
LMB over the brush icon to open the brush palette.

With Shift+LMB ,you can Drag and Drop:

Drag and Drop a thumbnail over the current picture to compose with an optional ←
opacity.
(stencil of the two pictures can be used)

Drag and Drop a thumbnail over another thumbnail to clone the picture.
Drag and Drop a thumbnail over the trashcan to erase the selected buffer.

Drag and Drop a thumbnail over the brush icon to convert the picture into brush.
Drag and Drop the brush icon over a thumbnail to convert the brush into picture.
Drag and Drop the brush icon over the trashcan to erase it.

1.5 To do

- more effects, script, less bugs :-)
- your suggestions

1.6 Popup Menus

Popup menus are activated by pressing the right mouse button.

Picture: All Popup Menus

Over the toolbox

Picture Menu

Over the 'Animation' icon

Animation Menu

Over the 'pickup brush' icon

Brush Menu

Over the Color viewer

Palette Menu

Over the 'Stencil' icon

```
Load Stencil
Save Stencil
-----
Edit stencil
-----
Smooth border
Invert stencil
Add Shadow
```

Over the 'Spare' icon

```
Copy Spare to Main Picture
Copy Main Picture to Spare
Swap Spare and Main Picture
-----
Copy stencil to spare
Copy spare to stencil
```

Over the 'Effects' icon

```
Compose requester
-----
All Paint effects
```

Over the 'Text' icon

```

Make text
Convert text to brush

```

Over the 'Arexx' icon

```

Load Script
  Edit User Menu
-----
User Menu

```

Over the 'Antialiasing' icon

```

Bilinear interpolation
Bicubic interpolation ( better but slower)

```

- All tool icons associated with Arexx activate a popup menu which lists the contents of the Arexx script's drawer.

1.7 Extra tools

These tools can be found in the directory 'PerfectPaint:Tools/', with their original manuals. They can also be found on Aminet.

PNGTool

```

Stephan Rupprecht
Apfeldweg 1
D44359 Dortmund
Germany

```

```

info@stephan-rupprecht.de
http://stephan-rupprecht.de

```

Jpeg2Mov

```

Short      : Creates a QuickTime-Movie
Uploader  : ALeX Kazik <alex@kazik.de>
Author    : ALeX Kazik <alex@kazik.de>
Type      : gfx/conv
Version   : 2.3
Requires  : 68020+, AmigaOS 2.04? (Tested: 3.x)

```

```

The latest Version can be found under: http://www.kazik.de/en/jpeg2mov.html
My HomePage: http://www.kazik.de/alx/

```

BUILDAanim

BuildAnim can do one of three operations: 1) It can build an animation out of individual ILBM pictures, 2) it can split an animation into ILBM pictures, or 3) it can convert an animation from one compression type to another.

Auteur

Christer Sundin (d8sunch@dtek.chalmers.se)

MKANIM

Allows you to construct an animation in ANIM5 format.

Author

John Bickers
214 Rata St
Naenae 6301
New Zealand

E-Mail

jbickers@templar.actrix.gen.nz

NewConvert

Converts IFF images using datatypes.

Author

Alexander Lärz
Neustädter Str.45
07768 Kahla
Germany

E-Mail

alexlaerz@t-online.de

tapgif

Converts an IFF image to GIF format.

Author

John Bickers
Level 6, Grand Arcade
16 Willis St
Wellington
New Zealand

E-mail

jbickers@templar.actrix.gen.nz

WhirlGif

Converts a series of GIF images to a GIF animation.

Author

Kevin Kadow kadokev@msg.net

1.8 Example Scripts

Directory PerfectPaint:Rexx/

Box

Circle

Ellipse

General

Line

Point

Spline

1.9 Box

AnimPainting_Box.rx

Simulates AnimPainting with the Box tool.

You need to create an animation beforehand.

The box will be drawn throughout the length of the animation.

Funny_Border.rx

Several ways to draw a border.

1.10 Circle

AnimPainting_Circle.rx

Simulates AnimPainting with the Circle tool.

You have to choose the circle's direction of rotation.

You need to create an animation beforehand.

The circle will be drawn throughout the length of the animation.

AnimPainting_Circle_Whirl.rx

Simulates AnimPainting with the Circle tool.

You have to choose the circle's direction of rotation.

The circle will be drawn starting from its centre.

You need to create an animation beforehand.

The circle will be drawn throughout the length of the animation.

Anim_Pulsar.rx

Creates a pulsar effect (an expanding circle).

You need to create an animation beforehand.

Make_AnimStar.rx

This script will create a star. You may choose the number of points it has and whether it is empty or filled.

Then the star will be drawn on each frame of the animation,

rotating through 90\textdegree{} throughout the animation's length.
You need to create an animation beforehand.

Star.rx

This script will create a star. You may choose the number of points it has and whether it is empty or filled.

Total_Circle.rx

This script will create a circle with the specified number of points.

Sun.rx

This script will create a cartoon's sun.

1.11 Ellipse

AnimPainting_Ellipse.rx

Simulates AnimPainting with the Ellipse tool.
You have to choose the ellipse's direction of rotation.
You need to create an animation beforehand.
The ellipse will be drawn throughout the length of the animation.

Make_Star.rx

This script will create a star. You may choose the number of points it has and whether it is empty or filled.

Total_Ellipse.rx

This script will create an ellipse with the specified number of points.

1.12 Spline

AnimPainting_Spline.rx

Simulates AnimPainting with the Spline tool.
You need to create an animation beforehand.
The spline will be drawn throughout the length of the animation.

Total_Spline.rx

This script will create a spline with the specified number of points.

1.13 General

FadeInBlack.rx

This script will fade an animation to black.
You must specify the start and end frames, and whether it should fade in or out.

SaveAnimGif.rx

Saves the current animation in AnimGIF format.

SaveGif_Brush.rx

Saves the current brush in GIF format.

SaveGif_Picture.rx

Saves the current picture in GIF format.

SaveNewIcon.rx

Takes the two supplied brushes and creates a NewIcon.

This script needs the executable 'Injectbrush' in your C: directory.

Warp.rx

Uses the current picture to create a 10-frame animation, performing a random warp on each frame. The animation is then played.

Communication with ADPro

LoadADPro_Brush.rx

LoadADPro_Picture.rx

SaveADPro_Brush.rx

SaveADPro_Picture.rx

1.14 Line

AnimPainting_Line.rx

Simulates AnimPainting with the Line tool.

You need to create an animation beforehand.

The line will be drawn throughout the length of the animation.

Funny_Line.rx

Several ways to plot a line.

Line_Measure.rx

Gives the exact length of a line.

Angle_repare.rx

Arrow.rx

Make Arrows.

1.15 Arexx Port

The Arexx port may be accessed in different ways.

If the script is started from within PerfectPaint, the first parameter passed to the script is the name of the port to use.

Example:

```
/* Title of script*/
Options results
parse ARG Port ..... b
ADDRESS value Port
.....
```

There are many ways to execute a script from PerfectPaint:

In the simplest way, the script is not associated with any tool.

Example:

```
/* Title of script*/
Options results
parse ARG Port b
  ADDRESS value Port
.....
```

If the script is associated with a tool:

Line:

```
parse ARG Port x1 y1 x2 y2 b
/* x1, y1: co-ordinates of the start of the line
  x2, y2: co-ordinates of the end of the line */
```

Circle:

```
parse ARG Port x1 y1 r b
/* x1, y1: co-ordinates of the centre of the circle
  r: the circle's radius */
```

Box:

```
parse ARG Port x1 y1 x2 y2 b
/* x1, y1: top-left corner of the box
  x2, y2: bottom-right corner of the box */
```

Ellipse:

```
parse ARG Port x1 y1 r1 r2 b
/* x1, y1: centre of the ellipse
  r1, r2: the ellipse's radii */
```

Point:

```
parse ARG Port x1 y1 b
/* x1, y1: co-ordinates of the point */
```

Spline:

```
parse ARG Port x1 y1 x2 y2 x3 y3 b
/* x1, y1: Co-ordinates of the start of the spline
  x2, y2: Co-ordinates of the end of the spline
  x3, y3: Point of curvature */
```

If the script is associated with the Bridge function:

```
parse ARG Port1 Port2 b
/* Port1: Source port
  Port2: Destination port */
```

If the script is not started by Perfectpaint, an instance of PerfectPaint must be searched for and its port found.

Example:

```
/* Script name */

found=0
Port="Perfect_Paint."
DO i=1 to 7
  IF SHOW('P',Port||i) THEN DO
    Port=Port||i
    found=1
    LEAVE
  END
END

if found=0 then EXIT
/* No instances of PerfectPaint are running, so quit */

ADDRESS value Port
...
```

If a script is called 'StartUp.rx' and is found in the PerfectPaint drawer along with the main program, this script will be executed at startup.

1.16 History

V2.83
20 Oct 2002

V2.82
03 Mar 2002

V2.81
07 Feb 2002

V2.8
24 Dec 2001

V2.75b
Nov 2001

V2.7
Sept 2001

V2.6
May 2001

V2.5
March 2001

V2.4
January 2001

V2.3

November 2000

V2.2
September 2000

V2.0
August 2000

1.17 V2.83

- New Arexx command:
 - pp_Sharpen
 - pp_Glass
 - pp_Colorize
 - pp_Convert2CMAP
 - pp_bmsave
 - pp_invbrushstencil
 - pp_AddShadow
- Fix a bug with the cloud and gradient palette
- Fix a bug with Arexx
- New Tools under the Boing Icon:
 - Borders & Edges (Include 16 script, edge and some picture found in the Net)
 - KATalysator
- New asynchron window: History
(All loaded and saved picture are stored with info and thumbnail)
- New Arexx Box Script: Cloud II
- For the Fun: New General Script: Snake (a game in arexx with PfPaint)
- Load and Save ClipBoard
- Improve script: Funny border with Filled Rounded boxes
- Improve Save PNG: PNGtool is used to save PNG picture
Current mask can be used to create the alpha chanel of the png picture.
Alpha Chanel of the brush can be used to create the alpha chanel of the png picture. ↔

1.18 V2.82

- New tooltype 'PICASSO96'
Use this tooltype if you have problem
while displaying brush or text in zoom window.
(PfPaint will disable the cybergraphics command scalepixelarray_)
 - Improve Palette requester and gradient effect
when you are using Voodoo and picasso96
-

- Fixed a nasty bug with picture <16 pixels.
- New arexx commands:
 - PP_Verbose 0 or 1
(will enable or disable security requester)
 - pp_group N\textdegree{} x y w h stat
(will draw box on requester)
- improve pp_GetLocale
- Improve Bridge tool, more security, improve tvpaint host, new host tvpaint_layer ←
(by PixelArt)
- Improve Opacity mapping.
- TVpaint's user request: Density mapping can be use as drawing effect.
- Improve Undo-Redo
- Fix bug with undo and some effect
- Update PerfectPaint.cd and PerfectPaint.ct

1.19 V2.81

- Improve text Requester
 - More easy to select vectorial font.
 - Font Path can be changed.
- Bug Fix:
 - Control anim requester
 - Movie Factory
 - pp_CheckBox
 - Processing tool: Linked Freehand
- Increase to 50 the nombre of gadget usable in arexx dialog
- New Arexx Command
 - pp_ScreenToFront
 - pp_PlaceGui
 - pp_Convert2RGB
 - pp_ScalePicture
 - pp_GetLocale
- AdjustLevels and AutoLevels work well now with Stencil
- Improve AppIcon (add the possibilities to load Icon)
- Jpeg size detection is much faster.
- Add a menu to the undo/redo button:
 - Free Undo/Redo
- Improve RAW saving, with a requester.
- When PFPaint can't load a picture, he try to load it as a RAW picture.

1.20 V2.8

- New catalogs (Russian, Polski, Deutch, latvian, Norsk ...)
 - New effects: Relief, Sharpen, Fiber, Stone, Glass.
 - New text effect: Stamp, Stamp2 and FlatShade (from Markus Castro)
 - New Arexx Box script: CreatePlanete.rx (from Markus Castro)
 - New picture effect: Rotate any Angle
-

- New tools: Correct Picture Rotation
- New 'Movie factory' effect: Blur, Horizontal BLur, Vertical Blur
- Improve some effects: mush faster
- Improve antialiasing: Much faster and better aspect
- Improve Polar Coordinates
- Fix an EnforcetHit with the requester palette and PopupMenu
- Stone, Fiber and Liquid can use now Color Gradient with transparency.
- Fix some bug with animation.
- Improve Control requester: Much Faster, New mode: Maximum, Minimum, threshold, Multiply, Screen and Exclusion.
- Improve VisualPrefs compatibility (I think I fix the problem, on some configuration, about garbage in Main window When you resize it from a reduce view to the original size)
- With the Help of NewIcon.library, PfPaint can now Load Standard Icon; Load and Save NewIcon.
- You can change the amount of transparency of the popupmenu.
- Fix a bug with the TTF font (and the TTFlib).
- Fix a bug with the 'Page size' requester.
- All effects are now stored in an asynchron window, it's much easy to select an effect.
- Brush can be saved in PPM and sculpt format (separate raw alpha, red, green and blue file)
- In Zoom mode, picture is always centered.
- Saving with thumbnail newicon works well now.
- Arexx command to save Icon: pp_SaveIconFor file type

1.21 V2.75b

- New TOOLTYPE: 'CLASSIC', by default, this tooltype is disable. This Tooltype will change the Workspace of Perfectpaint. Disable 'Classic' will show you only the zoom window (like other Processing software) and Enable 'Classic' will show you for each picture the main window (always 100%) and optionnaly the Zoom window (like other version of PfPaint).
 - PopUp menu can have transparency.
 - Improve palette buffer:
 - Add Icons
 - Allow Drag & Drop
 - Show the Current stencil
 - See Doc for more info.
 - New Arexx Commands.
 - New Picture tool: Insert Picture
 - New Processing tool: linked freeHand
 - Redraw the anim control requester
 - New effect Blur, Horizontal Blur, Vertical Blur and the Arexx Command
 - New Wrap effect: Silver
 - New text effect: Candy
-

- Redraw Font requester with a Bold option for CGfont, add a menu.
- A lot of small improvements
- and some small bug corrected.
- New tool under the boing icon: Alchemy: Here you can find all processing script ↔
with preview
- new Alchemy script: FlowerPaint
- Improve Density mapping requester with Load and Save Points
- Add two new item in Stencil menu: Density mapping and clear Stencil
- Improve 'Brush to Picture' and 'Picture to Brush': Stencil is respected

1.22 V2.7

- New Script (Arexx Box): Carve, Coral, OilPaint, FastPaint, OldMosaic, PatchWork, ↔
Pointillisme.
- New Arexx command
- At least PfPaint is Localised, Include the french catalog (98% made)
Can be found in the Catalogs drawer
PerfectPaint.cd
PerfectPaint.ct
PerfectPaint_Start.cd
PerfectPaint_Start.ct
New catalogs are welcome.
- Change the name of the Xen.font to PfPaint.font (Many users ask me for that)
this font is now in Perfectpaint:FONTs, add a new size '7', for the progress ↔
indicator.
You have to copy this font in your Workbench:FONTs directory.
- Zoom Window now have Realtime scrolling when you use scrollbar.
- Improve gradient effect with Wheel and linear options.
- New Keyboard shortcuts
 - F6 Pointer can be changed with Precise pointer (Prefs/Cursors or F6)
Precise pointer never show current brush or pen.
 - F7 Will open prefs of the current effect
 - F10 Will close the toolbox window
- Progress indicator for arexx script
- Improve control animation window:
 - Asynchron
 - New gui
 - New option: Direct disc (PfPaint try to playback animation
directly from the disc, if you choose to store your animation on ↔
disc)
 - Fast tools button.
- Improve buffers requester
 - Always open at startup
 - Color indication of the current buffer.
- When PfPaint Quit, it will save on disc some prefs like
position of some windows, current save format, state of the buffer window...
- New Painting effect: Median, Maximum, Minimum,
- Improve Brush requester: Add color indication of the current brush.
- Move opaque window is much faster.
- Improve 'clone anim': much faster
- New 'Brush Tools': Convert to Picture, Reset Transparency
- New Picture effect: Clone Picture, Scroll, Convert to Brush, Polar Coordinates
- New Color effect: Scroll RGB, Swap RGB
- Improve some window
- Improve Window detection (again)

- New processing tools option: Fade (RMB on icon)
- Improve gradient editor: Add Opacity, Increase number of gradient color to 10

1.23 V2.6

- New Tooltype: NO_STARTUP_WINDOW
 - Improve Bridge tool
you can communicate easily with all programs having an arexx port.
Each program is describe by an ASCII file (in PerfectPaint:rexx/Bridge/Host).
The available hosts are:
ADPro,ArtEffect,FinalWriter,FxPaint,Image Engineer,ImageFx,MovieShop,PageStream, ←
Photogenics
and TVPaint.
You can exchange pictures, brushes, palettes and animations.
 - Sometimes PfPaint crash on exit when you manipulate a lot of buffers, it's fixed ←
 - pp_Setbuffer, PP_findemptybuffer and pp_FindEmptyBrush works well now.
 - Improve pp_SetBrush and pp_SetBuffer
 - Add an Arexx shell.(right mouse button on arexx button)
 - PfPaint can now load and save AnimTransfer for Aweb, Ibrowse and Voyager.
 - Little bug corrected with the compose requester
 - Fix a nasty bug when you save a 24 animation with more than 100 frame.
 - Improve Animation:
Add a new subitem 'Effects' with:
 - Clone Anim
 - Join Anim
 - Inverse Anim
 - Make Ping-Pong
 - Fade to
 - A new version of Slim Anim
 - Movie Factory: Lets you make transitions between two frames in the ←
current animation.
Available Operators are:Displace,Fade,Mosaic,Perspective,Spray, Tunnel, ←
Twirl and Wave.
 - Dissolve: Same function than Movie factory, but transitions are made ←
with a mask.
16 Operators are available.
 - Motion blur
 - Ghost frame
 - Shaker
 - Fix a bug with the tool 'Box' when it was used on very big picture.
 - Fix a bug with the floodfill algo.
 - Fix a bug while creating animation
 - New Arexx commands:
pp_StencilOn, pp_StenciOff, pp_Mosaic
pp_SavePPM, pp_Liquid, pp_InvStencil
pp_SSave ; Save Stencil
pp_SLoad ; Load Stencil
pp_Dissolve, pp_BufferGui, pp_SetPath, pp_GetPath
 - Improve Antialiasing line
 - New scripts: 3dGrid (box tool), Clock (circle tool)
 - Improve Palette requester with Load and Save Gradient
 - Right mouse button on the line button and you can change the pattern of your ←
line.
-

- several small improvements

1.24 V2.5

V2.51

- Spare page is erased when you swap between buffers, now it's fixed and each Spare page will keep their own Undo/Redo buffer. ↔

V2.50

- Add AppIcon
- Drop one file, Pfpaint will ask you if you want to load the file as a picture, brush or anim. ↔
- Drop several files, and Pfpaint will create an anim.
- Improve Undo:
 - Entirely Rewritten
 - add a Real Redo
 - Add Prefs
- little bug corrected with 'Adjust levels'
- Last Jpeg.library is used.
- bug fix with effectbrush and picasso96
- Improve Edit mask: 'Pick color' now have tolerance.
- New Arrex Commands
 - pp_GetCurrentFrame
 - pp_GetCurrentBuffer
 - pp_GetCurrentBrush
 - pp_FindEmptyBuffer
 - pp_FindEmptyBrush
 - pp_SetBuffer
 - pp_ClearCurrentBuffer
 - pp_AnimGui
- You can have ten buffers, each buffer can have a picture or an anim, with different depth. ↔
- Improve Scaling anim picture, and scaling anim window
- Improve animation storage: RAM or HD (you can also select a path for the storage.) ↔

1.25 V2.4

- Improve some requester
- Improve Brush Mosaic
- Raylab Factory:
 - RayLab Factory is a powerfull and simple gui for RayLab.
 - With this gui, you can:
 - Select a predefined shapes or 3D font.
 - mappe you shape with predefined textures or a mapping image.
 - rotate your shape, place your light ...
 - and build you picture or brush directly in perfectpaint.
 - RayLab is a freeware raytracer made by Marcus Geelnard.

- Include in PerfectPaint package, the raylab881 executable and the documentation (with the permission of the author).
 There is a Wos version of Raylab on Aminet (raylabwos.lha) and a 'PPC elf' version, on the official Raylab homepage:
<http://www.etek.chalmers.se/~e4geeln/raylab/>
- fixed a bug while saving CMAP palette
 - New tool: Rotated ellipse
 - New picture format: PPM (Load and save).
 - several bugs corrected with CMAP brush
 - small bugs corrected with gradient effect, starfield effect, zoom, TurboPrint and Symetrie
 - Add Load and Save Stencil
 - Use AsyncIO.library
 - Fix a bug with the arexx command: pp_Render, the script for saving Gif anim will works well now
 - Animation can be cropped.
 - Improve PerfectPaint aspect: Desktop and Requester can have pattern (in PPM format) (see prefs/Backgrounds)
 - You can, now, manage 10 different brushes. With these brushes you can create, loading and saving Albums.
 - Little bug fixed with XPK requester
 - New Color effect: Adjust levels and Auto levels.
 - If you change depth of your picture, Current brush is automatically remapped
 - Improve balance requester
 - Improve Rubber stamp
 - Improve arexx script: LoadPS (postscript)

1.26 V2.3

- A nasty bug corrected with the Mask.
- New tools: Square and Triangle with rotation.
- Screen's BarHeight is respected.
- Improve stencil with 'Add shadow' item
- Improve antialiasing:
 - Choice between Bilinear interpolation and bicubic interpolation
- Improve Antialiasing when resizing Brush and Picture.
- Improve popupmenu: Double level, Now popupmenu content all intuition menus... So i remove intuition menu (That's what i wanted in the beginning) (see PopUpMenu.Showme)
- Zoom is not closed anymore when you use page size, picture size or rot90.
- Improve spray effect with color range option.
- fix a bug when loading 24bits picture with a CMAP chunk.
- Add floodfill with tolerance
- New effect: Inner bevel/Line Art/Gaussian Blur/Mosaic/Bevel Mosaic/Brush Mosaic/ Bump Mapping/Point Cellular/Colorize. and their Arexx commands.
- More Arexx commands
- Several small bug corrected.
- Add Crop function
- New Arexx Script: Plastic Wrap, Church
- Improve Color saturation and Grey effect

1.27 V2.2

- Works well with VisualPrefs and MagicMenu
- Improve ToolBox with Fast color selection and Fast brush selection.
- Little bug corrected with the arexx command: pp_Plot
- Bug corrected when sending picture to TurboPrint
- pp_StencilStat
- pp_StencilOn
- pp_StencilOff
- New Box Arexx Scripts: MotionBlur, RotateBlur, ZoomBlur, Puzzle
- Improve Box Arexx Script: Neon, Ectachrome and Fresco.
- Effect Under/Spare works well with CMAP picture
- Fixed a bug whith perspective when (rotx or roty)=90 or -90
- New function: Fix Brush
- Fixed a small bug with FloodFill
- CMAP Deep Brush is load correctly
- Bug fixed when you use brush+Effect in CMAP mode
- Load and Save: Raw 24bits, Sculpt 24bits or Grey
- Better window detection (more system friendly)
- Improve cloud effect: Range color can be use to create clouds
- New effect: Liquid
- New tools: Rubber stamp, finger, RealTime paint, Sponge, Burn.

1.28 V2.0

- Sorry for AGA users, but this version works only with graphics card and Cybergraphics or Picasso 96.
- Works well now with Picasso 96
- Improve GUI
- One aplication to manage pictures and animations from 1Bit to 24Bits.
- More Arexx commands.
- Add brush effects with real time preview.
- Improve zoom with real window
- you can convert pictures, animation or brush to CMAP or RGB.
- add several tools to edit your mask: magic wand, lasso, polygon, elliptical ↔ marquee...
- Print command with TurboPrint
- New Boing effect: Grab alpha-channel, Grab RGB
- Color and Gamma correction
- New arexx script: Button_On, Button_Off, LensFlare
- Add arexx drawer: Anim
-

1.29 V1.3

PerfectPaint (1-8bits) & PerfectPaintPro (24bits)

- Right mouse button on Undo icone: Redo Object
 - Improve Shine Effect
 - Improve popup menus
-

- Improve polygone filling
- Fix a bug with very big antialiasing circle
- Improve Spray Effect
- New text effect:
 - Azzaro
 - Emboss
- New Arexx command
 - pp_UpdateUndoBox (Undo only a part of the picture)
 - pp_GetWidthT (Width of curent text)
 - pp_GetHeightT (Height of current text)
 - pp_freebrush
 - pp_PickBrush
 - pp_ScaleBrush
- Improve Pick-Brush
if you pick a brush with shift key, Background color will not be transparent.
- Improve memory allocation, Now PerfectPaint & PerfectPaintPro are compatible ←
with
virtual memory (Gigamem, VMM)

PerfectPaintPro (24bits) only:

-
- Big work on Brush:
 - Load & Save With or without alpha chanel.
 - Effect: Smooth border, Mapping density, Opacity
 - Animation is available
 - Palette menu is available
 - More effects available
 - New text effect:
 - Stone
 - Motion_Toolkit
 - SpeedUp undo,brush preview (zoom)
 - little bug fixed with Load&Save Jpeg
 - Improve Compose requester and add a popupmenu for it.
 - Load HAM6 and HAM8 Picture
 - New commands: 'save Render Image' 'Save Render brush' 'Save Render Anim'
With the help of "render.library" you can reduce nb of colors of
your picture, brush or animation with various dithering.
(you need render.library)
 - New arexx command

COMPOSE REQUESTER

- * pp_ComposeReqOn
- * pp_ComposeReqOff
- * pp_Compose

CONVOLUTIONS

- * pp_ConvInit
- * pp_Conv y C1 C2 C3 C4 C5

RENDER REQUESTER

- * pp_RenderReq
- * pp_Render

- * pp_BrushOpacity

- * pp_SavePrefs
 - * pp_PickBrush x y width height
 - * Improve pp_Bsave
 - * pp_AskMultiFile
-
- Improve Gif script (Save GIFPicture,GIFBrush,GIFAnimation)
Now these scripts can work on 24Bits version of Perfectpaint
 - New script: - Save QuickTime movie (you need Jpeg2mov)
 - Load Postscript (you need Ghostscript)

1.30 V1.2

1-8 Bits

- Some bugs fixed with PopUp Menus and animation
- Better look with VisualPrefs
- Improve cloud effect
- Little bug corrected with arexx
- Little bug corrected with the spreadcolor
- Little bug corrected with Antialiased line.
- Some shortcuts are changed (see doc)
- Improve displace effect
- Xdpi and Ydpi can be used with the font requester
- New tool on the toolbox: Symmetry (see doc)
- Fastest antialiased circle
- Improve 'Pick brush', you can now directly select in the tool box, the way to pick it.
- Brush deformation:
 - Size (with or without antialiasing)
 - Rotation (with or without antialiasing)
 - Shear

24 Bits

- Beta version
- Load ilbm (1-24 bits)
- Load & Save Jpeg (with
Jpeg.library
)
- Not all menus, effects, commands are available, it's really a beta version.
- Fastest then 8bits version
- Improve effect with compose requester (add,sub,alpha...)
- Improve convolutions, fastest, preview, popupmenu...
- New palette requester

1.31 V1.1

- New function: "Adjust Palette", you can modify your palette with R,V,B,Contrast,Color and Brightness.
 - Improve GUI:
-

- * All Window can be moved.
- * Buttons are more system friendly
- Stencil icon have now a PopUp menu with
 - * Clear Mask
 - * Invert Mask
 - * Edit Mask
- Add a tooltype: 'DPAINLIKE', with this tolype, toolbox will always be opened on the right of the screen, and zoom window on the left.
- Improve Popup Menus
- No more assign is needed.
- Improve zoom window:
 - * Add a popup Menu
 - * Add a closed button
 - * Window can be moved
 - * less bugs
- 22 new Arexx commands
- Animation keep in memory Jiffies.
- Improve 'GifAnim' script
- New script:
 - * Arrow for line tool
 - * Sun for circle tool
 - * Angle repare
- Improve texture requester with popup menu (">"), Preview guide ("?")
- Improve Text:
 - * Special effects (Bicolor,Deco,Granit,Relief,Shadow...).
 - * Full animation.
 - * rotation, Shear, scaleX and ScaleY.
- Improve text requester with popup menu (">") and preview guide ("?")
- 'Make/Redo Object' are now Ok with polygons,freedraw, Text and arexx.
- Picture and brush can be saved with thumbnail (with NewIcons)
- and many more improvements

1.32 Asyncio.library

short: AsyncIO library for fast IO. V39.2a
 uploader: cmh@lls.se (Magnus Holmgren)
 type: dev/c

On Aminet: dev/c/AsyncIO.lha

This link library (optionally shared library) provides DOS-like functions for using double buffered asynchronous IO on files. This provides very good performance on DMA devices.

The code was originally written by Martin Taillefer. A few bug fixes and updates were made by Magnus Holmgren, with inspiration from Olaf 'Olsen' Barthel.

News in version 39.2a

AsyncIO.guide was missing from the archive, making it difficult for new users of AsyncIO. Also added a few icons. These are the only changes in this release.

Re-release of version 39.2

The version string in the last archive wasn't correct. This is the only thing changed in this release.

News in version 39.2:

Fixed bugs in `ReadLineAsync()`, `ReadCharAsync()` and `WriteCharAsync()`.

`SeekAsync()` is now more DOS-compatible, in that it allows seeks to succeed after seeks past EOF. Thus, it is now possible to seek back to a valid position in the file and continue reading there.

1.33 XPKmaster.library

Short: V5.2 Compression package, user edition
 Author: Dirk Stoecker, Christian von Roques, Urban Dominik Mueller, ...
 Uploader: stoecker@amigaworld.com (Dirk Stoecker)
 Version: 5.2
 Type: util/pack

on Aminet: util/pack/xpk_User.lha

Description

XPK is an interfacing standard between application programs and packer libraries. Every XPK application program can pack data with any XPK packer.

Distributability

XPK is copyrighted, but freely distributable for non-commercial use. Some parts of XPK have a different legal status, ie. PD, GPL or shareware.

This is the main part of the xpk distribution. In this archive are all the files you really need.

How to install the files: Decrunching XPK archives you want to install into ONE directory and double click Install icon in xpk_User directory. You need at least Installer program version 42.9 to do that. Installer can be found in Aminet (util/misc/Installer*.lha). Current version is 43.3.

Changes to last release:

bug work around in Query function

Try WWW addresses

<http://www.amigaworld.com/support/xpkmaster/>
 or <http://home.pages.de/~Gremlin/xpkmaster.html>

Here all files are accessible (also the xpk_Crypt.lha archive).

Please contact me or any of the other authors stated in the docs:

```
*****
* snail-mail:                * e-mail:                *
* Dirk Stoecker              * stoecker@amigaworld.com *
* Geschwister-Scholl-Str. 10 * dstoecker@gmx.de      *
* 01877 Bischofswerda       * world wide web:      *
```

```
* GERMANY * http://home.pages.de/~Gremlin/ *
* phone: * pgp key: *
* GERMANY +49 (0)3594/706666 * get with finger or from WWW pages *
*****
```

1.34 Render.library

Short: image processing kernel
Author: Timm S. Müller
Uploader: Timm S. Müller (timm.mueller@darmstadt.netsurf.de)
Type: dev/misc
Version: 30.0
Requires: Kickstart 2.04 (v37), MC68020

on Aminet: dev/misc/RenderLib.lha

render.library

render.library is an amiga shared library that serves an image processing kernel. it is an interface between truecolor and chunky graphics, and it supports all amiga-specific pixel and color schemes. render.library provides palette-management, histograms, alpha-channel processing, color reduction, scaling, rendering, dithering, texture-mapping, and many conversion and support functions.

author

bifat / TEK neoscientists

timm.mueller@darmstadt.netsurf.de

<http://come.to/neoscientists>

Timm S. Müller
Bartningstraße 15
64289 Darmstadt
++49 (0)6151 715917

requirements

- mc68020 or better
- kickstart 2.04 (v37) or better

features

- histograms up to 24 bit

- rendering
- dithering
- color quantization
- heavy alphachannel support
- HAM mode support
- custom memory management
- scaling
- low-level texture-mapping
- conversion functions
- fully documented with autodocs, charts, tutorials
- supplied with C, Assembler, and E includes
- freeware

1.35 Jpeg.library

Short: V5.1 shared library to load/save jpegs
Uploader: paulh@mafeking.scouts.org.au (Paul Huxham)
Author: paulh@mafeking.scouts.org.au (Paul Huxham)
Type: util/libs

On Aminet: jpeglibrary50.lha

For anyone who wants to use/manipulate jpeg files in their own applications, this library makes it very easy.

jpeg.library is a shared library that can be used to examine, load and save jpeg images. You can have multiple jpegs objects (load/save), supports all the standard jpeg quality and smoothing parameters and can scale loaded images (smaller). Jpeg image data can reside on disk or in memory.

Example programs included.

* Version 5.1 fixes a problem with previous 020ffp and 040ffp versions of the library.

** This software is based in part on the work of the Independent JPEG Group.

For the latest version of jpeg.library and to check out other software I have written, check my home page at:

<http://mafeking.scouts.org.au/~paulh/>

© 1998, 1999 Paul Huxham

1.36 Keyboard Shortcuts

Space Puts a pattern on the window to aid precision
j Activates or disactivates the spare page
p Activates the palette editor
u Undo
U Redo

HELP Brings up the documentation
DEL Gets rid of the cursor

Up/down arrow keys + right Alt Change the pen size

n New
l Loads a picture
s Saves the current picture
q Quit

b Loads a brush
c Saves the current brush

| Displays co-ordinates
/ Bridge function

x Flips the brush about the X-axis
y Flips the brush about the Y-axis
z Rotates the brush by 90\textdegree{}

X Flips the picture about the X-axis
Y Flips the picture about the Y-axis
Z Rotates the picture by 90\textdegree{}

F5 Lets you specify an object's dimensions manually
(circle, line, curve, ellipse, box)

F6 Swap between classic cursor and precise cursor

ZOOM :

+ Increase the zoom factor
- Reduce the zoom factor
Enter Refocus the zoom
arrow keys Move the zoom or current picture

BROSSE :

F1 Transparency
F2 Colour
F3 Solid
F4 Previews the brush in box form
F5 Make/Redo Object
F6 Select the type of pointer (precise or not)
F7 Will show the prefs of the current effect.
F10 Will close the toolbox window

ANIMATION :

1 Previous frame
2 Next frame
3 Go to frame...
4 Play animation
5 Play animation once
6 Ping-pong animation

During animation playback:
Space Stop the animation

1.37 Author

Georges HALVADJIAN
21 allée des jardins de Francheville
69340 Francheville FRANCE

gothic.fr@chello.fr
[HTTP://gothic.fr.free.fr/amiga/index.html](http://gothic.fr.free.fr/amiga/index.html)

1.38 Introduction

Throughout the documentation:
LMB = Left Mouse Button
RMB = Right Mouse Button
Bg = Background
Fg = Foreground

Paint, Anim and manipulate pictures from 1bit to 24bits

Requirements:

68030 minimum + Coprocesseur
OS 3.0 minimum
Graphics card (Cybergraphx min cgxv41_r71 or Picasso96)
Jpeg.library
Render.library
XPKmaster.library (used to save your 24bit animation)

Some features of PerfectPaint:

Drawing in 1-24 bits
Antialiasing
Spare page
Stencil
Symmetry
Multiple-level undo
Text with antialiasing, bevel, outline and effects
Different types of pen
Animation
zoom
Arexx
Brush: Mapping density, Opacity, Smooth border (24bits)
Several effects
.....

Read the documentation for more information.

1.39 Installation

Unarchive the file PerfectPaint.lha and copy the entire "PerfectPaint" drawer wherever you like.

This drawer contains a font called "PfPaint.font" in 'PerfectPaint: FONTS' ←
directory

Copy:

PfPaint.font

The PfPaint directory

to your FONTS: directory.

Installation of RexxMast:

If it is not already there, copy the RexxMast executable to your WBStartup drawer.

Install

Render.library

Install

Jpeg.library

Install

XPKmaster.library

Install

Asyncio.library

Last version of Cybergraphx V3 can be found here

http://www.vgr.com/v3/cgxv41_r71.lha

ftp://ftp.vgr.com/cgxv41_r71.lha

http://www.vgr.com/meanmachine/cgxv41_r71.lha

1.40 Toolbox

All icons with a dog-ear have an action accessible with the ←
right mouse

button. (*)

_____	1 : Fast Brush selection
_____	2 : Fast Color Selection (*)
Pens 1	

_____	A : Circle tool - empty, filled, Arexx (*)
_____	B : Box tool - empty, filled, Arexx (*)
_____	C : Line tool - empty, filled, Arexx (*)
A B C	D : Spline tool - empty (*), filled (*), Arexx (*)
_____	E : Fill tool
_____	F : Point tool - freehand, joined, filled, Arexx (*)
_____	G : Ellipse tool - empty, filled, Arexx (*), Rotated ellipse
D E F	
	H
	: Text tool (*)

```

||__||__||__||      I : Polygon tool - empty, filled, empty bézier, filled ↔
    bézier
|  __  __  __  |
||  ||  ||  ||  ||
        a
        : Capture brush (*)
|| G || H || I ||
        b
        : Animation (*)
||__||__||__||      c : Zoom
|  |  |  |  |
        d
        : Spare page (*)
|  __  __  __  |
        e
        : Effects (*)
||  ||  ||  ||
        f
        : Stencil (*)
|| a || b || c ||
        g
        : Processing Tools (*)
||__||__||__||
        h
        : Special tools: Warp (*),Grab alpha-channel,Grab RGB,RayLab ↔
          Factory
|  __  __  __  |
        i
        : Antialiasing
||  ||  ||  ||
|| d || e || f ||      m : Colour selector
||__||__||__||      n : Current colours
|  __  __  __  |      o : Colour inversion
||  ||  ||  ||      p : Palette
|| g || h || i ||
        Palette Editor
        ||__||__||__||
|  |  |  |  |
|  |  |  |  |
|  m | n | o 2 |
|  |  |  |  |
.  .  .  .
.  .  .  .
.  .  .  .
        q
        : Symmetry (*)
|  __  __  __  |
        r
        : Grid (*)
||  ||  ||  ||
|| q || r ||  ||
        t
        : Trashcan (*)
||__||__||__||
        u

```

```

: Undo/Redo (*)
|  _  _  _  |
      v
: Arexx (*)
||  ||  ||  ||
|| t || u || v ||
||__||__||__||
|      |
|_____|

```

All drawing actions with the left mouse button will be made in the primary colour.

All drawing actions with the right mouse button will be made in the background colour.

The circle, box, line, spline, ellipse and point tools may have an Arexx script associated with them.

You can select this script by right-clicking on the tool icon, when it appears with the Arexx crown symbol.

Some example scripts are supplied:

```

Circle script
Box script
Line script
Spline script
Ellipse script
Point script

```

1.41 Animation

Select This icon if you want to animate brush and text.
You just have to put brush or text on your current picture.

1.42 Processing Tools

All these tools are in Real time.
They work in 24bits only.
They need a brush.

Rubber Stamp

Also called 'Pantograph', When you select it, a second pointer will appear, offset from the main pointer.

The second pointer follows exactly the movements of the normal pointer, but offset horizontally and vertically. When you draw, everything that passes ←
under

the first mouse pointer, will be copied under the second one.

Use the Left Shift key to set the offset of the second pointer. You then draw a line between the source point to the destination point.

Rubber Stamp with Spare

Same tools, but now the Spare picture will copied under the second pointer.

Finger

Same effect than if you were running your finger through fresh paint.

Burn (Left mouse button)/Dodge (Right mouse button)

Saturate (Left mouse button)/Desaturate (Right mouse button)

Paint

Real time painting.

1.43 Palette Editor

Image

You can edit a palette using either the RGB or HSV systems.
To select a colour, click with the LMB on the required colour.

COPY Copies one colour to another

Select a colour, click on 'COPY' then select the destination colour.

EX Exchanges two colours in the palette

Select a colour, click on 'EX' then select a second colour.
The first colour will become the second colour and vice-versa.

SWAP Exchanges two colours in the palette (≤ 8 Bits)

...but without modifying the current picture.

(The current image will be remapped.)

SPREAD Creates a colour gradient

Select the start colour, click on 'SPREAD' then select the destination colour. A colour gradient will be made between the two colours.

CANCEL Closes the requester and discards any changes made

OK Closes the requester and keeps any changes made

1.44 Undo/Redo

LMB: Activates Undo

RMB: Activates Redo Object

10 levels of undo are allowed.

1.45 Symmetry

Symmetry can be used with all tools.

LMB: Activate Symmetry

RMB: Lets you choose the type of Symmetry, center and radius

1.46 Arexx

LMB: Activates an Arexx script

RMB: Brings up a requester which lets you select a script for that icon as well as for the circle, box, line, spline, ellipse and point icons.

Arexx Port
Arexx Commands

Example Scripts

1.47 Trashcan

LMB: Erases the current picture, replacing it with the background colour

RMB: Brings up an erase requester for animation, allowing you to erase one frame or a series of frames

The stencil will be used, if it is active.

1.48 Boing tools

Warp

LMB: Activates the warp tool

RMB: Lets you choose the warping strength

Deforms the picture using a warping technique.

If the 'Antialiasing' icon is selected, the effect will be antialiased.

Grab alpha-channel

This command let you copy the brightness of your picture over your current brush (useful for texture or pre-defined mask)

Grab RGB

This command let you copy the RGB value of your picture over your current brush.

Raylab Factory

RayLab Factory is a powerfull and simple gui for RayLab.

With this gui, you can:

- Select a predefined shapes or 3D font.
- mappe you shape with predefined textures or a mapping image.
- rotate your shape, place your light ...
- and build you picture or brush directly in perfectpaint.

RayLab is a freeware raytracer made by Marcus Geelnard.

Include in PerfectPaint package, the raylab881 executable and the documentation ↵
(with the permission of the author).

There is a Wos version of Raylab on Aminet (raylabwos.lha) and a 'PPC elf' ↵
version , on the

official Raylab homepage:

<http://www.etek.chalmers.se/~e4geeln/raylab/>

Original Doc

1.49 Stencil or Mask

LMB: Activates the stencil

RMB: open the popup menu

Creating a stencil allows you to paint around an image without painting over it, as if it were protected by a mask.

1.50 Antialiasing

If the icon is selected:

- Any reduction in size of the picture will be antialiased.
- Certain distortion effects will be antialiased.
- Drawings are antialiased

1.51 Effects

LMB: Activates the current effect. If you haven't chosen an effect a requester will appear listing all the available effects.

RMB: Brings up the effect requester or the compose requester
(the compose requester will allow you to compose
between the current effect and the current picture)
compose: Opacity, Add,Sub,Darken,Alpha,Inv-Alpha

You can apply an effect to all the tools.

There are 4 types of effect:

- Colour
- Wrap
- Deform
- Pixelate
- Other

Effects

1.52 Spare page

LMB: Activates the spare page (if you have enough memory) or disactivates it.
The spare page has the same size and depth as the current picture.

RMB: Parameters

You can:

- copy the spare image to the current image
- copy the current image to the spare image
- exchange the spare and current images

All modifications to the current image (loading, size and depth changes)
initialise the spare page.

1.53 Grid

RMB: Activates the grid

LMB: Grid parameters

'X spacing' and 'Y spacing' represent the grid's size.

'View grid' makes the grid visible in the window, you can also choose
its colour.

'Grab' is not currently available.

1.54 Text tool

If you select the text tool with the right mouse button, the text editor
will appear.

If you select the text tool with the left mouse button, the text brush
will become active. If one does not exist, the text editor will appear.

Accepted fonts:

- Vector:
 - Options: Outline and Bevel with a specified thickness
 - Two levels of antialiasing
 - Rotation, Shear, ScaleX, ScaleY and Animation.
- Bitmap:
 - Options: Outline and Bevel with a specified thickness
 - Two levels of antialiasing
- Colour: (available soon)
 - Options: Use the font's palette
 - Remap the brush without modifying the current palette
 - Colourize: For greyscale or antialiased fonts

Once the brush has been created, you may at any time choose a primary
colour. The brush will automatically adapt itself to the new colour.

The text brush may have all the available effects applied to it.

Text Requester (picture)

1.55 Capture brush

To capture a brush,

- select 'pick brush' icon
- select a tool (box, circle...)
- draw the object on your picture

If you press Left Shift, the background colour will not be transparent.

You may use 2 brushes simultaneously. To go between the two brushes, click the right mouse button on the 'Brush' icon in the pen part of the toolbox.

If you capture the brush with the right mouse button, the captured image will be erased from the picture.

There are 3 brush modes:

- F1 Transparent
- F2 Colour
- F3 Solid

F4 The brush appears as a preview (in box form)

The captured brush may be placed on the page with all the available effects.
