

ListMailer Manual

COLLABORATORS

	<i>TITLE :</i> ListMailer Manual		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 5, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	ListMailer Manual	1
1.1	ListMailer.guide	1
1.2	Introduction	1
1.3	Installing ListMailer	2
1.4	Configuring ListMailer	3
1.5	Version History, etc.	4

Chapter 1

ListMailer Manual

1.1 ListMailer.guide

Welcome to ListMailer

Written by Bob Maple aka The Brazilian
Data/FAX: (303) 969-8967

Internet: bmaple@burner.com
<http://home.rmi.net/~bobm>

Introduction
What is ListMailer?

Installing ListMailer
Where do I put this thing?

Configuration
Ok, now how do I make it work?

Version History
IMPORTANT! Version info, bugs, etc.

1.2 Introduction

What is ListMailer?

CNet 4.x Professional has UUCP support built in, for importing news and email into the system fairly transparently.

However, one thing people like myself like to do, is convert mailing lists into newsgroups - This way they can be imported into the system

just like normal news postings, allowing CNet to thread them like it does other messages, and more importantly, giving everyone on the BBS access to them (ever had 5 users on your board on the same mailing list? What a waste of email!)

Importing mail as news is not a terribly difficult thing; There are many programs available to do it automatically. The problem arises in that, being a mailing list, "responses" or new "posts" are handled by sending email back to the list server, so that it can be re-distributed to everyone on the list.

And the big problem with that is that CNet has no idea you're importing mail as news, and that in order to make a reply or a new message, it needs to send the message as email to a specified address, instead of simply using "postnews" like it does with all other Internet message bases. True, the user can simply make his replies himself via email, but how many of your users can remember the list address, and remember to reply in email for that specific group? Plus, it's a hassle..

That's where ListMailer comes in. It is a temporary solution for transparently letting users treat a mailing list subboard like a normal subboard. When the user hits "R" to reply to a message, or "P"osts a new one, ListMailer intervenes and handles the sending of the message as email to the list address.

1.3 Installing ListMailer

** REQUIREMENTS **

ListMailer now requires version 4.xx of CNet Amiga in order to function properly!

Installing ListMailer is not that complicated of a process, but it is very specific and will not function properly if you don't do it right!

PLEASE READ THIS ENTIRE SECTION, AND CONTINUE ON TO THE
CONFIGURATION
PART OF THE DOCUMENTATION BEFORE INSTALLING LISTMAILER!

1. Make a backup of your CNET:BBSTEXT file. Installation includes manually altering this file, and it's not a bad idea to make a copy just in case you mess something up. Restoring the copy is a lot easier than trying to fix the problem.
2. Copy the ListMailer executable into PFILES:
3. Using your favorite text editor, call up CNET:BBSTEXT.
4. Go to line 400 of BBSTEXT; It should say something like

```
\nPost filing...
```

Append onto the end the following MCI sequence, WITHOUT hitting

return after you are done:

```
{#2 PFiles:ListMailer}
```

So line 400 now looks something like:

```
\n1Post filing...{#2 PFiles:ListMailer}
```

5. Go to line 478 of BBSTEXT, and repeat step 4. Note that line 478 reads something like "Response filing..." instead.
6. Re-save BBSTEXT with these two changes, and either reboot your system, OR click on the CNet Control Panel and press Right-Amiga-T, or use the "CNet" pulldown menu to select "Text/menu reload".

You've successfully, we hope, installed ListMailer. However, YOU ARE NOT DONE YET! You MUST properly setup a

Configuration file
in order for
ListMailer to work properly.

What you've just done is "wedge" ListMailer into the system so that it runs JUST after the user saves his message, but BEFORE CNet processes the message (by posting it onto the system like it normally would do).

1.4 Configuring ListMailer

Configuring ListMailer is fairly simple, but great care must be taken in order for it to be done correctly and work successfully.

Rules:

1. The file MUST reside in PFILES:
2. The file MUST be called "ListMailer.cfg"
3. Each entry MUST contain four lines to be complete, with NO extra carriage returns or space between the four lines
4. Each entry pair of four lines MUST immediately follow the previous four, with no extra carriage returns or space between the lines.

First of all you should know that ListMailer knows when to send the post as a piece of email by looking at this config file; It compares what you have in here with the name of the subboard the user is posting or replying from, and takes appropriate action when necessary.

* Optionally, you can specify who the mail is FROM. This is VERY important * to make sure you have configured right!!

The config file structure is very simple. An example is included.

Basically, each complete entry consists of a 4-line group; The first tells ListMailer what subboard it's looking for, and the second tells what address it should EMail any messages generated on that subboard to. The last two lines tell ListMailer who the mail sent should appear FROM;

The third line is the netname, the fourth is the real name. If you wish the message to be from whichever user actually posted it on your BBS, the line should contain a single period (.) to indicate that.

The config file consists of an unlimited number of these line groups, one after another *with no space inbetween*.

Lets say we have a subboard called "JV-80 Synth" which is a mailing list subboard. The address for submitting articles to the list is "jv80+burner.com". Your config entry would look like:

```
JV-80 Synth
jv80+burner.com
.
.
```

That's it. Line 1 is the title of the subboard, EXACTLY AS IT APPEARS ON YOUR SUBBOARD LIST (If you EL the subboard, it is the "Subboard Title" you're interested in.)

NOTE THAT THE SUBBOARD NAME SHOULD BE EXACTLY THE SAME AS IT APPEARS IN YOUR SUBBOARDS - CASE, SPACES, ETC. DO MATTER! IE: "JV-80 synth" and "JV-80 Synth" are NOT the same thing!

Line 2 is simply the email address ListMailer should mail postings and replies to.

Lines 3 & 4 specify the user should be from whomever on the BBS posted the message, for both the netname and realname. Another example:

```
CNet
cnet+some.machine.com
postmaster
Bulletin Board Postmaster
```

This would trap the subboard "CNet", send posts/replies to "cnet+some.machine.com", under the name "postmaster+<your.site>" with the real name of "Bulletin Board Postmaster"

Setup one of your own mailing list subboards with ListMailer, and make a test posting. Now go into your UUSPOOL: directory and find the message to verify it worked, and then KILL IT so you don't piss off tons of people on that mailing list by posting retarded test postings.

1.5 Version History, etc.

Notes & Known Bugs

- o ListMailer intercepts the message being posted from CNet so that it may send the message as an email. It, however, does not prevent CNet from then POSTNEWSing the article.

This is not a problem on mailing lists, since you are making a 'fake' newsgroup that really doesn't exist -- it gets postnews'd to your fake

group but it never goes anywhere since it is not (or shouldn't be!) listed in the Sys file as a newsgroup you receive from your main feed site.

However, on moderated newsgroups, this does pose somewhat of a problem, since the newsgroup `_does_` exist. CNet postnews's the article and it eventually gets batched as part of your outgoing traffic. Eventually it'll hit someone who cancels the message since you can't post to a moderated group.

Version History

- o 1.15 Jan 23, 1997
 - Recomiled to keep up to date with any structural changes in CNet v4. I was personally getting some enforcer hits and missed postings under v1.10.

 - o 1.10 Nov 5, 1995
 - ListMailer now makes a copy of the article to work with for it's self. This fixes the double-signature problem.

 - o 1.06 May 24, 1995
 - Ack! Tested the 1.05 new features with a bunk config file -- appears that the From Addresses weren't working properly when used with a good config file. Sorry! This works now.

 - o 1.05 - May 21, 1995
 - ListMailer now allows you to configure who generated messages are from, both for netname and realname. This is important to note!
YOU MUST
RECONFIGURE
YOUR CONFIG FILE IF YOU ARE USING 1.00!
 - Now appends signature files - Starts with `_sig2` (UUCP messages) and defaults down to `_sig0` ("default") if it can't find that.
 - Recomiled to be pure; Can now be made resident for speedmongers.

 - o 1.00 - April 17, 1995
 - First release
-