

—bComposing in Columns~

This is column one of a two column document, where each column is 34 characters wide and justification is set to even, and spacing to one. The use of a bold printing attribute in the above column will cause the loss of three (3) spaces in column two when printing.

Now press the WINDOW key (F6).

šššThe solution to this problem found in inserting three (3) "spaces in column two whenever print attributes are used in the same line in column one.

To create a "hard space", press the —bCOMPOSE~ key, with the spacebar twice, repeated three times on the IBM PC or lookalike machines. As you notice, there are three hard spaces used in the first line of this column, which maintain the proper columnar appearance

Once composed, both columns printed to a range or printer.

Composing in Columns

šššThe solution to this problem is found in inserting three (3) "hard

spaces in column two whenever print attributes are used in the same line in column one.

This is column one of a two column document, where each column is 34 characters wide and justification is set to even, and spacing to one. The use of a bold printing attribute in the above column will cause the loss of three (3) spaces in column two when printing. To create a "hard space", press the COMPOSE key, which is Alt+F1 and the spacebar twice, repeated three times on the IBM PC or lookalike machines. As you

notice, there are three hard spaces used in the first line of this column, which maintain the proper columnar appearance.

Once composed, both columns may be printed to a range or printer.

em is
hard
enever
.he

ress
hich is Alt+F1
eated
C or
you
rd
of
n the
.

ns may be