	tabs are						C	- 7	F		
ьэ L	15	∠	.53.	5	45		6	.5/.	5		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
	1 -	0	F 2	_	4 5		6		F 0		
	15	2	.53.	5	45	55	6	.5/.	58		
L	!		!		:	:		!			
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
Tabs are set by ESC 'e0' 5 at every 5 columns											
	51						5 6	5	7 5		
L	!	!	!	!	!	!	!	!	!		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
L5	15	2	.53.	5	45	55	6	.57.	58		
L	!	!	!	!	!	!	!	!	!		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN		
								- · · -			

\$Tabs set by ESC 'D' 5 12 23 36 50 56 0

\$\$28	BL5	15	2	53	54	5	.55.	6	57	
L	!	!	!	!	!	!	!	!	!	
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	
ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	
L5.	1	.52	5 3	5	.45.	55	56	5 7	5	. 8
L	!	!	!	!	!	!	!	!	!	
L ONE	! TWO	! THREE	! FOUR	! FIVE	! SIX	! SEVEN	! EIGHT	! NINE	! TEN	
L ONE ONE	! TWO TWO	! THREE THREE	! FOUR FOUR	! FIVE FIVE	! SIX SIX	! SEVEN SEVEN	! EIGHT EIGHT	! NINE NINE	! TEN TEN	

<code> \$BS(08h)</code> can be used to create special symbols by overprinting. For example, \$ is created by sending \$ Y BS = to the printer, \$ by sending \$ BS | and, \$ by the string \$ V BS |