LookingAtThings.hyper

<div align="center">

COLLABORATORS

</div>

	TITLE : LookingAtThings.hyper		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY		August 26, 2022	

<div align="center">

REVISION HISTORY

</div>

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

LookingAtThings.hyper

1.1   Looking At Things (Tue Jul 14 17:21:11 1992)

```
        Contents:

         Introduction

         Simple memory viewing

         Disassembling memory

         Listing things

         Asking more 'info' about something

         Viewing structures

         The tag system and 'view'

         Using tags and structures

         Some miscellanious viewing commands

         Commands for MMU and other processors
        Various:

         Commands used in this tutorial

         Functions used in this tutorial
            Back to main contents
```

1.2   Looking At Things : Commands used in this tutorial

```
    addstruct    Add structures to the 'stru' list
    addtag       Add a tag to the current tag list
    attc         The key attachment list
    clearstruct  Clear all structures in the 'stru' list
    cleartags    Clear all tags in the current tag list
```

```
conf        Autoconfig list
crsh        Crash list
dbug        Debug list
devs        Exec device list
dosd        Dos device list
exec        ExecBase structure list
fdfi        Fd file list
fils        File list
for         For each element in list execute a command
font        Font list
func        Function monitor list
gadgets     Show all gadgets in a window
graf        GraphicsBase structure list
hunks       Show all hunks for a process
ihan        Input handler list
info        Give information about an element in a list
interprete  Interprete some memory as a structure (from the 'stru' list)
intb        IntuitionBase structure list
libinfo     Ask information about a library function from a fd-file
intr        Interrupt list
libs        Library list
list        Show a list (tasks, libraries, message ports, ...)
llist       Traverse a list and show all elements in list
loadfd      Load a fd-file
loadtags    Load tags in the current tag list
lock        Lock list
lwin        Logical window list
memory      List memory
memr        Memory node list
mmuregs     Show all registers from mmu
mmureset    Reset the mmu tree
mmutree     Show the mmu tree
mode        Set PowerVisor preferences
moni        Monitor list
owner       Search owner of memory
pathname    Get pathname from lock
port        Message port list
print       Print a string
pubs        Public screen list
pwin        The physical window list
remstruct   Remove a structure from the 'stru' list
remtag      Remove a tag from the current tag list
resm        Resident module list
reso        Resource list
savetags    Save all tags in the current tag list
scrs        Screen list
sema        Semaphore list
specregs    Show all special 68020..68030 registers
speek       Peek from memory (using mmu)
spoke       Poke in memory (using mmu)
stru        Structure list
tags        Show all tags in the current tag list
task        Task and process list
tg          Temporarily set another tag list as current
unasm       Disassemble memory
usetag      Set another current tag list number
view        List memory while using tags to determine the type of memory
```

```
    wins         Window list
```

1.3   Looking At Things : Functions used in this tutorial

```
    apeek        Peek address from structure
    base         Get the first element in the current list
    curlist      Get the current list
    lastmem      Get last memory used by 'memory', 'unasm' or 'view'
    peek         Peek element from structure
    stsize       Ask the size of a structure definition
    taglist      Ask the current tag list number
```

1.4   Looking At Things : Introduction

PowerVisor can display memory, disassemble instructions, show structures,
give information, ... In short, PowerVisor has a lot of instruction to
SHOW you something. This tutorial file describes all these commands. All
commands in this tutorial give you information of some kind.

1.5   Looking At Things : Simple memory viewing

The simplest way to look at memory is using the memory command. Simply
try it :

< memory 0 100 <enter>

or

< m 0 100 <enter>

> 00000000: 00000000 07E007CC 00F80834 00F80B16   ....4....
> 00000010: 00F80ADA 00F80ADC 00F80ADE 00F80AE0   ....
> 00000020: 00F80C00 00F80AE4 00F80AE7 00F80AE8   ....
> 00000030: 00F80AEA 00F80AEC 00F80AEE 00F80AF0   ....
> 00000040: 00F80AF2 00F80AF4 00F80AF6 00F80AF8   ....
> 00000050: 00F80AFA 00F80AFC 00F80AFE 00F80B00   ....
> 00000060: 00F80B02   ....

You will now see 100 bytes or 25 longwords of memory starting on
location 0.

You can also use :

< m 0 <enter>
> 00000000: 00000000 07E007CC 00F80834 00F80B16   ....4....
> 00000010: 00F80ADA 00F80ADC 00F80ADE 00F80AE0   ....
> 00000020: 00F80C00 00F80AE4 00F80AE7 00F80AE8   ....
> 00000030: 00F80AEA 00F80AEC 00F80AEE 00F80AF0   ....
> 00000040: 00F80AF2 00F80AF4 00F80AF6 00F80AF8   ....
> 00000050: 00F80AFA 00F80AFC 00F80AFE 00F80B00   ....
```

```
> 00000060: 00F80B02 00F810F4 00F81152 00F81188            ...........R....
> 00000070: 00F811E6 00F8127C 00F812C6 00F81310            .......|........
> 00000080: 00F80B70 00F80B72 00F80B74 00F80B76            ...p...r...t...v
> 00000090: 00F80B78 00F80B7A 00F80B7C 00F80B7E            ...x...z...|...~
> 000000A0: 00F80B80 00F80B82 00F80B84 00F80B86            ................
> 000000B0: 00F80B88 00F80B8A 00F80B8C 00F80B8E            ................
> 000000C0: 00F80B90 00F80B92 00F80B94 00F80B96            ................
> 000000D0: 00F80B98 00F80B9A 00F80B9C 00F80B9E            ................
> 000000E0: 00F80BA0 00F80BA2 00F80BA4 00F80BA6            ................
> 000000F0: 00F80BA8 00F80BAA 00F80BAC 00F80BAE            ................
> 00000100: 0030A6FC 00006600 00000610 00000000            .0....f.........
> 00000110: 200066FB 00006600 0000A600 203066FA            .f...f..... 0f.
> 00000120: 003026FB 00006600 00006630 005066F7            .0&...f...f0.Pf.
> 00000130: 001066FB 00006600 00006600 001026F7            ..f...f...f...&.
```

So you don't have to specify the number of bytes to print. The default
number is 320 (Note that PowerVisor remembers the last number of bytes
used, so the default number is actually equal to that number)

If you prefer the output of this command in another format, you can do this
with the mode command :

```
< mode byte <enter>
< m 0 100 <enter>
> 00000000: 00 00 00 00 07 E0 07 CC 00 F8 08 34 00 F8 0B 16   ...........4....
> 00000010: 00 F8 0A DA 00 F8 0A DC 00 F8 0A DE 00 F8 0A E0   ................
> 00000020: 00 F8 0C 00 00 F8 0A E4 00 F8 0A E7 00 F8 0A E8   ................
> 00000030: 00 F8 0A EA 00 F8 0A EC 00 F8 0A EE 00 F8 0A F0   ................
> 00000040: 00 F8 0A F2 00 F8 0A F4 00 F8 0A F6 00 F8 0A F8   ................
> 00000050: 00 F8 0A FA 00 F8 0A FC 00 F8 0A FE 00 F8 0B 00   ................
> 00000060: 00 F8 0B 02                                      ....
```

Or back to normal with :

```
< mode long <enter>
```

Other formats are: 'mode word' or 'mode ascii'.

Pressing enter with an empty commandline will cause the memory listing to
continue (if the last command was a 'memory' command). (This is also
the case if the last command was a view or an unasm (see later)).

Typing 'memory' with no arguments will also cause a continued memory
listing.

You can use the lastmem() function to see where Powervisor will continue
the memory listing :

```
< disp lastmem() <enter>
> 00000064 , 100
```

Note that when you are debugging a program, this command will also show
the 9 first characters of a symbol when there is one on some address.

1.6   Looking At Things : Disassembling memory

If you want to disassemble memory, you can use the unasm command. This
command disassembles 68000, 68010, 68020, 68030, 68040, 68881, 68882
and 68851 code.

```
< unasm 0 <enter>
```

or

```
< u 0 <enter>
```

```
> 00000000: 0000 0000                      ORI.B    #0,D0
> 00000004: 07E0                           BSET     D3,-(A0)
> 00000006: 07CC 00F8                      MOVEP.L  D3,($F8,A4)
> 0000000A: 0834 00F8 0B16 00F8            BTST     #$F8,([A0],D0.L*2,$F8)
> 00000012: 0ADA 00F8                      CAS      D0,D3,(A2)+
> 00000016: 0ADC 00F8                      CAS      D0,D3,(A4)+
> 0000001A: 0ADE 00F8                      CAS      D0,D3,(A6)+
> 0000001E: 0AE0 00F8                      CAS      D0,D3,-(A0)
> 00000022: 0C00 00F8                      CMPI.B   #$F8,D0
> 00000026: 0AE4 00F8                      CAS      D0,D3,-(A4)
> 0000002A: 0AE7 00F8                      CAS      D0,D3,-(A7)
> 0000002E: 0AE8 00F8 0AEA                 CAS      D0,D3,($AEA,A0)
> 00000034: 00F8 0AEC                      ORI.?    #$F8,($AEC)
> 00000038: 00F8 0AEE                      ORI.?    #$F8,($AEE)
> 0000003C: 00F8 0AF0                      ORI.?    #$F8,($AF0)
> 00000040: 00F8 0AF2                      ORI.?    #$F8,($AF2)
> 00000044: 00F8 0AF4                      ORI.?    #$F8,($AF4)
> 00000048: 00F8 0AF6                      ORI.?    #$F8,($AF6)
> 0000004C: 00F8 0AF8                      ORI.?    #$F8,($AF8)
> 00000050: 00F8 0AFA                      ORI.?    #$F8,($AFA)
```

The default number of instructions to disassemble is 20, but you can choose
another number after the address.

```
< u 0 5 <enter>
> 00000000: 0000 0000                      ORI.B    #0,D0
> 00000004: 07E0                           BSET     D3,-(A0)
> 00000006: 07CC 00F8                      MOVEP.L  D3,($F8,A4)
> 0000000A: 0834 00F8 0B16 00F8            BTST     #$F8,([A0],D0.L*2,$F8)
> 00000012: 0ADA 00F8                      CAS      D0,D3,(A2)+
```

If you do not like the words in this output you can disable them with
the mode command :

```
< mode noshex <enter>
```

```
< u 0 5 <enter>
> 00000000:                                ORI.B    #0,D0
> 00000004:                                BSET     D3,-(A0)
> 00000006:                                MOVEP.L  D3,($F8,A4)
> 0000000A:                                BTST     #$F8,([A0],D0.L*2,$F8)
> 00000012:                                CAS      D0,D3,(A2)+
```

Or enable them :

```
< mode shex <enter>
```

When you are debugging a program, this command shows all labels and symbols
present in this program (Therefor it can be useful to disable the words in
the output, that way PowerVisor can show longer labels).

Pressing enter with an empty commandline will cause the disassembly to
continue (if the last command was a 'unasm' command).

Typing 'unasm' with no arguments will also cause a continued disassembly.

1.7   Looking At Things : Listing things

                 You can also list a lot of things in PowerVisor. The current list ←
                      concept
was already explained in the Getting Started chapter. I assume
you have read that chapter.

The following lists are available at this moment :
(All lists with a '*' have more information in the AmigaDOS 2.0 version,
this (extra) information can be viewed with the info command or the
 list command (the 'info' command also works on the AmigaDOS 1.3
version but gives less information))

```
  Big structures :
   Exec *      the listing of the ExecBase structure
   Intb        IntuitionBase structure
   Graf *      Graphics base structure
  Exec/dos/graphics and intuition things :
   Task *      The listing of the tasks in the system (default list)
   Libs        Exec-Libraries
   Devs        Exec-devices
   Reso        Exec-Resources
   INTR        Exec-Interrupts
   Memr        Memory list
   Port        Message ports
   Wins *      All windows
   Scrs        Screens
   Font        Fonts currently in memory
   DOsd        Dos-devices
   SEma        Semaphores
   RESM        Resident modules
   FIls        Open files
   LOck        Locks
   IHan        Input handlers
   COnf        AutoConfigs
   MOni *      Monitors (AmigaDOS 2.0 only)
   PUbs *      Public Screens (AmigaDOS 2.0 only)
  PowerVisor things :
   FUnc        All Function monitor nodes (see  addfunc  command)
   FDfi        All fdfiles loaded (see  loadfd  command)
   Attc        All attached keys (see  attach  command)
   Crsh        All crashed programs
   DBug        All debug nodes (see the  Debugging  chapter)
```

```
    STru          All structure defines (see  addstruct  command)
    LWin          All logical windows for PowerVisor
    PWin          All physical windows for PowerVisor
```

Some examples :

```
< list exec <enter>
> SoftVer      : 012F     | LowMemChkSum : 0000     | ChkBase      : F81FF833
> ColdCapture  : 00000000 | CoolCapture  : 00000000 | WarmCapture  : 00000000
> SysStkUpper  : 07E02230 | SysStkLower  : 07E00A30 | MaxLocMem    : 00200000
> DebugEntry   : 00F82E88 | DebugData    : 00000000 | AlertData    : 00000000
> MaxExtMem    : 00000000 | ChkSum       : A2BE     | ThisTask     : 07EA0B08
> IdleCount    : 000045BE | DispCount    : 00005039 | Quantum      : 0004
> Elapsed      : 0004     | SysFlags     : 0000     | IDNestCnt    : FF
> TDNestCnt    : FF       | AttnFlags    : 0017     | AttnResched  : 0000
> ResModules   : 07E00410 | TaskTrapCode : 07EA6924 | TaskExceptCod: 00F83AEC
> TaskExitCode : 00F8242C | TaskSigAlloc : 0000FFFF | TaskTrapAlloc: 8000
> VBlankFreq   : 32       | PowerSupplyFr: 32       | KickTagPtr   : 00000000
> KickCheckSum : 00000000 | RamLibPrivate: 07E1E528 | EClockFreq   : 000AD303
> CacheCtrl    : 00002919 | TaskID       : 00000001 | PuddleSize   : 00000000
> MMULock      : 00000000 |
```

See the Expressions chapter for what you can do with the ':'
operator (the list operator) for this list and the two other lists : 'graf'
and 'intb'. Note that the '&' unary operator can only be used with these
three lists. The ':' operator can be used for almost any list except 'lock'
and 'file'.

```
< list wins <enter>
> Window name        : Address  Left  Top Width Height WScreen
> ----------------------------------------------------------------------
>                    : 07EA7568   0   12   692    430 07EA6760
>                    : 07E45E38   0    0   704    456 07E46110
> My Shell           : 07E1FD48   0  568   692    456 07E2D258
>                    : 07E3B398   0   16   692   1008 07E2D258
```

You can use the curlist() function to see in which list we are. This
function returns a pointer to the curlist string (in ARexx this function
returns a string). You can use the print command to look at the
current list :

```
< print \(curlist(),%s)\0a
> task
```

(Since there is no newline in the current list string, there will be no
newline printed on the screen).

If you want the pointer to the first element in the list you can use the
 base() function :

```
< disp base() <enter>
> 07E28330 , 132285232
```

When you want to execute a specific command on each element in a list, you

can use the for command. This command is especially useful when using
tags (see

                    The tag system and 'view'
).
The command you give as an argument to the 'for' command is executed
once for each element in the list. The command can find the pointer to
the element in the list in the 'rc' variable.

For example, to display all elements in a list :

```
< for task disp rc <enter>
> 07E28330 , 132285232
> 07E51458 , 132453464
> 07E5B258 , 132493912
> 07E609A8 , 132516264
> 07E53F28 , 132464424
> 07E1E6F0 , 132245232
> 07E1EFE0 , 132247520
> 07E51DC8 , 132455880
> 07E0D992 , 132176274
> 07E43418 , 132396056
> 07E6E5C8 , 132572616
> 07EA8348 , 132809544
> 07E0A7C0 , 132163520
> 07E0A428 , 132162600
> 07E104E8 , 132187368
> 07E16278 , 132211320
> 07E189B0 , 132221360
> 07E34200 , 132334080
> 07E0F1B4 , 132182452
> 07E08B22 , 132156194
> 07E23BF8 , 132267000
> 07EA9648 , 132814408
```

More information about each list can be found in the List Reference
chapter. In that chapter you can also find all the variables printed by
the info command.
(Also see

                    Asking more 'info' about something
).

1.8   Looking At Things : Asking more 'info' about something

If you want more information about something that is in a list, you can
use the info command :

Make the window list current :

```
< wins <enter>

< list <enter>
> Window name          : Address  Left  Top Width Height WScreen
> ----------------------------------------------------------------------
>                       : 07EA7568    0   12   692    430 07EA6760
```

```
>                          : 07E45E38    0    0    704     456 07E46110
> My Shell                 : 07E1FD48    0  568    692     456 07E2D258
>                          : 07E3B398    0   16    692    1008 07E2D258
```

You can now ask more info about 'My Shell' for example :

< info my <enter>

```
> Window name         : Address   Left   Top Width Height WScreen
> ---------------------------------------------------------------------------
> My Shell            : 07E1FD48    0  568    692     456 07E2D258
>
> MinWidth    : 0050     | MinHeight    : 0032     | MaxWidth    : FFFF
> MaxHeight   : FFFF     | Flags        : 2800104F | MenuStrip   : 00000000
> ScreenTitle : Workbench Screen
> FirstReques : 00000000 | DMRequest    : 00000000 | ReqCount    : 0000
> RPort       : 07E20068 | Pointer      : 00000000 | PtrHeight   : 00
> PtrWidth    : 00       | XOffset      : 00       | YOffset     : 00
> IDCMPFlags  : 00000000 | UserPort     : 00000000 | WindowPort  : 00000000
> MessageKey  : 00000000 | DetailPen    : 00       | BlockPen    : 01
> CheckMark   : 07E0B960 | ExtData      : 00000000 | UserData    : 00000000
> BorderLeft  : 04       | BorderTop    : 10       | BorderRight : 12
> BorderBottom : 02      | BorderRPort  : 00000000 | Parent      : 07E3B398
> Descendant  : 07EA7568 | GZZMouseX    : 005D     | GZZMouseY   : 00D6
> GZZWidth    : 029E     | GZZHeight    : 01B6     | IFont       : 07E083F0
> MoreFlags   : 00000000 |
>
> Flags: WINDOWSIZING WINDOWDRAG WINDOWDEPTH WINDOWCLOSE SIMPLEREFRESH ACTIVATE
> VISITOR HASZOOM
> IDCMP:
```

You get a lot of information. Basically this is the window structure.

Not all lists have that much extra information. Some lists give no extra
information at all. Only the header is dumped.

IMPORTANT ! If 'wins' wasn't the current list you should ask information
as follows :

First go to another current list :

< task <enter>

Ask information about 'My Shell' in the window list.

< info wins:my wins <enter>
> ...

Especially the last 'wins' argument is very important. If you omit it
PowerVisor will try to interpret the 'My Shell' window as a task or
process. This can cause crashes. In general it is safest to always
supply this extra argument. You may add it to the command even if
the current list is already good.

You must also be careful using name expansion (don't type this) :

< info my wins <enter>

will NOT work when 'wins' is not the current list. This command can
even crash. What happens is that PowerVisor first searches the current
list for something that starts with 'my'. If you are so unlucky to really
have a task starting with 'my' PowerVisor will then try to interprete
that task as a window.

So you should really be careful when you use the 'info' command. Nasty
things can happen when you are not careful enough about the current list
and the arguments you give to 'info'. If you are cautious however, the
'info' command is really useful and can safe you lots of debugging time.

Using the for command, you can ask information about
all items in a list.

For example, to dump info about each task in the system to a file (not
to the screen), use :

< to ram:Info -for task {info rc task;print \0a\0a} <enter>

This is a rather complex example. I will explain it in detail.

    The to command redirects the output of the following command to
    the file 'ram:Info' (see the Screens and Windows chapter for more
    info about the 'to' command).

    The for command is the command whose output is redirected (it
    is an argument for the 'to' command). Because there is a '-' in
    front of the 'for' no output is printed on the PowerVisor window.

    The 'for' command executes the following command for each element
    in the 'task' list.

    The command that is executed for each element in the task list is
    a group of commands.

    The first command in this group is the info command. Its argument
    is the 'rc' variable which contains the pointer to the element
    currently processed by the 'for' command. We add the 'task' argument
    since we could as well execute this command with another current list.

    The second command in this group is the print command. This
    command prints two newlines after each info block.

    Since the 'for' command remembers all output in memory and only
    starts printing after the list is traversed, you need not worry
    about the list becoming corrupt after a long time (This is
    especially true for the task list since this is a very busy list).

You could also have typed :

< -to ram:Info for task {info rc task;print \0a\0a} <enter>

But not :

< to ram:Info for task -{info rc task;print \0a\0a} <enter>

Since the 'for' command remembers all output even if the output is
hidden.

1.9   Looking At Things : Viewing structures

                 PowerVisor also has the ability to view structures. These ←
                    structure are
defined in ascii files and converted to 'pvsd'-files
(PowerVisor Structure Definition files) by the 'MStruct' utility.
These ascii files look a bit like machinelanguage include files (see the
examples in the Source subdirectory).

On the PowerVisor disk there is a file called 'Exec.pvsd'. This file
contains all definitions for the structures in Exec 2.0. You can load all
structures from this file using the addstruct command :

```
< addstruct exec.pvsd <enter>
> UNIT
> IS
> IV
> IO
> IOSTD
> LIB
> LH
> MLH
> ML
> ME
> MH
> MC
> LN
> MLN
> MP
> MN
> RT
> SSR
> SS
> SM
> TC
> ETask
> StackSwapStruct
```

This command adds all structures to the 'stru' list. You can list this
list to see all structures in memory :

```
< list stru <enter>
> Struct node name    : Node     Pri InfoBlock Strings  Length
> ------------------------------------------------------------------------
> IS                  : 07EBA5B0 FD  07EBA5D2  07E5A4D2    22
> IV                  : 07EBA5F0 FD  07EBA612  07EBA63A    12
> IO                  : 07EBA650 FD  07EBA672  07EBA6AA    32
> LH                  : 07EBA888 FD  07EBA8AA  07EBA8E2    14
> ML                  : 07EBA948 FD  07EBA96A  07E622AA    16
> ME                  : 07EBA980 FD  07EBA9A2  07E622CA     8
> MH                  : 07EBA9C0 FD  07EBA9E2  07EBAA1A    32
```

```
> MC                    : 07EBAA50 FD   07EBAA72   07E706EA        8
> LN                    : 07EBAA90 FD   07EBAAB2   07EBAAEA       14
> MP                    : 07EBAB48 FD   07EBAB6A   07EBAB9A       34
> MN                    : 07EBABB8 FD   07EBABDA   07EBABFA       20
> RT                    : 07EBAC10 FD   07EBAC32   07EBAC92       26
> SS                    : 07EBAD10 FD   07EBAD32   07EBAD6A       46
> SM                    : 07EBADA0 FD   07EBADC2   07E5A602       36
> TC                    : 07EBADD8 FD   07EBADFA   07EBAE9A       84
> LIB                   : 07EBA788 FC   07EBA7EA   07EBA842       34
> MLH                   : 07EBA900 FC   07EBA922   07EBA7AA       12
> MLN                   : 07EBAB08 FC   07EBAB2A   07E73452        8
> SSR                   : 07EBACD8 FC   07EBACFA   07E761FA       12
> UNIT                  : 07E5A5A8 FB   07EBA53A   07EB7BCA       38
> IOSTD                 : 07EBA6D0 FA   07EBA6F2   07EBA74A       48
> ETask                 : 07EBAF38 FA   07EBAF5A   07EBAFAA       86
> StackSwapStruct       : 07EBAFF8 F0   07EBB032   07EBB05A       12
```

You can then use the remstruct and clearstruct commands to remove one
structure or all structures from memory.

Now we interprete an element of the task list as a task with the
 interprete command :

```
< task <enter>

< list task <enter>
> Task node name       : Node     Pri StackPtr  StackS Stat Command       Acc
> --------------------------------------------------------------------------------
> Background Process  : 07E28330 00  07E2D500    4096 Wait iprefs    (02) -
> RexxMaster          : 07E51410 04  07E51C52    2048 Wait          (00) -
> SYS:System/CLI      : 07E5DC50 00  07E5EB8E    4096 Wait          (00) -
> Background Process  : 07E5B250 00  07E5D98A    4096 Wait addtools  (06) -
> ...
> input.device        : 07E08B22 14  07E09B28    4096 Wait          TASK -
> RAM                 : 07E23BF8 0A  07E23EE6    1200 Wait          PROC -
> Background Process  : 07E1F7C8 04  07E8C216   12000 Run  pv       (01) -

< interprete input tc <enter>
> FLAGS       : 00        | STATE       : 04       | IDNESTCNT  : 00
> TDNESTCNT   : FF        | SIGALLOC    : C000FFFF | SIGWAIT    : C0000000
> SIGRECVD    : 00000000  | SIGEXCEPT   : 00000000 | ETask      : 80000000
> EXCEPTDATA  : 00000000  | EXCEPTCODE  : 00F83AEC | TRAPDATA   : 00000000
> TRAPCODE    : 00F83AEC  | SPREG       : 07E09B28 | SPLOWER    : 07E08B7E
> SPUPPER     : 07E09B7E  | MEMENTRY    : 07E08B64 | Userdata   : 00000000
```

This command dumps the structure defined in the 'stru' list. ('tc' is
the task structure).

You can also peek a certain value from this list with the peek()
function :

```
< disp peek(input,tc,spupper) <enter>
> 07E09B7E , 132160382
```

Or you can change a value (do not execute this command) with apeek() :

```
< *apeek(input,tc,spupper).l=5 <enter>
```

You can use the stsize function to ask the size of a structure :

< d stsize(ln) <enter>
> 0000000E,14

Structure definitions can also be used with the view command.
(Also see
                 The tag system and 'view'
).

1.10   Looking At Things : The tag system and 'view'

                 The most powerful command to view memory is the view command. ↩
                  This
command uses tags. A tag is a definition for a range of memory. Using tags
you can define a region of memory to be code, or full ascii, ... The
'view' command displays all memory according to its type.

In combination with structures (see
                 Viewing structures
                ), this command has
even more power (see
                 Using tags and structures
).

When you first start PowerVisor the 'view' command works exactly like
the memory command. This is because the default memory type for all
memory that is not defined by a tag is Long/Ascii.

Lets explain all this with an example :

First we define the memory starting on location 0 as a range of longwords
with the addtag command :

< addtag 0 50 la <enter>

This 'addtag' command adds a definition for a range of memory. A memory
range with 50 bytes starting from address 0 is defined as LA. This is
Long/Ascii. This is the default, so you won't see anything special when
you view that memory.

< addtag 50 50 wa <enter>

The next 50 bytes of memory (starting on address 50) are defined as WA
or Word/Ascii. We can use the 'view' command to see what we have done :

< view 0 <enter>

(Note that the 'view' command has the same sort of arguments as the
'memory' command).

> 00000000: 00000000 07E007CC 00F80834 00F80B16   ....4....
> 00000010: 00F80ADA 00F80ADC 00F80ADE 00F80AE0   ....

```
> 00000020: 00F80C00 00F80AE4 00F80AE7 00F80AE8              ................
> 00000030: 00F8                                             ..
> 00000032: 0AEA 00F8 0AEC 00F8 0AEE 00F8 0AF0 00F8          ................
> 00000042: 0AF2 00F8 0AF4 00F8 0AF6 00F8 0AF8 00F8          ................
> 00000052: 0AFA 00F8 0AFC 00F8 0AFE 00F8 0B00 00F8          ................
> 00000062: 0B02                                             ..
> 00000064: 00F810F4 00F81152 00F81188 00F811E6              .......R........
> 00000074: 00F8127C 00F812C6 00F81310 00F80B70              ...|..........p
> 00000084: 00F80B72 00F80B74 00F80B76 00F80B78              ...r...t...v...x
> 00000094: 00F80B7A 00F80B7C 00F80B7E 00F80B80              ...z...|...~....
> 000000A4: 00F80B82 00F80B84 00F80B86 00F80B88              ................
> 000000B4: 00F80B8A 00F80B8C 00F80B8E 00F80B90              ................
> 000000C4: 00F80B92 00F80B94 00F80B96 00F80B98              ................
> 000000D4: 00F80B9A 00F80B9C 00F80B9E 00F80BA0              ................
> 000000E4: 00F80BA2 00F80BA4 00F80BA6 00F80BA8              ................
> 000000F4: 00F80BAA 00F80BAC 00F80BAE 00000000              ................
> 00000104: 00000000 00000000 00000000 00000000              ................
> 00000114: 00000000 00000000 00000000 00000000              ................
> 00000124: 00000000 00000000 00000000 00000000              ................
> 00000134: 00000000 00000000 00000000                       ............
```

You can see that the memory starting at location 50 is listed in Word/Ascii
format.

< addtag 100 50 ba <enter>

We define the next 50 bytes of memory as Byte/Ascii and :

< addtag 150 50 as <enter>

the next 50 bytes of memory as full Ascii and :

< addtag 200 50 co <enter>

the next 50 bytes of memory as code.

```
< view 0 <enter>
> 00000000: 00000000 07E007CC 00F80834 00F80B16              ...........4....
> 00000010: 00F80ADA 00F80ADC 00F80ADE 00F80AE0              ................
> 00000020: 00F80C00 00F80AE4 00F80AE7 00F80AE8              ................
> 00000030: 00F8                                             ..
> 00000032: 0AEA 00F8 0AEC 00F8 0AEE 00F8 0AF0 00F8          ................
> 00000042: 0AF2 00F8 0AF4 00F8 0AF6 00F8 0AF8 00F8          ................
> 00000052: 0AFA 00F8 0AFC 00F8 0AFE 00F8 0B00 00F8          ................
> 00000062: 0B02                                             ..
> 00000064: 00 F8 10 F4 00 F8 11 52 00 F8 11 88 00 F8 11 E6  .......R........
> 00000074: 00 F8 12 7C 00 F8 12 C6 00 F8 13 10 00 F8 0B 70  ...|..........p
> 00000084: 00 F8 0B 72 00 F8 0B 74 00 F8 0B 76 00 F8 0B 78  ...r...t...v...x
> 00000094: 00 F8                                            ..
> 00000096: .z...|...~........................................
> 000000C8: 00F8 0B94                      ORI.?    #$F8,($B94)
> 000000CC: 00F8 0B96                      ORI.?    #$F8,($B96)
> 000000D0: 00F8 0B98                      ORI.?    #$F8,($B98)
> 000000D4: 00F8 0B9A                      ORI.?    #$F8,($B9A)
> 000000D8: 00F8 0B9C                      ORI.?    #$F8,($B9C)
> 000000DC: 00F8 0B9E                      ORI.?    #$F8,($B9E)
> 000000E0: 00F8 0BA0                      ORI.?    #$F8,($BA0)
```

```
> 000000E4: 00F8 0BA2                          ORI.?    #$F8,($BA2)
> 000000E8: 00F8 0BA4                          ORI.?    #$F8,($BA4)
> 000000EC: 00F8 0BA6                          ORI.?    #$F8,($BA6)
> 000000F0: 00F8 0BA8                          ORI.?    #$F8,($BA8)
> 000000F4: 00F8 0BAA                          ORI.?    #$F8,($BAA)
> 000000F8: 00F8 0BAC                          ORI.?    #$F8,($BAC)
> 000000FA: 0BAC00F8 0BAE0000 00000000 00000000            ................
> 0000010A: 00000000 00000000 00000000 00000000            ................
> 0000011A: 00000000 00000000 00000000 00000000            ................
> 0000012A: 00000000 00000000 00000000 00000000            ................
> 0000013A: 00000000 0000                                  ......
```

(The code example is useless in this case since that memory clearly isn't code).
You can see that tags are very versatile. They can be very useful when you are debugging and do not want to loose track of all the different types of memory. If you still want to look at memory in a uniform way (either data or code) you can still use the memory and unasm commands. These commands ignore the tags.

You can see which tags are defined with tags :

```
< tags <enter>
> 00000000 : 00000032 LA
> 00000032 : 00000032 WA
> 00000064 : 00000032 BA
> 00000096 : 00000032 AS
> 000000C8 : 00000032 CO
```

(All values in this output are hexadecimal).

Note that it is possible to create overlapping tags. This is not encouraged since the search order of these tags is not defined. If you have an address that is defined in two different tags, you can never be sure which tag is taken as the correct one.
However, PowerVisor will automatically detect overlapping tags when the new tag is not completely in another tag or when the new tag does not completely redefine another tag. In that case the other tag is made smaller.

You can remove a tag using the remtag command :

```
< remtag 100 <enter>
```

will remove the definition for the range starting at address 100.

You can remove all tags at once with the cleartags command.

```
< cleartags <enter>
< tags <enter>
```

All tags are gone.

You can load and save tags using the loadtags and savetags commands.

If you want different tag lists for different applications you can use any

of the other 15 tag lists. PowerVisor has 16 tag lists numbered from 0 to
15. The default tag list is 0.

You can change the current tag list using the usetag command :

< usetag 1 <enter>

will use tag list 1.

< usetag 0 <enter>

Back to tag list 0.

All commands on tags (addtag , remtag , loadtags , savetags ,
 cleartags , view , ...) only look at the current tag list.

You can temporarily set the current tag list using the tg command :

< tg 1 view 0 <enter>

will view the memory starting at 0 using tag list 1. After the operation
it will restore the current tag list.

Use the taglist() function to see the current tag list.

< disp taglist() <enter>
> 00000000 , 0

1.11 Looking At Things : Using tags and structures

             In
              The tag system and 'view'
              we saw five different tag types :

   BA   Byte/Ascii
   WA   Word/Ascii
   LA   Long/Ascii
   AS   Full Ascii
   CO   Code

There is a sixth tag type :

   ST   Structure

We explain structure tags with an example :

Clear all structures and tags in memory with the clearstruct and
 cleartags commands :

< clearstruct <enter>
< cleartags <enter>

Load the exec structure file with addstruct :

< addstruct exec.pvsd <enter>

```
> UNIT
> IS
> IV
> IO
> IOSTD
> LIB
> LH
> MLH
> ML
> ME
> MH
> MC
> LN
> MLN
> MP
> MN
> RT
> SSR
> SS
> SM
> TC
> ETask
> StackSwapStruct

(See
                Viewing structures
                for more info about these commands).
```

Now we can use these structures to define structure tags with addtag :

```
< task <enter>

< list <enter>
> Task node name      : Node     Pri StackPtr  StackS Stat Command       Acc
> ----------------------------------------------------------------------------
> Background Process  : 07E28330 00  07E2D500    4096 Wait iprefs    (02) -
> RexxMaster          : 07E4DD38 04  07E4E57A    2048 Wait          (00) -
> PowerSnap 1.0 by Nic: 07E41B48 05  07E42392    2000 Wait          PROC -
> ...
> RAM                 : 07E23BF8 0A  07E23EE6    1200 Wait          PROC -
> input.device        : 07E08B22 14  07E09B28    4096 Wait          TASK -
> Background Process  : 07E72728 04  07E88122   12000 Run  pv       (05) -

< addtag ram stsize(tc) st tc <enter>
```

What have we done ? We have defined a new tag starting with the address
of the RAM task. This tag defines a region of memory that is 'stsize(tc)'
bytes big. stsize() is a function that returns the size of a structure.
The structure is the 'TC' structure (task structure). The tag we define
has type 'ST' (structure tag). When you use the 'ST' type for a tag
you need another argument to 'addtag': the pointer to the structure
definition. This is 'TC'.

With the tags we can see all defined tags :

```
< tags <enter>
> 07E1E6F0 : 00000054 ST TC
```

Now we view the memory surrounding this task structure with view :

```
< view ram-50 <enter>
> 07E1E6BE: 000001F8 57AB0000 000207E1 8A0C0000          ....W...........
> 07E1E6CE: 00000000 125F0000 03F30000 0A090000          ....._..........
> 07E1E6DE: 00000000 00000000 000001F8 2EBC0000          ................
> 07E1E6EE: 0000                                          ..
> 07E1E6F0: TC
> FLAGS          : 00       | STATE       : 04       | IDNESTCNT    : 00
> TDNESTCNT      : FF       | SIGALLOC    : 0000FFFF | SIGWAIT      : 00000010
> SIGRECVD       : 00000100 | SIGEXCEPT   : 00000000 | ETask        : 80000000
> EXCEPTDATA     : 00000000 | EXCEPTCODE  : 00F83AEC | TRAPDATA     : 00000000
> TRAPCODE       : 00F8FFCE | SPREG       : 07E1EEF0 | SPLOWER      : 07E1E7D4
> SPUPPER        : 07E1EFD4 | MEMENTRY    : 07E1E732 | Userdata     : 000007E1
> 07E1E744: E5780000 00000000 00000000 00000000          .x..............
> 07E1E754: 00000000 00000008 07E1E6F0 07E1E764          ...............d
> 07E1E764: 00000000 07E1E760 00000000 01F87965          .......`......ye
> 07E1E774: 00000800 07E0F944 00000000 01F879F5          .......D......y.
> 07E1E784: 00000000 01FA2E94 00000000 00000000          ................
> 07E1E794: 00000000 07E10544 00000000 07E1EFD0          .......D........
> 07E1E7A4: 00000000 00000000 00000000 00000000          ................
> 07E1E7B4: 00000000 00000000 00000000 07E1E7C4          ................
> 07E1E7C4: 00000000 07E1E7C0 00000000 00000000          ................
> 07E1E7D4: 00000000 00000000 00000000 00000000          ................
> 07E1E7E4: 00000000 00000000 00000000 00000000          ................
> 07E1E7F4: 00000000 00000000 0000                        ..........
```

The output is the same as with the interprete command.

Of course it would be cumbersome if you hade to repeat this procedure for
each task in the task list. You can use the for command to automate
this process (also see
                Listing things
) :

```
< for task addtag rc stsize(tc) st tc <enter>
```

This command will define a tag for each task in the task list.

1.12 Looking At Things : Some miscellanious viewing commands

PowerVisor also has a lot of other smaller view commands. These are all
explained in this section.

You can list all gadgets in a window with the gadgets command :

```
< list wins <enter>
> Window name        : Address  Left  Top Width Height WScreen
> -------------------------------------------------------------------------
>                    : 07EA69D8    0   12   692    430 07EA6378
>                    : 07E45E38    0    0   704    456 07E46110
> My Shell           : 07E1FD48    0  568   692    456 07E2D258
>                    : 07E3B398    0   16   692   1008 07E2D258
```

```
< gadgets my <enter>
> Gadget ptr : left right width height Render   Text      SpecInfo ID
>
> 07E100D4  :  -22    0    24     16 07E4687C 00000000 00000000    0
> Flags      : GADGHCOMP GADGIMAGE GRELRIGHT LABELITEXT
> Activation : RELVERIFY BORDERSNIFF
> Type       : SYSGADGET WUPFRONT CUSTOMGADGET
>
> 07E10114  :  -45    0    24     16 07E489C4 00000000 00000000    0
> Flags      : GADGHCOMP GADGIMAGE GRELRIGHT LABELITEXT
> Activation : RELVERIFY BORDERSNIFF
> Type       : SYSGADGET WDOWNBACK CUSTOMGADGET
>
> 07E1FDFC  :  -17   -9    18     10 07E48DF4 00000000 00000000    0
> Flags      : GADGHCOMP GADGIMAGE GRELBOTTOM GRELRIGHT LABELITEXT
> Activation : RELVERIFY BORDERSNIFF
> Type       : SYSGADGET SIZING CUSTOMGADGET
>
> 07E1FE3C  :    0    0    20     16 07E58E0C 00000000 00000000    0
> Flags      : GADGHCOMP GADGIMAGE LABELITEXT
> Activation : RELVERIFY BORDERSNIFF
> Type       : SYSGADGET CLOSE CUSTOMGADGET
>
> 07E1FE7C  :    0    0     0     15 00000000 00000000 00000000    0
> Flags      : GADGHCOMP GADGIMAGE GRELWIDTH LABELITEXT
> Activation : BORDERSNIFF
> Type       : SYSGADGET WDRAGGING CUSTOMGADGET


You can list all hunks for a process with the  hunks  command :

< list task <enter>
> Task node name     : Node      Pri StackPtr  StackS Stat Command       Acc
> --------------------------------------------------------------------------
> Background Process : 07E28330 00  07E2CDD8    4096 Wait iprefs    (02) -
> RexxMaster         : 07E51458 04  07E51C9A    2048 Wait           (00) -
> Background Process : 07E5B258 00  07E5AC9A    4096 Wait addtools  (06) -
> ...
> trackdisk.device   : 07E0F1B4 05  07E0F3C6     512 Wait           TASK -
> input.device       : 07E08B22 14  07E09B28    4096 Wait           TASK -
> RAM                : 07E23BF8 0A  07E23EE6    1200 Wait           PROC -
> Background Process : 07EA7EA8 04  07EB231E   12000 Run  pv        (04) -

< hunks 07EA7EA8 <enter>
> Nr   Hunk      Data        Size
> --------------------------------------------------------------------------
>    0 07F0AD7C 07F0AD80    68628
>    1 07EA8F44 07EA8F48     1256
>    2 07EA1F5C 07EA1F60       48
>    3 07EAE3AC 07EAE3B0     4572
>    4 07EA677C 07EA6780      156
>    5 07EA2124 07EA2128       28
>    6 07EA681C 07EA6820      228
>    7 07E280DC 07E280E0        8
```

You can ask the pathname for a lock with the pathname command. Note that

you MUST use normal pointers for the 'pathname' command. The result from
the AmigaDOS 'Lock' function is a BPTR. You must convert this BPTR to
an APTR.

You can use the libinfo command to ask information about a
library function in an fd-file you have loaded.

Use the llist command to traverse a list with nodes. The argument to
this command is a node. 'llist' will then follow the ln_Succ field in this
node for all other nodes. It will display the addresses to these nodes :

```
< task <enter>

< llist df0 <enter>
> Node name          : Node     Pri
> ----------------------------------------------------------------------
> Work               : 07E189B0 0A
> Workbench          : 07E34018 01
> input.device       : 07E08B22 14
> RAM                : 07E23BF8 0A
```

Use the owner command if you want to know the owner of a piece of memory.
This command tries the best it can to find the owner. At this moment only
the 'task' list is searched.

```
< list task <enter>
> Task node name     : Node     Pri StackPtr  StackS Stat Command      Acc
> ----------------------------------------------------------------------
> Background Process  : 07E45D88 00  07E571A8   4096 Rdy  clock     (04) -
> Background Process  : 07E28330 00  07E2D500   4096 Wait iprefs    (02) -
> RexxMaster          : 07E51410 04  07E51C52   2048 Wait           (00) -
> PowerSnap 1.0 by Nic: 07E43588 05  07E43DD2   2000 Wait           PROC -
> ...
> input.device       : 07E08B22 14  07E09B28   4096 Wait           TASK -
> RAM                : 07E23BF8 0A  07E23EE6   1200 Wait           PROC -
> Background Process  : 07E1F7C8 04  07E8C216  12000 Run  pv        (01) -

< owner 07E51C52 <enter>
> Found in stack
> RexxMaster          : 07E51410 04  07E51C52   2048 Wait           (00) -
```

1.13 Looking At Things : Commands for MMU and other processors

If you have an 68020, 68030 or 68040 you can use some extra commands.

You can use the specregs command to view all special 680x0 registers :

```
< specregs <enter>
> MSP  : 560F5B16
> ISP  : 07E02228
> USP  : 07E8C304
> SFC  : 00000007
> DFC  : 00000007
> VBR  : 00000000
> CACR : 00002111
```

```
>     Write Allocate set
>     Disable Data Burst
>     Clear Data Cache not set
>     Clear Entry in Data Cache not set
>     Freeze Data Cache not set
>     Enable Data Cache
>     Enable Instruction Burst
>     Clear Instruction Cache not set
>     Clear Entry in Instruction Cache not set
>     Freeze Instruction Cache not set
>     Enable Instruction Cache
> CAAR : B8F77BED
```

For all following commands you need a MMU. This means that you either
must have an 68851 or an 68030.
At this moment I have not tested PowerVisor on an 68040 processor. I
suspect there could be some problems. Especially the mmutree and
 mmureset commands can cause problems on this new processor.

Also the 'mmureset' and 'mmutree' commands do not support everything from
the 68030 mmu. I suspect this is the reason that these commands perform
an infinite loop in AmigaDOS 1.3 on an Amiga 3000.

I have also not been able to test these commands on a computer other
than the Amiga 3000.

Use the mmuregs command to view all mmu registers :

```
< mmuregs <enter>
> DRP  : (na)
> CRP  : 000F0002   07FFF140
>     L/U bit is cleared
>     LIMIT = 0000000F
>     DT    = Valid 4 byte
>     Table address = 07FFF140
> SRP  : 80000001   00000000
>     L/U bit is set
>     LIMIT = 00000000
>     DT    = Page descriptor
>     Table address = 00000000
> TC   : 80F08630
>     Enable address translation
>     Disable Supervisor Root Pointer (SRP)
>     Disable Function Code Lookup (FCL)
>     System page size    = FFFF8000
>     Initial shift       = 00000000
>     Table Index A (TIA) = 00000008
>     Table Index B (TIB) = 00000006
>     Table Index C (TIC) = 00000003
>     Table Index D (TID) = 00000000
> TT0  : 04038207
>     Log Address Base = 00000004
>     Log Address Mask = 00000003
>     TT register enabled
>     No Cache Inhibit
>     R/W set
>     RWM cleared
```

```
>     FC value for TT block = 00000000
>     FC bits to be ignored = 00000007
> TT1  : 403F8107
>     Log Address Base = 00000040
>     Log Address Mask = 0000003F
>     TT register enabled
>     No Cache Inhibit
>     R/W cleared
>     RWM set
>     FC value for TT block = 00000000
>     FC bits to be ignored = 00000007
```

With the mmutree command you can view the current mmu tree :

```
< mmutree <enter>
> 00000000   4 BYTE (imuw)  Log: 00000000 # 00000000
> 07FFF140      4 BYTE (imUw)  Log: 00000000 # 01000000
> 07FFF180         PAGE   (IMUw)  Log: 00000000 # 00040000  -> 00000000
> ...
> 07FFF274         PAGE   (iMUw)  Log: 00F40000 # 00040000  -> 00F40000
> 07FFF278         PAGE   (iMUW)  Log: 00F80000 # 00040000  -> 07F80000
> 07FFF27C         PAGE   (iMUW)  Log: 00FC0000 # 00040000  -> 07FC0000
> 07FFF144      PAGE   (iMUw)  Log: 01000000 # 01000000  -> 01000000
> 07FFF148      PAGE   (iMUw)  Log: 02000000 # 01000000  -> 02000000
> 07FFF14C      PAGE   (iMUw)  Log: 03000000 # 01000000  -> 03000000
> 07FFF150      PAGE   (iMUw)  Log: 04000000 # 01000000  -> 04000000
> 07FFF154      PAGE   (iMUw)  Log: 05000000 # 01000000  -> 05000000
> 07FFF158      PAGE   (iMUw)  Log: 06000000 # 01000000  -> 06000000
> 07FFF15C      4 BYTE (imUw)  Log: 07000000 # 01000000
> 07FFF280         INV    (imuw)  Log: 07000000 # 00040000
> ...
> 07FFF34C         INV    (imuw)  Log: 07CC0000 # 00040000
> 07FFF350         PAGE   (iMUw)  Log: 07D00000 # 00040000  -> 07D00000
> 07FFF354         INV    (imuw)  Log: 07D40000 # 00040000
> 07FFF358         INV    (imuw)  Log: 07D80000 # 00040000
> 07FFF35C         INV    (imuw)  Log: 07DC0000 # 00040000
> 07FFF360         PAGE   (iMUw)  Log: 07E00000 # 00040000  -> 07E00000
> 07FFF364         PAGE   (iMUw)  Log: 07E40000 # 00040000  -> 07E40000
> 07FFF368         PAGE   (iMUw)  Log: 07E80000 # 00040000  -> 07E80000
> 07FFF36C         PAGE   (iMUw)  Log: 07EC0000 # 00040000  -> 07EC0000
> 07FFF370         PAGE   (iMUw)  Log: 07F00000 # 00040000  -> 07F00000
> 07FFF374         PAGE   (iMUw)  Log: 07F40000 # 00040000  -> 07F40000
> 07FFF378         PAGE   (iMUW)  Log: 07F80000 # 00040000  -> 07F80000
> 07FFF37C         PAGE   (iMUW)  Log: 07FC0000 # 00040000  -> 07FC0000
> 07FFF160      PAGE   (iMUw)  Log: 08000000 # 01000000  -> 08000000
> 07FFF164      PAGE   (iMUw)  Log: 09000000 # 01000000  -> 09000000
> 07FFF168      PAGE   (iMUw)  Log: 0A000000 # 01000000  -> 0A000000
> 07FFF16C      PAGE   (iMUw)  Log: 0B000000 # 01000000  -> 0B000000
> 07FFF170      PAGE   (iMUw)  Log: 0C000000 # 01000000  -> 0C000000
> 07FFF174      PAGE   (iMUw)  Log: 0D000000 # 01000000  -> 0D000000
> 07FFF178      PAGE   (iMUw)  Log: 0E000000 # 01000000  -> 0E000000
```

With the mmureset command you can reset the 'M' and 'U' bits in this
tree. So you can see which pages are used and modified.