Steffen Frank

COLLABORATORS						
	TITLE: 002ecb10-0					
ACTION	NAME	DATE	SIGNATURE			
WRITTEN BY	Steffen Frank	August 24, 2022				

REVISION HISTORY							
DATE	DESCRIPTION	NAME					

# **Contents**

1	002e	002ecb10-0			
	1.1	Main	1		
	1.2	Information	1		
	1.3	Requirements	2		
	1.4	Installation	2		
	1.5	Menus	2		
	1.6	Gadgets	4		
	1.7	History	4		
	1.8	Information	7		
	1.9	Sleep	7		
	1.10	Help	7		
	1.11	Quit	7		
	1.12	Pack	7		
	1.13	Unpack	8		
	1.14	Insert File into Archive	8		
	1.15	Delete File from Archive	8		
	1.16	Delete Archive	8		
	1.17	Content as file	8		
	1.18	Internal	9		
	1.19	External	9		
	1.20	External 0-5	9		
	1.21	File	10		
	1.22	Test	10		
	1.23	Content	10		
	1.24	Packer	10		
	1.25	Disk Pack Options	10		
		Setup save	11		
		Setup load			
		Kodieren			
		Dekodieren			

002ecb10-0 iv

1.30	Datei unterschreiben	11
1.31	Inhalt anzeigen	11
1.32	Schlüssel generieren	11
1.33	Schlüssel editieren	12
1.34	Schlüssel unterschreiben	12
1.35	Schlüssel hinzufügen	12
1.36	Schlüssel herauskopieren	12
1.37	Schlüssel löschen	12
1.38	Schlüsselunterschrift löschen	12
1.39	Fingerabdruck anzeigen	12
1.40	Benutzer-ID	12
1.41	File out archiv decrunching	12
1.42	Archiv copy	12
1.43	Tooltypes	13
1.44	Shortcuts	13
1 45	Conv. File	14

002ecb10-0 1 / 14

# **Chapter 1**

# 002ecb10-0

### 1.1 Main

Packmaster Help V 1.7

Main

Information

Requirements

Installation

Menus

Gadgets

Shortcuts

Tooltypes

History

#### 1.2 Information

Information

I created Packmaster because I considered using the Shell for unarchiving unnecessarily complicated. Packmaster supports the archivers LHA, LZX, DMS, LHASFX, TAR, UNZIP, ZIP, ARJ, UUARC, MIME (BASE64Coders) plus the encrypt programme PGP. Packmaster is Cardware and was written in Blitzbasic V2.1. To show me your appreciation, please send me a Postcard or an E-Mail. Sorry, my English was written by someone else !!!

002ecb10-0 2 / 14

Author: Steffen Frank

von-Stauffenberg-Str.34

19061 Schwerin

E-mail: SteffenFrank@t-online.de

### 1.3 Requirements

#### Requirements

- Amiga with 68xxx CPU
- System-software ex V 2.1
- The archiver programmes LHA, LHASFX, LZX, ZIP, UNZIP, UNARJ and DMS
  - o DMS ex V1.51 for packing and de-crunching to Amiga HD diskettes
  - o DMS ex V1.70 for packing and de-crunching to MSdos diskettes
- BASE64Coders for encode and decode to MIME files
- UUARC for encode and decode to UUE files
- The encrypt programme PGP
- Reqtools.library
- Multiview or any other Guide reader
- CrossDos (for packing and de-crunching to DMS msdos diskettes)

#### 1.4 Installation

#### Installation

Installation is easy. Start the Install programme by clicking on its icon, or install it by hand.

By hand:

Copy Packmaster into a directory of your choice.

Copy the File Packmaster.guide into the directory Locale: Help/english.

The archivers LHA, LHASFX, LZX, ZIP, UNZIP, UNARJ, DMS, TAR, MIME (BASE64CODERS) and UUARC must be in c:.

Copy the Reqtools.library into Libs.

The File Packmastercat. English is only required when communicating with Packmaster in English. If so, copy this File into the directory Locale: Catalogs/English.

Rename Packmastercat.englisch to Packmaster.catalog.

Packmaster includes a configuration file, so, when first starting it, no prefs file is needed. It can be created with the Menus and will be copied into the ENV Directory.

#### 1.5 Menus

002ecb10-0 3 / 14

Menus

```
Project
     Information
     Sleep
     Help
     Quit
                Functions
     Pack
     Unpack
     Unpack~File~from~Archive
     Insert~File~into~Archive
     Del~File~from~Archive
     Copy~File
     Del~Archive
     Copy~Archive
     Content~as~File
     Content
     Testing
                PGP
Read your PGP Doc for information on this.
Setup
     Internal
     External
     Setup~save
     Setup~load
                External Programmes
```

External~0

002ecb10-0 4 / 14

External~1

External~2

External~3

External~4

## 1.6 Gadgets

Gadgets

Packer

Pack

Unpack

Content

FEpack

Add

FDel

Test

File

Disk~Pack~Options

## 1.7 History

History

- Middle 1995 Plan of Packmaster
- Oct 1995/March 1996 create Packmaster V 1.0
  - LHA, LZX, DMS support
  - Packmaster.guide V 1.0 written
  - external programs
- March 1996 August 1996 Packmaster V 1.1 created
  - PGP support
  - Menu-item Setup load added
  - mistakes corrected

002ecb10-0 5 / 14

- Sept 1996 Packmaster V1.11 created
  - menu item File out archive decrunching added
  - gadget FEpack added
  - Packmaster.guide V 1.11 written
- Dec 1996 Packmaster V1.12 created
  - Shellwindow placement reforms
  - gadget source into Internal configurer added
  - internal/AppIcon configurer mistakes corrected
  - Packmaster.guide V 1.12 written
- Feb 1997 Packmaster V1.13 created
  - Menu item archive copy added
  - Gadget archive into Internal configurer added
  - Multifile select by functions archive del and archive copy
  - Packmaster.guide V 1.13 written
- March 1997 Packmaster V1.14 created
  - Menu item File mistake corrected
  - into del request gadget all intercalary
  - Tooltype support
  - Packmaster.guide V 1.14 written
- April 1997 Packmaster V1.15 created
  - Information window with new addresses and fonnumber
  - Shortcut list into Packmaster.quide intercalary
  - small changes at Packmaster Program window
  - Tooltype APPMENU intercalary
  - Packmaster.guide V 1.15 written
- May 1997 Packmaster V1.16 created
  - LHASFX support
  - Menu item testing, content in Functions menu intercalary
  - Listview support by LHA, LHASFX, LZX and PGP
  - by Menu PGP Menu item key ascii save added
  - Tooltype PGPTMP intercalary
  - Packmaster.guide V 1.16 written
- May/June 1997 Packmaster V1.16a, b and c created
  - Temporary path for PGP on T: altered
  - by Menu item PGP encrypt Stringgadget thru Listviewgadget replaced (overlooked in V1.16)
  - by Menu PGP Menu item key backtrack added
  - mistake in PGP key del and PGP key add corrected (actuality of Listview window by activate Tooltype PGPTMP)
  - support from MSdos diskettes by DMS via Crossdos
  - Sourcecode from other fluid lines liberated
  - Device names pc1,pc2,pc3 out Listview gadget again removed, there DMS ever the internal disk unit pc0 (DF0) read, why

002ecb10-0 6 / 14

- that is white I know not
- Mistake in PGP Menu item key corrected
- June 1997 Packmaster V1.17 created
  - mistake in PGP Menu item key ascii save corrected
  - mistake by read of content of LZX Archives into Listview gadget for the functions File out archive decrunching and File out archive del corrected
  - Zip, Unzip support
  - Packmaster.guide V1.17 written
- July 1997 Packmaster V1.18 created
  - Packmaster now speaks English
  - function file added overwork
  - Packmaster.quide V1.18 written
  - Packmaster.guide (English) V1.0 written
- August 1997 Packmaster V1.19 created
  - Packmaster recognises archive files
  - Installation now with Programme
  - Packmaster.guide V1.19 written
  - Packmaster.guide (English) V1.1 written
- September 1997 Packmaster V1.20 created
  - Menus font sensitive
  - mistake in the presentation of windows corrected (windows were too small when system font was too large)
  - Output window with closegadget
  - Packmaster.guide V1.20 written
  - Packmaster.guide (English) V1.2 written
- October 1997 Packmaster V1.21 created
  - UNARJ support
  - Archiver via string gadget under listview gadget Packer select
  - Packmaster.quide V1.21 written
  - Packmaster.guide (English) V1.3 written
- November 1997 Packmaster V1.22 created
  - archive surrender at Packmaster via cli or Workbench
  - lessened cli version V1.0 (Decruncher) written
  - Packmaster.quide V1.22 written
  - Packmaster.guide.(English) V1.4 written
- January 1998 Packmaster V1.23 created
  - menu item File copy added
  - French catalogfile, thanks Didier Giron
  - Packmasterenglish.cat in Packmaster.catalog renamed
  - add internal/setup arcpath
  - Packmaster.guide V1.23 written
  - Packmaster.guide (English) V1.5 written

002ecb10-0 7 / 14

- Feb/March 1998 Packmaster V1.24 created
  - GNUTAR support
  - mistake under PGP Key read corrected
  - Recursic select for File add (LHA,LZX,ZIP) and for Setup/Internal (LHA,LZX)
  - Appwindow under 68000 disabled (Guru 8000003)
  - Packmaster.guide V1.24 written
  - Packmaster.guide (English) V1.6 written
- April/May 1998 Packmaster V1.25 created
  - Archives without suffix exploitable (but UNARJ {.arj} and GNUTAR {.tar} needs a suffix !!)
  - mistake in filecontrol of ARJ archives corrected
  - MIME (BASE64CODERS) and UUE (UUARC) support
  - Packmaster.guide V1.25 written
  - Packmaster.guide V1.7 written, thanks David Smith!!

#### 1.8 Information

Here you may write your own notes about Packmaster.

## 1.9 Sleep

With this you can send Packmaster to sleep. It is replaced by an AppIcon on the Workbench; double clicking the AppIcon reactivates Packmaster.

## 1.10 Help

This menu item calls this help file.

#### 1.11 Quit

This quits and closes Packmaster.

#### 1.12 Pack

With this you create an archive file (LHA, LHASFX, LZX, DMS, ZIP). When clicked a file requester appears. You select the path and enter the file name. These settings define the archive name and where to save it. Thereafter a path request appears. In this requester you select the files to pack.

For packing DMS MSdos diskettes you select pc0 in drives listview.CrossDos

002ecb10-0 8 / 14

must be installed to use this. LHASFX makes an LHA Run file. A Run File is a file that automatically decrunches and runs.

## 1.13 Unpack

With this you decrunch an archive file. In File select

the archive to be decrunched. The decrunched dates written to the directory will be identical to the predefined outputpath as set in menu option

intern

. The default is Ram:. To decrunch an MSdos DMS file select pc0 in drives listview. CrossDos must be installed to use this.

#### 1.14 Insert File into Archive

Here you select a file to be inserted into an existing archived  $\ \leftarrow$  file.

Ιn

File

select the file to be added. A file requester will appear; select the file to be inserted.

#### 1.15 Delete File from Archive

With this you can delete a file from an archive. In File

select the file

to be deleted. A listview window will appear; the file you select will appear in the string gadget under the listview gadget. When you have finished selecting files click that gadget wider and the deletion will take place (after a security question has been answered).

#### 1.16 Delete Archive

With this you can delete an archive (after a security question has been answered).

#### 1.17 Content as file

With this you can the content of the archive file selected with file write in a separat File.

002ecb10-0 9 / 14

#### 1.18 Internal

Font Here you can select a font for Packmaster.

Output Here you can select where decrunched archives will be

put

AppIcon Here you can select the icon to be used when the menu

item

sleep

is selected.

Text Here you can select the text reader to show these help

pages. It must be Amigaguide compatible.

Shell Here you can choose the size and position of the output

window.

PGP Here you can select the path of PGP.

Source Here you select the directory in which your LHA-,LZX-,

ZIP and DMS files can be found. The file request the

with

File

called is outclasses then on these drawer

calibrated.

Archive Here you select the directory into which your archives

should be copied.

ArcPath Here you can select the path of the packer.

Recursiv Here can you select crunched with Path or not

#### 1.19 External

Menu item 0-4 Here you can register which

external~programs
 go into the
 menu.

Program 0-4 Here you can select the programmes.

#### 1.20 External 0-5

In this menu appear the titles of the external progammes

in menu items 0-4.

#### 1.21 File

```
Here you select the archive file to be used (LHA, LHASFX, LZX, DMS, ← ZIP). The

selected file is used when the functions
Unpack

'
Insert~File

'
Del~File

'
Content

'
Unpack~File~out~archive
and
Content~as~file
are called
```

#### 1.22 Test

With this function an archive file selected with file will be checked for errors.

#### 1.23 Content

Here you can see the content of the archive file selected with file

#### 1.24 Packer

Here you select the packer programme (LHA, LHASFX, LZX, DMS, ZIP).

### 1.25 Disk Pack Options

These placements be valied for the Diskpacker DMS.

LO Beginblock, the block at which packing will start.

HI Endblock, the block at which packing will finish.

Mode Packmodus, the degree to which packing will be taken.

Disk Whether a DD or a HD disk is to be packed.

Drives The drive in which packing will occur.

## 1.26 Setup save

```
With this function can you all placements, the you under menuitems internal , external and into main window selected have, save.
```

## 1.27 Setup load

```
Here can you all placements the under internal , external and into main

window mutates was,afresh on the old values reset. The new values dare ← but not saved!
```

#### 1.28 Kodieren

```
Hier erscheint ein Filerequester in dem das zu kodierende File \leftrightarrow auszuwählen ist .Danach erscheint ein Stringrequester in dem die Benutzer-ID einzutra- gen ist. (???)
```

#### 1.29 Dekodieren

#### 1.30 Datei unterschreiben

## 1.31 Inhalt anzeigen

## 1.32 Schlüssel generieren

- 1.33 Schlüssel editieren
- 1.34 Schlüssel unterschreiben
- 1.35 Schlüssel hinzufügen
- 1.36 Schlüssel herauskopieren
- 1.37 Schlüssel löschen
- 1.38 Schlüsselunterschrift löschen
- 1.39 Fingerabdruck anzeigen
- 1.40 Benutzer-ID

Dies ist der öffentliche Schlüssel einer Person.Nur der Besitzer dieses Schlüssels kann das mit seinem Schlüssel kodierte File dekodieren. (???)

## 1.41 File out archiv decrunching

Here can you a file

out an archive decrunching.Originally should with File the archive picked which may have been his.It appears a listview-window.Yon select you a File out.ye.That selected file appears into Stringgadget under to the listviewgadget.When the selected done is click you the gadget wider at and the function File out archive decrunching is executed.That decrunched file is write on

outputpath

.Desires you no File

decrunching click you the gadget cancel to be at.

## 1.42 Archiv copy

Herewith copy you your archive into dir what in internal

selected was.

I take these function about sucked archives fast on my archivdisk to archiving.

### 1.43 Tooltypes

Tooltypes

```
- DONOTWAIT
  will utilized about Packmaster into the wbstartup to starts
- APPICON=(ja|nein)
            Packmaster starts as AppIcon (icon on workbench)
   jа
            Packmaster starts with main window (Appmenu=nein)
  nein
- APPMENU=(ja|nein)
             Packmaster starts as AppMenu (Menuitem into toolsmenu)
            Packmaster starts with main window (Appicon=nein)
  nein
      APPICON and APPMENU there are also combinated (both=ja)
- PGPTMP=(ja|nein)
   jа
             saved keyfile content temporarily (speedup by one read by
             some PGP functions)
             Here must APPICON=nein and APPMENU=nein !
             keyfile content is not temporarily saved
  nein
```

#### 1.44 Shortcuts

Shortcuts

```
\mbox{RA = right Amiga Button} \mbox{RA A = Delete Archive} \mbox{RA B = Quit} \mbox{RA C = Testing}
```

RA E = Unpack RA F = Insert File into Archive

RA G = Content

RA D = External

RA H = Help (also with Help accessable)

RA I = Information RA K = Copy Archive

RA L = Delete File from Archive

RA M = Sleep RA O = File Copy RA P = Pack RA S = Setup save

RA U = Content as File

RA V = Unpack File from Archive

RA W = Internal RA Y = Setup load

```
RA 1 = Encrypt (PGP)
RA 2 = Decode (PGP)
RA 3 = Database sign (PGP)
RA 4 = Content dump (PGP)
RA 5 = Make key (PGP)
RA 6 = Edit Key (PGP)
RA 7 = Sign Key (PGP)
RA 8 = Add Key (PGP)
RA 9 = Copy Key Out Keyfile (PGP)
RA 0 = Del Key (PGP)
RA # = Del Key Sign (PGP)
RA * = Dump Fingerprint (PGP)
RA + = Save Key ASCII (PGP)
RA - = Backtrack Key (PGP)
```

## 1.45 Copy File

Here you can copy the unpacked files to another drawer.