

**hyperapp.hyper**

**COLLABORATORS**

	<i>TITLE :</i> hyperapp.hyper		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		October 16, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>hyperapp.hyper</b>	<b>1</b>
1.1	HyperApp Help . . . . .	1
1.2	quit . . . . .	1
1.3	Transmoglify gadget . . . . .	1
1.4	Cancel button . . . . .	2
1.5	OK button . . . . .	2

# Chapter 1

## hyperapp.hyper

### 1.1 HyperApp Help

```

    Gadget
    OK
    Cancel
    intuition.h
RXS
Help
    Quit
```

### 1.2 quit

```

    Format:      Quit
Template:      ,
Purpose:      To shut down the application.
Specification:
This command is used to close the application. This indicates acceptance
of the
    Gadget
    command (if used).
```

### 1.3 Transmogrify gadget

```

Format:      Gadget
Template:      ,
Purpose:      Transmogrify things.
```

---

Specification:

This command is used to transmogrify things. Concentrate on what you want while you press this gadget, and just see what happens!

## 1.4 Cancel button

Format:       Cancel

Template:     ,

Purpose:       Cancel the actions of  
              Gadget

Specification:

Use this button to cancel the effects of the  
              Transmogrify  
              gadget.

## 1.5 OK button

Format:       OK

Template:     ,

Purpose:       Accept the actions of  
              Gadget

Specification:

Use this button to accept the effects of the  
              Transmogrify  
              gadget.