

readme.wri
WinDraft 1.26

This readme file contains information on the following subjects:

- **Registration**
- **Program Changes (new features that may not be documented)**
- **System Requirements**
- **How to reach us (phone, address)**
- **Warranty**
- **Bugs**

Sign on registration:

The first time you load the program, it will operate up to 100 pins. You must enter your new registration number to increase the capacity beyond the 100 pin limit. On the menu, open Help then select Registration. The Registration dialog box will open. Enter your name and registration number in the space provided. Type over the existing registration number. The number must be entered exactly, it is case sensitive.

The registration number is located on the first page inside the user manual or on the back side of Disk 1. **Note:** If using on a network, you must save the registration number on your C drive, then copy the saved .exe file over to the network drive.

Shareware Password Registration number: C4N-841-GJ0-G11-C54-20

This is a 100 pin registration number and is Not your personal registration number that you receive when you purchase the product.

Shareware version:

The shareware version is good up to 100 pins. The following sheets are under 100 pins and will load with the shareware version:

amplif.sch
ivex1.sch
roll.sch
rolldice.sch

If the sheet is over 100 pins it will not load and a warning message will appear that the capacity has been exceeded.

Quick Reference and On-line Help:

For a Quick Reference of keyboard commands, click on **Help** in the main menu, then click on **Shortcuts**.

To use online Help, press the **F1** key or, click on the "?" toolbar icon or, press click on **Help** | **Index** in the menu.

In the Help Index, scroll to the end of the index for a quick reference of Keyboard Commands.

Application notes are also on the Ivex World-Wide-Web page.

Program Changes that are not documented: version 1.2x

Change wire and bus width. Choose Setup | Print Width. In the dialog box, increase the setting for thicker wires and buses. The default setting is 100 percent, usually an increase to 110 or 120 percent is satisfactory.

Spice netlist added. Choose Utilities | Netlist Output, then select the format Pspice. For additional information, refer to Application Note 07 on the Ivex World-Wide-Web.

System Requirements:

Processor:	Intel 80486/DX or higher on IBM or compatible.
Memory:	8 Mb of RAM.
Video:	Windows supported driver, <u>SVGA (800 x 600) recommended.</u>
Disk Space:	20 Mb
Operating System	MS Windows 3.1 with Win32s, Windows NT or Windows 95.

How to reach us:

Sales: (503) 531-3555
Fax: (503) 629-4907
BBS: (503) 645-0576 14.4kbps 8N1
E-mail: help@ivex.com
Web: <http://www.ivex.com>
FTP: <ftp://ftp.ivex.com>

Our hours are from 8:00 am to 5:00 pm Pacific Time Zone.
Technical Support hours are from 8:00 am to 4:00 pm.

Our Address is:

Ivex Design International
15232 NW Greenbrier Parkway
Beaverton, Oregon 97006-5746
USA

Warranty Information:

The product has a 90 day limited warranty against defects in materials.

WinDraft program limitations and work-around:

Category	Limitation	Workaround
-----------------	-------------------	-------------------

WinDraft Bugs

Definitions:

Minor: Bug that is mostly aesthetic, and a small annoyance, but won't halt progress.

Major: Bug that could be somewhat serious, but there is a work-around to avoid it.

Critical: Bug that could prevent completion of a project; no work-around.

For a list and description of open bugs, refer to the file : buglist.wri

For a current bug list, please look on our web page: <http://www.ivex.com>