	P11 0 1	. 0						
	0	1	2	3	4	5	6	7
'000	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ
'010	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl
'020	1	J	,	,	,)	1	0
'030	خ	ß	æ	œ	Ø	Æ	Œ	Ø
'040	١		"	#	\$	%	&	,
'050	()	*	+	,	-		/
'060	0	1	2	3	4	5	6	7
'070	8	9	:	;	-	Ш	į	?
'100	@	Α	В	С	D	E	F	G
'110	Н	I	J	K	L	Μ	N	О
'120	Р	Q	R	S	Т	U	V	W
'130	X	Y	Z	["]	^	•
'140	4	a	b	С	d	е	f	g
'150	h	i	j	k	l	m	n	О
'160	p	q	r	S	t	u	v	w
'170	x	у	Z	_		"	~	••

pnb10

abcdefghijklm nopqrstuvwxyz

Alphabet length 161.26094pt. Quad is 12.0pt Lower case height is 9.0pt; depth is 2.4pt

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Alphabet length 206.98262pt; height 8.4pt

The design of low-resolution typefaces is complicated by the need to achieve two different and rather incompatible ends. A font which is exclusively intended for Office Automation equipment should be designed to make the very best use of that environment. Its proportions, balance, shading and letter-spacing can and indeed must be fitted to exact pixel-boundaries, whether or not the refinements of anti-aliasing are used.

	1							
	0	1	2	3	4	5	6	7
'000	Γ	Δ	Θ	Λ	Ξ	П	Σ	Υ
'010	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl
'020	1	J	`	,	,)	ı	0
'030	٩	ß	æ	œ	Ø	Æ	Е	Ø
'040	١		"	#	\$	%	&	,
'050	()	*	+	,	-		/
'060	0	1	2	3	4	5	6	7
'070	8	9		j		Ш	i	?
'100	@	A	В	С	D	Е	F	G
'110	Н	I	J	K	L	Μ	N	О
'120	Р	Q	R	S	Т	U	V	W
'130	X	Y	Z	["]	^	•
'140		a	b	с	d	e	f	g
'150	h	i	j	k	l	m	n	О
'160	p	q	r	s	t	u	v	w
'170	х	у	Z	_		"	~	

pnr10

abcdefghijklmnopqrstuvwxyz

Alphabet length 162.40369pt. Quad is 12.0pt Lower case height is 9.0pt; depth is 2.4pt

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Alphabet length 213.57729pt; height 8.4pt

The design of low-resolution typefaces is complicated by the need to achieve two different and rather incompatible ends. A font which is exclusively intended for Office Automation equipment should be designed to make the very best use of that environment. Its proportions, balance, shading and letter-spacing can and indeed must be fitted to exact pixel-boundaries, whether or not the refinements of antialiasing are used.

	phono								
	0	1	2	3	4	5	6	7	
'000	Γ	Δ	Θ	Λ	[1]	П	Σ	Υ	
'010	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl	
'020	1	J	`	,	Ÿ)	-	0	
'030	د	ß	æ	œ	Ø	Æ	Œ	Ø	
'040	,		"	#	\$	%	&	,	
'050	()	*	+	,	-		/	
'060	0	1	2	3	4	5	6	7	
'070	8	9	:	;	i		į	?	
'100	@	A	В	С	D	Ε	F	G	
'110	Н	I	J	K	L	Μ	Ν	О	
'120	Р	Q	R	S	Т	U	V	W	
'130	X	Y	Z	["]	^	•	
'140	(a	b	c	d	е	f	g	
'150	h	i	j	k	l	m	n	0	
'160	р	q	r	S	t	u	v	W	
'170	x	у	z	_		"	~	••	

pnsl10

abcdefghijklmnopqrstuvwxyz

Alphabet length 163.19891pt. Quad is 12.0pt Lower case height is 9.0pt; depth is 2.4pt

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Alphabet length 214.40005pt; height 8.4pt

The design of low-resolution typefaces is complicated by the need to achieve two different and rather incompatible ends. A font which is exclusively intended for Office Automation equipment should be designed to make the very best use of that environment. Its proportions, balance, shading and letter-spacing can and indeed must be fitted to exact pixel-boundaries, whether or not the refinements of antialiasing are used.

	рпвв	10						
	0	1	2	3	4	5	6	7
'000	Γ	Δ	Θ	Λ	[1]	П	Σ	Υ
'010	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl
'020	1	J	`	,	,	>	ı	0
'030	د	ß	æ	œ	Ø	Æ	Œ	Ø
'040	_		"	#	\$	%	&	,
'050	()	*	+	,	1		/
'060	0	1	2	3	4	5	6	7
'070	8	9	:	;	i	=	i	?
'100	@	A	В	С	D	Ε	F	G
'110	Н	I	J	K	L	Μ	N	О
'120	Р	Q	R	S	Т	U	V	W
'130	X	Y	Z	["]	^	٠
'140	(a	b	c	d	e	f	g
'150	h	i	j	k	l	m	n	О
'160	р	q	r	s	t	u	v	w
'170	x	у	z	_		"	~	

pnss10

abcdefghijklm nopqrstuvwxyz

Alphabet length 159.99852pt. Quad is 12.0pt Lower case height is 9.0pt; depth is 2.4pt

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Alphabet length 210.65373pt; height 8.4pt

The design of low-resolution typefaces is complicated by the need to achieve two different and rather incompatible ends. A font which is exclusively intended for Office Automation equipment should be designed to make the very best use of that environment. Its proportions, balance, shading and letter-spacing can and indeed must be fitted to exact pixel-boundaries, whether or not the refinements of anti-aliasing are used.

	ризавто									
	0	1	2	3	4	5	6	7		
'000	Γ	Δ	Θ	Λ	Ξ	Π	Σ	Υ		
'010	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl		
'020	1	J	`	,	>)	1	0		
'030	د	ß	æ	œ	Ø	Æ	Œ	Ø		
'040	,		"	#	\$	%	&	,		
'050	()	*	+	,	-		/		
'060	0	1	2	3	4	5	6	7		
'070	8	9	:	;		=	i	?		
'100	@	Α	В	С	D	E	F	G		
'110	Н	I	J	K	L	Μ	N	О		
'120	Р	Q	R	S	Т	U	V	W		
'130	X	Y	Z		"]	^	•		
'140	(a	b	c	d	е	f	g		
'150	h	i	j	k	l	m	n	О		
'160	р	q	r	s	t	u	v	W		
'170	X	у	z	-		"	~	••		

pnssb10

abcdefghijklm nop qrstuvw x y z

Alphabet length 155.3729pt. Quad is 12.0pt Lower case height is 9.0pt; depth is 2.4pt

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Alphabet length 200.67017pt; height 8.4pt

The design of low-resolution typefaces is complicated by the need to achieve two different and rather incompatible ends. A font which is exclusively intended for Office Automation equipment should be designed to make the very best use of that environment. Its proportions, balance, shading and letter-spacing can and indeed must be fitted to exact pixel-boundaries, whether or not the refinements of anti-aliasing are used.

	F							
	0	1	2	3	4	5	6	7
'000	Γ	Δ	Θ	Λ	Ξ	П	Σ	Υ
'010	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl
'020	1	J	`	,	>)	-	0
'030	د	ß	æ	œ	Ø	Æ	Œ	Ø
'040	,		"	#	\$	%	&	,
'050	()	*	+	,	-		/
'060	0	1	2	3	4	5	6	7
'070	8	9	:	;			i	?
'100	@	A	В	С	D	Ε	F	G
'110	Н	I	J	K	L	Μ	N	О
'120	Р	Q	R	S	Т	U	V	W
'130	X	Y	Z	["]	^	•
'140	(a	b	с	d	е	f	g
'150	h	i	j	k	l	m	n	О
'160	р	q	r	s	t	u	v	w
'170	x	у	z	_		"	~	

pnssi10

abcdefghijklm nopqrstuvwxyz

Alphabet length 160.80075pt. Quad is 12.0pt Lower case height is 9.0pt; depth is 2.4pt

ABCDEFGHIJKLMNOPQRSTUVWXYZ

Alphabet length 211.4874pt; height 8.4pt

The design of low-resolution typefaces is complicated by the need to achieve two different and rather incompatible ends. A font which is exclusively intended for Office Automation equipment should be designed to make the very best use of that environment. Its proportions, balance, shading and letter-spacing can and indeed must be fitted to exact pixel-boundaries, whether or not the refinements of anti-aliasing are used.

pntt9

	0	1	2	3	4	5	6	7
'000	Γ	Δ	Θ	Λ	[1]	Π	Σ	Υ
'010	Φ	Ψ	Ω	ff	fi	fl	ffi	ffl
'020	1	J		`	>)	1	0
'030	٩	ß	æ	œ	Ø	Æ	Œ	Ø
'040	١		"	#	\$	%	&	,
'050)	*	+	,	-		/
'060	0	1	2	3	4	5	6	7
'070	8	9	:	;	i	=	i	?
'100	@	A	В	\mathbf{C}	D	Ε	F	G
'110	Η	Ι	J	K	L	Μ	Ν	О
'120	Р	Q	R	S	Τ	U	V	W
'130	Χ	Υ	\mathbf{Z}		S]	>	•
'140		a	b	\mathbf{c}	\mathbf{d}	е	f	g
'150	h	i	j	k	l	m	n	О
'160	p	q	r	S	t	u	v	W
'170	x	у	\mathbf{z}	_		- "	~	••

abcdefghijklmnopqrstuvwxyz

Alphabet length 150.32138pt. Quad is 0.0pt Lower case height is 7.65004pt; depth is 2.04001pt ABCDEFGHIJKLMNOPQRSTUVWXYZ

Alphabet length 150.32146pt; height 7.14003pt

The design of low-resolution typefaces is complicated by the need to achieve two different and rather incompatible ends. A font which is exclusively intended for Office Automation equipment should be designed to make the very best use of that environment. Its proportions, balance, shading and letter-spacing can and indeed must be fitted to exact pixel-boundaries, whether or not the refinements of anti-aliasing are used.