

Sheet1

| ENTRY,C,38                     | S1,N | S2,N | S3,N | S4,N | S5,N | DEFINITION,C,6 |
|--------------------------------|------|------|------|------|------|----------------|
| 1.2 MB floppy                  | 9    | 276  | 231  | 2    | 7    | ÈäÇÇüÓ         |
| 1.44 MB microdiskette          | 4    | 276  | 11   | 5    | 2    | ×çÇÇüß         |
| 10Base                         | 201  | 285  | 538  | 336  | 517  | èÇÇüÓ          |
| 2.88 MB microdiskette          | 5    | 231  | 339  | 468  | 2    | «iÇÇüß         |
| 3.5 inch disk                  | 11   | 2    | 231  | 4    | 9    | ˆÉÇÇüß         |
| 32-MByte barrier               | 170  | 267  | 339  | 468  | 6    | æðÇÇüÓ         |
| 360 K floppy                   | 9    | 231  | 1    | 2    | 7    | ëÿÇÇüÓ         |
| 4GL,3GL...                     | 141  | 42   | 278  | 489  | 327  | μÜÇÇüß         |
| 5.25 inch disk                 | 231  | 263  | 265  | 7    | 1    | ∅ÇÇüß          |
| 640K barrier                   | 121  | 194  | 307  | 530  | 441  | ëóÇÇüÓ         |
| 720 K microdiskette            | 2    | 231  | 5    | 1    | 11   | ÑÇÇüÓ          |
| 80386SX                        | 350  | 347  | 102  | 12   | 12   | Y°ÇÇüÓ         |
| 8514/A                         | 337  | 292  | 186  | 449  | 575  | ´-ÇÇüß         |
| 9-track tape                   | 329  | 519  | 388  | 473  | 401  | ·iÇÇüß         |
| A/B switch                     | 400  | 411  | 15   | 15   | 15   | ÇÇüÓ           |
| Abend, abort                   | 129  | 144  | 202  | 16   | 16   | +ÇÇüß          |
| Access code/password           | 114  | 481  | 323  | 17   | 17   | i ÇÇüÓ         |
| Access time                    | 23   | 127  | 98   | 102  | 65   | õ- ÇÇüß        |
| Acronym                        | 28   | 354  | 189  | 19   | 19   | ÐÀÇÇüß         |
| Active hub/passive hub         | 38   | 310  | 373  | 379  | 517  | Ù- ÇÇüÓ        |
| Ad hoc query                   | 139  | 489  | 436  | 21   | 21   | - ÇÇüß         |
| Ada                            | 114  | 278  | 403  | 192  | 22   | @¥ÇÇüÓ         |
| Address                        | 448  | 331  | 379  | 178  | 493  | Ã-ÇÇüß         |
| AI, Artificial Intelligence    | 376  | 429  | 457  | 320  | 247  | ´-ÇÇüß         |
| ALGOL                          | 114  | 278  | 403  | 19   | 25   | _ÃÇÇüÓ         |
| Algorithm                      | 289  | 499  | 114  | 75   | 26   | ó-ÇÇüß         |
| Alpha/beta testing             | 269  | 481  | 27   | 27   | 27   | -ÇÇüÓ          |
| Alphanumeric                   | 354  | 19   | 28   | 28   | 28   | ã-ÇÇüß         |
| ALU, Arithmetic Logic Unit     | 350  | 448  | 290  | 549  | 29   | f=ÇÇüß         |
| Analog                         | 153  | 30   | 30   | 30   | 30   | ÐÇÇüÓ          |
| ANSI                           | 39   | 181  | 300  | 90   | 31   | iÈÇÇüÓ         |
| Anti-static                    | 131  | 408  | 494  | 580  | 32   | â€ÇÇüß         |
| Antialiasing                   | 357  | 449  | 258  | 33   | 33   | Ñ-ÇÇüÓ         |
| AOL, America Online            | 389  | 190  | 186  | 258  | 34   | û-ÇÇüß         |
| API                            | 391  | 114  | 217  | 372  | 446  | μ-ÇÇüß         |
| APL, A Programming Language    | 114  | 28   | 328  | 36   | 36   | ¥-ÇÇüß         |
| Archive files (*.ARC)          | 218  | 470  | 497  | 221  | 583  | °ÒÇÇüÓ         |
| ARCnet                         | 201  | 374  | 516  | 57   | 517  | ■ÖÇÇüß         |
| ASCII                          | 181  | 531  | 31   | 40   | 39   | æÚÇÇüß         |
| ASCII text file                | 39   | 217  | 28   | 119  | 465  | äÿÇÇüß         |
| ASP                            | 476  | 537  | 124  | 114  | 41   | ³ÇÇüß          |
| Assembly language              | 327  | 325  | 110  | 354  | 42   | ã¾ÇÇüÓ         |
| Asterisk                       | 555  | 221  | 503  | 43   | 43   | ¾§ÇÇüÓ         |
| Asynchronous                   | 502  | 529  | 44   | 44   | 44   | û,ÇÇüß         |
| AT Command Set                 | 270  | 356  | 45   | 45   | 45   | ßÇÇüÓ          |
| Attribute                      | 217  | 170  | 158  | 46   | 46   | ¹ÇÇüß          |
| Audit trail                    | 139  | 310  | 47   | 47   | 47   | ²ÇÇüß          |
| AUI, Attachment Unit Interface | 201  | 336  | 285  | 57   | 310  | ÖüÇÇüÔ         |

Sheet1

|                                     |     |     |     |     |     |
|-------------------------------------|-----|-----|-----|-----|-----|
| AUTOEXEC.BAT                        | 76  | 120 | 553 | 40  | 170 |
| Automatic head lock                 | 265 | 50  | 50  | 50  | 50  |
| AZERTY keyboard                     | 180 | 333 | 440 | 306 | 51  |
| Background / foreground             | 364 | 295 | 391 | 52  | 52  |
| Backup                              | 37  | 497 | 506 | 53  | 53  |
| Balun transformer                   | 105 | 526 | 538 | 38  | 310 |
| Bandwidth                           | 347 | 357 | 449 | 95  | 55  |
| Bar code                            | 533 | 56  | 56  | 56  | 56  |
| Baseband signaling                  | 78  | 285 | 526 | 201 | 310 |
| BASIC                               | 294 | 113 | 202 | 110 | 58  |
| Batch file                          | 221 | 217 | 170 | 59  | 59  |
| Battery backup                      | 102 | 408 | 438 | 76  | 60  |
| Baud                                | 356 | 433 | 69  | 61  | 61  |
| BBS, Bulletin Board System          | 174 | 356 | 476 | 504 | 170 |
| BCD                                 | 274 | 377 | 181 | 67  | 83  |
| Bell standard modems                | 356 | 90  | 44  | 502 | 244 |
| Benchmark                           | 152 | 319 | 344 | 353 | 554 |
| Bernoulli disk                      | 265 | 18  | 53  | 66  | 66  |
| Binary                              | 69  | 527 | 153 | 274 | 67  |
| BIOS                                | 359 | 127 | 372 | 458 | 411 |
| Bit                                 | 83  | 67  | 377 | 561 | 63  |
| Bit-mapped                          | 251 | 417 | 449 | 69  | 70  |
| BIX, BYTE Information Exchange      | 389 | 332 | 190 | 71  | 71  |
| BNC connector                       | 38  | 201 | 310 | 105 | 72  |
| BoCoEx & NACOMEX                    | 386 | 539 | 73  | 73  | 73  |
| BOF, TOF, EOF                       | 217 | 161 | 39  | 119 | 158 |
| Boolean or logical operators        | 26  | 153 | 247 | 75  | 75  |
| Boot                                | 68  | 108 | 553 | 49  | 117 |
| Bridge                              | 249 | 300 | 310 | 459 | 77  |
| Broadband/wideband                  | 57  | 310 | 356 | 78  | 78  |
| Bubble memory                       | 85  | 125 | 548 | 331 | 79  |
| Buffer                              | 85  | 439 | 486 | 411 | 158 |
| Bug and Debug                       | 16  | 178 | 254 | 308 | 269 |
| Bus                                 | 127 | 408 | 350 | 549 | 82  |
| Byte                                | 307 | 339 | 252 | 508 | 69  |
| C-Language                          | 42  | 325 | 246 | 532 | 84  |
| Cache memory                        | 443 | 495 | 331 | 85  | 85  |
| CAD, Computer-Aided Design          | 89  | 114 | 154 | 481 | 86  |
| Carpal Tunnel Syndrome (CTS)        | 198 | 306 | 87  | 87  | 87  |
| Carrier detect                      | 356 | 460 | 88  | 88  | 88  |
| CASE                                | 86  | 481 | 169 | 332 | 89  |
| CCITT                               | 300 | 397 | 433 | 571 | 31  |
| CD-I                                | 92  | 416 | 464 | 153 | 30  |
| CD-ROM                              | 277 | 458 | 416 | 466 | 464 |
| Cell                                | 564 | 487 | 23  | 93  | 93  |
| Centronics                          | 400 | 127 | 441 | 411 | 94  |
| CGA, Color Graphics Adapter         | 453 | 186 | 543 | 258 | 417 |
| Chip                                | 358 | 290 | 353 | 350 | 175 |
| CIS, CompuServe Information Service | 389 | 332 | 190 | 249 | 97  |

Sheet1

|                                  |     |     |     |     |     |         |
|----------------------------------|-----|-----|-----|-----|-----|---------|
| CISC                             | 289 | 454 | 202 | 98  | 98  | êëüÇüß  |
| Click                            | 360 | 133 | 283 | 99  | 99  | ×îüÇüÓ  |
| Client-server                    | 141 | 489 | 220 | 140 | 310 | -îüÇüß  |
| Clip art                         | 176 | 70  | 264 | 258 | 101 | €æüÇüÓ  |
| Clock                            | 347 | 438 | 586 | 60  | 102 | âðüÇüÓ  |
| Clone                            | 282 | 112 | 349 | 103 | 103 | ³üüÇüÓ  |
| Cluster                          | 293 | 468 | 519 | 265 | 231 | ½ÖüÇüÓ  |
| Coaxial cable                    | 214 | 310 | 526 | 525 | 55  | ¼ÛüÇüÓ  |
| COBOL                            | 278 | 106 | 106 | 106 | 106 | ℒüÇüß   |
| Code page switching              | 186 | 170 | 258 | 107 | 107 | ƒ×üÇüß  |
| Cold boot                        | 553 | 76  | 391 | 282 | 120 | °óüÇüß  |
| COM port                         | 460 | 474 | 356 | 170 | 282 | ·ñüÇüß  |
| Compiler                         | 278 | 294 | 327 | 503 | 402 | íªüÇüß  |
| Composite monitor                | 453 | 524 | 95  | 111 | 111 | È¿üÇüß  |
| Computer                         | 223 | 331 | 349 | 352 | 549 | €½üÇüß  |
| Computer languages               | 278 | 325 | 8   | 58  | 114 | ù«üÇüß  |
| Computer program                 | 112 | 278 | 395 | 289 | 476 | ð»üÇüß  |
| Concatenate                      | 217 | 445 | 115 | 115 | 115 | -üÇüÓ   |
| Conditional/Unconditional branch | 114 | 289 | 354 | 116 | 116 | êüÇüß   |
| CONFIG.SYS                       | 120 | 76  | 553 | 40  | 170 | ö-üÇüÓ  |
| Contiguous                       | 241 | 331 | 118 | 118 | 118 | öÄüÇüÓ  |
| Control character                | 199 | 578 | 130 | 39  | 119 | ê©üÇüß  |
| Control-Alt-Delete               | 76  | 391 | 170 | 553 | 282 | ƒ  üÇüß |
| Conventional memory              | 343 | 441 | 444 | 194 | 121 | íϕüÇüÓ  |
| Convergence                      | 172 | 453 | 417 | 122 | 122 | ä₇ üÇüß |
| Copy protection                  | 434 | 124 | 476 | 482 | 123 | Đ-üÇüß  |
| Copyright                        | 123 | 434 | 482 | 476 | 537 | ¾-üÇüÓ  |
| Core memory                      | 79  | 85  | 331 | 125 | 125 | ¥ÃüÇüß  |
| CP/M                             | 391 | 170 | 393 | 532 | 350 | ªüÇüÓ   |
| CPU, Central Processing Unit     | 350 | 68  | 290 | 448 | 96  | ªüÇüÓ   |
| CR, Carriage Return              | 306 | 119 | 146 | 128 | 128 | óƒüÇüß  |
| Crash                            | 16  | 144 | 271 | 76  | 129 | áĐüÇüÓ  |
| CRC character                    | 401 | 433 | 576 | 130 | 130 | ÝËüÇüß  |
| CRT                              | 357 | 544 | 248 | 131 | 131 | ĐëüÇüÓ  |
| CSMA/CD                          | 285 | 310 | 201 | 379 | 82  | ÄüÇüÓ   |
| Cursor                           | 283 | 302 | 317 | 360 | 520 | ,üÇüß   |
| Cybernetics                      | 24  | 457 | 134 | 134 | 134 | ±üÇüÓ   |
| Cylinder                         | 265 | 231 | 519 | 135 | 135 | °ÏüÇüÓ  |
| Daisy chain                      | 295 | 474 | 127 | 82  | 136 | üÇüß    |
| Daisy wheel                      | 171 | 288 | 312 | 137 | 137 | ƒßüÇüß  |
| DAT, Digital Audio Tape          | 53  | 153 | 273 | 506 | 252 | ÄÖüÇüß  |
| Database                         | 141 | 436 | 489 | 287 | 21  | ¹µüÇüÓ  |
| Database server                  | 100 | 220 | 141 | 139 | 310 | ×ƒüÇüß  |
| DBMS                             | 436 | 139 | 489 | 447 | 141 | çÛüÇüÓ  |
| DCE and DTE                      | 460 | 356 | 142 | 142 | 142 | ƒýüÇüß  |
| DDE, Dynamic Data Exchange       | 364 | 393 | 387 | 143 | 143 | ƒüÇüß   |
| Deadly embrace or deadlock       | 16  | 129 | 391 | 364 | 144 | Ê±üÇüß  |
| Default                          | 46  | 114 | 145 | 145 | 145 | ¿üÇüß   |
| Delimiter                        | 445 | 503 | 146 | 146 | 146 | £÷üÇüß  |

Sheet1

|                                   |     |     |     |     |                |
|-----------------------------------|-----|-----|-----|-----|----------------|
| Density                           | 69  | 273 | 329 | 519 | 147 Å°üÇüÖ     |
| DES, Data Encryption Standard     | 26  | 17  | 148 | 148 | 148 Þ"üÇüÖ     |
| Desktop computer                  | 311 | 349 | 350 | 406 | 149 ¥²üÇüÖ     |
| Device driver                     | 411 | 391 | 269 | 530 | 360   ■üÇüß    |
| Device monitor                    | 342 | 391 | 523 | 393 | 364 ¾üüÇüÖ     |
| Dhrystones                        | 554 | 65  | 344 | 353 | 319 † äüÇüÖ    |
| Digital                           | 30  | 138 | 154 | 153 | 153 ºüüÇüÖ     |
| Digitizing tablet                 | 86  | 153 | 360 | 258 | 154 ÔëüÇüÖ     |
| DIN connector                     | 72  | 474 | 165 | 306 | 359 ¶ ìüÇüÖ    |
| Dingbats                          | 531 | 176 | 101 | 258 | 39 đ ÅüÇüÖ     |
| DIP switch                        | 424 | 408 | 411 | 269 | 157 ³ÉüÇüÖ     |
| Directory                         | 160 | 217 | 404 | 74  | 265 ¢ÆüÇüÖ     |
| Directory hashing                 | 158 | 160 | 207 | 159 | 159 ,öüÇüÖ     |
| Directory structure               | 158 | 217 | 404 | 160 | 160 ¿üüÇüÖ     |
| Disc and Disk                     | 265 | 231 | 232 | 330 | 161 «ÜüÇüÖ     |
| Disk cache                        | 441 | 468 | 162 | 162 | 162 ÊøüÇüÖ     |
| Disk mirroring                    | 161 | 265 | 163 | 163 | 163 † ×üÇüÖ    |
| Diskless workstation              | 374 | 379 | 458 | 164 | 164 ■ íüÇüÖ    |
| DIX connector                     | 201 | 374 | 155 | 165 | 165 óñüÇüÖ     |
| DJNR, Dow Jones News/Retrieval    | 389 | 166 | 166 | 166 | 166 ÖªüÇüÖ     |
| DLLs, Dynamic Link Libraries      | 143 | 387 | 167 | 167 | 167 »®üÇüÖ     |
| DMA                               | 102 | 127 | 80  | 168 | 168 °-üÇüÖ     |
| Documentation                     | 114 | 388 | 233 | 89  | 169 Þ;üÇüÖ     |
| DOS                               | 391 | 393 | 532 | 574 | 126 «»üÇüÖ     |
| Dot matrix printer                | 312 | 137 | 316 | 288 | 171 ℒüüÇüÖ     |
| Dot pitch, dot box                | 357 | 417 | 453 | 172 | 172 Ê   üÇüÖ   |
| Double precision                  | 114 | 561 | 173 | 173 | 173 ÌÁüÇüÖ     |
| Download and upload               | 356 | 433 | 476 | 537 | 62 ḶÄüÇüÖ      |
| DRAM, Dynamic RAM                 | 490 | 441 | 495 | 550 | 96 Þ©üÇüÖ      |
| DTP, Desktop Publishing           | 101 | 407 | 462 | 513 | 149 ■ ¶ üÇüÖ   |
| Dumb terminal                     | 131 | 332 | 509 | 510 | 565 ø¥üÇüÖ     |
| Dump                              | 81  | 331 | 23  | 178 | 178 † †-üÇüÖ   |
| DVI                               | 30  | 91  | 153 | 179 | 179 Í † üÇüÖ   |
| Dvorak keyboard                   | 333 | 51  | 440 | 306 | 180 Í ℒüÇüÖ    |
| EBCDIC                            | 63  | 28  | 31  | 39  | 181 ß † † üÇüÖ |
| Echo                              | 356 | 401 | 433 | 182 | 182 á † † üÇüÖ |
| Edge connector                    | 359 | 408 | 183 | 183 | 183 ý ºüÇüÖ    |
| EDI, Electronic Data Interchange  | 190 | 346 | 572 | 256 | 571 ØÐüÇüÖ     |
| EFT, Electronic Funds Transfer    | 356 | 509 | 185 | 185 | 185 ×ËüÇüÖ     |
| EGA, Enhanced Graphics Adapter    | 543 | 95  | 575 | 417 | 186 —€üÇüÖ     |
| EISA                              | 337 | 297 | 204 | 187 | 187 ■ íüÇüÖ    |
| EL Displays                       | 248 | 544 | 188 | 188 | 188 æ ƒ üÇüÖ   |
| Electronic forum acronyms         | 28  | 19  | 190 | 570 | 189 ■ íüÇüÖ    |
| Electronic Mail, E-mail           | 310 | 184 | 572 | 346 | 256 À ÖüÇüÖ    |
| Elevator seeking                  | 310 | 18  | 565 | 265 | 585 ä ÖüÇüÖ    |
| Embedded command, embedded system | 119 | 199 | 578 | 192 | 192 £ µüÇüÖ    |
| Emoticon                          | 189 | 190 | 283 | 193 | 193 © ÞüÇüÖ    |
| EMS                               | 121 | 342 | 343 | 577 | 444 è ÜüÇüÖ    |
| Enabled / Disabled                | 411 | 195 | 195 | 195 | 195 † ´ üÇüÖ   |

Sheet1

|                                   |     |     |     |     |     |          |
|-----------------------------------|-----|-----|-----|-----|-----|----------|
| End user                          | 114 | 262 | 476 | 536 | 196 | üÇüÖ     |
| EPS, Encapsulated PostScript      | 312 | 426 | 197 | 197 | 197 | ±üÇüÖ    |
| Ergonomics                        | 536 | 87  | 565 | 198 | 198 | çüÇüÖ    |
| Escape sequence                   | 120 | 578 | 31  | 199 | 199 | i=üÇüÖ   |
| ESDI                              | 466 | 464 | 492 | 200 | 200 | i°üÇüÖ   |
| Ethernet                          | 516 | 374 | 132 | 38  | 433 | ø·üÇüÖ   |
| Execution                         | 114 | 170 | 98  | 221 | 202 | ,üÇüÖ    |
| Expanded memory                   | 194 | 205 | 343 | 203 | 203 | âÇéÇüß   |
| Expansion slot                    | 359 | 183 | 408 | 582 | 297 | ÔâéÇüÓ   |
| Extended memory                   | 194 | 203 | 343 | 577 | 205 | üâéÇüÓ   |
| FASST                             | 200 | 466 | 464 | 206 | 206 | êêéÇüß   |
| FAT, File Allocation Table        | 6   | 104 | 217 | 170 | 280 | ÑíéÇüß   |
| Fault tolerant                    | 53  | 534 | 208 | 208 | 208 | ÄéÇüÓ    |
| FAX board                         | 210 | 356 | 90  | 209 | 209 | ÁÉéÇüß   |
| FAX, Facsimile Communication      | 209 | 90  | 190 | 210 | 210 | ÊôéÇüÓ   |
| FCC Certification                 | 452 | 407 | 211 | 211 | 211 | üéÇüß    |
| FDDI                              | 31  | 214 | 285 | 310 | 212 | ±ÜéÇüÓ   |
| Femtosecond                       | 366 | 413 | 102 | 438 | 213 | ±£éÇüß   |
| Fiber Optics                      | 212 | 105 | 315 | 526 | 214 | ■×éÇüÓ   |
| FIFO / LIFO                       | 114 | 350 | 493 | 23  | 215 | η áéÇüß  |
| Fifth generation computer         | 223 | 467 | 512 | 239 | 216 | íüéÇüß   |
| File                              | 139 | 158 | 160 | 404 | 74  | ×ªéÇüÓ   |
| File compression                  | 37  | 470 | 217 | 218 | 218 | é¿éÇüß   |
| File Control Block, FCB           | 217 | 391 | 219 | 219 | 219 | Ê½éÇüß   |
| File server                       | 310 | 565 | 100 | 220 | 220 | ■íéÇüß   |
| Filename extensions               | 217 | 404 | 555 | 43  | 221 | üéÇüÓ    |
| Firmware                          | 430 | 458 | 548 | 481 | 222 | éÇüÓ     |
| First generation computer         | 467 | 512 | 239 | 216 | 223 | øÁéÇüÓ   |
| Fixed disk                        | 231 | 265 | 224 | 224 | 224 | ℒÁéÇüß   |
| Fixed point                       | 229 | 225 | 225 | 225 | 225 | ƒ©éÇüß   |
| Flag                              | 471 | 226 | 226 | 226 | 226 | é   éÇüß |
| Flash EPROM                       | 458 | 430 | 409 | 227 | 227 | üü éÇüß  |
| Flat file                         | 139 | 217 | 141 | 228 | 228 | i¥éÇüß   |
| Floating point arithmetic         | 225 | 335 | 344 | 229 | 229 | γ γ éÇüß |
| Floating Point Unit, FPU          | 127 | 229 | 335 | 230 | 230 | é₯éÇüß   |
| Floppy disk                       | 265 | 224 | 9   | 468 | 491 | ª—éÇüÓ   |
| Floptical drives                  | 276 | 4   | 5   | 519 | 464 | pÃéÇüÓ   |
| Flow chart                        | 114 | 169 | 233 | 233 | 233 | íℒéÇüÓ   |
| Folio                             | 287 | 139 | 234 | 234 | 234 | ■üéÇüÓ   |
| Font                              | 528 | 176 | 156 | 235 | 235 | ì   éÇüß |
| Footlambert                       | 544 | 236 | 236 | 236 | 236 | ÆðéÇüÓ   |
| Formatting                        | 207 | 468 | 237 | 237 | 237 | ×ĐéÇüÓ   |
| FORTRAN                           | 319 | 278 | 321 | 238 | 238 | ðËéÇüÓ   |
| Fourth generation computer        | 216 | 512 | 467 | 223 | 239 | ■éÇüß    |
| Fractional T-1                    | 505 | 153 | 526 | 240 | 240 | ÙíéÇüß   |
| Fragmentation                     | 324 | 118 | 241 | 241 | 241 | ¼ˆ éÇüÓ  |
| Freeware                          | 483 | 434 | 481 | 537 | 242 | ü éÇüß   |
| FTAM                              | 217 | 256 | 243 | 243 | 243 | üü éÇüÓ  |
| Full-duplex, half-duplex, simplex | 44  | 502 | 64  | 244 | 244 | ì  éÇüß  |

Sheet1

|                                    |     |     |     |     |     |          |
|------------------------------------|-----|-----|-----|-----|-----|----------|
| Function keys                      | 306 | 562 | 407 | 245 | 245 | ñ■éÇüß   |
| Function prototyping               | 84  | 110 | 246 | 246 | 246 | ßéÇüß    |
| Fuzzy logic                        | 75  | 24  | 247 | 247 | 247 | ≡ðéÇüÓ   |
| Gas-Plasma displays                | 314 | 417 | 544 | 248 | 248 | ÉméÇüß   |
| Gateway                            | 394 | 310 | 77  | 459 | 571 | ²PéÇüß   |
| GENie                              | 389 | 332 | 190 | 250 | 250 | ÄÜéÇüß   |
| GIF, Graphics Interchange Format   | 433 | 176 | 449 | 70  | 251 | °ÝéÇüß   |
| Gigabyte                           | 508 | 83  | 307 | 339 | 252 | ÃéÇüÓ    |
| GIGO, Garbage-In, Garbage-Out      | 114 | 253 | 253 | 253 | 253 | °_éÇüÓ   |
| Glitch                             | 81  | 129 | 308 | 254 | 254 | ½¶éÇüß   |
| Global                             | 114 | 487 | 562 | 255 | 255 | ©÷éÇüÓ   |
| GOSIP                              | 572 | 346 | 243 | 190 | 394 | γ°éÇüß   |
| GPIO, HPIB                         | 411 | 418 | 257 | 257 | 257 | ¡³éÇüÓ   |
| Graphics mode                      | 261 | 39  | 570 | 511 | 258 | ■éÇüÓ    |
| Grep                               | 555 | 532 | 259 | 259 | 259 | îüéÇüÓ   |
| Groupware and CSCW                 | 24  | 562 | 260 | 260 | 260 | ôâéÇüÓ   |
| GUI, Graphical User Interface      | 283 | 463 | 558 | 261 | 261 | ¶áéÇüÓ   |
| Hacker                             | 196 | 536 | 370 | 262 | 262 | ¶ëéÇüÓ   |
| Half-height                        | 9   | 161 | 265 | 518 | 231 | ÓíéÇüÓ   |
| Hand scanner                       | 462 | 86  | 101 | 149 | 264 | ■ÁéÇüÓ   |
| Hard disk                          | 556 | 231 | 268 | 224 | 519 | ÿðéÇüÓ   |
| Hard disk interface standards      | 492 | 284 | 200 | 464 | 31  | ÚðéÇüÓ   |
| Hard disk partition                | 6   | 135 | 265 | 469 | 267 | fÖéÇüÓ   |
| Hardcard                           | 204 | 265 | 408 | 268 | 268 | ¡ØéÇüÓ   |
| Hardware                           | 411 | 481 | 150 | 269 | 269 | Èf éÇüÓ  |
| Hayes-compatible                   | 45  | 356 | 270 | 270 | 270 | èáéÇüÓ   |
| Head crash                         | 129 | 161 | 271 | 271 | 271 | ¶róéÇüÓ  |
| Heap                               | 241 | 331 | 272 | 272 | 272 | ¶ñéÇüÓ   |
| Helical-scan recording             | 53  | 437 | 497 | 273 | 273 | ªéÇüÓ    |
| Hexadecimal                        | 67  | 69  | 181 | 83  | 274 | ÿ-éÇüÓ   |
| HGC, Hercules Graphics Card        | 186 | 417 | 449 | 275 | 275 | °¡éÇüÓ   |
| High density diskette              | 2   | 1   | 232 | 491 | 4   | ð»éÇüÓ   |
| High Sierra specification          | 458 | 92  | 277 | 277 | 277 | γ ¶éÇüÓ  |
| High-level language                | 238 | 325 | 114 | 278 | 278 | éÇüÓ     |
| Home computer                      | 407 | 311 | 349 | 112 | 406 | ©- éÇüÓ  |
| HPFS, High Performance File System | 207 | 393 | 217 | 280 | 280 | ìÁéÇüÓ   |
| Hypertext software                 | 481 | 281 | 281 | 281 | 281 | Ü-  éÇüÓ |
| IBM-compatible                     | 112 | 170 | 269 | 481 | 282 | éÇüÓ     |
| Icon                               | 193 | 261 | 360 | 258 | 283 | ½¥éÇüÓ   |
| IDE, Integrated Drive Electronics  | 266 | 200 | 466 | 492 | 284 | ñ- éÇüÓ  |
| IEEE 802 Standards                 | 394 | 57  | 201 | 132 | 310 | μ- éÇüÓ  |
| Index                              | 217 | 139 | 298 | 286 | 286 | -áéÇüÓ   |
| Infobase                           | 234 | 139 | 287 | 287 | 287 | × éÇüÓ   |
| Ink jet printer                    | 312 | 171 | 288 | 288 | 288 | ù- éÇüÓ  |
| Instruction                        | 114 | 354 | 454 | 503 | 289 | p- éÇüÓ  |
| Integrated Circuit                 | 96  | 408 | 472 | 175 | 290 | ■=éÇüÓ   |
| Interactive                        | 114 | 536 | 291 | 291 | 291 | çðéÇüÓ   |
| Interlaced, non-interlaced         | 13  | 357 | 544 | 575 | 292 | =ÐéÇüÓ   |
| Interleave factor                  | 265 | 519 | 104 | 231 | 468 | ÐÈéÇüÓ   |

Sheet1

|                                 |     |     |     |     |     |
|---------------------------------|-----|-----|-----|-----|-----|
| Interpreter                     | 278 | 451 | 110 | 202 | 58  |
| Interrupt                       | 127 | 68  | 296 | 295 | 295 |
| IRQ, Interrupt Request          | 295 | 474 | 296 | 296 | 296 |
| ISA bus                         | 187 | 337 | 204 | 406 | 359 |
| ISAM                            | 473 | 443 | 445 | 286 | 298 |
| ISDN                            | 356 | 374 | 505 | 299 | 299 |
| ISO, and its OSI                | 31  | 90  | 394 | 522 | 300 |
| Join                            | 139 | 141 | 489 | 301 | 301 |
| Joystick                        | 133 | 317 | 360 | 520 | 302 |
| Jumper or shunt                 | 408 | 303 | 303 | 303 | 303 |
| Justified                       | 562 | 304 | 304 | 304 | 304 |
| Kermit                          | 433 | 576 | 579 | 584 | 305 |
| Keyboard and Keypad             | 440 | 333 | 51  | 180 | 306 |
| Kilobyte                        | 339 | 252 | 508 | 83  | 307 |
| Kludge                          | 254 | 81  | 308 | 308 | 308 |
| Laddr                           | 464 | 393 | 434 | 309 | 309 |
| LAN, Local Area Network         | 373 | 334 | 214 | 220 | 552 |
| Laptop computer                 | 314 | 149 | 349 | 378 | 311 |
| Laser printer                   | 288 | 426 | 316 | 171 | 411 |
| LAWN or Wireless LAN            | 310 | 201 | 313 | 313 | 313 |
| LCD                             | 311 | 357 | 544 | 314 | 314 |
| LED                             | 28  | 472 | 315 | 315 | 315 |
| Letter quality and NLQ          | 137 | 288 | 449 | 316 | 316 |
| Light pen                       | 360 | 133 | 302 | 520 | 317 |
| Linker                          | 395 | 110 | 202 | 42  | 318 |
| Linpack                         | 65  | 152 | 344 | 353 | 554 |
| Lisp                            | 24  | 429 | 278 | 320 | 320 |
| Livermore Loops                 | 65  | 152 | 344 | 353 | 554 |
| Logical vs Physical Drives      | 265 | 322 | 322 | 322 | 322 |
| Login / Logout                  | 17  | 310 | 375 | 323 | 323 |
| Lost chains                     | 114 | 158 | 170 | 217 | 265 |
| Low-level language              | 42  | 84  | 278 | 325 | 325 |
| Machine dependency              | 114 | 42  | 532 | 84  | 326 |
| Machine language                | 8   | 42  | 114 | 289 | 327 |
| Macro                           | 289 | 487 | 328 | 328 | 328 |
| Mag tape                        | 53  | 388 | 473 | 506 | 14  |
| Magneto-optical disc drive      | 161 | 464 | 5   | 330 | 330 |
| Main memory                     | 79  | 125 | 441 | 549 | 331 |
| Mainframe                       | 127 | 223 | 352 | 112 | 467 |
| Maltron Keyboard                | 306 | 180 | 440 | 51  | 333 |
| MAN, Metropolitan Area Network  | 552 | 310 | 373 | 214 | 334 |
| Math Coprocessor                | 350 | 229 | 96  | 335 | 335 |
| MAU or MSAU                     | 516 | 3   | 201 | 565 | 336 |
| MCA, Micro Channel Architecture | 187 | 151 | 13  | 55  | 337 |
| MDA, Monochrome Display Adapter | 172 | 275 | 417 | 449 | 338 |
| Megabyte                        | 252 | 508 | 83  | 307 | 339 |
| Memory chip                     | 96  | 472 | 480 | 340 | 340 |
| Memory paging                   | 546 | 194 | 530 | 444 | 341 |
| Memory resident                 | 523 | 151 | 342 | 342 | 342 |

Sheet1

|                                      |     |     |     |     |     |
|--------------------------------------|-----|-----|-----|-----|-----|
| Memory, Extended vs Expanded         | 121 | 194 | 203 | 205 | 577 |
| MFLOPS                               | 65  | 152 | 229 | 554 | 344 |
| MFM, Modified Frequency Modulation   | 456 | 492 | 266 | 345 | 345 |
| MHS, Message Handling System         | 256 | 572 | 190 | 394 | 571 |
| MHz, megahertz                       | 438 | 127 | 102 | 55  | 347 |
| Mickey                               | 360 | 133 | 348 | 348 | 348 |
| Microcomputer                        | 149 | 311 | 407 | 421 | 279 |
| Microprocessor                       | 127 | 96  | 472 | 349 | 350 |
| MIDI adapter                         | 153 | 351 | 351 | 351 | 351 |
| Minicomputer                         | 332 | 349 | 112 | 467 | 352 |
| MIPS                                 | 65  | 152 | 290 | 344 | 554 |
| Mnemonic                             | 289 | 42  | 327 | 19  | 354 |
| MNP, Microcom Networking Protocol    | 356 | 433 | 355 | 355 | 355 |
| Modem                                | 61  | 174 | 64  | 355 | 419 |
| Monitor                              | 131 | 363 | 524 | 544 | 357 |
| MOS, PMOS, NMOS, CMOS                | 472 | 441 | 96  | 358 | 358 |
| Motherboard                          | 96  | 183 | 204 | 408 | 297 |
| Mouse                                | 133 | 101 | 348 | 302 | 520 |
| MPC, Multimedia PC                   | 92  | 282 | 361 | 361 | 361 |
| MTBF                                 | 265 | 269 | 362 | 362 | 362 |
| Multi-sync monitor                   | 357 | 544 | 363 | 363 | 363 |
| Multitasking                         | 127 | 431 | 532 | 393 | 558 |
| Named pipes                          | 373 | 310 | 393 | 415 | 365 |
| Nanosecond                           | 413 | 213 | 102 | 438 | 366 |
| NAPLPS                               | 433 | 31  | 251 | 367 | 367 |
| Native mode                          | 42  | 110 | 327 | 431 | 368 |
| NCGA                                 | 65  | 434 | 369 | 369 | 369 |
| Nerd                                 | 262 | 81  | 370 | 370 | 370 |
| NetBEUI                              | 375 | 372 | 150 | 35  | 371 |
| NetBIOS                              | 35  | 68  | 310 | 374 | 371 |
| Network                              | 334 | 310 | 552 | 397 | 373 |
| Network interface card               | 372 | 165 | 201 | 38  | 516 |
| Network Operating System, NOS        | 220 | 310 | 372 | 323 | 373 |
| Neural networking                    | 24  | 376 | 376 | 376 | 376 |
| Nibble or nybble                     | 83  | 69  | 63  | 561 | 377 |
| NiCad batteries                      | 311 | 378 | 378 | 378 | 378 |
| Node                                 | 373 | 408 | 509 | 565 | 379 |
| Notebook PC                          | 421 | 407 | 349 | 380 | 380 |
| NSTL                                 | 481 | 65  | 381 | 381 | 381 |
| NTSC                                 | 399 | 449 | 453 | 382 | 382 |
| Null                                 | 39  | 119 | 384 | 383 | 383 |
| Null modem cable                     | 460 | 474 | 356 | 383 | 384 |
| OCR, Optical Character Recognition   | 264 | 462 | 385 | 385 | 385 |
| OEM, Original Equipment Manufacturer | 539 | 73  | 386 | 386 | 386 |
| OLE, Object Linking and Embedding    | 143 | 487 | 562 | 387 | 387 |
| On-line / Off-line                   | 411 | 169 | 329 | 14  | 388 |
| On-line services                     | 356 | 373 | 190 | 388 | 389 |
| OOP, Object-oriented programming     | 100 | 489 | 114 | 390 | 390 |
| Operating system                     | 170 | 393 | 532 | 574 | 126 |



Sheet1

|                                    |     |     |     |     |     |         |
|------------------------------------|-----|-----|-----|-----|-----|---------|
| Orphan/widow                       | 562 | 392 | 392 | 392 | 392 | ù†âÇüÒ  |
| OS/2                               | 391 | 170 | 350 | 364 | 280 | ÙÁâÇüÒ  |
| OSI Model                          | 300 | 433 | 522 | 285 | 90  | ‡âÇüÒ   |
| Overlay                            | 546 | 318 | 114 | 331 | 395 | È†âÇüÒ  |
| Packet                             | 485 | 397 | 396 | 396 | 396 | ÚªâÇüÒ  |
| Packet switching networks          | 396 | 571 | 552 | 572 | 397 | çÊâÇüÒ  |
| Pair-kerning                       | 420 | 528 | 176 | 398 | 398 | ÔÊâÇüÒ  |
| PAL and SECAM                      | 382 | 449 | 399 | 399 | 399 | ÃÎâÇüÒ  |
| Parallel port                      | 94  | 474 | 15  | 400 | 400 | ¢ª âÇüÒ |
| Parity bit                         | 130 | 433 | 401 | 401 | 401 | ■âÇüÒ   |
| Parse                              | 503 | 110 | 114 | 402 | 402 | ¢îâÇüÒ  |
| Pascal                             | 25  | 84  | 114 | 403 | 403 | óÓâÇüÒ  |
| Pathname                           | 160 | 158 | 217 | 555 | 404 | ±ÔâÇüÒ  |
| PC Forth                           | 405 | 391 | 405 | 405 | 405 | ëðâÇüÒ  |
| PC, PC-XT, PC-AT                   | 350 | 349 | 231 | 407 | 149 | ·þâÇüÒ  |
| PC, Personal Computer              | 149 | 349 | 421 | 311 | 112 | ðÚâÇüÒ  |
| PCB, Printed Circuit Board         | 290 | 183 | 96  | 303 | 408 | çÿâÇüÒ  |
| PCMCIA 2.0                         | 290 | 227 | 409 | 409 | 409 | ¢¬âÇüÒ  |
| Perfory & pin feed                 | 171 | 521 | 418 | 410 | 410 | ¬±âÇüÒ  |
| Peripheral device                  | 195 | 269 | 388 | 150 | 411 | à¶âÇüÒ  |
| PGA, Professional Graphics Adapter | 13  | 412 | 412 | 412 | 412 | Â±âÇüÒ  |
| Picosecond                         | 213 | 366 | 102 | 438 | 413 | Ú,âÇüÒ  |
| PIF, Program Information File      | 558 | 114 | 414 | 414 | 414 | ÿâÇüÒ   |
| Pipe                               | 365 | 391 | 170 | 393 | 415 | à¹âÇüÒ  |
| Pit                                | 92  | 91  | 416 | 416 | 416 | ¬²âÇüÒ  |
| Pixel                              | 172 | 449 | 122 | 417 | 417 | ■âÇüÒ   |
| Plotter                            | 411 | 521 | 257 | 418 | 418 | ¬üâÇüß  |
| Pocket modem                       | 356 | 474 | 419 | 419 | 419 | ©ääÇüÓ  |
| Points and picas                   | 398 | 528 | 420 | 420 | 420 | ,ääÇüß  |
| Portable computer                  | 311 | 349 | 407 | 380 | 149 | àèâÇüÓ  |
| Portrait and landscape             | 562 | 176 | 422 | 422 | 422 | ¬îâÇüß  |
| POS, Point of Sale                 | 56  | 385 | 423 | 423 | 423 | ÒÃâÇüß  |
| POS, Programmable Option Select    | 157 | 337 | 303 | 424 | 424 | ¬ÆâÇüß  |
| POST                               | 127 | 168 | 441 | 458 | 76  | úðâÇüß  |
| PostScript                         | 197 | 312 | 426 | 426 | 426 | ¬ËâÇüÓ  |
| Precedence                         | 503 | 427 | 427 | 427 | 427 | ¬ÈâÇüß  |
| Prodigy                            | 389 | 258 | 95  | 428 | 428 | ÿáâÇüÓ  |
| PROLOG                             | 24  | 320 | 278 | 429 | 429 | ´óâÇüÓ  |
| PROM, EPROM, and EEPROM            | 458 | 96  | 441 | 430 | 430 | ■ÑâÇüÓ  |
| Protected memory                   | 350 | 364 | 432 | 444 | 431 | ¹ºâÇüß  |
| Protected mode                     | 444 | 546 | 364 | 127 | 431 | ¬®âÇüß  |
| Protocol                           | 61  | 305 | 576 | 579 | 584 | Á¼âÇüß  |
| Public domain                      | 242 | 483 | 114 | 124 | 434 | ã«âÇüÓ  |
| Pull-down menu                     | 557 | 435 | 435 | 435 | 435 | ã¸âÇüÓ  |
| QBE, Query By Example              | 489 | 139 | 141 | 21  | 436 | «¸âÇüÓ  |
| QIC, Quarter inch cartridge tape   | 53  | 329 | 497 | 37  | 437 | û¬âÇüÓ  |
| Quartz crystal                     | 102 | 347 | 60  | 438 | 438 | ÿÃâÇüÓ  |
| Queue                              | 80  | 215 | 439 | 439 | 439 | í¶âÇüÓ  |
| QWERTY keyboard                    | 51  | 333 | 306 | 180 | 440 | á¶¶âÇüß |

Sheet1

|                                   |     |     |     |     |     |   |   |   |   |   |
|-----------------------------------|-----|-----|-----|-----|-----|---|---|---|---|---|
| RAM                               | 96  | 495 | 550 | 175 | 490 | Ç | ä | ü | Ó |   |
| RAM disk / VDISK                  | 121 | 194 | 205 | 441 | 442 | j | ä | ü | ß |   |
| Random access                     | 298 | 441 | 473 | 443 | 443 | y | ä | ü | ß |   |
| Real mode                         | 432 | 364 | 546 | 121 | 127 | ¶ | ä | ü | ß |   |
| Record                            | 139 | 141 | 446 | 445 | 445 | Ö | ä | ü | ß |   |
| Record locking                    | 139 | 141 | 217 | 310 | 445 | — | ä | ü | Ó |   |
| Referential integrity             | 141 | 489 | 447 | 447 | 447 | Ó | ä | ü | Ó |   |
| Register                          | 23  | 493 | 289 | 127 | 448 | Ç | É | ä | ü | ß |
| Resolution                        | 417 | 172 | 316 | 55  | 449 | ñ | É | ä | ü | ß |
| Rewritable optical disk           | 92  | 450 | 450 | 450 | 450 | μ | ä | ü | Ó |   |
| REXX                              | 59  | 113 | 294 | 451 | 451 | ∟ | ä | ü | ß |   |
| RFI, Radio Frequency Interference | 211 | 349 | 350 | 452 | 452 | f | ä | ü | Ó |   |
| RGB monitor                       | 111 | 357 | 509 | 524 | 453 | ∟ | Ó | ä | ü | Ó |
| RISC technology                   | 98  | 289 | 454 | 454 | 454 | Ú | Ó | ä | ü | Ó |
| RJ-11, RJ-45                      | 526 | 356 | 538 | 455 | 455 | ¶ | Ó | ä | ü | ß |
| RLL, Run Length Limited           | 345 | 492 | 266 | 456 | 456 | ü | ä | ü | ß |   |
| Robotics                          | 24  | 134 | 376 | 457 | 457 | ϕ | Ü | ä | ü | Ó |
| ROM, Read Only Memory             | 68  | 430 | 441 | 227 | 458 | ∟ | Ý | ä | ü | Ó |
| Router                            | 77  | 249 | 300 | 433 | 571 | j | ä | ü | Ó |   |
| RS-232 interface                  | 109 | 384 | 474 | 142 | 460 | Ü | ä | ü | Ó |   |
| RSA factor                        | 135 | 265 | 293 | 468 | 461 | ¶ | ä | ü | ß |   |
| Scanner                           | 264 | 176 | 411 | 462 | 462 | ½ | ä | ü | ß |   |
| Scroll                            | 283 | 360 | 463 | 463 | 463 | ⋮ | ä | ü | ß |   |
| SCSI                              | 31  | 92  | 266 | 466 | 464 | Ö | ä | ü | Ó |   |
| SDF, Standard Data Format         | 217 | 40  | 445 | 139 | 465 | Ó | ä | ü | ß |   |
| SDLP                              | 92  | 200 | 464 | 433 | 466 | È | ü | ä | ü | Ó |
| Second generation computer        | 512 | 239 | 112 | 223 | 216 | æ | ä | ä | ü | Ó |
| Sector                            | 161 | 293 | 461 | 519 | 104 | ∟ | ç | ä | ü | Ó |
| Segment                           | 314 | 315 | 395 | 546 | 469 | ¶ | é | ä | ü | Ó |
| Self-extracting program           | 37  | 218 | 470 | 470 | 470 | ¶ | ä | ü | Ó |   |
| Semaphore                         | 226 | 471 | 471 | 471 | 471 | í | Ä | ä | ü | Ó |
| Semiconductor                     | 408 | 350 | 96  | 358 | 472 | û | Ä | ä | ü | Ó |
| Sequential access                 | 217 | 298 | 443 | 14  | 473 | Ö | æ | ä | ü | Ó |
| Serial port                       | 109 | 400 | 460 | 419 | 474 | ¶ | Æ | ä | ü | Ó |
| Shadow RAM                        | 18  | 68  | 441 | 475 | 475 | ⋮ | ö | ä | ü | Ó |
| Shareware                         | 537 | 41  | 124 | 114 | 476 | È | ü | ä | ü | Ó |
| Sheet feeder                      | 521 | 477 | 477 | 477 | 477 | ∟ | Ö | ä | ü | Ó |
| Shell                             | 391 | 393 | 478 | 478 | 478 | « | ø | ä | ü | Ó |
| SIG, Special Interest Group       | 62  | 479 | 479 | 479 | 479 | ç | × | ä | ü | Ó |
| SIP, DIP, SIMM                    | 340 | 18  | 408 | 441 | 480 | á | á | á | ü | Ó |
| Software                          | 222 | 269 | 458 | 476 | 481 | ù | ü | ä | ü | Ó |
| Software piracy                   | 123 | 124 | 434 | 482 | 482 | ¶ | ñ | ä | ü | Ó |
| Software virus                    | 481 | 114 | 434 | 242 | 62  | ° | ä | ü | Ó |   |
| Source code                       | 114 | 499 | 113 | 484 | 484 | Ê | ½ | ä | ü | Ó |
| Source routing                    | 77  | 459 | 373 | 310 | 485 | Ü | j | ä | ü | Ó |
| Spool                             | 52  | 411 | 486 | 486 | 486 | ∟ | ä | ü | Ó |   |
| Spreadsheet                       | 93  | 114 | 564 | 487 | 487 | ¶ | ä | ü | Ó |   |
| SPS, Stand-by Power Supply        | 60  | 501 | 534 | 488 | 488 | ⋮ | Ä | ä | ü | Ó |
| SQL, Structured Query Language    | 139 | 436 | 141 | 447 | 100 | © | ä | ü | Ó |   |

Sheet1

|                                   |     |     |     |     |     |
|-----------------------------------|-----|-----|-----|-----|-----|
| SRAM, Static RAM                  | 175 | 441 | 495 | 550 | 96  |
| SS/DD, DS/DD, DS/HD               | 5   | 9   | 231 | 276 | 491 |
| ST506 and ST412                   | 200 | 284 | 266 | 466 | 492 |
| Stack                             | 215 | 23  | 448 | 331 | 493 |
| Static electricity                | 32  | 580 | 494 | 494 | 494 |
| Static-column RAM                 | 441 | 96  | 175 | 495 | 495 |
| Stopbits                          | 474 | 109 | 356 | 62  | 496 |
| Streaming tape                    | 53  | 437 | 329 | 497 | 497 |
| Structured programming            | 114 | 233 | 498 | 498 | 498 |
| Subroutine or subprogram          | 114 | 484 | 499 | 499 | 499 |
| Super VGA                         | 417 | 449 | 541 | 542 | 575 |
| Surge protector                   | 488 | 534 | 501 | 501 | 501 |
| Synchronous                       | 44  | 529 | 502 | 502 | 502 |
| Syntax                            | 110 | 402 | 289 | 427 | 114 |
| SysOp                             | 62  | 504 | 504 | 504 | 504 |
| T-1                               | 240 | 153 | 526 | 505 | 505 |
| Tape backup                       | 53  | 329 | 497 | 14  | 506 |
| TCP/IP                            | 433 | 394 | 507 | 507 | 507 |
| Terabyte                          | 83  | 307 | 339 | 252 | 508 |
| Terminal                          | 131 | 177 | 510 | 565 | 509 |
| Terminal emulation                | 177 | 331 | 509 | 510 | 510 |
| Text mode                         | 39  | 258 | 28  | 511 | 511 |
| Third generation computer         | 239 | 216 | 467 | 223 | 512 |
| TIFF                              | 176 | 462 | 513 | 513 | 513 |
| Time slicing                      | 364 | 331 | 514 | 514 | 514 |
| Token-passing                     | 38  | 374 | 516 | 515 | 515 |
| Token-ring                        | 526 | 201 | 374 | 38  | 485 |
| Topology                          | 310 | 38  | 201 | 516 | 517 |
| Tower case                        | 149 | 263 | 349 | 518 | 518 |
| Track                             | 293 | 468 | 329 | 14  | 92  |
| Trackball                         | 133 | 302 | 317 | 360 | 520 |
| Tractor feed mechanism            | 410 | 418 | 477 | 521 | 521 |
| TRON Project                      | 90  | 300 | 394 | 522 | 522 |
| TSR                               | 114 | 342 | 530 | 523 | 523 |
| TTL monitor                       | 111 | 357 | 453 | 524 | 524 |
| Twinaxial cable                   | 105 | 526 | 525 | 525 | 525 |
| Twisted pair                      | 105 | 201 | 214 | 516 | 538 |
| Two's complement                  | 67  | 527 | 527 | 527 | 527 |
| Typeface                          | 312 | 398 | 420 | 528 | 528 |
| UART,USRT,USART                   | 96  | 44  | 502 | 529 | 529 |
| UMA and UMBs                      | 441 | 341 | 523 | 150 | 10  |
| Unicode                           | 39  | 181 | 531 | 531 | 531 |
| UNIX                              | 574 | 391 | 393 | 170 | 532 |
| UPC, Universal Product Code       | 56  | 423 | 533 | 533 | 533 |
| UPS, Uninterruptible Power Supply | 208 | 488 | 501 | 378 | 534 |
| Upward compatible                 | 481 | 411 | 114 | 535 | 535 |
| User-friendly                     | 196 | 198 | 262 | 536 | 536 |
| User-supported software           | 124 | 476 | 41  | 114 | 537 |
| UTP                               | 526 | 54  | 455 | 538 | 538 |

Sheet1

|                                 |     |     |     |     |     |
|---------------------------------|-----|-----|-----|-----|-----|
| VAR, Value Added Reseller       | 73  | 386 | 539 | 539 | 539 |
| VBI, Vertical Blanking Interval | 460 | 540 | 540 | 540 | 540 |
| VESA                            | 500 | 417 | 544 | 541 | 541 |
| VGA boards                      | 68  | 449 | 550 | 542 | 542 |
| VGA, Video Graphics Array       | 575 | 186 | 542 | 172 | 543 |
| Video Display Technology        | 131 | 188 | 314 | 315 | 544 |
| Virtual disk                    | 121 | 194 | 205 | 441 | 545 |
| Virtual memory                  | 342 | 395 | 469 | 318 | 546 |
| Voice mail                      | 190 | 547 | 547 | 547 | 547 |
| Volatile memory                 | 222 | 430 | 441 | 548 | 548 |
| Von Neuman architecture         | 29  | 127 | 331 | 352 | 332 |
| VRAM, Video RAM                 | 448 | 441 | 96  | 175 | 490 |
| Wait state                      | 127 | 202 | 551 | 551 | 551 |
| WAN, Wide Area Network          | 397 | 334 | 310 | 373 | 552 |
| Warm boot                       | 76  | 120 | 391 | 108 | 282 |
| Whetstones                      | 344 | 65  | 319 | 152 | 353 |
| Wildcards                       | 221 | 404 | 43  | 259 | 555 |
| Winchester disk                 | 268 | 224 | 265 | 556 | 556 |
| Window                          | 194 | 364 | 435 | 558 | 557 |
| Windows                         | 391 | 261 | 258 | 364 | 557 |
| Wire wrap                       | 408 | 559 | 559 | 559 | 559 |
| WNIM                            | 44  | 373 | 552 | 310 | 560 |
| Word                            | 69  | 83  | 331 | 441 | 82  |
| Word Processing                 | 114 | 245 | 407 | 562 | 562 |
| Word wrap                       | 562 | 563 | 563 | 563 | 563 |
| Worksheet                       | 487 | 221 | 93  | 564 | 564 |
| Workstation                     | 164 | 373 | 374 | 509 | 565 |
| Worm                            | 483 | 81  | 254 | 566 | 566 |
| WORM disk                       | 91  | 92  | 567 | 567 | 567 |
| Write precompensation           | 135 | 265 | 519 | 568 | 568 |
| Write-protect                   | 231 | 329 | 5   | 569 | 569 |
| WYSIWYG                         | 562 | 261 | 570 | 570 | 570 |
| X.25                            | 90  | 459 | 552 | 433 | 397 |
| X.400                           | 346 | 256 | 394 | 90  | 571 |
| xBase                           | 139 | 141 | 573 | 573 | 573 |
| XENIX                           | 532 | 391 | 393 | 282 | 574 |
| XGA, Extended Graphics Adapter  | 449 | 543 | 13  | 186 | 292 |
| Xmodem                          | 579 | 433 | 305 | 584 | 130 |
| XMS                             | 343 | 194 | 444 | 150 | 121 |
| XON / XOFF                      | 119 | 411 | 578 | 578 | 578 |
| Ymodem                          | 584 | 433 | 576 | 305 | 579 |
| ZAP                             | 139 | 494 | 32  | 340 | 580 |
| Zero suppression                | 357 | 581 | 581 | 581 | 581 |
| Zero-slot or RS-232 LAN         | 204 | 460 | 374 | 310 | 582 |
| ZIP file                        | 37  | 218 | 583 | 583 | 583 |
| Zmodem                          | 576 | 433 | 305 | 579 | 434 |
| Zone recording                  | 519 | 161 | 18  | 191 | 265 |
| Zulu time or GMT                | 102 | 438 | 347 | 586 | 586 |