

semipalmated sandpiper

Calidris pusilla

Kingdom: Animalia

Division/Phylum: Chordata - vertebrates

Class: Aves

Order: Charadriformes Family: Scolopacidae

FEATURES

An adult semipalmated sandpiper is five and one-half to six and one-half inches long. Both sexes are similar in appearance. The body is gray with some white coloring. In the summer, this sandpiper has a dark body coloring and in the winter it has more white on its body. Its short, wide bill and its legs are black. The toes are partially webbed to help it move in its aquatic habitat.

BEHAVIORS

The semipalmated sandpiper is a common migrant in Illinois. It winters from Florida south to Argentina and Chile. The semipalmated sandpiper may be seen on beaches, mudflats and other open, wet areas. This bird eats mostly insects and mollusks (snails, clams). Its call is "cherk" or "cheh." The birds may be seen migrating through Illinois in April, May or June as they go to their breeding grounds in the Arctic. The return migration begins for adults in July and most immatures in August.

	A		-	A 7	rs
н.	Δ	ĸ		ΔΙ	•

bottomland forests	rivers & streams
lakes, ponds & reservoirs	
Lake Michigan	temp water supplies
marshes	wet prairies & fens
peatlands	-

ILLINOIS STATUS

common	endangered	threatened
native	O evotic	

ILLINOIS RANGE

Migrant: statewide.

BIBLIOGRAPHY

Illinois Department of Natural Resources. 1999. *Biodiversity of Illinois, Volume I: Aquatic Habitats* CD-ROM.