

TEGL Windows Toolkit II  
Release 1.10  
Programmer's Reference Guide

Copyright (C) 1990, TEGL Systems Corporation  
All rights reserved

TEGL Systems Corporation  
Suite 780, 789 West Pender Street  
Vancouver, British Columbia  
Canada V6C 1H2

## TEGL Windows Toolkit II

### LICENSE AGREEMENT

TEGL software products are protected under both Canada copyright law and international treaty provisions.

You have the non-exclusive right to use the enclosed software under the following terms and conditions.

You may use this software on a single machine, for both personal and business use; and may make copies of the software solely for backup purposes. Other than this you agree to use this software "like a book", meaning the software may be used by any number of people and may be moved from one computer to another so long as there is no possibility of it being used by more than one person at one time.

Programs that you write and compile using the TEGl Windows Toolkit may be used, given away, or sold without additional license or fees as long as all copies of such programs bear a copyright notice. By "copyright notice" we mean either your own copyright notice or if you prefer, the following statement, "Created using TEGl Windows Toolkit, copyright (C) 1989, 1990, TEGl Systems Corporation. All rights reserved".

Included on the TEGl Windows Toolkit diskettes are a number of support files that contain encoded hardware and font information used by the standard graphic unit. These files are proprietary to TEGl. You may use these files with the programs you create with the TEGl Windows Toolkit for your own personal or business use. To the extent the programs you write and compile using the TEGl Windows Toolkit make use of these support files, you may distribute in combination with such programs, provided you do not use, give away, or sell these support files separately, and all copies of your programs bear a copyright notice.

The Complete Games Toolkit diskettes provide a demonstration on how to use the various features of the TEGl Windows Toolkit. They are intended for educational purposes only. TEGl grants you the right to edit or modify these game programs for your own use but you may not give away, sell, repackage, loan, or redistribute them as part of any program, in executable object or source code form. You may, however, incorporate miscellaneous sample program routines into your programs, as long as the resulting programs do not substantially duplicate all or part of a game program in appearance or functionality and all copies of all such programs bear a copyright notice.

#### Limited Warranty:

With respect to the physical diskette and physical documentation enclosed herein TEGl warrants same to be free of defects and materials and workmanship for a period of one year from the date of purchase.

TEGL will replace defective Software or documentation upon notice within the warranty period of defects. Remedy for breach of this warranty shall be limited to replacement and shall not encompass any other damages, including, without limitation, loss or business profits, business interruption, pecuniary loss, and special incidental, consequential, or other similar claims. This limited warranty is void if failure of the Software has resulted from accident, abuse, or misapplication. Any replacement Software will be warranted for the remainder of the original warranty period.

TEGL specifically disclaims all other warranties, express, implied, or statutory, including but not limited to implied warranties of merchantability and fitness for a particular purpose with respect to the Software and documentation. In no event shall TEGL be liable for any loss of business profit or any other commercial damage including but not limited to special, incidental, consequential, or other damages.

Table of Contents

TABLE OF CONTENTS

SPECIAL NOTE for documentation on disk..... 13  
Acknowledgements..... 14  
Chapter 1 - Introduction..... 15  
    Why Program with TEGL Windows..... 15  
    The Components of TEGL Windows Toolkit..... 16  
    What's On your disks..... 16  
    Installing TEGL on your system..... 18  
    Development System Recommendations..... 19  
    Compiling with Turbo C..... 19  
    Compiling with Quick C..... 19  
    How to use this Reference Manual..... 19  
        tegl supervisor..... 19  
    Program Framework..... 20  
    Frames or Windows?..... 21  
    How to Contact TEGL Systems Corporation..... 21  
Chapter 2 - TEGL Easy..... 23  
    What TEGL Windows Toolkit can do..... 23  
    Event-Driven Code..... 23  
    Attaching your Function to an Event..... 24  
    Frames..... 25  
    Menus..... 25  
    A Minimum TEGL Program..... 26  
    Adding Menus (Top Down Design)..... 27  
    Adding your First Event..... 28  
    TEGLEasy..... 30  
        activebutton..... 30  
        coltox..... 31  
        errmess..... 31  
        fitframe..... 32  
        framefromicon..... 32  
        frametext..... 33  
        getmousey..... 34  
        getyesno..... 35  
        easytegl..... 36  
        lastcol..... 36  
        lastrow..... 37  
        outframetextxy..... 38  
        quit..... 38  
        quickframe..... 39  
        restoretext..... 39  
        rowtoy..... 40  
        selecteasytext..... 40  
        seteasyfont..... 41  
Chapter 3 - Icons..... 42  
    The ICON Editor..... 42  
        The Main Bar Menu..... 42  
        Editing..... 42  
        The Drawing Bar Menu..... 42  
    ICON Constants..... 45

## Table of Contents

putpict.....	45
ICON Assembler Functions.....	46
ICON Utilities.....	46
ICONDEF.....	46
ICONLIB.....	46
ICONINC.....	47
ICONASM.....	47
ICONS in TEGLIcon module.....	47
Chapter 4 - Frames.....	49
Creating, Manipulating, and Dropping Frames.....	49
countframes.....	49
frameexist.....	49
pushimage.....	50
popimage.....	51
rotatestackimage.....	52
rotateunderstackimage.....	53
dropstackimage.....	54
hideimage.....	56
showimage.....	57
showcoordinates.....	58
Preparing a Frame for Update.....	58
prepareforpartialupdate.....	58
prepareforupdate.....	60
commitupdate.....	61
Moving a Frame.....	62
frameselectandmove.....	63
setautorotate.....	64
setmoverestrictions.....	65
setframemobility.....	66
setmoveframecallproc.....	67
movestackimage.....	68
moveframe.....	70
Low Level Frame Functions.....	70
unlinkfs.....	70
linkfs.....	72
linkunderfs.....	73
createimagebuffer.....	74
dropimagebuffer.....	75
getfsimage.....	76
putfsimage.....	76
freeimagebuffer.....	77
getpartialfrontimage.....	78
getfrontimage.....	78
pageinfs.....	79
lockimage.....	79
pageoutfs.....	80
setimagecoordinates.....	81
pageoutimagestack.....	81
unlockimage.....	82
unuseimage.....	82

## Table of Contents

useimage.....	83
Mouse Click Areas.....	84
definemouseclickarea.....	84
findmouseclickptr.....	85
resetmsclickactive.....	87
resetmsclickcallproc.....	87
resetmouseclicks.....	88
resetmsclicksense.....	89
Keyboard.....	90
clearkeyboardbuf.....	90
clearteglkeyboardbuf.....	90
defineglobalkeyclickarea.....	91
definelocalkeyclickarea.....	92
dropkeyclick.....	92
findkeyclickptr.....	93
resetkeyclickcallproc.....	93
Chapter 5 - Menus.....	94
Creating a Menu.....	94
Creating a entry text list.....	94
createoptionmenu.....	96
defineoptions.....	97
createshadowom.....	98
resizeoptionmenu.....	99
togglecheckmark.....	100
toggleentrystatus.....	101
replaceoptiontext.....	102
toggleoptionbar.....	103
setoptionmenucolors.....	103
setoptionmenubordercolor.....	104
sethidesubmenu.....	104
Creating a Bar Menu.....	105
createbarmenu.....	105
outbaroption.....	106
setbartextcolor.....	107
setbarmenucolor.....	107
setbarbordercolor.....	108
setbarborderoff.....	108
setbarshadowtext.....	108
setbarfillstyle.....	109
setbarmenumargin.....	109
Icon Option Menus.....	110
defineoptionclickarea.....	110
resetoptionmenuevents.....	111
Chapter 6 - Mouse, Keyboard and Timer Handlers.....	113
Interrupts.....	113
swapteglintroff.....	113
swapteglinton.....	114
Mouse Emulation.....	114
mcursoroff.....	114
mcursoron.....	115

## Table of Contents

msetpos.....	115
Standard Mouse Functions.....	116
showmouse.....	116
hidemouse.....	116
setmouseposition.....	116
cursorshape.....	117
setmousehotspot.....	119
setmousecolor.....	119
mouseposition.....	119
getbuttonreleaseinfo.....	120
getbuttonpressinfo.....	121
clearbuttoninfo.....	121
setmouseeminmax.....	122
frozenmouse.....	122
freezermouse.....	123
unfreezermouse.....	124
setmousesensitivity.....	124
getmousesensitivity.....	125
setkeyboardmouse.....	125
setkbsteps.....	126
getkbsteps.....	127
Timer Functions.....	127
swaptimerout.....	127
swaptimerin.....	128
settimerstart.....	128
resettimerflag.....	129
droptimercount.....	129
timerswtich.....	129
Keyboard Interrupt Events.....	130
Keyboard Scan Codes.....	130
addcapturekey.....	131
deletecapturekey.....	132
teglreadkey.....	132
teglkeypressed.....	133
nilkeycallproc.....	133
Keyboard Miscellaneous.....	133
setshiftkeys.....	134
Show Button Status.....	134
showbuttonstatus.....	134
Chapter 7 - Assembly Language Graphics.....	136
Setting Video Modes.....	136
cga640x200x2.....	136
ega640x350x16.....	137
herc720x348x2.....	137
setvideochoices.....	138
svga800x600x16.....	138
vga640x480x16.....	138
videoautodetect.....	139
videoid.....	139
Graphic Primitives.....	140

## Table of Contents

fastline.....	140
putpixs.....	141
getpixs.....	141
getbiti.....	142
putbiti.....	142
bigimagesize.....	143
setapage.....	143
setvpage.....	144
flipapage.....	144
flipvpage.....	145
videopage.....	145
New Graphic Primitives.....	146
extractpixs.....	146
extractimg.....	146
overlayimg.....	147
swapbytes.....	147
Graphic Derivatives.....	147
xorcornerbox.....	148
xorbox.....	148
Icon Graphics.....	148
putpict.....	149
pictsize.....	149
abort_msg.....	149
Chapter 8 - Special Effects.....	151
Screen Backdrop.....	151
clearteglscreen.....	151
setteglbordershow.....	152
setteglbackcolor.....	152
setteglbordercolor.....	153
setteglfillpattern procedure.....	154
setteglfillstyle.....	154
Creating Shadow Boxes.....	155
shadowbox.....	155
shadowboxtext.....	156
setshadowcolor.....	156
setshadowbordercolor.....	157
setshadowfillpattern.....	157
setshadowfillstyle.....	158
Creating Shadow Text.....	159
shadowtext.....	159
setshadowtexttype.....	160
setshadowtextshadow.....	160
setshadowtexthighlight.....	161
shadowtexthighlightoff.....	161
Other text effects.....	162
extendtextxy.....	162
shifttextxy.....	162
Buttons.....	163
definebuttonclick.....	163
definelongbuttonclick.....	164



## Table of Contents

defineuserbuttonclick.....	164
putuserbuttonclick.....	165
Explosions.....	165
collapsetoiconshow.....	165
collapsetomsclick.....	166
explodefromiconhide.....	166
explodefrommsclick.....	167
Moving and Transforming XOR Boxes.....	167
movebox.....	167
ziptobox.....	168
zipfrombox.....	169
Icon Button.....	170
drawlongbutton.....	170
Chapter 9 - Writing Events.....	171
Mouse Awareness.....	171
findframe.....	171
checkmouseclickpos.....	172
checkformouseselect.....	173
Special Effects.....	174
pressbutton.....	174
visualbuttonpress.....	175
Chapter 10 - Animation.....	177
Animation Overview.....	177
Animation Functions.....	180
origin procedure.....	180
getorigin.....	180
destination.....	181
resetframe.....	182
sequence.....	182
resetsequence.....	183
addframe.....	184
currentframenumbers.....	185
animateinit.....	185
animate.....	186
animatecomplete.....	186
Example Animation.....	186
Chapter 11 - Writing Text.....	188
TEGLWrt Variables.....	188
Bit-mapped Fonts.....	188
Creating Your Own Bit-mapped Fonts.....	188
TEGLWrt Functions and Procedures.....	189
fmttegltextxy.....	189
outtegltextxy.....	189
tegltextwidth.....	190
teglcharwidth.....	191
teglcharheight.....	191
teglwrtchar.....	191
setproportional.....	192
setteglfont.....	192
Showing ALL Fonts FONTTEST.PAS.....	192

## Table of Contents

fontname.....	193
showonefont.....	193
showfonts.....	193
Chapter 12 - Event Library.....	195
The File Selector.....	195
selectafile.....	195
String Editing Dialog.....	196
editstring.....	196
Mouse Sensitivity Dialogue Window.....	196
setmousesense.....	197
Bells & Whistles, Sound Unit.....	197
asksoundsense.....	197
beep.....	198
slidebeep.....	198
soundswitch.....	199
Chapter 13 - Virtual Memory Manager.....	200
Heap Management.....	200
The Heap Manager.....	200
The TEGL Heap Error Function.....	201
The TEGL Heap Manager Functions.....	202
cgetmem.....	202
cfreemem.....	203
Expanded Memory Manager (EMM).....	203
Expanded Memory Functions.....	204
emminstalled.....	204
emspagesavailable.....	205
allocateexpandedmemorypages.....	205
mapexpandedmemorypages.....	206
getpageframebaseaddress.....	206
deallocateexpandedmemorypages.....	207
getversionnumber.....	207
gethandlecountused.....	208
getpagesownedbyhandle.....	209
Expanded Memory Test Program.....	209
A RAM Disk Driver.....	212
emsopen.....	213
emsseek.....	214
emsblockwrite.....	214
emsblockread.....	215
emsclose.....	216
Virtual Disk Heap.....	216
vdkopenheapfile.....	217
vemsopenheapfile.....	218
vdkgetmem.....	219
vdkfreemem.....	219
vdkwriteheapdata.....	220
vdkreadheapdata.....	221
vdkcloseheapfile.....	221
The Virtual Heap Error Function.....	222
The Virtual Memory Manager.....	222

## Table of Contents

useharddisk.....	223
MoveFromVirtual procedure.....	223
movetovirtual.....	224
freevirtual.....	224
cmaxavail.....	225
virtualmemused.....	225
The Virtual Memory Error Function.....	225
Resolving Fragments.....	226
reservehugeminimum.....	227
Chapter 14 - Sizing and Sliders.....	228
defineresizeclickarea.....	228
defineresizeminmax.....	229
definesliderarea.....	229
dropsliders.....	230
findsliderfs.....	230
resizeframe.....	231
selectandmoveframe.....	232
setslideposition.....	232
Miscellaneous Functions.....	233
checkctrlbreak.....	233
checkctrlbreakfs.....	233
droptimertick.....	234
nilunitproc.....	234
overlaparea.....	235
settimertick.....	235
Graphics Library - tgraph.....	237
Bar.....	237
closegraph.....	238
detectgraph.....	238
getbkcolor.....	238
getcolor.....	239
getfillpattern.....	239
getgraphmode.....	240
getmaxx.....	240
getmaxy.....	240
gettextsettings.....	241
graphresult.....	241
imagesize.....	241
initgraph.....	242
line.....	242
outtextxy.....	243
rectangle.....	243
restorecrtmode.....	243
setbkcolor.....	244
setcolor.....	244
setfillpattern.....	244
setfillstyle.....	245
settextjustify.....	245
APPENDICES.....	246
Video Buffers.....	246

## Table of Contents

Windows.....	246
Frames.....	246
A Frame Stack.....	247
A Simple Window Manager.....	247
Partial Image Update.....	249
Refined Partial Image Update.....	249
A Refined Partial Image Update Algorithm.....	250
A Quick Run through the algorithm.....	252
TEGL Heap Manager.....	254
TEGL Upper Heap Manager.....	258
Combining the best of both Heap Managers (Coexisting)....	260
Conditional Compilation.....	263
INDEX.....	264

## Table of Contents

SPECIAL NOTE for documentation on disk

You have received Version II of the TEGl Windows Toolkit for TURBO C. The documentation that you are reading is supplied on disk. We will have a printed manual in the near future and it will be somewhat different than what you are looking at now.

Because we wanted everyone to be able to read this manual and be able to print it out we have not embedded any special control characters in it with the exception of formfeeds at page breaks.

In this manual you will notice that at times there are references to things like `ctrlkey` or `keydown` or something descriptive but somewhat odd. Please, be imaginative, these will be icons when the manual is printed.

## Acknowledgements

### Acknowledgements

---

In this manual references are made to several products

TURBO C and TURBO Assembler are registered trademarks of Borland International.

IBM is a registered trademarks of International Business Machines Inc.

MS-DOS and Windows are registered trademarks of Microsoft Inc.

MacIntosh is a registered trademark of Apple Computer Inc.

## Chapter 1 - Introduction

### INTRODUCTION

---

Welcome to the world of GUI (Graphical User Interface) in a DOS environment. This guide will provide you with the basics (and more) for getting started with using the TEGL Windows Toolkit.

TEGL Windows is a comprehensive GUI toolkit for the simplest to the most sophisticated system programming projects. In order to exploit all the advantages of this toolkit, we encourage you to experiment and to try the examples as listed in this manual. Spending time learning the functions of TEGL Windows will reward you many times over with a system that provides a Professional look and feel. The power of TEGL Windows is limited only by your imagination.

#### Why Program with TEGL Windows

Because TEGL Windows Toolkit provides the framework in making programs easy to use. In this way, it is similar to several other user interfaces on the market today, including Apple's Macintosh, Microsoft's Windows and GEM from Digital Research Incorporated.

Programs made with TEGL Windows are easier to use for several reasons, visual effects of graphics can generally communicate information more effectively than text. For example, the graphical image of a folder suggests that it contains documents, drawings, and even other folders.

Provided are powerful functions that you can use to build very interactive applications. By q very interactive, we mean a type of user interface where a significant portion of the design and development effort goes into making the program easy to use.

TEGL Windows Toolkit is based on event handling. Events consists of anything from a key getting pressed on the keyboard, to a timer signaling that some amount of time has elapsed, to a message indicating that the user has selected a particular item from the menu or has selected an icon. A particularly useful capability of this is that while the TEGLSupervisor is waiting for one of these events to occur, you can set the timer to signal a background task like an internal print spooler. This limited multitasking capability makes it easier to build very interactive programs.

It's important to note that the TEGL Windows Toolkit supports only a single application running at any given time. Microsoft's Windows will support multiple concurrent applications, provided they are q well-behaved, which means that they don't directly manipulate the computer's hardware. Most popular applications, by the way, are not well-behaved.

## Chapter 1 - Introduction

TEGL is for a single application, which has the beneficial effect of being part of the final application code and, on the average, much faster than programs written for Windows or GEM. TEGL also takes less RAM, requiring only 50k when all features are used.

### The Components of TEGL Windows Toolkit

Now that you have a rough idea of what the TEGL Windows Toolkit is and how it relates to other alternatives in the microcomputer software marketplace, let's explore its' components n more detail. The purpose of this section is to give you an overall understanding of how to use the toolkit in your program.

TEGL is subdivided into a set of libraries; multitasking kernel; windowing screen manager; mouse, keyboard and timer handler; a virtual heap manager; drop down and pop-up menu events; and an animation unit.

One of the original goals of TEGL was to provide a graphical user interface (GUI) to a computer running under DOS. This interface is used in a number of entertainment products produced by TEGL Systems Corporation (TSC). As TSC designed and built the entertainment products, TEGL was created to build a set of software routines that were needed by the games. TSC gathered these routines into modules, each categorized by their overall function. For instance, all the routines that manipulate windows are collected and form the TEGLUnit. Similarly, all the drop-down menus and menu bars form TEGLMenu.

TEGL Windows Toolkit is the tools that were developed in writing these first entertainment applications. These tools are now available for developing any application

The modules are categorized by the kind of functions they deliver; TEGLintr handles the mouse, keyboard and timer interrupts; TEGLMenu provides drop down menus and menu bars; Animate provides icon animation; and VIRTMem provides the virtual heap for almost unlimited windowing ability.

TEGLUnit provides a high level integration between window frames, mouse click areas, keyboard handler, timer interrupts, virtual memory, and multitasking kernel.

### What's On your disks

For your reference, here's a summary of most of the files on the distribution disks:

#### README.TXT

This file contains any last-minute notes and corrections, type README at the system prompt to



## Chapter 1 - Introduction

view the file. You may print this file on your printer for future reference, once you review the material.

### TEGLSYS.H, TEGLSYS.LIB

The header file and library for the toolkit. This is all you need to start programming.

### TEGLUNIT.C

This is the window manager that provides the graphical interface support for the other modules. This module provides the event supervisor and the frame/stack coordinator.

### TEGLMENU.C

This unit provides the drop down menu interface.

### TEGLGRPH.C

Module that provides shadow boxes, shadow texts, exploding and imploding boxes, pop-down/pop-up icon buttons, etc..

### TEGLICON.C

A library of standard icons; key OK, key CANCEL, key NEXT, key LAST.

### TEGLINTR.C MOUSEASM.ASM

Integration of keyboard and mouse handler. This unit provides the standard mouse routines which integrates the keyboard cursor keys and the mouse to provide a seamless dual control of the mouse cursor; with or without a mouse driver.

### FASTGRPH.C EGAGRAPH.ASM

Fast assembly language graphics routines. This is the core of the graphical routines that provide the foundation for pop-down menus and movable windows. This module includes functions that interface with the ANIMATE unit, to allow the recognition of video paging.

### TEGLWRT.C WRTASM.ASM

Crisp proportional Bit-Mapped screen fonts, ranging from 6 to 24 pixels in height.

### VIRTMEM.C FREEOPEN.ASM

Virtual Memory handler that interfaces with TEGLUNIT. This unit automatically pages out images from memory to EMS, hard disk, or floppy (depending on availability), when memory is at a premium.

### SELECTFL.C

## Chapter 1 - Introduction

A standard event unit that may be used by any application program to provide a dialogue window in selecting filenames from a list of file on disk.

SENSEMS.C

A standard event unit that provides a dialogue window that allows a user to adjust the sensitivity of a mouse.

SOUNDUNT.C

A standard event unit that allows a user to adjust the duration and the sound output of a tone.

ANIMATE.C

Unit that allows icons to be animated.

TEGL.C, TEGL.PRJ

A demonstration program that uses most of the features of the TEGl Windows Toolkit II.

FONTTEST.C

A demonstration event unit that displays all available fonts in movable windows. Used in tegl.pas (sample program).

DEBUGUNT.C

A demonstration event unit that displays general information regarding windows and the number of times the mouse button has been pressed.

FONTASM.ZIP

A library of bitmapped fonts in Turbo Assembler format. The source may be modified to create a new font.

ICONEDIT.C, ICON\*.\*

The Icon Editor, written using the TEGl Window Toolkit, to design and generate icons to include in your TEGl application. ICONASM, ICONDEF, ICONINC and ICONLIB are standalone programs that will assist you in generating various formats that you can use to add icons to your program. A number of standard icons have been created to include immediately into your application.

SAM\*.C, SAM\*.PRJ

Some of the sample programs in this guide are provided in ready-to-compile form.

MAKEFILE.MAK

The make file for compiling the library.

Installing TEGl on your system

The complete TEGl Toolkit is approximately 3 megabytes of source code, when expanded. A hard disk is required for the installation. It may be possible to compile on floppy, but we haven't tried it.

## Chapter 1 - Introduction

At the DOS prompt, type INSTALL, and follow the instructions.

### Development System Recommendations

You must have 640k RAM, a hard disk drive, and an EGA/VGA graphics card with 256k memory and EGA/VGA color monitor on an IBM PC or compatible computer. In our development, we've used an IBM PC AT with 2.5MB RAM, 72MB hard disk, and a paradise VGA 256k card with a NEC/MultiSync 3D. We've also tested all our examples on an IBM PC XT with 640k RAM, a 20MB hard disk, and a ATI VIP VGA graphics adapter card with an IBM 8513 VGA color monitor.

### Compiling with Turbo C

TEGL Windows Toolkit requires Borland's Turbo C Version 2.0, and Turbo Assembler to compile all the units. Turbo Assembler is only needed if you make the library (which is not necessary). Only Turbo C is required to compile programs.

Refer to the Turbo C Reference Manual for including headers and using libraries within programs, as well as setting up the environment and creating project files.

### Compiling with Quick C

TEGL Windows Toolkit requires Microsoft Quick C Version 2.0. The graphics functions provided in graphics.lib can be used. See the Appendix Conditional Compilation to best determine your requirements.

### How to use this Reference Manual

This manual is organized in a presentation manner to lead you through the concepts of the TEGL Windows Toolkit II.

Each Function is shown separately with its name, parameter list, and other references. All functions are prototyped in "teglsys.h". For a start here is the main entry point into the TEGL Windows Toolkit II.

---

tegl supervisor

---

Function

Main entry point.

Syntax

## Chapter 1 - Introduction

```
void teglsupervisor(void);
```

Remarks

This should be the last statement in main.

Example

```
void main()
{
    /* all the setup code for menus etc. goes first */

    teglsupervisor();
}
```

### Program Framework

Most of the examples presented throughout this manual will require the following minimal skeletal C framework before the example code will compile and execute. A few of the examples given are complete programs.

```
/* samshell.c */
/* the minimum requirements for a program */
/* using TEGL Windows Toolkit II */

#include <graphics.h>
#include "teglsys.h"

void main()
{
    easytegl();

    /* insert your code here */

    /* then turn control over to the supervisor */
    /* use cntrl-break to exit a program that */
    /* doesn't have a specific break out point. */

    teglsupervisor();
}
```

## Chapter 1 - Introduction

Once control has been turned over to the supervisor then the only way to exit a program is by a menu selection or icon that halts the program. Many of the example programs don't have this so you must press Ctrl-Break to exit. When Ctrl-Break is pressed then program control is turned over to an Event Handler. In the case of the sample programs control is passed to quit in tegleasy.

An Event Handler, as covered in Chapter 4, is usually attached to an icon, menu selection, or in this case the Ctrl-Break handler. The Ctrl-Break handler, when attached to an exit event, allows the program to exit gracefully by pressing ctrlkey scrlock which is the break key on most keyboards.

Chapter 2 provides a foundation to using the TEGL Windows Toolkit by using a few program examples. Chapter 3 shows you how to create an icon using the icon editor, and how to integrate and use the icons in your program. Chapter 4 is heart of the windowing system, which uses most of the functions provided by the other modules. In Chapter 5 we delve further into how the teglmenu works along with teglunit to provide the standard drop-down menus and exploding windows. In Chapters 6 through 8, we discuss some of the graphic and mouse primitives that the teglunit uses. You may use some of these routines independently of TEGL Windows Toolkit. In Chapter 10 we explore animate along with a sample application that animates a button icon. Chapter 11 looks at writing text to a window using bit-mapped fonts. Chapter 12 provides an overview of the standard event library like selecting a file and setting the mouse sensitivity. In Chapter 13, we look at the Virtual Memory handler and how to use VM within an application. Finally, in Chapter 14 and 15, we look at re-sizing, slider bars and anything else that we may have missed. Appendices provide greater details on the TEGL Windows Toolkit and the philosophy behind the design.

Frames or Windows?

In this manual the word frame is used often. A frame is our term for the implementation of a window. All the identifiers in the toolkit use frame, not window. You can use these terms interchangeably.

How to Contact TEGL Systems Corporation

If you have any comments or suggestions, you may contact us by writing to

TEGL Systems Corporation  
780 - 789 West Pender Street  
Vancouver, British Columbia  
Canada, V6C 1H2

or phone us at

Chapter 1 - Introduction

(604) 669-2577

or facsimile us at

(604) 688-9530

## Chapter 2 - TEGL Easy

### TEGL Easy

---

The TEGL Windows Toolkit provides tools to assist you in creating an eye-appealing, functional and intuitive graphical interface to your programs.

There is no fixed format that you must follow when using the TEGL Windows Toolkit. Screen handling, menus, or push button icons are a function of your program design and not a mandatory function of the TEGL Windows Toolkit. However, the tools are provided so you can use emulate the look and feel of most popular windowing packages without locking you into a ridged menu system.

What TEGL Windows Toolkit can do

Overlapping windows are handled without having the application program redraw the window whenever that window is uncovered. This removes the complexity of having to redraw, which is necessary with some windowing systems. The only time a window has to be redrawn is when it is re-sized.

The overhead in maintaining graphic images in memory is offset by the virtual memory manager which automatically swaps the images to EMS and/or disk when more memory is needed. Even with memory swapping, application programs are faster and smaller than those written for other windowing environments.

TEGL Windows handles all mouse and keyboard activities, including all selections of a menu items and clicks on a mouse click area. When the user wants to move a window for instance, the teglsupervisor handles all of the user interaction from the clicks of the right mouse button on a window to when the button is released to indicate the new position. When the button is released, and moveframecallproc has been installed for that window, the teglupervisor will call your application procedure with the new location. Your application can either move the frame by calling movestackimage or not do so, depending on whatever it determines is appropriate.

Event-Driven Code

While it is possible to write your application in a serial manner using TEGL Windows by polling the keyboard to see if a key has been pressed, or checking the mouse if the mouse has been clicked on an icon or menu, it is much more efficient to write using Event-Driven programming. Event-driven programming is a style of building programs that makes for extremely interactive applications.

An event is simply the automatic calling of one of your application's functions that is triggered by an action such as the mouse cursor

## Chapter 2 - TEGL Easy

overlapping with an icon on the screen. This type of event handling removes the complex checking of keyboards and mouse devices from the central program and allows for an almost parallel (multitasking) type of program to be created.

Your choice in programming will determine whether your program responds to the user in a sequential mode where one action must be completed before proceeding to the next, or multiple activities that may be completed at the user's leisure.

A good example of multiple event handling is a program that simulates a calculator. Each key of the calculator pad is tied together with a Mouse Click Area event-handler (ie. a C function) that handles that particular key. With the selection of one of the numeric icon keys, the supervisor activates the appropriate event-handler which either adds, multiplies, subtracts, or divides the digits. On completion of the event-handler's task, the control is returned back to the supervisor to await for other events. Other event-handlers, such as notepads, will continue to respond to keyboard or mouse actions along with the activities on the calculator.

An Event is a powerful concept. Hypertext on the MacIntosh is based on a similar structure. By associating an event with a word, image, or icon, you can chain a series of events together. One event may lead to another?

The number of icon/events that can be created is limited only by available memory.

### Attaching your Function to an Event

There are six (6) basic types of events that the teglsupervisor recognizes. The following will provide a brief discussion on event handling.

#### {bo Mouse Click Area}

This event occurs whenever the mouse cursor overlaps a defined mouse click area on the screen. Depending on the activation sense, the supervisor may call the event-handler only if the left button is clicked (activation sense set to msclick), or if the mouse cursor passes over the defined mouse click area (activation sense set to mssense). The most common use of a mouse click area is the association of an icon with an event-handler.

#### {bo Click and Drag}

This event is associated with the movement of a window. Control is passed



## Chapter 2 - TEGE Easy

to the Event-handler after a new frame position has been selected. One use of this type of event processing is the dragging of an icon-frame to the trash can (like the MacIntosh).

{bo Expand and Shrink}

This event is associated with the sizing of a window. Control is passed to the Event-handler after a new frame size has been selected. We use this type of event to re-size a window.

{bo Keyboard Events}

To accommodate systems without a mouse. The Keyboard Event allows you to tie the keyboard to any normal mouse-click-area event handler.

{bo Timer Ticks}

The PC has an internal timer that interrupts the activities of any running program 18 times a second. This interruption is transparent to the operating system and is used mainly to update the system clock.

The TEGUnit module uses this timer to provide a flag for the interval of timed events. An event-handler may be defined to occur at resolutions up to 18 times a second or several hours later.

{bo Ctrl-Break}

The Ctrl-Break event is usually tied with the event-handler quit, but, like any Event, you may write your own to perform a a different task when a Ctrl-Break event occurs.

### Frames

TEGE Windows Toolkit is a window manager or more correctly a FRAME STACK coordinator. A frame is any defined region of the screen. By stacking two or more frames on the screen, the supervisor monitors the location of the frames and ensures that each frame retains it's own entity.

Once a frame is created, the frame area can be cleared and drawn with any graphic functions provided by the Turbo C language or any other graphical functions provided by other library packages. However, the responsibility of drawing within the window is with the program.

Use the x, y, x1, y1 coordinates provided within the frame struct when drawing to the window.

### Menus

## Chapter 2 - TEGL Easy

The TEGL Menus are actually event-handlers that have been written to accommodate drop-down menus, menu selections, lists within a frame, etc.

The menus require a list of items and related events to be created. The list may then be attached to a bar menu using the `OutBarOption`, which is simply a frame with multiple horizontal mouse click defines.

When `tegl supervisor` senses the mouse overlapping with one of the bar menu selections, an internal `baroptionmenu` event is called and a search is made to find the list that is related to the selection. A menu window is then created and displayed using the list. The menu window is simply another frame with multiple mouse click defines.

### A Minimum TEGL Program

The following demo program, prints out the message `q Hello World!` to a small movable window. Note: this one doesn't require the minimum shell that we described in the Introduction.

```
/* samc0201.c */
/* the minimum requirements for a program */
/* using TEGL Windows Toolkit II */

#include <graphics.h>
#include "teglsys.h"

void main()
{
    easytegl();

    /* insert your code here */

    pushimage(100,100,200,120);
    shadowbox(100,100,200,120);
    setcolor(BLACK);
    outtegltextxy(105,105,"Hello world");

    /* then turn control over to supervisor */

    teglsupervisor();
}
```

## Chapter 2 - TEGL Easy

### Adding Menus (Top Down Design)

A powerful feature in programming with TEGL Windows is the ability to visually see your application develop. Top down design is a methodology where the layout and menu designs are created first and the functional aspect of the program created later. Program stubs are used as place markers to indicate the required function.

Adding a drop down menu and connecting the event later is a simple task with TEGL Windows.

```
/* samc0202.c */

#include <graphics.h>
#include "teglsys.h"

optionmptr om1, om2;

unsigned getmssense(imagestkptr ifs, msclickptr ms)
{
    setmousesense(ifs->x, ifs->y);
    return(1);
}

void main()
{
    easytegl();

    om1 = createoptionmenu(font14);
    defineoptions(om1, " Info... ", TRUE, NULL);
    defineoptions(om1, "--", FALSE, NULL);
    defineoptions(om1, " Quit ", TRUE, quit);

    om2 = createoptionmenu(font14);
    defineoptions(om2, " Memory ", TRUE, showcoordinates);
    defineoptions(om2, " Mouse sensitivity ", TRUE, getmssense);

    createbarmenu(0, 0, getmaxx());
    outbaroption(" File ", om1);
    outbaroption(" Utility ", om2);

    teglsupervisor();
}
```

## Chapter 2 - TEGL Easy

The event `showcoordinates` is defined as part of the `DebugUnt` module, `setmousesense` is defined in `SENSEMS`, and `Quit` is defined in `TEGLEasy`.

`Info...` is defined to `NULL` which is a program event stub that does nothing.

Adding events as you go along is easy, now that the menu is set up.

### Adding your First Event

The following is an event that opens a window and writes a message. Notice how we attached `infooption` as an event to the menu selection `Info...` by replacing `NULL` with `infooption`.

```
/* samc0203.c */

#include <graphics.h>
#include "teglsys.h"

optionmptr om1, om2;

unsigned infooption(imagestkptr ifs, msclickptr ms)
{
    imagestkptr fs;
    unsigned x=200,y=120,w=340,h=100;

    hidemouse();
    quickframe(&fs,&x,&y,&w,&h);

    setcolor(BLACK);
    frametext(fs,1,2,"TEGL Windows Toolkit II");
    frametext(fs,2,2,"Copyright 1990, TEGL Systems Corporation");
    frametext(fs,3,2,"All Rights Reserved.");
    showmouse();

    return(1);
}

unsigned getmssense(imagestkptr ifs, msclickptr ms)
{
    setmousesense(ifs->x,ifs->y);
    return(1);
}
```

## Chapter 2 - TEGL Easy

```
}  
  
void main()  
{  
    easytegl();  
  
    om1 = createoptionmenu(font14);  
    defineoptions(om1, " Info... ", TRUE, infooption);  
    defineoptions(om1, "--", FALSE, NULL);  
    defineoptions(om1, " Quit ", TRUE, quit);  
  
    om2 = createoptionmenu(font14);  
    defineoptions(om2, " Memory ", TRUE, showcoordinates);  
    defineoptions(om2, " Mouse sensitivity ", TRUE, getmssense);  
  
    createbarmenu(0, 0, getmaxx());  
    outbaroption(" File ", om1);  
    outbaroption(" Utility ", om2);  
  
    teglsupervisor();  
}
```

You may notice that the event returns to the TEGLSupervisor leaving the window on the screen.

We can refined this procedure by adding a while loop to wait for the user to click on a icon. The getmousey(ifs) function will return once the user has selected the OK icon.

The new event listing.

```
unsigned infooption(imagestkptr ifs, msclickptr ms)  
{  
    imagestkptr fs;  
    unsigned x=200,y=120,w=340,h=100;  
  
    hidemouse();  
    quickframe(&fs, &x, &y, &w, &h);  
  
    setcolor(BLACK);  
    frametext(fs, 1, 2, "TEGL Windows Toolkit II");  
    frametext(fs, 2, 2, "Copyright 1990, TEGL Systems Corporation");  
    frametext(fs, 3, 2, "All Rights Reserved.");  
}
```

## Chapter 2 - TEGL Easy

```
definebuttonclick(fs,x+300,y+70,imageOK,NULL);  
  
getmousey(fs);  
  
dropstackimage(fs);  
showmouse();  
  
return(1);  
}
```

### TEGLEasy

---

#### activebutton

---

##### Function

Makes a button/frame.

##### Syntax

```
void activebutton(unsigned x, unsigned y,  
char *s, callproc );
```

##### Remarks

This is for creating a button which is attached to a frame that is the same size as the button. p the event can then have as the first statement framefromicon to make a dramatic button to frame transition.

##### Restrictions

if the imagestkptr is required then save the stackptr immediately after calling activebutton.

##### See also

explodefromiconhide, collapseitoiconshow.

##### Example

```
activebutton(100,100,"INFO",infooption);
```

---

### coltox

Function                   Calculates the X coordinate for a text col.

Syntax                    `int coltox(int col);`

Remarks                  This is used to treat the graphics display as if it were in text mode to make it easy to place a succession of characters.

Restrictions              The calculation is made using the currently selected font.

See also                  `rowtoy`, `setteglfont`, `seteasyfont`.

Example

```
outtegltextxy(coltox(col)+ifs->x,rowtoy(row)+ifs->y,s);
```

---

`errmess`

---

Function                   Display an error message.

Syntax                    `void errmess(unsigned x, unsigned y,char *s);`

Remarks                  The error message `s` is displayed in a frame at coordinates `x,y`. The frame is sized to the message and is adjusted to keep within the confines of the screen.

                            The frame is displayed until the 'OK' button in the lower right corner is clicked.

See also                  `getyesno`.

Example

```
errmess(100,100,"You must enter a file name first");
```

fitframe

---

Function

Creates coordinates that fit on the physical screen.

Syntax

```
void FitFrame(unsigned *x, unsigned *y,  
              unsigned *width, unsigned *height);
```

Remarks

*x,y* are the desired upper left coordinates for a frame. *width* and *height* are the desired width and height in pixels for the frame. If the starting coordinates would cause the frame to extend beyond the bounds of the screen then they are decremented until the frame will fit. If *width* or *height* are greater than their corresponding *getmaxx* or *getmaxy* then they are set to the maximum screen size.

The lower right coordinates are returned in *width=x1*, and *height=y1*.

See also

[quickframe](#).

Example

```
unsigned x=639,y=120,w=340,h=100;  
fitframe(x,y,w,h);      /* adjusted to x=299 */
```

---

framefromicon

---

Function

Opens a frame in an event that was called from a click on a icon.

Syntax



## Chapter 2 - TEGL Easy

```
void framefromicon(imagestkptr ifs, msclickptr ms,  
    unsigned x, unsigned y, unsigned x1, unsigned y1);
```

### Remarks

This would be the first statement in an event that is attached to an icon or button created with active button.

This procedure will hide the icon then display an exploding wire box from the icon location to the coordinates `x,y,x1,y1` where a frame is opened and cleared. An OK button is placed in the lower right corner of the frame and it is attached to `collapsetoiconshow` which will close the frame when it is clicked on.

### See also

`activebutton`, `explodefromiconhide`

### Example

```
/* samc0205.c */  
  
#include "teglsys.h"  
  
unsigned easymessage(imagestkptr frame,msclickptr mouseclickpos)  
{  
    framefromicon(frame,mouseclickpos,150,150,400,190);  
    prepareforupdate(stackptr);  
    frametext(stackptr,1,2,"Icon to Frame Transformation");  
    commitupdate();  
  
    return 1;  
}  
  
void main()  
{  
    easytegl();  
    activebutton(100,100,"MESSAGE",easymessage);  
    teglsupervisor();  
}
```

---

frametext

---

## Chapter 2 - TEGL Easy

### Function

Writes text to a frame using row, column coordinates simulating text mode.

### Syntax

```
void frametext(imagestkptr ifs, int row, int col,
               char *s);
```

### Remarks

ifs is the frame to write to. Row and Col are the row and column locations relative to the frame. That is, row 1, col 1, is the upper left corner of the frame. Note the coordinates are the reverse of graphics coordinates where column comes first.

### Restrictions

The text display is based upon the current font. Swithing fonts will cause uneven text.

### Example

```
/* samc0206.c */
#include "teglsys.h"

void main()
{
    imagestkptr fs;
    unsigned x=100,y=100,w=200,h=50;

    easytegl();

    quickframe(&fs,&x,&y,&w,&h);
    frametext(fs,2,2,"Hello World!");

    teglsupervisor();
}
```

---

### getmousey

---

### Function

Waits for a mouse click and returns the mouse click number.

### Syntax

```
unsigned getmousey(imagestkptr ifs)
```

## Chapter 2 - TEGL Easy

### Remarks

Mouse clicks numbers are numbered in the order that you define the mouse click areas.

ifs is the frame where we are waiting for a mouse click to occur. The mouse click number is returned.

### Example

```
definebuttonclick(fs,x+250,y+70,imageOK,NULL);
definebuttonclick(fs,x+300,y+70,imageCANCEL,NULL);

switch (getmousey(fs)) {
    case 1 : /* imageOK was clicked on      */ break;
    case 2 : /* imageCANCEL was clicked on */ break;
}
```

---

### getyesno

---

### Function

Gets a yes or no response.

### Syntax

```
char getyesno(unsigned x,unsigned y, char *s);
```

### Remarks

x,y are the coordinates to display the frame. s is the question to ask, allowing that the only answer can be Yes or No. The frame has a yes and no button displayed in the lower right corner.

This function returns a 1 if Yes is clicked and 0 if No is clicked.

### Example

```
if (getyesno(100,100,'Do you want to erase the file'))
{
    /* erase the file */
}
else ; /* cancel the command */
```

easytegl

---

Function

Does a simplified startup for the toolkit.

Syntax

```
void easytegl(void);
```

Remarks

This procedure should be called at the very start of your program. It sets up some default values and clears the screen.

When you have become familiar with the start-up requirements of the TEGL Windows Toolkit then you can write your own initialization procedure.

Example

```
#include "teglsys.h"

void main()
{
    easytegl();
    teglsupervisor();
}
```

---

lastcol

---

Function

Returns the number or last column of a frame calculated by the number of text characters that will fit within a frame.

Syntax

```
int lastcol(imagestkptr ifs);
```

Remarks

The calculation is based upon the currently selected font.

## Chapter 2 - TEGL Easy

### Restrictions

Does not allow for BGI fonts.

### See also

lastrow, coltox, rowtoy.

### Example

```
imagestkptr fs;
unsigned x=100,y=100,w=200,h=50;

lastcol(fs); /* returns the number of columns that will fit */
```

---

### lastrow

---

### Function

Returns the number or last row of a frame calculated by the number of text characters rows that will fit within a frame.

### Syntax

```
int lastrow(imagestkptr ifs);
```

### Remarks

The calculation is based upon the currently selected font.

### Restrictions

Does not allow for BGI fonts.

### See also

lastcol, coltox, rowtoy.

### Example

```
imagestkptr fs;
unsigned x=100,y=100,w=200,h=50;

lastrow(fs); /* returns the number of rows that will fit */
```

---

### outframetextxy

Function

Writes text to frame using relative coordinates.

Syntax

```
void outframetextxy(imagestkptr ifs, unsigned x,  
    unsigned y, char *s);
```

Remarks

Macro

Uses the currently selected font. Normally, `outtegltextxy(..)` uses screencoordinates to display your graphic text. Thus you are required to add `ifs->x` and `ifs->y` to your offsets.

`outframetextxy` expands to add the frame coordinates to your relative coordinates.

Restrictions

Does not work with BGI fonts.

See also

`frametext`.

Example

```
/* writes "message" at x=5,y=5 pixels from the upper left corner of fs */  
outframetextxy(fs,5,5,"message");
```

---

quit

---

Function

Halts program.

Syntax

```
unsigned quit(imagestkptr ifs, msclickptr ms);
```

Remarks

Control break is set to this event by default in `easytegl`.

```
setctrlbreakfs(quit);
```

quickframe

---

Function

Pushes an image and clears the frame.

Syntax

```
void quickframe(imagestkptr *ifs, unsigned *x, unsigned *y,  
                unsigned *width, unsigned *height);
```

Remarks

*x,y* are the desired upper left coordinates, *width* and *height* are the size of the frame. Coordinates are adjusted to fit the physical screen and are returned in *x,y,width,height*. The frame struct is also returned in *ifs*.

See also

`fitframe`.

Example

```
imagestkptr ifs;  
int x=100,y=100,w=200,h=150;  
  
hidemouse();  
quickframe(&ifs,&x,&y,&w,&h);  
frametext(ifs,2,2,"This is too TEGL easy!");  
showmouse();
```

---

restoretext

---

Function

Restores the current font.

Syntax

```
Macro  
void restoretext(void);
```

Remarks

## Chapter 2 - TEGL Easy

the current font is saved when `selecteasytext` is called. `selecteasytext` allows you to temporary change to another font.

---

### `rowtoy`

---

#### Function

Calculates the Y coordinate for a text row.

#### Syntax

```
int rowtoy(int row);
```

#### Remarks

This is used to treat the graphics display as if it were in text mode and make it easier to place succeeding rows of text on the screen. Returns the pixel offset needed to add to `frame->y` to get row.

#### Restrictions

The calculation is based on the current font.

#### See also

`coltox`, `lastcol`, `lastrow`, `frametext`

---

### `selecteasytext`

---

#### Function

Changes to the font set by `seteasyfont`

#### Syntax

```
Macro  
void selecteasytext(void);
```

#### Remarks

The font used after this call is selected by previous call to `seteasyfont`.

#### See also

`restoretext`.

---

### `seteasyfont`



Function

Set the font used by the TEGLEasy Unit.

Syntax

Macro

```
void seteasyfont(fontptr p);
```

Remarks

Some of the routines in TEGLEasy write to the screen.  
This font is used by these routines.

See also

```
selecteasytext, restoretext
```

Example

```
seteasyfont(countdown);
```

## Chapter 3 - Icons

### ICONS

---

Icons are pictures that represent objects. This Icon image diskdrive represents a diskette.

Icons are the mainstay of GUI's.

#### The TEGL

Windows Toolkit provides the tools that can create and manipulate icons up to a 100 x 100 pixels in size. By placing an icon within a window frame, they may be attached directly to an TEGL event to provide graphical menu selections, animated to provide visual feedback, displayed as graphic images like the TEGL Deck of Cards, or used to display a company logo.

#### The ICON Editor

Included in TEGL Windows Toolkit is a powerful icon editor that utilizes the full power of the toolkit to provide you with fast, flexible and easy icon file editing. The source code for the icon editor is also included so you can expand and modify it to suit your needs.

#### The Main Bar Menu Open ICONDEF File

Opens an existing ICON.DEF file, or creates a new DEF file. To create a new DEF file, type in the name of the DEF file in the filename box and click on key OK.

**Quit**  
Quits the icon editor. NOTE: The icon editor does not prompt you to save your files.

#### Editing

The mouse cursor changes to cross-hairs when the cursor enters the icon drawing area. Pressing the mouse left button will place a pixel at the current coordinates. Pressing the mouse right button will erase the pixel. You can hold the mouse left or right button, while moving the mouse to draw or erase a series of pixels.

The drawing bar at the bottom of the drawing area has two functions. Press and hold the right mouse button on the drawing bar to drag the drawing area to a new location. Click with the left mouse button on the drawing bar to select from the drawing menu.

#### The Drawing Bar Menu

#### SAVE

## Chapter 3 - Icons

Saves the file with the filename displayed on the drawing bar.

### SAVE AS

Saves the file with a new filename.

### SAVE AND EXIT ICON FILE

Saves the file with the filename displayed on the drawing bar and closes the editing area for the file.

### CREATE C CONSTANTS

Creates a c constant file with the extension q .CON for including in a program.

### COPY IMAGE AREA

Copies an area into the internal IMAGE AREA. When this option is active a scissors icon appears on the drawing bar. Click once with the left mouse button to mark the upper left corner of the area to copy. Move the mouse cursor to the bottom right corner of the area to copy and click again on the left mouse button. When the scissors disappear, the area has been copied to the internal IMAGE AREA.

### CUT IMAGE AREA

Copies an area into an internal IMAGE AREA and clears the Icon area to the background color. When this option is active a scissors icon appears on the drawing bar. Click once with the left mouse button to mark the upper left corner of the area to cut. Move the mouse cursor to the bottom right corner of the area and click again on the left mouse button. When both the scissors disappear and the area is cleared, then the area has been copied to the internal IMAGE AREA.

### FILL IMAGE AREA

Fills an area with the current pixel color. Bits that are already set on are not overwritten. When this option is active, a coffee mug icon appears on the drawing bar. Click once with the left mouse button to mark the upper left corner of the area to fill. Move the mouse cursor to the bottom right corner of the area and click again on the left mouse button. The coffee mug disappears when the area is filled with current pixel color.

### PASTE IMAGE AREA

Paste the copied/cut area from the internal IMAGE AREA to the icon drawing area. When this option is active, a glue bottle icon appears on the drawing bar. Click once at the position where the image is to be pasted. The pasted image overwrites any pixels on the drawing area.

## Chapter 3 - Icons

### MERGE IMAGE AREA

Merges the copied/cut area from the internal IMAGE AREA to the icon drawing area. When this option is active, a glue bottle icon appears on the drawing bar. Click once at the position where the image is to be merged. The merged image only writes to empty pixel areas.

### OVERLAY IMAGE AREA

Overlays the copied/cut area from the internal IMAGE AREA to the icon drawing area. When this option is active, a glue bottle icon appears on the drawing bar. Click once at the position where the image is to be overlaid. The overlay image only writes to active pixels.

### ROTATE IMAGE AREA 45 DEGREES

Rotates the internal IMAGE AREA by 45 degrees.

### ROTATE IMAGE AREA 90 DEGREES

Rotates the internal IMAGE AREA by 90 degrees.

### REDUCE IMAGE AREA

Shrinks the image within the internal IMAGE AREA by 50%. The algorithm deletes every second pixel.

### REVERSE IMAGE AREA

Reverses the image within the internal IMAGE AREA from left to right.

### PIXEL COLOR

Pick the current pixel color from a palette of 16 colors.

### BACKGROUND COLOR

Pick the current background color from a palette of 16 colors.

### CHANGE PIXELS COLOR

Change all pixels with color m to another color n. Where m and n are selected from a palette of 16 colors. To cancel the command without changing any pixel colors, select the same color for both m and n.

### ERASE COLOR PIXELS

Erases all pixels with the selected pixel color. The color is selected from a palette of 16 colors.

## Chapter 3 - Icons

### EXPLODE ICON IMAGE

Enlarges the drawing area. The largest size is a ratio of 3 to 1 (3 pixels representing 1 pixel).

### IMPLODE ICON IMAGE

Shrinks the drawing area.

### CLEAR ICON IMAGE

Clears the drawing area.

### RELOAD ICON FILE

Reloads the original icon file.

### EXIT ICON FILE

Finishes the editing of a icon file.

You can open as many editing windows at once as you like. The internal IMAGE AREA is common to all the edit windows that are open. Consequently, whatever is in the internal IMAGE AREA can be pasted to any edit window. This allows for the building of icons from small pieces, or copying an icon to transform it to something different.

### ICON Constants

Select from the Drawing Bar Menu CREATE C CONSTANTS, to generate constants for including in your program. If you have a large number of icons for generating constants, you can use the program ICONINC to generate all icons in a one pass.

---

### putpict

---

#### Function

Puts the defined icon to the specified screen area.

#### Syntax

```
void putpict(unsigned x,unsigned y,  
             unsigned char *buf,unsigned n);
```

#### Remarks

x, y defines the upper left corner of the screen area for placing the icon image.

buf points to the defined icon image.

n defines the color change for any pixel that is

## Chapter 3 - Icons

black within the icon.

### ICON Assembler Functions

The program ICONASM provides a second method that allows you to add large icon images to your program (eg. the TEGL Deck of Cards).

ICONASM generates a C function in assembler. Turbo Assembler is required to assemble the file to object code. You may then create an obj file that will link the icon function into your C program.

To display the icon, use the icon function name (your icon name prefixed with Image).

```
imageMyIcon(10,25,BLACK);
```

Note that these functions are always far.

### ICON Utilities

#### ICONDEF

ICONDEF is a utility program that allows you to strip the .DEF files from a turbo C source file, include file or Assembler file, provided that the commented /\*.. prefix is still a part of your constants.

Be careful that the Input filename is not the same as one of the definition files. Using a suffix other than .DEF will ensure that the include file is not overwritten while extracting. However, any filenames that do end in .DEF should be copied to a subdirectory if you are not sure about the ICON definition names.

Syntax: ICONDEF MYFILE.INC

Where: MYFILE.INC is the include file generated by ICONINC or any file that embeds the include file.

#### ICONLIB

ICONLIB is for assisting the programmer in combining the definition files into a single library file for maintenance. Use ICONDEF to extract.

## Chapter 3 - Icons

Syntax: ICONLIB \* [.DEF] MYPROG.DLB

Where: \* [.DEF] may use any DOS wild-card specifications.  
MYPROG.DLB may be any library filename.

### ICONINC

ICONINC helps the ICON Editor in generating a large number of Turbo C ICON constants. Multiple icon definitions may be output to a single include file.

Syntax: ICONDEF \* [.DEF] MYFILE.INC

Where: \* [.DEF] may use any DOS wildcards specifications.  
MYFILE.INC may be any include filename.

### ICONASM

ICONASM is for assisting the ICON Editor in generating functions from icon definition files. Multiple functions may be output to a single asm file.

Syntax: ICONASM \* [.DEF] MYPROG.ASM

Where: \* [.DEF] may use any DOS wildcards specifications.  
MYPROG.ASM may be any assembler filename.

ICONS in TEGLIcon module.

There are a number of icons that have been created. The following are included in the "teglsys.h" file.

ImageCREDITS	TEGL Windows Toolkit II
ImageTRASH	A trash can
ImageOK	

### Chapter 3 - Icons

ImageCANCEL	OK button
ImageBLANKBUT	Cancel button
ImageLBUT ImageMBUT ImageRBUT	A blank button for creating your own Used by DrawLongButon to create an extra long button icon.
ImageDOWN	Down arrow.
ImageUP	Up arrow.
ImageRIGHT	Right arrow.
ImageLEFT	Left arrow.
ImageR	Registered Trademark. reg
ImageC	Copyright. copyright
ImageTIGER	A TEGL tiger.
ImageLAST	Last button.
ImageNEXT	Next button.
ImageQUESTION	Question Button.



## Chapter 4 - Frames

### Frames

---

The power and speed of TEGL Windows is most apparent when handling frames. By automatically saving and restoring overlapping images, TEGL Windows is a very powerful tool for creating the illusion of separate multiple windows. Appendix A describes the philosophy behind the TEGL Windows Toolkit.

This chapter provides the basic foundation for creating, manipulating, and attaching related items to a frame.

### Creating, Manipulating, and Dropping Frames

---

#### countframes

---

##### Function

Returns the number of frames currently on the stack.

##### Syntax

```
unsigned countframes(void);
```

---

#### frameexist

---

##### Function

Determines if a frame is on the frame stack.

##### Syntax

```
char frameexist(imagestkptr ifs);
```

##### Remarks

If `ifs` exists then it contains the address of one of the frames on the stack.

##### Example

```
if frameexist(ifs)
    dropstackimage(ifs);
```

## Chapter 4 - Frames

---

### pushimage

---

#### Function

Used to save the background image before clearing and drawing new images in this area. Equivalent to opening a window area.

#### Syntax

```
void pushimage(unsigned x, unsigned y, unsigned x1,
               unsigned y1);
```

#### Remarks

Windows are created by pushing and popping the background image. *x*, *y*, *x1*, *y1* are absolute coordinates starting with 0,0 at the upper left corner of the screen to *getmaxx*, *getmaxy* at the lower right corner.

#### Restrictions

Saving large images can require a lot of memory even with the Virtual Memory Manager. If a program is expected to use most of memory it would be sensible to include specific checks on memory requirements and availability before performing a *PushImage*.

A full screen in EGA mode (640 x 350) requires about 110K of memory, in VGA mode (640 x 480) the requirement is about 150K.

#### See also

*popimage*, *dropstackimage*, *rotatetestackimage*,  
*rotateunderstackimage*

#### Example

The following will create a shadowed box on the upper left screen area. Use the right mouse button to drag the box around.

```
/* samc0401.c */
```

```
#include "teglsys.h"
```

## Chapter 4 - Frames

```
void main()
{
    easytegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);

    teglsupervisor();
}
```

---

### popimage

---

#### Function

Used to restore the top background image after a PushImage. Equivalent to closing a window area.

#### Syntax

```
void popimage(void);
```

#### Remarks

Restores the uppermost image area created by (it pushImage.

#### See also

pushimage, dropstackimage, rotatestackimage,  
rotateunderstackimage

#### Example

This example waits until a mouse button is pressed then calls popimage to restore the background image.

```
/* samc0402.c */
```

```
#include "teglsys.h"
```

```
void main()
{
    easytegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);
    showmouse();
}
```

## Chapter 4 - Frames

```
while( mouse_buttons == 0 );
popimage();

while( mouse_buttons == 0 );
abort_msg("");

}
```

---

### rotatestackimage

---

#### Function

Rotates a frame forward or backward relative to the frames on the screen.

#### Syntax

```
void rotatestackimage(imagestkptr frame1,
                      imagestackptr frame2);
```

#### Remarks

Frames may be rotated to the foreground to allow user input or updates, etc.

A frame may be rotated as the first frame using rotatestackimage.

In order to access an image that is not the most recent pushimage you must save the global variable stackptr right after the pushimage. the saved pointer may be used to manipulate the frame.

#### Restrictions

A frame can only be rotated above a known frame. To rotate a frame below another frame on the stack, use the rotateunderstackimage routine.

#### See also

pushimage, popimage, dropstackimage

#### Example

The following example creates two overlapping frames and waits for a click of a mouse button before rotating the bottom frame to the top.

## Chapter 4 - Frames

```
/* samc0403.c */
#include "teglsys.h"

void main()
{
    imagestkptr fs;

    inittegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);
    fs = stackptr;

    pushimage(50,50,150,150);
    shadowbox(50,50,150,150);

    showmouse();

    while( mouse_buttons == 0 );
    rotatestackimage(fs,stackptr);

    while( mouse_buttons == 0 );
    abort_msg("");
}
```

---

rotateunderstackimage

---

### Function

Rotates a frame forward or backward relative to the frames on the screen. Rotates a frame below frame2.

### Syntax

```
void rotateunderstackimage(imagestkptr frame1,
                           imagestkptr frame2);
```

### Remarks

In order to access an image that is not the most recent pushimage you must save the global variable stackptr right after the pushimage. the saved pointer may be used to manipulate the frame.

## Chapter 4 - Frames

### Restrictions

A frame can only be rotated below a known frame. To rotate a frame above another frame on the stack, use the `rotatestackimage`.

### See also

`pushimage`, `popimage`, `dropstackimage`

### Example

The following example creates two overlapping frames and awaits for a click of a mouse button before rotating the Top frame under the second frame.

```
/* samc0404.c */  
  
#include "teglsys.h"  
  
void main()  
{  
    imagestkptr fs;  
  
    easytegl();  
  
    pushimage(1,1,100,100);  
    shadowbox(1,1,100,100);  
    fs = stackptr;  
  
    pushimage(50,50,150,150);  
    shadowbox(50,50,150,150);  
  
    showmouse();  
  
    while( mouse_buttons == 0 );  
    rotateunderstackimage(stackptr, fs);  
  
    while( mouse_buttons == 0 );  
    abort_msg("");  
  
}
```

---

`dropstackimage`

---

## Chapter 4 - Frames

### Function

Used to close a frame that is not necessarily the topmost image on the stack. Equivalent to closing a window area.

### Syntax

```
void dropstackimage(imagestkptr frame);
```

### Remarks

Restores an image area created by pushimage.

In order to access an image that is not the most recent pushimage you must save the global variable stackptr right after the pushimage. The saved pointer may be used to manipulate the frame.

### See also

pushimage, popimage, rotatestackimage,  
rotateunderstackimage

### Example

The following example creates two overlapping frames and awaits for a click of a mouse button before dropping the bottom frame from the screen.

```
/* samc0405.c */  
  
#include "teglsys.h"  
  
void main()  
{  
    imagestkptr fs;  
  
    easytegl();  
  
    pushimage(1,1,100,100);  
    shadowbox(1,1,100,100);  
    fs = stackptr;  
  
    pushimage(50,50,150,150);  
    shadowbox(50,50,150,150);  
  
    showmouse();  
  
    while( mouse_buttons == 0 );  
    dropstackimage(fs);  
  
    while( mouse_buttons == 0 );  
    abort_msg("");  
  
}
```

hideimage

---

Function

Hides an Image Frame from the screen but retains the current stack position and frontal image.

Syntax

```
void hideimage(imagestkptr frame);
```

Remarks

This procedure may be used in a variety of ways. Blinking a frame by alternating between hideimage and showimage. Moving a frame from one location to another.

See also

showimage

Example

The following example blinks a frame continuously until a mouse button is pressed.

```
/* samc0406.c */
```

```
#include "teglsys.h"
```

```
void main()
```

```
{
    imagestkptr fs;
    unsigned i;

    easytegl();

    pushimage(1,1,50,50);
    shadowbox(1,1,50,50);
    fs = stackptr;
    showmouse();

    i = 20000;

    do
    {
        --i;
```



## Chapter 4 - Frames

```
if (i == 10000)
    hideimage(fs);
if (i == 0)
    {
        showimage(fs,fs->x,fs->y);
        i = 20000;
    }
}
while( mouse_buttons == 0 );
if (i <= 10000)
    showimage(fs,fs->x,fs->y);
}
```

---

showimage

---

### Function

Shows a Hidden Image Frame.

### Syntax

```
void hideimage(imagestkptr frame)
```

### See also

hideimage

### Example

The following example moves a frame from one location to another when a mouse button is pressed.

```
/* samc0407.c */
#include "teglsys.h"

void main()
{
    imagestkptr fs;

    easytegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);
    fs = stackptr;
```

## Chapter 4 - Frames

```
pushimage(50,50,150,150);
shadowbox(50,50,150,150);
showmouse();

while( mouse_buttons == 0 );

hideimage(fs);
showimage(fs,fs->x+100,fs->y+100);

while( mouse_buttons == 0 );
abort_msg("");
}
```

---

### showcoordinates

---

#### Function

An Event that displays the coordinates of a frame.

#### Syntax

```
unsigned showcoordinates(imagestkptr ifs,
    msclickptr ms);
```

#### Remarks

This event displays the coordinates of a frame.

### Preparing a Frame for Update

---

### prepareforpartialupdate

---

#### Function

Prepares a portion of a frame for output. Removes all overlapping images above the partial area that is being updated on the screen.

#### Syntax

## Chapter 4 - Frames

```
void prepareforpartialupdate(imagestkptr frame;  
    unsigned x, unsigned y, unsigned x1, unsigned y1);
```

### Remarks

`x,y,x1,y1` are absolute coordinates starting with 0,0 at the upper left corner of the screen to `getmaxx`, `getmaxy` at the lower right corner.

### Restrictions

The coordinates must be within the absolute frame coordinates. Use the current Frame coordinates + offsets to obtain the correct absolute coordinates.

`prepareforpartialupdate` and `prepareforupdate` can be used on multiple frames (provided the update areas do not overlap) but must be matched by an equal number of calls to `commitupdate`.

### See also

`prepareforupdate`, `commitupdate`

### Example

The following example creates two overlapping frames and awaits for a click of a mouse button before drawing a circle on the bottom frame.

```
/* samc0408.c */
```

```
#include <graphics.h>  
#include "teglsys.h"
```

```
void main()
```

```
{
```

```
    imagestkptr fs;
```

```
    easytegl();
```

```
    pushimage(1,1,100,100);
```

```
    shadowbox(1,1,100,100);
```

```
    fs = stackptr;
```

```
    pushimage(50,50,150,150);
```

```
    shadowbox(50,50,150,150);
```

```
    showmouse();
```

```
    while( mouse_buttons == 0 );
```

```
    prepareforpartialupdate(fs, fs->x, fs->y, fs->x1, fs->y1);
```

```
    setcolor(BLUE);
```

```
    circle(fs->x+48, fs->y+45, 50);
```

```
    commitupdate();
```

## Chapter 4 - Frames

```
while( mouse_buttons == 0 );
abort_msg("");
}
```

---

### prepareforupdate

---

#### Function

Prepares a frame for output. Removes all overlapping images above the frame area that is being updated on the screen.

#### Syntax

```
void prepareforupdate(imagestkptr frame);
```

#### Remarks

Identical to `prepareforpartialupdate`, except the current frame coordinates are passed automatically.

#### Restrictions

`prepareforpartialupdate` and `prepareforupdate` can be used on multiple frames (provided the update areas do not overlap) but must be matched by an equal number of calls to `commitupdate`.

#### See also

`prepareforpartialupdate`, `commitupdate`

#### Example

The following example creates two overlapping frames and awaits for a click of a mouse button before drawing a circle on the bottom frame.

```
/* samc0409.c */

#include <graphics.h>
#include "teglsys.h"

void main()
{
    imagestkptr fs;
```

## Chapter 4 - Frames

```
easytegl();

pushimage(1,1,100,100);
shadowbox(1,1,100,100);
fs = stackptr;

pushimage(50,50,150,150);
shadowbox(50,50,150,150);
showmouse();

while( mouse_buttons == 0 );

prepareforupdate(fs);
setcolor(BLUE);
circle(fs->x+48,fs->y+45,50);
commitupdate();

while( mouse_buttons == 0 );
abort_msg("");

}
```

---

### commitupdate

---

#### Function

Commits update. Replaces all overlapping images above the frame area that was being updated on the screen.

#### Syntax

```
void commitupdate(void);
```

#### Remarks

commitupdate must be used to close the functions prepareforpartialupdate and prepareforupdate.

#### Restrictions

commitupdate must be called an equal number of times for each prepareforpartialupdate and prepareforupdate.

#### See also

## Chapter 4 - Frames

`prepareforpartialupdate, prepareforupdate`

### Example

The following example creates two overlapping frames and awaits for a click of a mouse button before drawing a circle on the bottom frame.

```
/* samc04010.c */

#include <graphics.h>
#include "teglsys.h"

void main()
{
    imagestkptr fs;

    easytegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);
    fs = stackptr;

    pushimage(50,50,150,150);
    shadowbox(50,50,150,150);
    showmouse();

    while( mouse_buttons == 0 );

    prepareforupdate(fs);
    setcolor(BLUE);
    circle(fs->x+48, fs->y+45, 50);
    commitupdate();

    while( mouse_buttons == 0 );
    abort_msg("");
}

```

### Moving a Frame

## Chapter 4 - Frames

### frameselectandmove

---

#### Function

Allows a frame to be moved. This routine is normally called by the teglsupervisor when the right mouse button is held down and the mouse cursor is positioned over a frame.

#### Syntax

```
imagestkptr frameselectandmove(unsigned mxpos,  
                               unsigned mypos);
```

#### Result type

Returns a pointer to the frame that the mouse had selected and moved.

#### Remarks

The movement of the Frame is under the control of the user until the mouse button is released. To move a frame under program control, use movestackimage.

#### Restrictions

This function returns immediately if neither mouse button is held down on entry.

#### See also

setmoverestrictions, setframemobility,  
setmoveframecallproc, movestackimage

#### Example

The following example displays a green mouse cursor and calls frameselectandmove whenever the right mouse button is pressed. The routine exits and changes the mouse cursor back to white when the left mouse button is pressed.

```
/* samc04011.c */
```

```
#include <graphics.h>  
#include "teglsys.h"
```

```
void main()  
{  
    imagestkptr fs;  
  
    easytegl();  
  
    pushimage(1,1,100,100);  
    shadowbox(1,1,100,100);
```

## Chapter 4 - Frames

```
fs = stackptr;

showmouse();
setmousecolor(GREEN);

do
    if (mouse_buttons == 1)
        fs = frameselectandmove(mouse_xcoord, mouse_ycoord);
    while( mouse_buttons != 2 );

setmousecolor(WHITE);
}
```

---

### setautorotate

---

#### Function

Sets the frame stack auto rotate function.

#### Syntax

Macro

```
void setautorotate(char onoff);
```

#### Remarks

Auto rotate is normally set to FALSE. That is, a frame will not automatically rotate to the top of the stack. When set to TRUE any frame that is partially covered will be moved to the top of the stack when teglsupervisor detects a left mouse button click anywhere on the frame.

#### Example

```
/* samc04012.c */

#include <graphics.h>
#include "teglsys.h"

void main()
{
    imagestkptr fs;
```



## Chapter 4 - Frames

```
easytegl();

pushimage(1,1,100,100);
shadowbox(1,1,100,100);
pushimage(50,50,150,150);
shadowbox(50,50,150,150);

setautorotate(TRUE);
showmouse();

teglsupervisor();

}
```

---

### setmoverestrictions

---

#### Function

Sets the minimum and maximum coordinates that a frame may be moved.

#### Syntax

```
Macro
void setmoverestrictions(imagestkptr frame;
    unsigned x, unsigned y, unsigned x1, unsigned y1);
```

#### Remarks

Sets the area that a frame is restricted to when `frameselectandmove` is called.

#### Restrictions

The restriction does not apply when a frame is moved using `movestackimage`.

#### See also

`frameselectandmove`, `setframemobility`,  
`setmoveframecallproc`, `movestackimage`

#### Example

The following sets the frame mobility to the upper half of the screen. Use the right mouse button to move the frame around.

```
/* samc04013.c */
```

## Chapter 4 - Frames

```
#include <graphics.h>
#include "teglsys.h"

void main()
{
    easytegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);

    setmoverestrictions(stackptr,0,0,getmaxx(),getmaxy() / 2);

    teglsupervisor();
}
```

---

### setframemobility

---

#### Function

Toggles the ability for a frame to move.

#### Syntax

Macro

```
void setframemobility(imagestkptr frame, char movable);
```

#### Remarks

When the mobility of a frame is set to off (FALSE), the frame outline will move when `frameselectandmove` is called, however, the frame is not moved to the new location when the mouse button is released.

The default frame mobility is ON (TRUE).

#### Restrictions

The mobility toggle has no effect when a frame is moved using `movestackimage`.

#### See also

`frameselectandmove`, `setmoverestrictions`,  
`setmoveframecallproc`, `movestackimage`

## Chapter 4 - Frames

### Example

The following example toggles a frames mobility to off.

```
/* samc04014.c */  
  
#include <graphics.h>  
#include "teglsys.h"  
  
void main()  
{  
  
    easytegl();  
  
    pushimage(1,1,100,100);  
    shadowbox(1,1,100,100);  
  
    setframemobility(stackptr,FALSE);  
  
    teglsupervisor();  
  
}
```

---

setmoveframecallproc

---

### Function

An event process that is called after an frame has been dragged to a new screen position.

### Syntax

Macro

```
void setmoveframecallproc(imagestkptr frame, callproc p);
```

### Remarks

Can be used for the trash can effect, originating with the MacIntosh, by which file icons are dragged to the trash can to be deleted from the system.

the event may check the mouseclickpos struct (fields ms.x, ms.y, ms.x1, and ms.y1) for the new frame

## Chapter 4 - Frames

location and whether they overlap the desired frame.

### Restrictions

If you wish for the frame to move to the new location, the event must call `movestackimage` before returning.

### See also

`frameselectandmove`, `setmoverestrictions`,  
`setframemobility`, `movestackimage`

### Example

The following is a very simple Event Handler that simply closes the frame if the frame is moved.

```
/* samc04015.c */

#include "teglsys.h"

unsigned poof(imagestkptr ifs, msclickptr ms)
{
    hidemouse();
    dropstackimage(ifs);
    showmouse();
    return(0);
}

void main()
{
    easytegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);

    setmoveframecallproc(stackptr,pooof);

    teglsupervisor();
}
```

---

`movestackimage`

---

## Chapter 4 - Frames

Function	Move a frame to a new screen location.
Syntax	<pre>void movestackimage(imagestkptr frame, unsigned x,     unsigned y);</pre>
Remarks	Used to move a frame under Program control to a new screen location. <i>x</i> and <i>y</i> are absolute coordinates that specify the upper left corner of the frame at the new location.
Restrictions	The coordinates are not validated, so care must be taken to ensure that the resulting coordinates of the lower right corner falls within the screen area.
See also	<code>frameselectandmove</code> , <code>setmoverestrictions</code> , <code>setframemobility</code> , <code>setframecallproc</code>
Example	The following example moves a smaller frame under another larger frame to demonstrate the integrity of stacked images.

```
/* samc04016.c */
#include "teglsys.h"

void main()
{
    imagestkptr fs;
    unsigned i;

    easytegl();

    pushimage(1,1,20,20);
    shadowbox(1,1,20,20);
    fs = stackptr;

    pushimage(50,50,150,150);
    shadowbox(50,50,150,150);

    for(i=0;i<=100;i++)
        movestackimage(fs,fs->x+2,fs->y+2);

    while(mouse_buttons == 0);
    abort_msg("");
}
```

## Chapter 4 - Frames

---

moveframe

---

Function

Moves an Xor wire frame from one location to another.

Syntax

```
moveframe(int *fx, int *fy, int *fx1, int* fy1,
          int rx, int ry, int rx1,int ry1, int color);
```

Remarks

This only moves a wire frame not the actual frame. The mouse button must be held down on entry or this function returns immediately. rx,ry,rx1,ry1 are the starting coordinates. fx,fy,fx1,fy1 are the coordinates when the mouse button is released. color is the wireframe color.

Low Level Frame Functions

---

unlinkfs

---

Function

Disconnects a frame from the stack.

Syntax

```
void unlinkfs(imagestkptr frame);
```

Remarks

UnLinkFS allows you to disconnect a frame from the Image stack to stop any further actions by the frame manager.

This procedure is used throughout the window management routines. It is provided as an external routine only for specialized needs.

Restrictions

This procedure should be used in conjunction with

## Chapter 4 - Frames

hideimage, showimage, createimagebuffer, dropimagebuffer, and linkfs.

If you unlink a frame from the stack without first hiding the frame, the stack manager will not acknowledge the existence of the frame and will overwrite the unlinked frame area.

See also

linkfs, linkunderfs

Example

The following example hides the frame before unlinking and dropping the image.

```
/* samc04017.c */
#include "teglsys.h"

void main()
{
    imagestkptr fs;

    easytegl();

    pushimage(1,1,100,100);
    shadowbox(1,1,100,100);
    fs = stackptr;

    pushimage(50,50,150,150);
    shadowbox(50,50,150,150);

    showmouse();
    while(mouse_buttons == 0);

    hideimage(fs);
    unlinkfs(fs);
    dropimagebuffer(fs);

    while(mouse_buttons == 0);
    abort_msg("");
}
```

## Chapter 4 - Frames

### linkfs

---

Function

Reconnects a frame to the stack.

Syntax

```
void linkfs(imagestkptr frame1, imagestkptr frame2)
```

Remarks

linkfs reconnects frame1 with the frame stack, above frame2.

This procedure is used throughout the window management routines. It is provided as an external routine only for specialized needs.

Restrictions

This procedure should be used in conjunction with `hideimage`, `showimage`, `createimagebuffer`, `dropimagebuffer`, and `unlinkfs`.

See also

`unlinkfs`, `linkunderfs`

Example

The following example performs the same function as `rotatestackimage`.

```
/* samc04018.c */  
  
#include "teglsys.h"  
  
void main()  
{  
    imagestkptr fs;  
  
    easytegl();  
  
    pushimage(1, 1, 100, 100);  
    shadowbox(1, 1, 100, 100);  
    fs = stackptr;  
  
    pushimage(50, 50, 150, 150);  
    shadowbox(50, 50, 150, 150);  
  
    showmouse();  
    while(mouse_buttons == 0);  
  
    hideimage(fs);  
    unlinkfs(fs);  
}
```



## Chapter 4 - Frames

```
linkfs(fs, stackptr);
showimage(fs, fs->x, fs->y);

while(mouse_buttons == 0);
abort_msg("");
}
```

---

### linkunderfs

---

#### Function

Reconnects a frame with the frame stack, below the specified frame.

#### Syntax

```
linkunderfs(imagestkptr frame1, imagestkptr frame2)
```

#### Remarks

linkunderfs reconnects frame1 below frame2.

This procedure is used throughout the window management routines. It is provided as an external routine only for specialized needs.

#### Restrictions

This procedure should be used in conjunction with `hideimage`, `showimage`, `createimagebuffer`, `dropimagebuffer`, and `unlinkfs`.

#### See also

`unlinkfs`, `linkfs`

#### Example

The following example performs the same function as `rotateunderstackimage`.

```
/* samc04019.c */
#include "teglsys.h"

void main()
{
    imagestkptr fs1, fs2;
```

## Chapter 4 - Frames

```
easytegl();

pushimage(1,1,100,100);
shadowbox(1,1,100,100);
fs1 = stackptr;

pushimage(50,50,150,150);
shadowbox(50,50,150,150);
fs2 = stackptr;

showmouse();
while(mouse_buttons == 0);

hideimage(fs2);
unlinkfs(fs2);
linkunderfs(fs2, fs1);
showimage(fs2, fs2->x, fs2->y);

while(mouse_buttons == 0);
abort_msg("");
}
```

---

### createimagebuffer

---

#### Function

Allocates an Image buffer (frame) on the Heap.

#### Syntax

```
void createimagebuffer(imagestkptr *frame,
    unsigned x, unsigned y, unsigned x1, unsigned y1);
```

#### Remarks

This procedure is used throughout the window management routines. It is provided as an external routine only for specialized needs.

#### Restrictions

This procedure should be used in conjunction with `hideimage`, `showimage`, `createimagebuffer`, `dropimagebuffer`, and `unlinkfs`.

#### See also

`dropimagebuffer`

#### Example

## Chapter 4 - Frames

The following example performs the same function as `pushimage`.

```
/* samc04020.c */
#include "teglsys.h"

void main()
{
    imagestkptr fs;

    easytegl();

    createimagebuffer(&fs, 1, 1, 100, 100);
    linkfs(fs, stackptr);
    getbiti(1, 1, 100, 100, fs->imagesave);
    shadowbox(1, 1, 100, 100);

    showmouse();
    teglsupervisor();
}
```

---

### dropimagebuffer

---

#### Function

Frees the memory used by the frame on the heap.

#### Syntax

```
void dropimagebuffer(imagestkptr frame);
```

#### Remarks

This procedure is used throughout the window management routines. It is provided as an external routine only for specialized needs.

#### Restrictions

This procedure should be used in conjunction with `hideimage`, `showimage`, `createimagebuffer`, `dropimagebuffer`, and `unlinkfs`.

#### See also

`createimagebuffer`

## Chapter 4 - Frames

### Example

The following example performs the same function as `popimage`.

---

### `getfsimage`

---

#### Function

Retrieves the screen image within a stacked frame.

#### Syntax

```
void getfsimage(unsigned x, unsigned y,  
                imagestkptr frame);
```

#### Result type

Returns a (non-stacked) frame containing the screen image and other related frame information.

#### Remarks

The (non-stacked) frame may be used for replication or it can be merged with other frames.

#### See also

`putfsimage`

### Example

The following example creates a single frame and replicates the frame.

---

### `putfsimage`

---

## Chapter 4 - Frames

Function	Places the frame saved image anywhere on the screen.
Syntax	<pre>void putfsimage(unsigned x, unsigned y,                imagestkptr frame, unsigned rwbits);</pre>
Remarks	<code>rwbits</code> are constants defined in "teglsys.h" which define how the images are placed on the screen.
FGNORN	replaces screen area with frame image
FGAND	AND's screen area with frame image. Toggles off screen areas that do not have a frame image. Creates an outline of the frame image.
FGOR	OR's screen area with frame image. Toggles on empty screen areas that have a frame image. Creates a solid frame image.
FGXOR	XOR's screen area with frame image.
FGNOT	Inverts frame image and replaces screen area with image.
See also	<code>getfsimage</code>
Example	The following example creates a single frame and replicates the frame.

---

### freeimagebuffer

---

Function	Frees up the memory allocated for a frame buffer.
Syntax	<pre>void freeimagebuffer(imagestkptr ifs);</pre>
Remarks	

## Chapter 4 - Frames

This is generally an internal function. Do not use it unless you have a clear understanding of inner workings of the frame stack.

---

### getpartialfrontimage

---

#### Function

Gets the partial image of a frame and returns a pointer to a temporary buffer.

#### Syntax

```
imagestkptr getpartialfrontimage(imagestkptr frame,  
    unsigned x, unsigned y, unsigned x1, unsigned y1);
```

#### Remarks

This is a safer way to get the partial image of a frame than using GetBiti. Overlapping frames are partially removed and then restored before returning.

---

### getfrontimage

---

#### Function

Get the image of a frame and returns a pointer to a temporary buffer.

#### Syntax

```
Macro  
imagestkptr getfrontimage(imagestkptr ifs);
```

#### Remarks

This is a safer way to get the image of a frame than using GetBiti. Overlapping frames are partially removed and then restored before returning.

---

### pageinfs

## Chapter 4 - Frames

---

### Function

Read an image into memory.

### Syntax

```
void pageinfs(imagestkptr ifs);
```

### Remarks

If the image is already in memory then no action is taken.

### See also

pageoutfs.

### Example

This example checks to see if the image is in memory first before attempting to read it in. note that pageinfs check this automatically before reading in an image.

```
if ifs->imagepageout then    /* the image is not in memory */
    pageinfs(ifs);
```

---

## lockimage

---

### Function

Locks an frame image into memory.

### Syntax

```
Macro
void lockimage(imagestkptr ifs);
```

### Remarks

The image is read into memory if required. The lock is maintained until a specific call is made to unlockimage.

Lock image can be used where it is desirable to replicate an image on the screen repeatedly. After it is locked then it can be placed on the screen with a call to putbiti.

### Restrictions

This should be used with caution especially if you are

## Chapter 4 - Frames

locking in a large image. You can fragment the heap and the Virtual Memory Manager may not be able to allocate a large enough memory block for subsequent image swaps.

See also

`unlockimage`, `useimage`, `unuseimage`

Example

If the image is less than 64k then it can be copied to Turbo's heap and then the image can be unlocked reducing the chance of a heap error.

---

### pageoutfs

---

Function

Page out a frame image.

Syntax

```
pageoutfs(imagestkptr ifs);
```

Remarks

If the image is successfully paged out to ems or disk then `teglfreemem` is called to free up the memory used.

Restrictions

If `ifs` is in use, or locked or already paged out then no action is taken.

See also

`pageinfs`.

Example

```
pageoutfs(ifs);  
if (ifs->imagepageout) /* success */  
  
    else ; /* failure */
```



setimagecoordinates

---

Function

Sets the frame pointer to a new set of coordinates.

Syntax

Macro

```
void setimagecoordinates(imagestkptr ifs,  
    unsigned x, unsigned y, unsigned xl, unsigned yl);
```

Remarks

A frame's coordinates should not be changed if it is visible.

---

pageoutimagestack

---

Function

Requests the virtual memory manager to page out images to make a chunk of memory available.

Syntax

```
char pageoutimagestack(unsigned long mem);
```

Remarks

mem is the amount of memory required. A large value for mem will result in all image buffers being paged out. This function returns true if the amount of memory requested has been freed.

Restrictions

Large amounts of memory are required to process image swapping. If you allocate too much and don't free it up as quickly as possible you may get a heap error.

Example

```
/* -- force all imagebuffers to disk */  
if (pageoutimagestack(512000)) ; /* -- ignore result */  
/* -- do whatever needs that much memory */  
supersortmemuse(256000);  
supersort();  
/* -- release it before working with windows again */
```

## Chapter 4 - Frames

```
supersortfreemem();
```

---

### unlockimage

---

#### Function

Unlocks a frame image.

#### Syntax

Macro

```
unlockimage(imagestkptr ifs);
```

#### Remarks

unlock simply sets a flag in the imagestkptr. After unlocking, the Virtual Memory Manager can swap the image to EMS or Disk as required. If the image wasn't locked then no action is taken.

#### Restrictions

see restrictions for lockimage.

#### See also

lockimage, useimage, unuseimage.

#### Example

see example for lockimage.

---

### unuseimage

---

#### Function

Flags a frame image as no longer in use.

#### Syntax

Macro

```
unuseimage(var ifs : imagestkptr);
```

#### Remarks

This should be called as soon as possible after a useimage to keep as much memory free for the virtual memory manager.

## Chapter 4 - Frames

See also

`useimage`, `lockimage`, `unlockimage`.

Example

```
useimage(ifs);
/* -- do something with it */

/* -- then let the memory manager swap it out if required */
unuseimage(ifs);
```

---

`useimage`

---

Function

Makes an image available for use.

Syntax

```
Macro
useimage(var ifs : imagestkptr);
```

Remarks

The frame image is read into memory if not already there and then flagged as being in use.

Restrictions

if you do `prepareforupdate` then the in use flag is set to false.

See also

`unuseimage`, `lockimage`, `unlockimage`.

Example

```
useimage(ifs);
/* -- do something with it */

/* -- then let the memory manager swap it out if required */
unuseimage(ifs);
```

## Chapter 4 - Frames

### Mouse Click Areas

Mouse click areas are those places on the screen where we sense if the mouse pointer has passed over or has been clicked on. Frames can have mouse click areas on them that are, of course, only available if the frame is visible and the mouse click area is uncovered.

The sensitivity of the mouse click area has two levels. The most sensitive is MSSENSE where just having the mouse pointer pass over the area causes an action. The other level is MSCLICK where the mouse pointer must be over the mouse click area and the left mouse button has been pressed.

---

### definemouseclickarea

---

#### Function

Attaches an sensitive area of a frame to an event function.

#### Syntax

```
void definemouseclickarea(imagestkptr ifs, unsigned x,  
    unsigned y, unsigned x1, unsigned y1, char active,  
    callproc p, char sense);
```

#### Remarks

ifs is any imagestkptr. the x, y, x1, y1 are coordinates relative to a frame. This means that the upper left corner of a frame is considered 0,0.

active is a boolean flag to indicate whether the Mouse Click Area is an active entry TRUE or a place holder FALSE in a list of mouse clicks. A place holder is simply a defined entry with no action recognized.

p is the event to call when the Mouse Click Area is activated, either by the mouse pointer passing by the click areas or a mouse click occurring on an click area.

nilunitproc may be used to define a no-event handler. This may be used in conjunction with the functions findframe and checkmouseclickpos to check for the respective mouse click activation.

## Chapter 4 - Frames

`nilunitproc` may also be used as a temporary parameter. use `resetmsclickcallproc` to add the proper event handler later.

`sense` is either `MSENSE` or `MSCLICK`. `MSSense` activates the event handler whenever the mouse cursor passes over the defined mouse click areas. `MSCLICK` requires the right mouse button to be pressed while the mouse cursor is on the mouse click area.

### Restrictions

The number of mouse click areas is limited only by memory. Overlapping click area take priority over underlying click areas.

The coordinates of a Mouse click area must reside within the Frame, otherwise the click areas are not recognized.

### See also

`findmouseclickptr`, `resetmouseclicks`,  
`resetmsclicksense`, `resetmsclickcallproc`,  
`resetmsclickactive`, `checkmouseclickpos`

### Example

The following example creates a frame that attaches an 'OK' icon with an Event Handler called `DropBoxOption` which simply closes the frame and exits.

The function `CheckforMouseSelect` is used to create the illusion of a button being pressed when clicked on.

---

`findmouseclickptr`

---

### Function

Searches for a Mouse Click Pointer associated with a Mouse Click Number.

### Syntax

```
msclickptr findmouseclickptr(imagestkptr ifs,  
    unsigned clicknumber);
```

### Result type

## Chapter 4 - Frames

Returns a mouse click pointer (`msclickptr`), pointing to a Mouse Click Structure.

### Remarks

Click Numbers are in the order that you define the Mouse Click areas. The first `definemouseclickarea` is known as Click Number 1, the second is Click Number 2, etc..

In certain instances it is easier to advance through the mouse click areas by Click Numbers. However, most functions, including the calling of Events, pass the Mouse Click Pointer.

To translate a Mouse Click Pointer back to a Click Number, use the Mouse Click Pointer fields ie. `clicknumber := mouseclickpos->clicknumber` where `mouseclickpos` is of type `msclickptr`.

### Restrictions

`findmouseclickptr` returns a NULL if the `clicknumber` is not found. Compare the resulting `msclickptr` with NULL before referencing the structure.

### See also

`definemouseclickptr`, `resetmouseclicks`,  
`resetmsclicksense`, `resetmsclickcallproc`,  
`resetmsclickactive`, `checkmouseclickpos`

### Example

The following example defines an array of 100 Mouse Click Areas. You may click with the left mouse button on the individual tiles to produce a sound, or on the 'OK' to produce a series of sounds.

The function `findmouseclickptr` is used within the event handler `playallnotes` to translate a random click number into a note.

The function `checkformouseselect` is used to create the illusion of a button being pressed when clicked on.

---

`resetmsclickactive`

---

## Chapter 4 - Frames

### Function

Resets the active flag to indicate whether a Mouse Click Area Entry is active or inactive.

### Syntax

```
void resetmsclickactive(imagestkptr ifs,  
    unsigned mouseclicknumber, char active);
```

### Remarks

The mouseclicknumber is in the order that you defined the mouse click areas. the first definemouseclickarea is known as mouseclicknumber 1, the second is mouseclicknumber 2, etc..

active is a boolean flag to indicate whether the mouse Click Area is an active entry (TRUE) or a place holder (FALSE) in a list of mouse clicks. A place holder is simple a defined entry with no action recognized.

### Restrictions

if the mouseclicknumber is invalid, the flag is not updated.

### See also

```
definemouseclickptr, resetmouseclicks,  
findmouseclickptr, resetmsclicksense,  
resetmsclickcallproc, checkmouseclickpos
```

### Example

This example creates an array of 10 buttons which all point to the same event handler switchon. the active flag for a pressed button is turned off to prevent multiple calls to switchon, until another button is pressed. resetmsclickactive is used within switchon to toggle the button active state.

---

## resetmsclickcallproc

---

### Function

Changes the Event Handler for a Mouse click to another Event Handler.

## Chapter 4 - Frames

### Syntax

```
void resetmsclickcallproc(imagestkptr ifs,  
    unsigned mouseclicknumber, callproc p);
```

### Remarks

mouseclicknumbers are in the order that you define the mouse click areas. the first definemouseclickarea is known as mouseclicknumber 1, the second is mouseclicknumber 2, etc..

p is the event to pass control to when the mouse click area is activated.

nilunitproc may be used to define a no-event handler. This may be used in conjunction with the functions findframe and checkmouseclickpos to check for the respective mouse click activation.

nilunitproc may also be used to deactivate an event handler.

### See also

```
definemouseclickptr, resetmouseclicks,  
findmouseclickptr, resetmsclicksense,  
resetmsclickactive, checkmouseclickpos
```

### Example

This example switches between two events that play a different series of sounds. The function checkformouseselect is used to create the illusion of a button being pressed when clicked on.

---

## resetmouseclicks

---

### Function

Removes a chain of mouse click areas from a frame.

### Syntax

```
void resetmouseclicks(imagestkptr frame,  
    msclickptr clickptr)
```

### Remarks

the clickptr parameter is the last click pointer from



## Chapter 4 - Frames

where the remainder of the chain of click areas will be removed.

A parameter of NULL removes the Mouse Click Area chain completely.

### Restrictions

the clickptr should be a valid mouseclickptr. Use findmouseclickptr to locate a valid pointer.

if clickptr is invalid, the parameter will be treated as NULL.

### See also

definemouseclickptr, findmouseclickptr, resetmsclicksense, resetmsclickcallproc, resetmsclickactive, checkmouseclickpos

### Example

The following example displays a varying number of bars that can be selected. The Event Handler showbarlist plays a sound corresponding to the bar selected and clears the frame and re-displays a new series of bars.

---

## resetmsclicksense

---

### Function

resets the sense parameter associated with a mouse Click Area.

### Syntax

```
void resetmsclicksense(imagestkptr ifs, char newsense;)
```

### Remarks

newsense is either MSSENSE or MSCLICK. MSSENSE activates the event handler whenever the mouse cursor passes over the defined mouse click areas. MSCLICK requires the right mouse button to be pressed while the mouse cursor is on the mouse click area.

### Restrictions

resetmsclicksense resets the sense type for the chain of all Mouse Clicks. If you have a mixture of different

## Chapter 4 - Frames

senses, use a combination of `findmouseclickptr` and field settings to reset the sense.

See also

`definemouseclickptr`, `resetmouseclicks`,  
`findmouseclickptr`, `resetmsclickcallproc`,  
`resetmsclickactive`, `checkmouseclickpos`

Example

The following example requires a menu selection to toggle between the menu dropping down automatically or requiring a mouse click on the menu bar.

Keyboard

---

`clearkeyboardbuf`

---

Function

Clears the hardware keyboard buffer.

Syntax

Macro  
`void clearkeyboardbuf(void);`

See also

`clearteglkeyboardbuf`.

---

`clearteglkeyboardbuf`

---

Function

Clears the software buffer maintained by the

## Chapter 4 - Frames

Toolkit.

Syntax

Macro

```
void clearteglkeyboardbuf(void);
```

Remarks

This will discard all pending keystrokes.

---

defineglobalkeyclickarea

---

Function

Flexible keycode assignment.

Syntax

```
void defineglobalkeyclickarea(imagestkptr ifs,  
    msclickptr ms, unsigned keycode, char repeatkey,  
    callproc,p
```

Remarks

ifs is the frame and ms is the mouse click area the key is assigned to, these are passed to p.

If ifs and ms are set to nil then the frame and mouse click area that the mouse pointer is over are passed to p. If the mouse pointer is not over a frame then Nil is passed to p.

If repeatkey is set TRUE then addition key presses are buffered, otherwise, they are discarded.

A special case for this routine is passing 0 as the keycode parameter. In this case any key that is not being trapped for will activate p. The key pressed can be determined by using getch.

Restrictions

Only the most recently declared key is trapped if a key is trapped more than once.

See also

definelocalkeyclickarea.

---

definelocalkeyclickarea

## Chapter 4 - Frames

---

### Function

Assign a keycode to a frame and mouse click area.

### Syntax

```
void definelocalkeyclickarea(imagestkptr ifs,  
    msclickptr ms, unsigned keycode, char repeatkey,  
    callproc p);
```

### Remarks

ifs is the frame and ms is the mouse click area the key is assigned to, these are passed to p.

If repeatkey is set TRUE then additional key presses are buffered otherwise they are discarded.

Within a frame definelocalkeyclickarea has priority over defineglobalkeyclickarea.

### See also

defineglobalkeyclickarea.

---

## dropkeyclick

---

### Function

Removes a key trap.

### Syntax

```
void dropkeyclick(imagestkptr ifs, unsigned keycode,  
    callproc p):
```

### Remarks

If ifs is not NULL then the frame's local key stack is searched first. If the key is not found then the search proceeds to the global key stack.

p must match the callproc that the key was originally assigned to.

---

## findkeyclickptr

---

## Chapter 4 - Frames

### Function

Locates a key assignment.

### Syntax

```
keyclickptr findkeyclickptr(imagestkptr ifs,  
    unsigned keycode);
```

### Remarks

If ifs is not NULL then the frame's local key stack is searched first. If the key is not found then the search proceeds to the global key stack keystackptr.

if the keycode is not found then NULL is returned.

---

### resetkeyclickcallproc

---

### Function

Changes the callproc a key is assigned to.

### Syntax

```
void resetkeyclickcallproc(imagestkptr ifs,  
    unsigned keycode, callproc p);
```

### Remarks

If ifs is not NULL then the frame's local key stack is searched first. If the key is not found then the search proceeds to the global key stack keystackptr.

If keycode is not found then no action is taken.

## Chapter 5 - Menus

### Drop Down, Pop Up Menus

---

The Menu unit is good example of an event library that you can add to the power of TEGl Windows. The generic pull-down or drop-down menus provides a wide range of menu architecture that will meet most application needs.

A Menu event uses the standard `outtegltextxy` and `definemouseclickarea` functions to list and to create additional mouse click areas on the screen.

Even though the menu unit is comprehensive, TEGl Windows Toolkit II is not limited to a standard architecture of menus. The menu unit may be used as an example in creating other types of menu events; such as hanging menus which are not dependent on a bar type selection; or an icon menu, that when clicked on explodes to display a box full of icons that can be selected from.

The entries for the menu unit are created and linked at run-time. The entries may be manipulated, copied, or deleted as required within the program. In comparison, some systems offer a external menu compiler which links the menu with the program at compile time. The advantages to an external menu compiler are minimal, and it adds another step in creating a menu system.

The advantages to creating dynamic menus at run-time, is the ability to create a menu system that is based on an external text file (ie. the menu text selections may be stored in a text file and read in at run-time to create a menu).

#### Creating a Menu

Creating a bar menu is a two step process. The first is to create the entry text list that is associated with a option menu. The second is the creation of the menu bar from which option menus may be selected. You may use the first step by itself to attach an Option Entry list to icon, instead of a bar.

#### Creating a entry text list

An entry text list is simply an linked chain of text entries, with a root entry for each text list.

```
+-----+           +-----+---+           +-----+---+
|AnchorMPtr|----->|OptionMenu |01|----->|OptionMenu |02|----->nil
+-----+           +-----+---+           +-----+---+
                        *                       *
```

## Chapter 5 - Menus

```

+-----+-----+
|OptionEntry|01|
+-----+-----+
*
+-----+-----+
|OptionEntry|02|
+-----+-----+
*
+-----+-----+
|OptionEntry|03|
+-----+-----+
*
nil

```

```

+-----+-----+
|
| typedef struct optionmenu {
|     optionmptr      nexttom;-----+
|     unsigned        numofentries; |
|     unsigned        maxwidth;      +-----+
|     unsigned        padding;
|     fontptr         fonttype;
|     +----- optionepr      firstentry;
|     |           optionepr      currententry;
|     } optionmenu;
|
+-----+-----+
*
+-----+-----+
|
| typedef struct optionentry {
|     +----- optionepr      nextoe;      +-----+
|     |           char         entryline[41];
|     |           char         entryactive;
|     |           int          entrycolor;
|     |           callproc     entrycallproc;
|     } optionentry;
|
+-----+-----+
*

```


OM is a short form for an optionmenu structure. This is the header or the root entry for an entry list. The header contains information regarding the number of entries, the maximum width of the entries, the amount of padding on left and right when displayed and the font type that is used. By duplicating the header with a different set of parameters, an Option Entry list may be chained to two or more headers to allow for different fonts.

```

+-----+-----+
---->|OptionMenu|----->|OptionMenu|---->
+-----+-----+

```

## Chapter 5 - Menus



OE is a short form for an optionentry structure. There is no limit to the number of OE records that a list can contain, with the exception that the number of entries cannot be greater than the size of the screen when the OE list is displayed. This is a limitation of the ListOptionMenu functions within the Menu unit and the screen vertical size, rather than a maximum entry limitation. The ListOptionMenu event could be modified to accommodate lists greater than the screen size by displaying a portion of a list and adding another event to display the remainder.

The OE record contains the entry (text) line, as well as information on whether the entry line is active or inactive (place holder), its color, and the event that is called when it is selected.

---

### createoptionmenu

---

#### Function

Creates an Option Menu header.

#### Syntax

```
optionmptr createoptionmenu(fontptr fonttype);
```

#### Result type

Returns a Option Menu pointer type.

#### Remarks

fonttype is one of the fonts in the font library.

The option menu header is used to build and reference the option entry list. Use this om pointer when calling the function defineoptions.

#### Restrictions

To create multiple om headers with different fonts on a single oe list, use createshadowom to automatically create and link the oe list to a new om header.

#### See also

defineoptions, createshadowom



## Chapter 5 - Menus

### Example

```
optionmptr om1, om2;  
om1 = createoptionmenu(font14);  
om2 = createoptionmenu(script);
```

---

### defineoptions

---

#### Function

Adds Option Entries to an Option Menu.

#### Syntax

```
void defineoptions(optionmptr om, char *entrystr,  
char active, callproc p);
```

#### Remarks

The om pointer must be defined by createoptionmenu before option entries may be added.

entrystr is the text string to be displayed when the option menu is opened. The entrystr has two types of control character which may be embedded as part of the string. The q - is used to display a dotted separator line between options. To underline a character or a series of characters, add the value of 128 to the ascii value. The underline character is only valid for characters that do not have descenders.

Active specifies whether this entry is active (can be selected) or not active. Inactive entries are displayed as jagged characters.

p defines the Event that is associated with this menu entry. The p is attached automatically to the option entry when the option menu is displayed.

#### Restrictions

## Chapter 5 - Menus

There are no limitations on the number of entries that can be defined under a single om header. However, too many entries will list past the bottom of the screen.

See also

`createoptionmenu`, `createshadowom`, `underlinechar`

Example

```
optionmptr om1;

om1 = createoptionmenu(font14);
defineoptions(om1, "Desktop info...", TRUE, infooption);
defineoptions(om1, "--", FALSE, NULL);
defineoptions(om1, "Calculator", TRUE, NULL);
defineoptions(om1, "Clock", TRUE, NULL);
defineoptions(om1, "Snapshot", TRUE, NULL);
```

---

`createshadowom`

---

Function

Creates a duplicate Option Menu Header with a different Font type.

Syntax

```
optionmptr createshadowom(optionmptr om,
    fontptr fonttype);
```

Result type

Returns a new Option Menu pointer type.

Remarks

om must be an existing optionmenu pointer.  
fonttype is one of the fonts in the font library.

Restrictions

The original om pointer must be defined by `createoptionmenu` before a duplicate option menu header may be created.

See also

`createoptionmenu`, `resizeoptionmenu`

Example

## Chapter 5 - Menus

```
optionmptr om1,om2;

om1 = createoptionmenu(font14);
defineoptions(om1,"Desktop info...",TRUE,infooption);
defineoptions(om1,"--",FALSE,NULL);
defineoptions(om1,"Calculator",TRUE,NULL);
defineoptions(om1,"Clock",TRUE,NULL);
defineoptions(om1,"Snapshot",TRUE,NULL);

om2 = createshadowom(om1,script);
```

---

### resizeoptionmenu

---

#### Function

Allows an Option Menu header to recalculate the size of the option menu window when changing the font type.

#### Syntax

```
void resizeoptionmenu(optionmptr om, fontptr fonttype);
```

#### Remarks

om must be an existing optionmenu pointer.  
fonttype is one of the fonts in the font library.

#### See also

createoptionmenu, createshadowom

#### Example

```
optionmptr om1;

om1 = createoptionmenu(font14);
defineoptions(om1,"Desktop info...",TRUE,infooption);
defineoptions(om1,"--",FALSE,NULL);
defineoptions(om1,"Calculator",TRUE,NULL);
defineoptions(om1,"Clock",TRUE,NULL);
```

## Chapter 5 - Menus

```
defineoptions(om1,"Snapshot",TRUE,NULL);

resizeoptionmenu(om1,script);
/* -- Changes the font type Font14 to Script */
```

---

### togglecheckmark

---

#### Function

Changes the first character of an entry string to 0x30 (check mark) or a 0x32 (space).

#### Syntax

```
void togglecheckmark(unsigned omnum, unsigned oenum,
    char status);
```

#### Remarks

omnum is the position of the option menu header relative to the anchoromptr. oenum is the position of the option entry relative to the om header.

status of 1 will change the first character of the entry to a checkmark, 0 will change the character to a space.

#### See also

toggleentrystatus, replaceoptiontext

#### Example

```
optionmptr om1;

om1 = createoptionmenu(font14);
defineoptions(om1," Show as icons ",TRUE,viewoptiontoggle);
defineoptions(om1," Show as text ",TRUE,viewoptiontoggle);
defineoptions(om1,"-",FALSE,NULL);
defineoptions(om1," Sort by name ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by date ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by size ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by type ",TRUE,viewoptiontoggle);

togglecheckmark(1,7,TRUE);
```

## Chapter 5 - Menus

```
/* puts a check mark at the front of Sort by Type */
```

---

### toggleentrystatus

---

#### Function

Sets an Option entry to active or not active.

#### Syntax

```
void toggleentrystatus(unsigned omnum, unsigned oenum,  
    char status);
```

#### Remarks

omnum is the position of the option menu header relative to the anchoromptr.

oenum is the position of the option entry relative to the om header.

status of 1 will set the entry as active, 0 will set the entry to nonactive. active specifies whether this entry is active (can be selected) or nonactive. Nonactive entries are displayed as jagged characters.

#### See also

togglecheckmark, replaceoptiontext

#### Example

```
optionmptr om1;  
  
om1 = createoptionmenu(font14);  
defineoptions(om1, "Desktop info...", TRUE, infooption);  
defineoptions(om1, "--", FALSE, NULL);  
defineoptions(om1, "Calculator", TRUE, NULL);  
defineoptions(om1, "Clock", TRUE, NULL);  
defineoptions(om1, "Snapshot", TRUE, NULL);  
  
toggleentrystatus(1, 5, FALSE); /* toggles snapshot off */
```

---

replaceoptiontext

---

Function

Replaces Option entry string by another text string.

Syntax

```
void replaceoptiontext(unsigned omnum, unsigned oenum,  
    char *entrystr);
```

Remarks

omnum is the position of the option menu header relative to the anchoromptr.

oenum is the position of the option entry relative to the om header.

entrystr is a replacement text string that will be displayed when the Option menu is opened. The entrystr has two types of control character which may be embedded as part of the string. The q - is used to display a dotted separator line between options. To underline a character or a series of characters, add the value of 128 to the ascii value. The underline character only works with characters that do not have descenders.

See also

togglecheckmark, toggleentrystatus

Example

```
optionmptr om1;  
  
om1 = createoptionmenu(fontl4);  
defineoptions(om1, "Desktop info...", TRUE, infooption);  
defineoptions(om1, "--", FALSE, NULL);  
defineoptions(om1, "Calculator", TRUE, NULL);  
defineoptions(om1, "Clock", TRUE, NULL);  
defineoptions(om1, "Snapshot", TRUE, NULL);  
  
/* -- Replaces "Snapshot" with "Picture" */  
replaceoptiontext(1, 5, "Picture");
```

## Chapter 5 - Menus

---

### toggleoptionbar

---

Function

Inverts mouse click areas.

Syntax

```
void toggleoptionbar(imagestkptr ifs, msclickptr,
    opt, msclickptr lastopt);
```

Remarks

opt and lastopt mouse click areas are inverted. It is assumed that lastopt has already been inverted and this call would return it to normal.

---

### setoptionmenucolors

---

Function

Changes the menu entry colors.

Syntax

```
Macro
setoptionmenucolors(unsigned activecolor,
    unsigned inactivecolor);
```

Remarks

activecolor is the text color for active entries.

inactivecolor is the text color for entries that are currently inactive but have entry positions within the menu.

See also

setoptionmenubordercolor

Example

```
setoptionmenucolors(BLACK, LIGHTGRAY);
```

## Chapter 5 - Menus

---

### setoptionmenubordercolor

---

#### Function

Changes the color of the option menu border.

#### Syntax

Macro

```
void setoptionmenubordercolors(unsigned color);
```

#### Remarks

color is the color of the border.

#### See also

setoptionmenucolors

#### Example

```
setoptionmenubordercolor(WHITE);
```

---

### sethidesubmenu

---

#### Function

Toggles the hiding of sub menus.

#### Syntax

```
void sethidesubmenu(char onoff);
```

#### Remarks

Default is true. When a submenu is pulled down from a bar menu it is normally hidden when a selection is made. If set to 0 then the pulldown is left displayed until the selection that was made returns.

#### Example

```
sethidesubmenu(TRUE);
```



## Chapter 5 - Menus

### Creating a Bar Menu

A bar menu is one of the more popular methods of creating a user interface. As mentioned before, a bar menu is simply another event with the event handler set to `baroptionmenu`. `baroptionmenu` is activated whenever the mouse cursor passes by the one of the defined mouse click areas on the bar.

when `baroptionmenu` is activated, `optionmenuselection` is called in place of the `tegl supervisor`.

There are three activities within a menu system that require a rewrite of the `tegl supervisor`. `optionmenuselection` checks if

- The mouse is clicked outside the menu bar or menu window thus closing any active menus and returning back to the TEGL supervisor.

- Sensing the mouse cursor movement to another bar entry, thus closing any active menu and opening another menu window.

- Sensing the mouse cursor moving to another entry within a menu and highlighting the entry.

---

### createbarmenu

---

#### Function

Creates a Bar window frame.

#### Syntax

```
void createbarmenu(unsigned x, unsigned y,  
                  unsigned ln);
```

#### Remarks

`x, y` is the position of the bar menu frame.

`ln` is the pixel length of the bar.

#### See also

`outbaroption`

#### Example

## Chapter 5 - Menus

```
createbarmenu(0,0,getmaxx);
```

---

### outbaroption

---

#### Function

Attaches an option menu (list) to a displayed text string on the BAR.

#### Syntax

```
void outbaroption(char *entrystr, optionmptr om);
```

#### Remarks

entrystr is the bar text header that is associated with the om list.

om is the option menu header returned from createoptionmenu.

#### See also

createbarmenu

#### Example

```
optionmptr om1;

om1 = createoptionmenu(font14);
defineoptions(om1," Show as icons ",TRUE,viewoptiontoggle);
defineoptions(om1," Show as text ",TRUE,viewoptiontoggle);
defineoptions(om1,"-",FALSE,NULL);
defineoptions(om1," Sort by name ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by date ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by size ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by type ",TRUE,viewoptiontoggle);

createbarmenu(0,0,getmaxx);
outbaroption(" Options ",om1);
```

## Chapter 5 - Menus

### setbartextcolor

---

Function

Changes the default text color on the bar.

Syntax

Macro

```
void setbartextcolor(unsigned color);
```

Remarks

color is the default text color on the bar.

See also

setbarmenucolor, setbarbordercolor

Example

```
setbartextcolor(GREEN);
```

---

### setbarmenucolor

---

Function

Changes the bar color.

Syntax

Macro

```
void setbarmenucolor(unsigned color);
```

Remarks

color is the default color for the bar.

See also

setbarmenucolor, setbarbordercolor

Example

```
setbarmenucolor(BLUE);
```

---

### setbarbordercolor

---

## Chapter 5 - Menus

Function Changes the bar border color and toggles the border on.

Syntax Macro  
`void setbarbordercolor(unsigned color);`

Remarks color is the default border color for the bar.

See also `setbartextcolor, setbarborderoff`

Example

```
setbarbordercolor(GREEN);
```

---

setbarborderoff

---

Function Toggles the bar border off.

Syntax Macro  
`void setbarborderoff(void);`

Remarks `setbarbordercolor` resets the border on.

See also `setbarbordercolor, setbartextcolor`

Example

```
setbarborderoff(void);
```

---

setbarshadowtext

---

## Chapter 5 - Menus

### Function

Toggles Bar Shadow Text on/off.

### Syntax

Macro

```
void setbarshadowtext(char onoff)
```

### Remarks

onoff is either 1 for on and 0 for off.

### Example

```
setbarshadowtext(TRUE);
```

---

## setbarfillstyle

---

### Function

Sets the Bar Fill Style.

### Syntax

Macro

```
void setbarfillstyle(unsigned pattern);
```

### Remarks

Sets the pattern for the bar. The fill patterns are defined by constants in graphics.h.

pattern is a numeric type.

### See also

setfillstyle graphics.h.

### Example

```
setbarfillstyle(BKSLASH_FILL);
```

---

## setbarmenumargin

---

## Chapter 5 - Menus

### Function

Sets the left margin on the barmenu.

### Syntax

```
Macro  
void setbarmenumargin(unsigned margin);
```

### Remarks

margin is the desired left margin where the menu selections start at. This value is in pixels and the default is 16.

Can be used if a icon or some symbol should be displayed at the extreme left of the menu.

### Example

```
setbarmenumargin(32);
```

## Icon Option Menus

Optionally you can attach a menu to an icon or an area of a frame.

The following function adds a drop down menu to any frame area.

---

### defineoptionclickarea

---

### Function

Attaches an option menu (list) to a frame or icon area.

### Syntax

```
void defineoptionclickarea(imagestkptr ifs,  
    unsigned x, unsigned y, unsigned x1, unsigned y1,  
    optionmptr om, char sense, unsigned char omtyp);
```

### Remarks

ifs is any imagestkptr. x, y, x1, y1 are coordinates relative to a frame. This means that the upper left corner of a frame is considered 0,0.

om is the option menu header returned from createoptionmenu.

sense is either MSSENSE or MSCLICK. MSSENSE activates the menu event handler whenever the mouse

## Chapter 5 - Menus

cursor passes over the defined mouse click areas. MSCLICK requires the right mouse button to be pressed while the mouse cursor is on the mouse click area.

omtype is the enumerated type of UPPERRIGHT, UPPERLEFT, LOWERRIGHT, and LOWERLEFT, which specifies whether the menu pop-down at the upper right or upper left corner, or pop-up at the lower right or lower left corner.

See also

definouseclickarea, resetoptionmenuevents

Example

```
optionmptr om1;

om1 = createoptionmenu(font14);
defineoptions(om1," Show as icons ",TRUE,viewoptiontoggle);
defineoptions(om1," Show as text  ",TRUE,viewoptiontoggle);
defineoptions(om1,"-",FALSE,NULL);
defineoptions(om1," Sort by name  ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by date  ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by size  ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by type  ",TRUE,viewoptiontoggle);

pushimage(530,320,624,340);
putpict(530,320,imageCREDITS,BLACK);
defineoptionclickarea(stackptr,0,0,93,19,om1,MSCLICK,LOWERRIGHT);
```

---

### resetoptionmenuevents

---

Function

Eliminates duplicate menu events where the frame has been closed.

Syntax

```
void resetoptionmenuevents(void);
```

Remarks

The Menu unit keeps track of menu to frame attachments. In most cases the attachment is permanent, that is, until the program terminates. However in some cases,

## Chapter 5 - Menus

like the icon editor, the menu to frame attachment changes every time the icon editor explodes or implodes an icon image. Since the Menu unit has no way of knowing whether the attachment still exists, a special function was created to eliminate duplicate or nonexistent event relationships.

The only problem with not calling `ResetOptionsMenuEvents` would be an accumulation of menu events for non-existing frames. Eventually the heap area will overflow.

See also

`defineoptionclickarea`

Example

```
optionmptr om1;

om1 = createoptionmenu(font14);
defineoptions(om1," Show as icons ",TRUE,viewoptiontoggle);
defineoptions(om1," Show as text ",TRUE,viewoptiontoggle);
defineoptions(om1,"-",FALSE,NULL);
defineoptions(om1," Sort by name ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by date ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by size ",TRUE,viewoptiontoggle);
defineoptions(om1," Sort by type ",TRUE,viewoptiontoggle);

pushimage(530,320,624,340);
putpict(530,320,imageCREDITS,BLACK);
defineoptionclickarea(stackptr,0,0,93,19,om1,MSCLICK,LOWERRIGHT);
popimage();

pushimage(530,320,624,340);
putpict(530,320,imageCREDITS,BLACK);
defineoptionclickarea(stackptr,0,0,93,19,om1,MSCLICK,LOWERRIGHT);
resetooptionmenuevents();
```



## Chapter 6 - Mouse, Keyboard and Timer Handlers

### Interrupt Handlers (TEGLIntr)

---

The mouse is perhaps one of the most outlandish devices ever conceived as an interface for computer system (at least in programming it). However, in the world of GUI, the mouse is a mandatory device.

Programming for a mouse is a programmer's nightmare, simply because it adds another level of interfacing. Conceptually, keyboard and mice do not mix. As an example, the mouse is dependent on screen location and whether the user had clicked the mouse at a specific location on the screen and whether that location was on an icon. The keyboard, on the other hand, is almost a direct path between pressing a key and executing a subroutine (i.e. if keypress then do something).

The programmer is required to write two separate routines for the same function to handle this mix of interfaces. As well, some systems do not have a mouse, so you cannot rely on the mouse pointer being available on all systems.

TEGL Windows Toolkit, of course, provides an almost seamless integration of the two devices. On systems without a mouse, TEGL will emulate the mouse by using the cursor keys on the numeric keypad. On systems with a mouse, the cursor keys may be used simultaneously to move the mouse cursor around. A key may also be attached to an icon/event, having the same effect as the mouse clicking on the icon.

#### Interrupts

The TEGLIntr unit is comprised of four captured interrupts: The keyboard interrupt (int \$09), the mouse subroutine interrupt (function 12), the timer interrupt (int \$08) and the control break handler (int \$1B).

swapteglintroff and swapteglintron should be called just before and after a call to spawn to restore and then to recapture interrupt vectors.

---

#### swapteglintroff

---

#### Function

Restores all interrupts to the original saved vectors.

#### Syntax

```
void swapteglintroff(void)
```

#### Remarks

## Chapter 6 - Mouse, Keyboard and Timer Handlers

All interrupts are initially turned on.

See also

swapteglintron

---

swapteglintron

---

Function

Saves and initialize the required TEGl interrupts.

Syntax

```
void swapteglintron(void)
```

Restrictions

swapteglintron cannot be called more then once in succession, otherwise the system will hang.

See also

swapteglintron

Mouse Emulation

The mouse cursor is an internal function of the TEGl mouse unit, rather than using the cursor provided by the mouse driver. This way a mouse cursor is always available even on systems that do not have a mouse.

The support for the emulated mouse is identical, in all respects, to the actual mouse driver.

In order to provide a seamless integration of the mouse and keyboard, the Mouse function 12 interrupt \$33 is used to capture the mouse hardware interrupts, and keyboard interrupt \$09 is used to capture key codes. Since both are hardware interrupts, a kbmousebusy flag is used to serialize any conflict if both interrupts occurs at the same time.

The emulated mouse cursor is controled by the following primitives. They may be used ONLY if the mouseshow flag is FALSE, otherwise you may find mouse droppings on the screen.

---

mcursoroff

---

Function

Switches the Emulated Mouse Cursor off.

## Chapter 6 - Mouse, Keyboard and Timer Handlers

Syntax  
Restrictions  
See also

```
void mcursoroff(void)
```

Use ONLY when mouseshow flag is FALSE.

mcursoron, msetpos

---

### mcursoron

---

Function  
Syntax  
Remarks  
Restrictions  
See also

Switches the Emulated Mouse Cursor on.

```
void mcursoron(unsigned xpos, unsigned ypos);
```

xpos, ypos is the relative screen coordinates from the upper left corner of 0,0.

Use ONLY when mouseshow flag is FALSE.

mcursoroff, msetpos

---

### msetpos

---

Function  
Syntax  
Remarks  
Restrictions  
See also

Sets a new position for the Emulated Mouse Cursor.

```
void msetpos(unsigned xpos, unsigned ypos);
```

xpos, ypos is the relative screen coordinates from the upper left corner of 0,0.

The emulated mouse cursor must be on before setting a new position.

Use ONLY when mouseshow flag is FALSE.

mcursoroff, mcursoron

---

## Chapter 6 - Mouse, Keyboard and Timer Handlers

### Standard Mouse Functions

---

#### showmouse

---

Function

display a mouse cursor at current mouse\_xcoord,  
mouse\_ycoord.

Syntax

```
void showmouse(void);
```

See also

hidemouse, setmouseposition, cursorshape

---

#### hidemouse

---

Function

Hides mouse cursor.

Syntax

```
void hidemouse(void)
```

See also

showmouse, setmouseposition, cursorshape

---

#### setmouseposition

---

Function

Sets x,y coordinates of mouse cursor.

Syntax

```
void setmouseposition(unsigned mousex, unsigned mousey)
```

Remarks

mousex, mousey are relative coordinates from the  
upper left corner of the screen 0,0.

See also

## Chapter 6 - Mouse, Keyboard and Timer Handlers

showmouse, hidemouse, cursorshape

---

cursorshape

---

### Function

Sets the mouse cursor shape.

### Syntax

```
void cursorshape(masktype shape)
```

### Remarks

Sets the mouse cursor shape to the bit pattern specified in shape.

masktype is predefined as follows:

```
typedef
    unsigned masktype [2][16];
```

The mouse shape is based on the underlying byte values contained in the shape array. The shape array is 64 bytes long, with the first 32 bytes corresponding to a 16 by 16 screen mask, and the remaining 32 bytes corresponding to a 16 by 16 cursor mask. The first 32 bytes are ANDed to the screen, followed by ORing the second 32 bytes with the screen pixels to create the final mouse image.

For example the pointinghand masktype is defined as a constant as follows:

```
masktype pointinghand
/* Screen Mask */
= {{0xE1FF, 0xE1FF, 0xE1FF, 0xE1FF, 0xE1ff, 0xE000, 0xE000, 0xe000,
    0x0000, 0x0000, 0x0000, 0x0000, 0x0000, 0x0000, 0x0000, 0x0000},
/* Cursor Mask */
    {0x1E00, 0x1200, 0x1200, 0x1200, 0x1200, 0x13ff, 0x1249, 0x1249,
    0x1249, 0x9001, 0x9001, 0x9001, 0x8001, 0x8001, 0x8001, 0xFFFF}};
```

The resulting type is:

## Chapter 6 - Mouse, Keyboard and Timer Handlers

### Screen Mask

```
11100001111111111 = 0xE1FF
11100001111111111 = 0xE1FF
11100001111111111 = 0xE1FF
11100001111111111 = 0xE1FF
11100001111111111 = 0xE1FF
11100000000000000 = 0xE100
11100000000000000 = 0xE100
11100000000000000 = 0xE100
00000000000000000 = 0x0000
00000000000000000 = 0x0000
00000000000000000 = 0x0000
00000000000000000 = 0x0000
00000000000000000 = 0x0000
00000000000000000 = 0x0000
00000000000000000 = 0x0000
00000000000000000 = 0x0000
00000000000000000 = 0x0000
```

### Cursor Mask

```
00011110000000000 = 0x1E00
00010010000000000 = 0x1200
00010010000000000 = 0x1200
00010010000000000 = 0x1200
00010010000000000 = 0x1200
00010011111111111 = 0x13FF
00010010010010010 = 0x1249
00010010010010010 = 0x1249
00010010010010010 = 0x1249
10010000000000001 = 0x9001
10010000000000001 = 0x9001
10000000000000001 = 0x8001
10000000000000001 = 0x8001
10000000000000001 = 0x8001
10000000000000001 = 0x8001
10000000000000001 = 0x8001
11111111111111111 = 0xFFFF
```

There are 5 masktype constants defined in the `teglintr.c` module. They are: `pointinghand`, `hourglass`, `standard`, `diagcross`, and `checkmark`.

See also

`showmouse`, `hidemouse`, `setmousehotspot`

## Chapter 6 - Mouse, Keyboard and Timer Handlers

### setmousehotspot

---

Function

Sets the cursor hot-spot values relative to the upper-left corner of the mouse cursor image.

Syntax

```
void setmousehotspot(unsigned x,unsigned y);
```

Remarks

*x*, *y* are relative coordinates from the upper left corner of the mouse cursor image 0,0.

See also

cursorshape

---

### setmousecolor

---

Function

Sets the mouse cursor color.

Syntax

```
void setmousecolor(unsigned color);
```

Remarks

Sets the current Mouse Cursor Color to color. Available colors are defined in graphics.h.

See also

cursorshape

---

### mouseposition

---

Function

Gets the Mouse Cursor coordinates and button information.

Syntax

```
unsigned mouseposition(unsigned *mousex,  
    unsigned *mousey);
```

Result type

Returns the mouse button status. Left button - 1, Right button - 2, both buttons - 3.

## Chapter 6 - Mouse, Keyboard and Timer Handlers

### Remarks

mouse<sub>x</sub>, mouse<sub>y</sub> are relative coordinates from the upper left corner of the screen (0,0).

This function is no longer required in version II, since the the information above are provided in the global variables mouse\_xcoord, mouse\_ycoord and mouse\_buttons respectively.

### See also

getbuttonreleaseinfo, getbuttonpressinfo, clearbuttoninfo

### Example

```
unsigned mp,x,y;

mp = mouseposition(x,y);
if (mp = 3) /* -- both buttons down */
    {
    }
```

---

## getbuttonreleaseinfo

---

### Function

Gets the Mouse Cursor button release information.

### Syntax

```
void getbuttonreleaseinfo(unsigned button,
    unsigned *buttonstat, unsigned *buttonrelease,
    unsigned *xpos, unsigned *ypos);
```

### Remarks

button specifies for which button information is required.

buttonstat is the current button status information.

buttonrelease is the number of times the button has been released.

xpos, ypos specifies the coordinates where the button was last released.



## Chapter 6 - Mouse, Keyboard and Timer Handlers

The information is reset back to zero after the information has been read.

See also

`mouseposition`, `getbuttonpressinfo`,  
`clearbuttoninfo`

---

### `getbuttonpressinfo`

---

Function

Gets the Mouse Cursor button press information.

Syntax

```
void getbuttonpressinfo(unsigned button,  
    unsigned buttonstat, unsigned *buttonrelease,  
    unsigned *xpos, unsigned *ypos);
```

Remarks

`button` specifies for which button information is required.

`buttonstat` is the current button status information.

`buttonpress` is the number of times the button has been pressed.

`xpos`, `ypos` specifies the coordinates where the button was last pressed.

The information is reset back to zero after the information has been read.

See also

`mouseposition`, `getbuttonreleaseinfo`,  
`clearbuttoninfo`

---

### `clearbuttoninfo`

---

Function

Clears the Mouse button info counters.

## Chapter 6 - Mouse, Keyboard and Timer Handlers

Syntax

```
void clearbuttoninfo(void);
```

See also

```
getbuttonreleaseinfo, getbuttonpressinfo
```

---

setmouseminmax

---

Function

Sets the Mouse Cursor minimum and maximum coordinates.

Syntax

```
void setmouseminmax(unsigned minx, unsigned miny,  
                    unsigned maxx, unsigned maxy);
```

Remarks

MinX, MinY are the minimum relative coordinates that the mouse may travel. MaxX, MaxY are the maximum relative coordinates that the mouse may travel.

See also

```
SetMousePosition
```

---

frozenmouse

---

Function

Prevents the mouse from moving when updating the screen.

Syntax

```
void frozenmouse(void)
```

Remarks

Certain EGA registers cannot be read reliably. Rather than attempting to read and restore the register with each movement of the mouse, it is more economical to simply freeze the mouse, while the screen is being updated.

FrozenMouse retains a counter on the number of times the mouse is frozen. In order to unfreeze the mouse, the same number of unfreezmouse calls must be made.

## Chapter 6 - Mouse, Keyboard and Timer Handlers

### Restrictions

FrozenMouse may be used if the screen update is temporary (i.e. XorBox), or the second EGA page is being updated. Care must be taken that the mouse cursor is not overlapping the updated area, otherwise mouse droppings may result.

### See also

freezermouse, unfreezermouse

---

### freezermouse

---

### Function

Prevents the mouse from moving or being overwritten when updating the screen.

### Syntax

```
char freezermouse(unsigned x, unsigned y,  
                  unsigned x1, unsigned y1);
```

### Result type

Returns the last MouseShow status.

### Remarks

Certain EGA registers cannot be read reliably. Rather than attempting to read and restore the register with each movement of the mouse, it is more economical to simply freeze the mouse, while the screen is being updated.

freezermouse differs from frozenmouse in that a check is made on whether the mouse cursor overlaps the updated area. If the mouse cursor overlaps the update area, the mouse is hidden until unfreezermouse displays the mouse.

freezermouse also retains a counter on the number of times the mouse is frozen. In order to unfreeze the mouse, the same number of unfreezermouse calls must be made.

### Restrictions

frozenmouse may be used if the screen update is temporary (i.e. XorBox), or if the second EGA video page is being updated.

### See also

frozenmouse, unfreezermouse

unfreezermouse

---

Function

Releases the mouse from a frozen or freeze status.

Syntax

```
void unfreezermouse(char mshow);
```

Remarks

mshow is the mouse show status returned from `freezermouse`, or use the global `mousethrow` flag if `frozenmouse` was called.

`freezermouse` and `frozenmouse` retain a counter on the number of times the mouse is frozen. In order to unfreeze the mouse, the same number of `unfreezermouse` calls must be made.

See also

`frozenmouse`, `freezermouse`

---

setmousesensitivity

---

Function

Sets the mouse-to-cursor movement sensitivity.

Syntax

```
void setmousesensitivity(unsigned xsense,  
                          unsigned ysense, unsigned threshold);
```

Remarks

`xsense` defines the horizontal movement sensitivity.

`ysense` defines the vertical movement sensitivity.

The sensitivity numbers range from 1 through 100, where 50 specifies the default mickey factor of 1. The mouse-to-cursor movement is more sensitive at higher numbers.

The `threshold` parameter sets the ratio at which

## Chapter 6 - Mouse, Keyboard and Timer Handlers

the mouse-to-cursor movement is doubled. This range of this parameter is also 1 through 100. The lower the threshold, the more sensitive the mouse.

See also

`getmousesensitivity`

---

`getmousesensitivity`

---

Function

Returns the mouse-to-cursor movement sensitivity scaling factors previously set by `setmousesensitivity`.

Syntax

```
void getmousesensitivity(unsigned *xsense,  
    unsigned *ysense, unsigned *threshold);
```

Remarks

`xsense` defines the horizontal movement sensitivity.

`ysense` defines the vertical movement sensitivity.

The sensitivity numbers range from 1 through 100, where 50 specifies the default mickey factor of 1. The mouse-to-cursor movement is more sensitive at higher numbers.

The threshold parameter is the ratio at which the mouse-to-cursor movement is doubled. This range of this parameter is also 1 through 100. The lower the threshold, the more sensitive the mouse.

See also

`setmousesensitivity`

---

`setkeyboardmouse`

---

Function

Toggles the keyboard mouse on or off.

Syntax

## Chapter 6 - Mouse, Keyboard and Timer Handlers

```
void setkeyboardmouse(char onoff)
```

### Remarks

The cursor keys `leftarrow` `downarrow` `uparrow` `rightarrow`, on the keyboard, may be used to emulate the mouse movements. `setkeyboardmouse(FALSE)` will turn off the emulation, to allow `getch` to retrieve the keycode.

### Restrictions

`setkeyboardmouse` will have no effect on keyboard events, (i.e. the cursor keys may be assigned functions by means of `addcapturekey`), which will have priority over the keyboard mouse.

### See also

`setkbsteps`, `getkbsteps`

---

## setkbsteps

---

### Function

Sets the amount of pixel movement with each cursor key press.

### Syntax

```
void setkbsteps(unsigned xsteps, unsigned ysteps,  
                unsigned sfxsteps, unsigned sfysteps);
```

### Remarks

`xsteps`, `ysteps` are the positive incremental values for moving the mouse cursor to the next position. Initial values are `(x=12,y=8)`.

`sfxsteps`, `sfysteps` are the positive incremental value for moving the mouse cursor to the next position when using the `shiftkey` in conjunction with the `leftarrow` `downarrow` `uparrow` `rightarrow` keys. Initial values are `(x=2,y=1)`.

### Restrictions

`setkbsteps` will have no effect on keyboard events, (i.e. the cursor keys may be assigned functions by means of `addcapturekey`), which will have priority over the keyboard mouse.

### See also

`setkeyboardmouse`, `getkbsteps`

---

## Chapter 6 - Mouse, Keyboard and Timer Handlers

### getkbsteps

---

#### Function

Returns the pixel movement value set for the keyboard mouse.

#### Syntax

```
void getkbsteps(unsigned *xsteps, unsigned *ysteps,  
               unsigned *sfxsteps, unsigned *sfysteps:  
               word)
```

#### Remarks

`xsteps`, `ysteps` are the positive horizontal and vertical step increments.

`sfxsteps`, `sfysteps` are the positive horizontal and vertical step increments when using the shiftkey in conjunction with the `leftarrow` `downarrow` `uparrow` `rightarrow` keys.

#### See also

`setkeyboardmouse`, `setkbsteps`

### Timer Functions

A timer tick has the standard resolution of interrupting any process within the system, 18 times a second. TEGL Windows uses the captured timer interrupt to decrement counters and set a flag when the counter is zero. TEGLSupervisor monitors the status of the flag and calls the attached event when the flag is set. Thus timed events are processed outside the critical timer tick interrupt.

Timer events may be used as clocks, background tasks, print spoolers etc.

---

### swaptimerout

---

#### Function

Restores the original timer vectors.

#### Syntax

```
void swaptimerout(void)
```

#### Remarks

use `swaptimerout` if you need to turn the timer

## Chapter 6 - Mouse, Keyboard and Timer Handlers

off.

See also

swaptimerin

---

swaptimerin

---

Function

Captures the original timer vectors and sets the interrupt vectors to point at TEGl's timer function.

Syntax

```
void swaptimerin(void)
```

Remarks

The timer interrupt is originally swapped in.

Restrictions

SwapTimerIn cannot be called more than once in succession, otherwise the system will hang.

See also

SwapTimerIn

---

settimerstart

---

Function

Sets the timer value of timepiece counter.

Syntax

```
void settimerstart(timerecptr *timepiece,  
    unsigned timeset);
```

Remarks

timepiece is of the type timerecptr. if timepiece is set to NULL, a timepiece structure is created and initialized to timeset.

timeset is a word value counter. a value of 18 is equivalent of 1 second.

See also

resettimerflag

---



## Chapter 6 - Mouse, Keyboard and Timer Handlers

---

### resettimerflag

---

Function

Resets the flag that indicates the completion of a cycle. A cycle is when the counter reaches zero and is reset back to its original value.

Syntax

```
void resettimerflag(timerecptr timepiece);
```

Remarks

timepiece is of the type timerecptr.  
timepiece is created by settimerstart.

See also

settimerstart

---

### droptimercount

---

Function

Deletes a timepiece record from the timer event chain.

Syntax

```
void droptimercount(timerecptr timepiece);
```

Remarks

timepiece is of the type timerecptr.  
timepiece is created by settimerstart.

See also

settimerstart

---

### timerswtich

---

Function

Toggles the timer handler on or off.

Syntax

```
void timerswitch(char onoff)
```

Remarks

## Chapter 6 - Mouse, Keyboard and Timer Handlers

onoff sets the status on whether the timer event chain is scanned and decremented. A value of 0 stops the counters from being decremented. A value of 1 resets the counters back to their original values and causes the counters within the timer event chain to be decremented 18 times a second.

timerswitch does not remove the timer interrupt vectors.

See also

swaptimerout, swaptimerin

### Keyboard Interrupt Events

There are two levels at which the keyboard interrupt may be used. At the higher keyboard event level (monitored by the teglsupervisor), complete events, like swapping rotating windows, may be attached to a key on the keyboard. However, at the lower level setting the keycall parameter in addcapturekey to point at a key handler allows low level functions like positioning the mouse cursor to be performed.

A good example of a key handler is the default mouse click handler. The enterkey is used to automatically position the mouse cursor on the first defined mouse click area and simulates the holding down of the mouse right button, until the key is released.

The higher Keyboard Event level is set with a call to definelocalkeyclickarea and defineglobalkeyclickarea within teglunit. The keycall parameter in addcapturekey is set to NULL. Instead of calling an external callproc, the keys are stacked in a keyboard buffer that is monitored by the teglsupervisor.

This TEGL keyboard buffer is separate from the normal keyboard buffer. The teglkeypressed and teglreadkey functions are provided to check and read captured keys.

Note: The keyboard handler uses scan codes rather than translated Ascii codes.

### Keyboard Scan Codes

0x01 esckey	0x20 key D	0x40 key F6
0x02 key 1key !	0x21 key F	0x41 key F7
0x03 key 2key @	0x22 key G	0x42 key F8
0x04 key 3key #	0x23 key H	0x43 key F9
0x05 key 4key \$	0x24 key J	0x44 f10
0x06 key 5key %	0x25 key K	0x45 numlock

## Chapter 6 - Mouse, Keyboard and Timer Handlers

0x07 key 6key ^	0x26 key L	0x46 scrlock
0x08 key 7key &	0x27 ; :	0x47 homekey key 7
0x09 key 8key *	0x28 ' "	0x48 uparrow key 8
0x0A key 9key (	0x29 ` ~	0x49 pgupkey key 9
0x0B key 0key )	0x2A shiftkey Left	0x4A key -
0x0C {key -} _	0x2B {key }	0x4B {leftarrow} {key
0x0D key =key +	0x2C key Z	0x4C key 5
0x0E backspace	0x2D key X	0x4D rightrightarrow key 6
0x0F forwtabbacktab	0x2E key C	0x4E key +
0x10 key Q	0x2F key V	0x4F endkey key 1
0x11 key W	0x30 key B	0x50 downarrow key 2
0x12 key E	0x31 key N	0x51 pgdnkey key 3
0x13 key R	0x32 key M	0x52 inskey key 0
0x14 key T	0x33 key ,key <	0x53 delkey key .
0x15 key Y	0x34 key .key >	0x54 sysreq
0x16 key U	0x35 key /key ?	0x85 bigfrontF11keyback
0x17 key I	0x36 shiftkey Right	0x86 bigfrontF12keybac
0x18 key O	0x37 prtsckeykey *	
0x19 key P	0x38 altkey	
0x1A [ {	0x39 {spacebar}	
0x1B ] }	0x3A {capslock}	
0x1C enterkey	0x3B key F1	
0x1D ctrlkey	0x3C key F2	
0x1E key A	0x3D key F3	
0x1F key S	0x3E key F4	
-	0x3F key F5	

---

### addcapturekey

---

#### Function

Adds a keyboard scancode to the keyboard handler for capturing, or for processing immediately when the key is pressed.

#### Syntax

```
void addcapturekey(unsigned keycode, char repeatkey,  
keybrdcallproc keycall);
```

#### Remarks

keycode is the scan code of the keys on the keyboard. This is different from the ascii code that is usually translated and passed by DOS. Use the scancode value listed in the scancode table.

repeatkey is set to 1 if the key is expected to repeat. 0 if the key must be released before

## Chapter 6 - Mouse, Keyboard and Timer Handlers

generating another interrupt.

keycall is the key call function when the keyboard handler captures the key. If keycall is set to nilkeycallproc the scancode of the capture key is added to the TEGl keyboard buffer.

addcapturekey can stack the same scan code any number of times, however, only the most recent entry in the Scancode chain is used.

See also

deletecapturekey

---

### deletecapturekey

---

Function

Removes a keyboard scancode from the keyboard scancode chain.

Syntax

```
void deletecapturekey(unsigned keycoded);
```

Remarks

keycode is the scan code of the keys on the keyboard. This is different from the ascii code that is usually translated and passed by DOS.

If the same scan code is stacked more than once the most recent entry in the Scancode chain is deleted.

See also

addcapturekey

---

### teglreadkey

---

Function

Reads a scan code from the TEGl keyboard buffer.

Syntax

```
unsigned teglreadkey(void);
```

Result type

Returns the first captured scan code in the TEGl

## Chapter 6 - Mouse, Keyboard and Timer Handlers

keyboard buffer.

### Restrictions

Use `teglkeypressed` to check if any scan codes are in the TEGl keyboard buffer.

### See also

`teglkeypressed`

---

## `teglkeypressed`

---

### Function

Returns True if a scan code is captured; False otherwise.

### Syntax

```
char teglkeypressed(void);
```

### Remarks

The scan code is added to the TEGl keyboard buffer.

### See also

`teglreadkey`

---

## `nilkeycallproc`

---

### Function

Dummy function to use a place holder.

### Syntax

```
char nilkeycallproc(void);
```

### Remarks

This function always returns false.

### See also

`addcapturekey`.

---

## Keyboard Miscellaneous

---

## `setshiftkeys`

---

## Chapter 6 - Mouse, Keyboard and Timer Handlers

### Function

Toggles the Shift flags on/off.

### Syntax

```
void setshiftkeys(unsigned char shiftflag,  
char onoff);
```

### Remarks

shiftflag may be one of the types as follows:

```
enum { sk_rightshift = 0x01 };  
enum { sk_leftshift  = 0x02 };  
enum { sk_ctrlshift  = 0x04 };  
enum { sk_altshift   = 0x08 };  
enum { sk_scrolllock = 0x10 };  
enum { sk_numlock    = 0x20 };  
enum { sk_capslock   = 0x40 };  
enum { sk_inslock    = 0x80 };
```

onoff sets the above bits to on 1 or off 0.

### Show Button Status

The tegl.c demonstration program uses the debugunt module to display the mouse button status through a menu selection.

---

### showbuttonstatus

---

### Function

An Event that displays the mouse button status.

### Syntax

```
unsigned showbuttonstatus(imagestkptr frame,  
ms mouseclickptr);
```

### Remarks

Information is displayed on the number of times the mouse buttons have been pressed and released. Shows the last coordinates where the mouse button was pressed and the coordinates where the mouse button was released.



## Chapter 7 - Assembly Language Graphics

### Assembler Graphics

---

The fastgrph module is the engine that provides the speed that is seen in the TEGL Windows Toolkit. Most of the graphics tools are written in assembler, with some of the noncritical support routines written in C.

#### Setting Video Modes

The following Types and Consts relate to detecting and selecting video modes.

The VidID type is passed as a parameter to VideoID to determine the graphics equipment available.

```
struct vidid =
    unsigned  video0type;
    unsigned  display0type;
    unsigned  video1type;
    unsigned  display1type;
;
```

The graphics adaptor card detected is returned in the Video0Type field. Here are a list of the Constants and values and whether they are currently supported by the toolkit.

```
TG_MDA      = $01;    monochrome display, not supported
TG_CGA      = $02;    Color graphics, supported
TG_EGA      = $03;    Enhanced graphics, supported
TG_MCGA     = $04;    Multicolor graphics array, not supported
TG_VGA      = $05;    Video graphics array, not supported
TG_HGC      = $80;    Hercules graphics, supported
TG_HGCPlus  = $81;    Hercules plus, supported
TG_InColor  = $82;    Hercules incolor, supported in 2 color mode
```

---

cga640x200x2

---

#### Function

Set the video mode to 640 x 200 in 2 colors.

#### Syntax

```
void cga640x350x2(void);
```

#### Remarks



## Chapter 7 - Assembly Language Graphics

This function uses `initgraph` to switch to the graphics mode.

See also

`ega640x350x16`, `herc720x348x2`, `svga800x600x16`,  
`vga640x480x16`

---

`ega640x350x16`

---

Function

Sets the video mode to 640 x 350 in 16 colors.

Syntax

```
void ega640x350x16(void)
```

Remarks

This function uses `initgraph` to switch to the graphics mode.

See also

`cga640x350x2`, `herc720x348x2`, `svga800x600x16`,  
`vga640x480x16`

---

`herc720x348x2`

---

Function

Set the video mode to 720 x 350 in 2 colors.

Syntax

```
void herc720x348x2(void);
```

Remarks

This function uses `initgraph` to switch to the graphics mode.

See also

`cga640x350x2`, `ega640x350x16`, `svga800x600x16`,  
`vga640x480x16`

---

`setvideochoices`

Function                    Sets the allowable video modes.

Syntax                     `setvideochoices(unsigned vmode, char accept);`

Remarks                    By default all video modes are acceptable. Certain programs may not support all video modes.

See also                    `videoid`, `videoautodetect`.

Example                     This statement would cause the program to abort if it were run on a machine which only supported CGA graphics.

```
setvideochoices(TG_CGA, FALSE);
```

---

### svga800x600x16

---

Function                    Sets the video mode to 800 x 600 in 16 colors.

Syntax                     `void svga800x600x16(void);`

Remarks                    This function uses `initgrph` to switch to the graphics mode.

Restrictions                Requires appropriate hardware support.

See also                    `cga640x350x2`, `ega640x350x16`, `herc720x348x2`,  
                             `vga640x480x16`

---

### vga640x480x16

---

## Chapter 7 - Assembly Language Graphics

Function Sets the video mode to 640 x 480 in 16 colors.

Syntax `void vga640x480x16(void);`

Remarks This function uses `initgraph` to switch to the graphics mode.

Restrictions Requires a VGA card and monitor.

See also `cga640x350x2`, `ega640x350x16`, `herc720x348x2`,  
`svga800x600x16`

---

### videoautodetect

---

Function Detects the graphics equipment and switches to graphics mode if available.

Syntax `videoautodetect;`

Remarks Selects the highest resolution that is available and supported.

The global variable `InitDriverCode` can be examined to determine the video mode set.

See also `videoid`

---

### videoid

---

Function Detects the graphics equipment available.

Syntax `videoid(strict v *vidid);`

Remarks

## Chapter 7 - Assembly Language Graphics

Graphics equipment is only detected. The current video mode is not changed.

### Graphic Primitives

Turbo C offers a rich set of graphics commands, that work with almost any video display. However, the drawback to the flexibility of Turbo C's BGI Graphics is the speed at which the graphics are displayed.

To provide a toolset that could operate quickly, the following assembler graphic routines were written to replace the ones offered by Turbo C.

Other than the documented restrictions you may freely mix and match Turbo's graphic routines with TEGL's.

The following constants are defined in teglsys.h and may be assigned to RMWBITS to define the type of binary operation between each byte in the line and the corresponding bytes on the screen.

```
unsigned      rmwbits;

enum { FGNORM = 0x00 };
enum { FGAND  = 0x08 };
enum { FGOR   = 0x10 };
enum { FGXOR  = 0x18 };
enum { FGNOT  = 0x80 };
```

---

### fastline

---

#### Function

Draws a line from (x,y) to (x1,y2).

#### Syntax

```
void fastline(unsigned x,unsigned y,unsigned x1,
               unsigned y2, unsigned n);
```

#### Remarks

sets the global variable rmwbits to the appropriate mode for drawing the line.

x,y specifies the line starting coordinates.

## Chapter 7 - Assembly Language Graphics

`x1,y1` specifies the line ending coordinates.

`n` specifies the color of the line.

Fastline will only draw a continuous line.  
`setlinestyle`, `setcolor` and `setwritemode` has no effect on fastline.

---

### putpixs

---

#### Function

Plots a pixel.

#### Syntax

```
void putpixs(unsigned x, unsigned y, unsigned n);
```

#### Remarks

Plots a point in the color defined by `n` at `(x,y)`.

Set the global variable `rmwbits` to the appropriate mode for plotting the pixel.

Putpixs replaces the PutPixel routine in Graphics.h.

#### See also

getpixs

---

### getpixs

---

#### Function

Return the pixel value at `x,y`.

#### Syntax

```
unsigned getpixs(unsigned x,unsigned y)
```

#### Remarks

Gets the pixel color at `(x,y)`.

getpixs replaces the getpixel routine in graphics.h.

#### See also

putpixs

getbiti

---

Function

Copies the specified screen image into a buffer.

Syntax

```
void Getbiti(unsigned x, unsigned y, unsigned x1,  
             unsigned y1, void *buffer)
```

Remarks

`x,y,x1,y1` defines a rectangular region on the screen.

`buffer` is a memory area that is large enough to hold the resulting image.

`getbiti` replaces the `getimage` routine in `graphics.h`. By using `cgetmem` with `bigimagesize`, `Getbiti` will allow saving of images larger than 64k.

Restrictions

The saved image structure of `getbiti` and `putbiti` is different than what `getimage` and `putimage` use.

See also

`putbiti`, `bigimagesize`

---

putbiti

---

Function

Copies the buffer to the specified screen area.

Syntax

```
void putbiti(unsigned x, unsigned y, void *buffer,  
             unsigned rmbits)
```

Remarks

`x,y` defines the upper left corner of the screen area for placing the saved image.

`buffer` is the image buffer that contains a copy of the screen image saved previously by `getbiti`.

## Chapter 7 - Assembly Language Graphics

`rmwbits` defines the type of binary operation between the saved image and the corresponding bytes on the screen.

`putbiti` replaces the `putimage` routine in `graphics.h` by using `cgetmem` with `bigimagesize`, `putbiti` will allow the saving and restoring of images larger than 64k.

Restrictions

The saved image structure of `getbiti` and `putbiti` is different than what `GetImage` and `PutImage` use.

See also

`getbiti`, `bigimagesize`

---

### `bigimagesize`

---

Function

Calculates the size of the image buffer.

Syntax

```
unsigned long bigimagesize(unsigned x, unsigned y,  
    unsigned x1, unsigned y1);
```

Remarks

`x,y,x1,y1` defines the rectangular coordinates that will be used for `getbiti`.

`bigimagesize` replaces the BGI `imagesize` routine. By using `cgetmem` with `bigimagesize`, image buffers may be larger than 64k.

See also

`getbiti`, `putbiti`

---

### `setapage`

---

Function

Sets the active page for graphics output.

Syntax

## Chapter 7 - Assembly Language Graphics

```
void setapage(unsigned pagenum);
```

### Remarks

Makes pagenum the active graphics page. All output, including those from the BGI's graphics routines, will be directed to pagenum.

Only two pages are supported with the EGA's 640 x 350 x 16 mode.

### See also

setvpage, flipapage, flipvpage, videopage

---

## setvpage

---

### Function

Sets the visual graphics page number.

### Syntax

```
void setvpage(unsigned pagenum);
```

### Remarks

Makes pagenum the visual graphics page. All output, including that from the BGI routines, will still be directed to the active pagenum.

Only two pages are supported with the EGA's 640 x 350 x 16 mode.

### See also

setapage, flipapage, flipvpage, videopage

---

## flipapage

---

### Function

Flips the active page to the alternate page.

### Syntax

```
void FlipAPage(void);
```

### Remarks

Makes the alternate page the active graphics page. All output, including that from the BGI routines, will be directed to the new active page.



## Chapter 7 - Assembly Language Graphics

Only two pages are supported with the EGA's 640 x 350 x 16 mode. If the current active page is (1), FlipAPage will set the active page to (2). The reverse is true, if the current active page is (2).

flipapage does not have an equivalent in the BGI.

See also

setapage, setvpage, flipvpage, videopage

---

### flipvpage

---

Function

Flips the visual page to the alternate page.

Syntax

```
void flipvpage(void)
```

Remarks

Makes the alternate page the visual graphics page.

Only two pages are supported with EGA's 640 x 350 x 16. If the current visual page is (1), flipvpage will set the visual page to (2). The reverse is true, if the current visual page is (2).

flipvpage does not have an equivalent in the BGI.

See also

setapage, setvpage, flipapage, videopage

---

### videopage

---

Function

Returns the current Visual page.

Syntax

```
unsigned VideoPage(void);
```

Remarks

Returns the current visual graphics page.

Only two pages are supported with the EGA's

## Chapter 7 - Assembly Language Graphics

640 x 350 x 16 mode.

videopage does not have an equivalent in the BGI.

See also

setapage, setvpage, flipapage, flipvpage

### New Graphic Primitives

The TEGL Windows Toolkit's ability to display fast graphics is, in a way, just the tip of the iceberg. The following routines provide functions to extract and overlay buffered images before displaying the final results on the screen.

Some of these routines may be used to create a virtual image (an image larger than the size of the screen). The only limitation at this time is the need for graphic primitives that will draw to a buffered image.

---

#### extractpixs

---

##### Function

Return the pixel value at *x,y* within an image buffer.

##### Syntax

```
unsigned extractpixs(unsigned x, unsigned y,  
void *buffer)
```

##### Remarks

Gets the pixel color at (*x,y*) within the saved image buffer.

---

#### extractimg

---

##### Function

Extract an image area from a buffer.  
*x,y,x1,y1* from buff2  
to buff1.

##### Syntax

## Chapter 7 - Assembly Language Graphics

```
void extracting(unsigned x, unsigned y, unsigned x1,  
               unsigned y1, void *buff1, void *buff2);
```

Remarks

Extracts the image defined by *x*, *y*, *x1*, *y1* from *buff2* and places it in *buff1*.

See also

*overlayimg*, *putbiti*, *getbiti*

---

### overlayimg

---

Function

Overlays buffered image.

Syntax

```
void overlayimg(unsigned x, unsigned y,  
               void *buff1, void *buff2);
```

Remarks

Overlays an image in *buff1* to *buff2* at *x,y* offsets.

See also

*ExtractIMG*, *PutBiti*, *GetBiti*

---

### swapbytes

---

Function

Swaps two buffers.

Syntax

```
void swapbytes(void *buff1, void *buff2,  
               long bytestoswap);
```

Remarks

Swaps the images within *buff1* with *buff2*.

## Graphic Derivatives

The following are some fast common routines to create XOR boxes that can be erased simply by calling the routine again.

## Chapter 7 - Assembly Language Graphics

XORing pixels to the screen has the unique feature that when the same pixel is XORed to the same location a second time the pixel is restored to it's original look.

The XOR box routines here allow boxes to flit and dance across the screen without (if used correctly) changing any of the underlying display.

---

### xorcornerbox

---

#### Function

Creates box corners only.

#### Syntax

```
void xorcornerbox(int x, int y, int x1, int y1,
                  int color);
```

#### Remarks

`x,y,x1,y1` are the coordinates of a rectangle.

This routine is used in `ziptobox` and `zipfrombox` to create the shrinking and expanding corner images.

---

### xorbox

---

#### Function

Draws a (xor) rectangle.

#### Syntax

```
void xorbox(int x, int y, int x1, int y1, int color);
```

#### Remarks

`(x,y)` define the upper left corner of a rectangle, and `(x1,y1)` define the lower right corner. Coordinates must be within the physical screen.

This routine is used in `moveframe` to move an (xor) box image around.

## Icon Graphics

putpict

---

Function

Puts an icon to a specified screen area.

Syntax

```
void putpict(unsigned x, unsigned y,  
             unsigned char *buf, unsigned n);
```

Remarks

*x,y* defines the upper left corner of the screen area for placing the icon image.

*buf* points to the icon image.

*n* is the default color for any pixel that is black within the icon.

See also

*pictsize, icon editor.*

---

pictsize

---

Function

Gets the width and height in pixels of an icon image.

Syntax

```
void pictsize(unsigned *width, unsigned *height,  
             unsigned char *buffer);
```

Remarks

*buffer* must point to a valid icon image.

See also

*putpict, icon editor.*

---

abort\_msg

---

Function

Closes the graphics system and displays the message string.

## Chapter 7 - Assembly Language Graphics

Syntax

```
void abort_msg(char *msg);
```

Remarks

This routine is defined in fastgrph because of the need for closing the graphics system and returning to text mode before the message can be displayed.

## Chapter 8 - Special Effects

### Special Effects

---

The TEGLGrph unit has a nice collection of graphic effects that may be used to create 3D characters, shadow boxes, long icon buttons, etc..

These routines may be combined with the BGI fonts and graphics for even more effects.

We suggest that if you build other graphic effects they should support a standard parameter list. Specifically coordinates should be ordered `x, y, x1, y1` where `x, y` are the upper left coordinates and `x1, y1` are the lower right coordinates of an area on the screen.

### Screen Backdrop

The backdrop is normally the full physical screen filled with a color and pattern to give the effect of a mat. On this mat we place icons and open up windows. It's like the velvet mat a Jeweler uses to show off gem stones.

The backdrop does not require a window frame to draw on.

---

### clearteglscreen

---

#### Function

Clears the screen to the backdrop pattern.

#### Syntax

```
void clearteglscreen(void);
```

#### Remarks

Fills the complete screen using the bitmask found in `teglbackpattern` or `teglfillstyle` with the background color of `teglbackcolor`. Completes the clearing by placing a border if `teglbordershow` is TRUE in the color of `teglbordercolor`.

The default is a gray matted area with white borders.

#### Restrictions

Must be in Graphics mode.

#### See also

```
setteglbordershow, setteglbackcolor,  
setteglbordercolor, setteglfillpattern,  
setteglfillstyle
```

#### Example

## Chapter 8 - Special Effects

```
ega640x350x16();          /* -- sets the graphics mode */
setmouseminmax(0,0,getmaxx(),getmaxy());

clearteglscreen();
```

---

### setteglbordershow

---

#### Function

Sets the switch on whether a border should be drawn or not drawn after the bar fill.

#### Syntax

Macro  
void setteglbordershow( char bordershow);

#### Remarks

Switches the border on=TRUE or off=FALSE when teglclearscreen is called.

The default is on TRUE.

#### Restrictions

Must be called before calling teglclearscreen.

#### See also

teglclearscreen, setteglbackcolor,  
setteglbordercolor, setteglfillpattern,  
setteglfillstyle

#### Example

```
setteglbordershow(FALSE);
clearteglscreen();
```

---

### setteglbackcolor

---



## Chapter 8 - Special Effects

Function Sets the color of the backdrop.

Syntax Macro  
`void setteglbackcolor( unsigned backcolor);`

Remarks Sets the background color for the backdrop to backcolor.  
  
The default is WHITE.

Restrictions Must be called before calling `teglclearscreen`.

See also `teglclearscreen`, `setteglbordershow`,  
`setteglbordercolor`, `setteglfillpattern`,  
`setteglfillstyle`

Example

```
setteglbackcolor(GREEN);  
clearteglscreen();
```

---

### setteglbordercolor

---

Function Sets the border color of the backdrop.

Syntax Macro  
`void setteglbordercolor( unsigned bordercolor);`

Remarks Sets the border color for the backdrop to bordercolor.  
  
The default is WHITE.

Restrictions Must be called before calling `teglclearscreen`.

See also `teglclearscreen`, `setteglbordershow`,  
`setteglbackcolor`, `setteglfillpattern`, `setteglfillstyle`

Example

## Chapter 8 - Special Effects

```
setteglbordercolor(BROWN);  
clearteglscreen();
```

---

setteglfillpattern procedure

TEGLGRPH

---

### Function

Sets the Fill pattern for the backdrop.

### Syntax

```
Macro  
void setteglfillpattern( unsigned char backpattern);
```

### Remarks

Sets the fill pattern for the backdrop to backpattern.

```
unsigned char teglbackpattern[9] =  
{0xAA, 0x55, 0xAA, 0x55, 0xAA, 0x55, 0xAA, 0x55};
```

### Restrictions

Must be called before calling teglclearscreen to have effect.

### See also

```
teglclearscreen, setteglbordershow,  
setteglbackcolor, setteglbordercolor, setteglfillstyle
```

---

setteglfillstyle

---

### Function

Sets the Fill style for the backdrop.

### Syntax

## Chapter 8 - Special Effects

Macro

```
void setteglfillstyle( unsigned pattern);
```

Remarks

Sets the fill style to pattern.

Use one of the predefined fill styles from Graphics.h.

Setting the fill style cancels the user defined pattern.

Restrictions

Must be called before calling teglclearscreen.

See also

```
teglclearscreen, setteglbordershow,  
setteglbackcolor, setteglbordercolor,  
setteglfillpattern
```

Example

```
setteglfillpattern(SOLID_FILL);  
clearteglscreen();
```

## Creating Shadow Boxes

A shadow box is a simple rectangular that has a shadow edge to give a 3-dimensional effect. A shadow box is the quickest method to clear a window after pushimage.

---

shadowbox

---

Function

Creates a 3-D type box at the rectangular area defined by *x*, *y*, *x1*, *y1*.

Syntax

```
void shadowbox(unsigned x, unsigned y,  
               unsigned x1, unsigned y1);
```

Remarks

*x*, *y*, *x1*, *y1* defines the rectangular area for the shadowbox.

The default bar SOLID fill color is WHITE with BLACK borders and BLACK shadow.

## Chapter 8 - Special Effects

See also

`setshadowcolor`, `setshadowbordercolor`,  
`setshadowfillpattern`, `setshadowfillstyle`

Example

```
pushimage(100,100,200,200);  
shadowbox(100,100,200,200);
```

---

### shadowboxtext

---

Function

Outputs a text string within a shadowbox.

Syntax

```
void shadowboxtext(unsigned x, unsigned y, unsigned txtlen,  
char *textstr);
```

See also

`shadowbox`

Example

```
shadowboxtext(100,100,200,"Tegl systems corporation");
```

---

### setshadowcolor

---

Function

Sets the bar fill color.

Syntax

```
Macro  
void setshadowcolor(unsigned bcolor);
```

Remarks

`bcolor` defines the shadowbox color.

The default bar fill color is WHITE.

## Chapter 8 - Special Effects

See also

`shadowbox`, `setshadowbordercolor`,  
`setshadowfillpattern`, `setshadowfillstyle`

Example

```
pushimage(100,100,200,200);  
setshadowcolor(RED);  
shadowbox(100,100,200,200);
```

---

### setshadowbordercolor

---

Function

Sets the shadowbox border color.

Syntax

Macro

```
void setshadowbordercolor(unsigned bcolor);
```

Remarks

`bcolor` defines the shadowbox border color.

The default border color is BLACK.

See also

`shadowbox`, `setshadowcolor`, `setshadowfillpattern`,  
`setshadowfillstyle`

Example

```
pushimage(100,100,200,200);  
setshadowbordercolor(LIGHTGRAY);  
shadowbox(100,100,200,200);
```

---

### setshadowfillpattern

---

## Chapter 8 - Special Effects

Function                    Sets the bar fill pattern for ShadowBox.

Syntax                     Macro  
                             void setshadowfillpattern( unsigned char backpattern);

Remarks                   The default fill pattern is SOLIDFILL which is defined in graphics.h.

See also                   shadowbox, setshadowcolor,  
                             setshadowbordercolor, setshadowfillstyle

Example

```
unsigned char myshadowpattern[9] =
    {0xAA, 0x55, 0xAA, 0x55, 0xAA, 0x55, 0xAA, 0x55};

pushimage(100,100,200,200);
setshadowfillpattern(mysshadowpattern);
shadowbox(100,100,200,200);
```

---

### setshadowfillstyle

---

Function                   Sets the bar fill style for shadowbox.

Syntax                     Macro  
                             void setshadowfillstyle( unsigned pattern);

Remarks                   pattern is of one of the predefined type in graphics.h.

                             The default fill style is SOLID\_FILL.

See also                   shadowbox, setshadowcolor, setshadowbordercolor,  
                             setshadowfillpattern

Example

```
pushimage(100,100,200,200);
```

## Chapter 8 - Special Effects

```
setshadowfillstyle(LINE_FILL);  
shadowbox(100,100,200,200);
```

### Creating Shadow Text

Shadow text enhances the normal BGI fonts by writing the text string several times with a slight shift of the *x,y* coordinates on each write.

This simple method provides a 3-D quality to any BGI or TEGL font.

---

### shadowtext

---

#### Function

Displays a shadowed textstr at (*x,y*).

#### Syntax

```
void shadowtext(unsigned x,unsigned y,  
                unsigned color, char *textstr);
```

#### Remarks

*x,y* specifies the coordinates for displaying the textstr.

*color* specifies the color of the textstr.

shadowtext is affected by settextstyle, settextjustify and setusercharsize in graphics.h.

#### See also

setshadowtexttype, setshadowtextshadow, setshadowtexthighlight, shadowtexthighlightoff

#### Example

```
shadowtext(100,100,LIGHTCYAN,"TEGL systems corporation");
```

## Chapter 8 - Special Effects

### setshadowtexttype

---

Function

Sets the shadow text font type.

Syntax

Macro

```
void setshadowtexttype(fontptr texttype);
```

Remarks

texttype is a pointer to one of the TEGl fonts. If texttype is set to NULL, shadowtext uses outtextxy in the graphics.h.

See also

shadowtext, setshadowtextshadow,  
setshadowtexthighlight, shadowtexthighlightoff

Example

```
setshadowtexttype(script);  
shadowtext(100,100,LIGHTCYAN,"TEGL systems corporation");
```

---

### setshadowtextshadow

---

Function

Sets the shadow color for ShadowText.

Syntax

Macro

```
void setshadowtextshadow(insigned color);
```

Remarks

color is the shadow color when displaying the shadowed text.

The default shadow color is BLACK.

See also

shadowtext, setshadowtexttype,  
setshadowtexthighlight, shadowtexthighlightoff

Example

```
setshadowtextshadow(LIGHTGRAY);
```



## Chapter 8 - Special Effects

```
shadowtext(100,100,LIGHTCYAN,"TEGL systems corporation");
```

---

### setshadowtexthighlight

---

#### Function

Sets the highlighted color for shadowtext.

#### Syntax

Macro

```
void setshadowtexthighlight(insigned color);
```

#### Remarks

color is the highlighted color when displaying the shadowed text. Sormally, shadowtext toggles the high bit of color to achieve the different shadings.

#### See also

shadowtext, setshadowtexttype,  
setshadowtextshadow, shadowtexthighlightoff

#### Example

```
setshadowtexthighlight(BLUE);  
shadowtext(100,100,LIGHTCYAN,"TEGL systems corporation");
```

---

### shadowtexthighlightoff

---

#### Function

Resets the highlight color set by setshadowtexthighlight.

#### Syntax

```
void shadowtexthighlightoff(void);
```

#### Remarks

Switches off the highlight color set by setshadowtexthighlight.

#### See also

## Chapter 8 - Special Effects

`shadowtext`, `setshadowtexttype`,  
`setshadowtextshadow`, `setshadowtexthighlight`

### Example

```
setshadowtexthighlight (BLUE  
shadowtext (100,100,LIGHTCYAN "TEGL systems corporation");  
shadowtexthighlightoff()  
shadowtext (100,120,LIGHTCYAN,"TEGL systems corporation");
```

### Other text effects

---

### `extendtextxy`

---

#### Function

Makes embossed text.

#### Syntax

```
void extendtextxy(unsigned x, unsigned y, char *sg);
```

#### Restrictions

Does not work with BGI fonts.

### Example

```
imagestkptr ifs;  
  
quickframe(ifs,100,100,300,150);  
outtegltextxy(105,105,"normal text");  
extendtextxy(105,125,"embossed text");
```

### `shifttextxy`

---

#### Function

Writes text with a leading white edge.

#### Syntax

## Chapter 8 - Special Effects

```
void shifttextxy(unsigned x, unsigned y, char *s);
```

Restrictions

Does not work with BGI fonts.

Remarks

x and y are absolute screen coordinates, s is the string to display.

Example

```
imagestkptr ifs;

setshadowcolor(LIGHTGRAY);
quickframe(ifs,100,100,300,150);
outtegltextxy(105,105,"normal text");
shifttextxy(105,125,"shifted text");
```

Buttons

---

```
definebuttonclick
```

---

Function

Displays an icon, sets mouse click area and attaches it to an Event.

Syntax

```
definebuttonclick(imagestkptr ifs, unsigned x,
    unsigned y, char *button, callproc p);
```

Remarks

Ifs is the frame the icon is placed on. Button can be any icon image. p is the event to pass control to when the icon is clicked on.

p can be set to `collapsetoiconshow` or `collapsetomsclick` if the button is for closing a frame.

Example

```
definebuttonclick(ifs,150,200,&imageok,collapsetoiconshow);
```

## Chapter 8 - Special Effects

---

### definelongbuttonclick

---

#### Function

Displays a long button with text, sets mouse click area, and attaches it to an event.

#### Syntax

```
void definelongbuttonclick(imagestkptr ifs unsigned x,  
    unsigned y, unsigned ln, char *msg, callproc p);
```

#### Remarks

ifs is the frame the button is placed on. x,y are the coordinates to place the button at. ln is the length of the message in pixels (depends on currently selected font) and msg is the text to place inside the button. p is the event to activate when the button is clicked on.

#### Example

```
definelongbuttonclick(ifs,100,150,35,"Quit",collapsetomsclick);
```

---

### defineuserbuttonclick

---

#### Function

Displays a button with text, sets mouse click area, and attaches it to an event.

#### Syntax

```
void defineuserbuttonclick( imagestkptr ifs, unsigned x,  
    unsigned y, char *msg, callproc p);
```

#### Remarks

ifs is the frame the button is placed on. x,y are the coordinates to place the button at and msg is the text to place inside the button. p is the event to activate when the button is clicked on.

#### Restrictions

msg cannot be more than about 4 characters. This is dependant on the currently selected font.

## Chapter 8 - Special Effects

### Example

```
defineuserbuttonclick(ifs,100,150,"Quit",collapsetomsclick);
```

---

### putuserbuttonclick

---

#### Function

Draws a button at the coordinates with a message.

#### Syntax

```
void putuserbuttonclick(imagestkptr ifs, unsigned x,  
    unsigned y, char *msg);
```

#### Restrictions

msg cannot be more than about 4 characters, depends upon the currently selected font.

#### Remarks

This routine just displays a button, no mouse click area is defined.

### Explosions

---

### collapsetoiconshow

---

#### Function

Collapse a frame and restore the icon it came from.

#### Syntax

```
unsigned collapsetoiconshow(imagestkptr ifs,  
    msclickptr ms);
```

#### Restrictions

Should only be attached to a frame created after a call to `explodfromiconhide`.

#### Remarks

After opening a frame from a `explodfromiconhide`, this Event can be attached to a button within the frame. When

## Chapter 8 - Special Effects

this button is clicked on, the frame will collapse and zip to the original icon location and restore the icon.

See also

`explodefromiconhide`, `definebuttonclick`.

---

### `collapsetomsclick`

---

Function

Collapse a frame and zip back to the original mouse click position.

Syntax

```
unsigned collapsetomsclick(imagestkptr ifs,  
    msclickptr ms);
```

Restrictions

Should only be attached to a frame created after a call to `explodefrommsclick`.

Remarks

After opening a frame from a `explodefrommsclick`, this Event can be attached to a button within the frame. When this button is clicked on, the frame will collapse and zip to the original defined mouse click area.

See also

`explodefrommsclick`, `definebuttonclick`.

---

### `explodefromiconhide`

---

Function

Hides the icon, zips and opens a new frame.

Syntax

```
void explodefromiconhide(imagestkptr : ifs,  
    mouseclickptr ms, unsigned x, unsigned y,  
    unsigned x1, unsigned y1);
```

Restrictions

The icon exploded from must be in a frame of its own for this to look right.

Remarks

`ifs` and `ms` are the parameters passed to an event.  
`x,y,x1,y1` are the coordinates where a new frame is

## Chapter 8 - Special Effects

to be opened. After a call to this procedure a new frame is created. Save the global variable `stackptr` if you wish to manipulate the new frame.

See also

`collapsetoiconshow`, `definebuttonclick`.

---

### `explodefrommsclick`

---

Function

Zips from a mouse click location to a new frame position.

Syntax

```
void explodefrommsclick(imagestkptr ifs,  
    mouseclickpos ms, unsigned x, unsigned y,  
    unsigned x1, unsigned y1);
```

Remarks

`ifs` and `ms` are the parameters passed to an event. `x,y,x1,y1` are the coordinates where a new frame is to be opened. After a call to this procedure a new frame is created. Save the global variable `stackptr` if you wish to manipulate the new frame.

See also

`collapsetomsclick`, `defineuserbuttonclick`.

## Moving and Transforming XOR Boxes

---

### `movebox`

---

Function

Moves a (XOR) wire frame from `x, y` to `ax, ay`.

Syntax

```
void movebox(int ax, int ay, int x, int y,  
    int x1, int y1);
```

Remarks

`x, y, x1, y1` specify the coordinates of the starting (XOR) wire frame.

## Chapter 8 - Special Effects

`ax`, `ay` are the upper left coordinates of the ending position of the (XOR) wire frame.

The box movement is divided into 6 steps which is added or subtracted from the originating position until it reaches the destination.

The global variable `zipduration` may be changed to set the delay between each movement step.

See also

`xorbox`, `xorcornerbox`, `ziptobox`, `zipfrombox`

Example

A wire frame box 50(w) x 50(h) is moved from 100,100 to 500,280.

```
movebox(500,280,100,100,150,150);
```

---

### ziptobox

---

Function

Creates a moving and expanding (XOR) wire frame from `ax`, `ay`, `ax1`, `ay1` to `x`, `y`, `x1`, `y1`.

Syntax

```
void ziptobox(int ax, int ay, int ax1, int ay1,  
             int x, int y, int x1, int y1);
```

Remarks

`ax`, `ay`, `ax1`, `ay1` specifies the rectangular coordinates of the starting (XOR) wire frame.

`x`, `y`, `x1`, `y1` specifies the rectangular coordinates of the ending (XOR) wire frame.

The box is moved from `(ax,ay)` to `(x,y)` using `MoveBox` before the box is transformed (expanded). The transformation is divided into 6 steps which is added or subtracted from `(ax,ay,ax1,ay1)` until the size equals `(x,y,x1,y1)`.

The global variable `zipduration` may be changed to set the delay between each movement step.



## Chapter 8 - Special Effects

See also

xorbox, xorcornerbox, movebox, zipfrombox

Example

A wire frame box 50(w) x 50(h) at (100,100) will be visually moved and expanded to a box 100(w) x 100(h) at 400,200.

```
ziptobox(100,100,150,150,400,100,500,200);
```

---

zipfrombox

---

Function

Creates a shrinking and moving (XOR) wire frame from  $x, y, x1, y1$  to  $ax, ay, ax1, ay1$ .

Syntax

```
void zipfrombox(int ax, int ay, int ax1, int ay1,  
               int x, int y, int x1, int y1);
```

Remarks

$x, y, x1, y1$  specifies the rectangular coordinates of the starting (XOR) wire frame.

$ax, ay, ax1, ay1$  specifies the rectangular coordinates of the ending (XOR) wire frame.

The box is transformed by dividing the transformation steps into 6 steps which is added or subtracted from  $(x, y, x1, y1)$  until the size equals  $(ax, ay, ax1, ay1)$ . The box is then moved from  $(x, y)$  to  $(ax, ay)$  using MoveBox.

The global variable zipduration may be changed to set the delay between each movement step.

See also

xorbox, xorcornerbox, movebox, zipfrombox

Example

A wire frame box 100(w) x 100(h) at  $(x=400, y=200)$  will be visually shrunk and moved to a box 50(w) x 50(h) at  $(x=100, y=100)$ .

```
zipfrombox(100,100,150,150,400,100,500,200);
```

## Chapter 8 - Special Effects

### Icon Button

---

#### drawlongbutton

---

##### Function

Creates an icon button of size `ln` at `(x,y)`.

##### Syntax

```
void drawlongbutton( unsigned x, unsigned y,  
                    unsigned ln );
```

##### Remarks

`x,y` specifies the coordinates for the icon button.  
`ln` specifies the length of the icon button in pixels.

##### Example

```
unsigned x, y;  
  
x = 100; y = 100;  
drawlongbutton(x,y,200);  
setteglfont(font14);  
setcolor(WHITE);  
outtegltextxy(x+15,y+1,"TEGL Systems Corporation");
```

## Chapter 9 - Writing Events

### Writing Events

---

All Event-handlers must use the following header definition.

```
unsigned myevents(imagestkptr frame, msclickptr mouseclickpos);
```

This is the declaration of a callproc. It is a far call, you must compile in the large memory model.

### Mouse Awareness

---

#### findframe

---

##### Function

Searches through the Frame stack for the first frame that overlaps the coordinates passed as a parameter.

##### Syntax

```
imagestkptr findframe(unsigned mxpos,  
    unsigned mypos);
```

##### Result type

Pointer.

##### Remarks

Returns a imagestkptr if the parameters overlap one of the frames, otherwise returns NULL for no match.

findframe is used by the teglsupervisor, but is provided as an external function to allow for specialize routines that may be used to replace the teglsupervisor.

##### Restrictions

findframe starts the scan from the top of the stack, thereby returning the first frame found that overlaps the parameters.

##### See also

checkmouseclickpos

##### Example

The following example creates 250 random boxes and monitors the position of the mouse pointer to see if it overlaps one of the boxes. The timer tick routine is

## Chapter 9 - Writing Events

used to blink the overlapped box, once every second.

---

### checkmouseclickpos

---

#### Function

Compares all Mouse click defines within a frame, for a match with the current mouse coordinates.

#### Syntax

```
msclickptr checkmouseclickpos(imagestkptr frame,  
    unsigned mxpos, unsigned mypos);
```

#### Result type

Pointer.

#### Remarks

Returns a msclickptr type if mouse coordinates matches one of the mouse click defines, otherwise returns NULL for no match.

checkmouseclickpos is normally an internal function, used by the teglsupervisor. The mouse click position information is normally provided as the second parameter of an event, whenever an event is called.

However, checkmouseclickpos may be used to rewrite the teglsupervisor or used to determine if the mouse click position has changed.

#### Restrictions

findframe should be used first, to check if another frame is overlapping the current frame, before using checkmouseclickpos.

#### See also

definemouseclickptr, resetmouseclicks,  
findmouseclickptr, resetmsclicksense,  
resetmsclickcallproc, resetmsclickactive

#### Example

The following example defines an array of 100 Mouse click areas which uses checkmouseclickpos to establish the mouse location within the frame.

## Chapter 9 - Writing Events

---

### checkformouseselect

---

#### Function

Checks if one of the mouse click areas within a frame has been selected.

#### Syntax

```
msclickptr checkformouseselect(imagestkptr frame)
```

#### Result type

Returns the Mouse Click Pointer if mouse button was released while the mouse cursor overlaps a button icon.

#### Remarks

This function may be used when only the Frame is known and the program is waiting for the user to click on one of a series of unknown icons.

checkformouseselect may be used within an event to wait on a multiple button type icon replies from the user.

If `pressbuttonflag` is true, then `visualbuttonpress` is called to simulate the pressing of a button icon.

#### Restrictions

If `pressbuttonflag` is true, the restrictions for `visualbuttonpress` should be followed. If the icon does not have a black fringe, set `pressbuttonflag` to false.

#### See also

`pressbutton`, `visualbuttonpress`

#### Example

The following example creates (8) button type icons, which calls up a window that displays two choices, Cancel or OK. The event waits until one of the choices are made before returning to `tegl supervisor`.

## Chapter 9 - Writing Events

### Special Effects

---

#### pressbutton

---

##### Function

Simulates the pressing of a button type icon. The actual routine simply shifts the icon down and to the right by two pixels.

##### Syntax

```
void pressbutton(imagestkptr fs, msclickptr mouseopt);
```

##### Remarks

This function is used mainly by `visualbuttonpress` to simulate the action of a electronic button switch.

`pressbutton` may be used to create the illusion of a button left in the down position.

##### Restrictions

You are required to redraw the button if you need the button in the up position.

This routine only works with icons that have a black fringe of two pixels wide on the right and bottom of the icon. The defined mouse click area should not include this shadow area ie. `x1` and `y1` is less two pixels.

##### See also

`visualbuttonpress`, `checkformouseselect`

##### Example

The following example creates (8) button type icons and toggles the buttons on/off whenever the icon is clicked upon.

---

#### visualbuttonpress

---

## Chapter 9 - Writing Events

### Function

Performs the pressing and releasing of a button type icon, controlled by the holding down of the left mouse button. Returns when either the user releases the left mouse button or the mouse cursor wanders off the defined mouse click area.

### Syntax

```
char visualbuttonpress(imagestkptr frame,  
                        msclickptr mouseopt);
```

### Result type

Returns true if mouse button was released while the mouse cursor overlaps with the button icon.

### Remarks

This function may be used whenever the Frame and the Mouse Click Option is known. If the program is waiting for the user to click on one of a series of unknown icons, use `checkformouseselect` to do an automatic frame and Mouse click Option search.

`visualbuttonpress` is excellent as an entry routine for an event, since the frame and mouse click position are known.

### Restrictions

This routine only works with icons that has a black fringe of two pixels wide on the right and bottom of the icon. The defined mouse click area should not include this shadow area ie. `x1` and `y1` is less two pixels.

### See also

`pressbutton`, `checkformouseselect`

### Example

The following example creates (8) button type icons, allowing the mouse cursor to glide over (while the buttons simulates the on/off motions). A series of beeps are sounded when the mouse button is released with the mouse cursor is on a button.

## Chapter 9 - Writing Events



## Chapter 10 - Animation

### Animation

---

The Animation unit provides the tools to animate a series of icons. Combined with the Icon Editor, an event can come to life.

Animation in its simplest form is the sequential display of frames. A frame in the sense of the animator is a single still image that is displayed. By linking a series of frames, animation is achieved by displaying each frame in sequence.

Animation is as simple as declaring a object, initializing the object, then animating the object.

As an example:

```
animateobject bounceicon;

resetframe(&bounceicon,1);
animateinit();
origin(&bounceicon,604,wy);
animate(&bounceicon,8);
```

### Animation Overview

Animating a series of icons is relatively easy with the functions in the animate module. The hardest part is creating the series of icons and coordinating the movement differences between them.

The first step is to declare an variable of animateobject. Here bounceicon is declared as the type animateobject.

```
animateobject bounceicon;
```

The variable bounceicon must be initialized before we can begin adding frame sequences. To initialize bounceicon, use the function init.

```
init(&bounceicon);
```

## Chapter 10 - Animation

The next step is to add an icon frame to it. The function `addframe` adds an icon frame sequence to a `animateobject`. The parameters are from left to right; the icon constant, defined in `TEGLIcon` Unit; (-15, 0) the horizontal and vertical travel offset, respectively, on completion of this frame sequence; (14,37) the height and width of the icon; (10) the duration in (milliseconds) before progressing to the next sequence; (0,0) the sound in hertz, and duration; (black) the color replacement for any black pixels in the icon. In this case, black replaces black.

```
addframe(&bounceicon, imageBLANKBUT, -15, 0, 14, 37, 10, 0, 0, black);
```

An object can have a number of different frame sequences. In our example, we need two sequences; a sequence for animating from the right side of the screen to the left side and a sequence for animating from the left to the right. Thus we will label the above frame as Sequence 1. The labels are arbitrary numbers ranging from 0 to 65535. However, you must use this label to switch to the appropriate sequence when the frames are animated.

```
sequence(&bounceicon, 1);
```

Use the function `resetsequence` to reset the counters within the object before creating the second sequence. We then assign the second sequence the arbitrary number of 2. The only difference between this `addframe` and the last `addframe` is the horizontal travel offset. Instead of -15, the value is positive, adding to the x coordinate.

```
resetsequence(&bounceicon);  
addframe(&bounceicon, imageBLANKBUT, 15, 0, 14, 37, 10, 0, 0, black);  
sequence(&bounceicon, 2);
```

The function `animateinit`, replicates the first screen to the second screen.

## Chapter 10 - Animation

```
animateinit(&bounceicon);
```

Set the animation origin. In our test program, we will set the icon to the middle of the screen.

```
origin(&bounceicon, getmaxx div 2, getmaxy div 2);
```

To animate the frames, we use the function `animate`. `animate` displays the frames until the requested frame count is reached. Since we have only one frame to animate within each sequence, the animator will loop using the same frame until it satisfies the requested frame count.

However, since we are working with coordinates, we do not know how many frames it would take to move the icon across the screen. The function `destination` will perform a test run on the sequence until one of the coordinates is satisfied and passes back a count of the frames needed to reach the destination. Thus, we can use the method `Destination` with the method `animate` to finally animate the icon.

```
sequence( &bounceicon, 1);  
Animate( &bounceicon, Destination( &bounceicon, 36, 0));
```

Animating from left to right.

```
sequence(&bounceicon, 2);  
animate(&bounceicon, destination(&bounceicon, 560, 0));
```

Try experimenting with the example program. You can use the same icon to add a few more frames to each sequence. Vary the travel offsets to see the effect. However, be careful that the resulting travel distance should reach the destination, otherwise the animator will loop forever trying to reach a false destination. As well, the function `destination` provides only an approximate count of frames to reach the destination. The actual destination coordinate will depend on the travel offset values on each frame added or subtracted from the origin.

## Chapter 10 - Animation

### Animation Functions

---

#### origin procedure

---

Function

Sets the animated object's starting origin.

Syntax

```
void origin(animateobject *ao, unsigned ox,  
            unsigned oy);
```

Remarks

Sets where the first frame will be displayed.

See also

getorigin, destination

Example

```
apple  animateobject;  
origin(&apple, 100, 100);
```

---

#### getorigin

---

Function

Gets the animated object's current coordinates.

Syntax

```
void getorigin(animateobject *ao, int *lastox,  
              int *lastoy);
```

Remarks

Returns the current coordinate from where animate will proceed from.

The origins of an animated object will change depending on the travel offset defined in each

## Chapter 10 - Animation

animation frame.

See also

origin, destination

Example

```
animateobject  apple;
unsigned       lastx, lasty;

animate(&apple, 5);
getorigin(&apple, &lastx, &lasty);
```

---

destination

---

Function

Returns a count on the number of frames that is needed for animating before the sequence gets the destination coordinates dx,dy.

Syntax

```
unsigned destination(animateobject *ao, int dx, int dy);
```

Result type

Unsigned. Frame count.

Remarks

destination will return a count if either x or y coordinates of the origin is less then or greater then the destination dx,dy coordinates.

destination is only an approximation of the number of frames required to complete the travel distance. The actual movement is dependent on each frame and its travel offsets.

See also

origin, getorigin

Example

```
animateobject  apple;

animate(&apple, destination( &apple, 300, 300));
```

## Chapter 10 - Animation

---

### resetframe

---

#### Function

Resets a sequence to begin at any frame number.

#### Syntax

```
void resetframe(animateobject *ao, unsigned startframe);
```

#### Remarks

if startframe is greater than the number of frames in the sequence, the sequence is set at the last frame.

startframe of 0 will reset the sequence back to the beginning.

#### See also

sequence

#### Example

```
animateobject apple;  
  
resetframe(&apple, 0);  
animate(&apple, 5);
```

---

### sequence

---

#### Function

Sets the sequence pointer.

#### Syntax

```
sequence(animateobject *ao, unsigned seqnum);
```

#### Remarks

seqnum is any number associated with a sequence of frames. If the sequence number does not exist, the

## Chapter 10 - Animation

method will assume that a new sequence will be created.

Creating a new sequence, simply records the seqnum and the start frame. So creating a sequence can occur anytime after adding the first frame. You can continue to add frames after sequence. Use `resetsequence` to clear and start a new sequence.

See also

`resetsequence`, `resetframe`

Example

```
animateobject apple;

init(&apple);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
sequence(&apple, 88);

ResetSequence(&apple);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
sequence(&apple, 99);

sequence(&apple, 88);
animate(&apple, 5);
```

---

`resetsequence`

---

Function

Sets the internal data pointers `firstframe` and `currentframe` to nil.

Syntax

```
void resetsequence(animateobject *ao);
```

Remarks

`resetsequence` will reset the internal data pointers to nil. This will allow a new sequence to begin.

Restrictions

Use the method `sequence` to save the data pointers, otherwise all created frames will be lost.

See also

## Chapter 10 - Animation

resetsequence, resetframe

### Example

```
animateobject apple;

init(&apple);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
sequence(&apple, 88);

resetsequence(&apple);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
addframe(&apple, imageAPPLE, mx, my, ht, wd, dl, hz, hzdl, color);
sequence(&apple, 99);

sequence(&apple, 88);
animate(&apple, 5);
```

---

### addframe

---

#### Function

Add a animation frame.

#### Syntax

```
void addframe(animateobject *ao, char *pp,
              int mx, int my, int ht, unsigned wd, unsigned dy,
              unsigned hz, unsigned hzdy, unsigned co);
```

#### Remarks

addframe is the icon definition pointer.

mx,my is the travel offsets that are added to the origin after the icon is displayed.

ht,wd is the height and width of the icon. These parameters are used to save the background image before drawing the icon.

dy is the delay in milliseconds after displaying the image.

hz,hzdy is the frequency of the frame sound, and hzdy is the duration. If the duration of hzdy is



## Chapter 10 - Animation

longer than the image `dy`, then `dy` is used for the frame and the sound is left on after the frame ends.

`co` is the replacement color for the BLACK color pixels defined in the icon.

### Restrictions

Use the function sequence to save the data pointers, otherwise all created frames will be lost.

### See also

`resetsequence`, `resetframe`

### Example

```
animateobject  apple;

init(&apple);
addframe(&apple, imageBLANKBUT, -15, 0, 14, 37, 10, 0, 0, black);
animate(&apple, 5);
```

---

## currentframenumbers

---

### Function

Returns the current frame number.

### Syntax

```
unsigned currentframenumbers(animateobject *ao);
```

### Result type

Unsigned.

### See also

`resetframe`

---

## animateinit

---

### Function

Replicates the first active screen page to the second in preparation for animating.

## Chapter 10 - Animation

Syntax

```
void animateinit(void)
```

See also

```
resetframe
```

---

animate

---

Function

Begins the Animation Sequence.

Syntax

```
animate(animateobject *ao, unsigned numframe);
```

Remarks

numframe is the number of frames to animate. If the number of frames in a sequence is less than the requested numframe, then the sequence loops to the beginning.

Restrictions

Since animate uses two video pages, the function animateinit must be called to replicate the first page to the second.

See also

```
resetframe, destination
```

---

animatecomplete

---

Function

Closes the animation sequence.

Syntax

```
void animatecomplete(animateobject *ao);
```

Remarks

complete toggles the sound off and resets the frame to the beginning.

Example Animation

## Chapter 10 - Animation

```
#include <stdio.h>
#include <graphics.h>
#include "teglsys.h"

animateobject bounceicon;

void main()
{
    easytegl();

    init(&bounceicon);
    addframe(&bounceicon, imageBLANKBUT, -15, 0, 14, 37, 10, 0, 0, BLACK);
    sequence(&bounceicon, 1);

    resetsequence(&bounceicon);
    addframe(&bounceicon, imageBLANKBUT, 15, 0, 14, 37, 10, 0, 0, BLACK);
    sequence(&bounceicon, 2);

    origin(&bounceicon, getmaxx() / 2, getmaxy() / 2);

    animateinit();

    clearkeyboardbuf();

    while (!kbhit())
    {
        sequence(&bounceicon, 1);
        animate(&bounceicon, destination(&bounceicon, 36, 0));

        sequence(&bounceicon, 2);
        animate(&bounceicon, destination(&bounceicon, 560, 0));
    }

    teglsupervisor();
}
```

## Chapter 11 - Writing Text

### Writing Text

---

the `teglwrt` module provides the tools to write to the screen using proportional bit-mapped fonts. Unlike BGI fonts, a font may be as small as 5 pixels high and 3 pixels wide.

Both BGI vector fonts and TEGL bit-mapped fonts may be used together. Like the BGI `outtextxy` procedure, `teglouttextxy` is affected by the `settextjustify` procedure. To turn off the proportional print, use the procedure `setproportional(FALSE)`.

#### TEGLWrt Variables

#### Bit-mapped Fonts

There are 25 bit-mapped fonts available in the `teglwrt` module. They are:

<code>font09</code>	<code>font14</code>	<code>countdown</code>	<code>oenglish</code>	<code>script</code>	<code>ocr</code>
<code>fraktur</code>	<code>italic</code>	<code>georgian</code>	<code>apls7</code>	<code>pc9</code>	<code>gaelic</code>
<code>litalic</code>	<code>pc24</code>	<code>pc3270</code>	<code>m3270</code>	<code>ega09</code>	<code>future</code>
<code>broadway</code>	<code>script2</code>	<code>lcdfont</code>	<code>light14</code>	<code>brdwx19</code>	<code>sansx19</code>
<code>wndwx19</code>	<code>light9</code>				

To select a font, just pass it to `setteglfont`.  
eg. `setteglfont(countdown)`.

#### Creating Your Own Bit-mapped Fonts

You can create and add your own fonts by modifying the assembler files then assembling the new font to to an object file. Each bit in a byte represents a pixel of the font.

The format of a TEGL font is:

1 byte header - indicating the height of the font.

Each character is:

1 byte - proportional font width

n bytes - defined by the 1 byte header

## Chapter 11 - Writing Text

### TEGLWrt Functions and Procedures

`fmttegltextxy` and `outtegltextxy` will display characters with underlines. To underline a character in a string, use the macros defined in `teglsys.h` (`A_`, `B_`, `C_`.....`Z_`), to append to your string.

The following example will underline the T in TEGL.

```
outtegltextxy(100,100,T_"EGL systems corporation");
```

---

### `fmttegltextxy`

---

#### Function

Writes formatted output to the graphics screen.

#### Syntax

```
void fmttegltextxy(int x, int y,  
char *fmt [,argument . . .]);
```

#### Remarks

`fmttegltextxy` is affected by the justification settings set by `settextjustify` and color by `setcolor`.

`x,y` is the coordinates of the graphic screen.

`fmt` is the format string. See `printf` for a complete discription on format specifications.

`fonttable` is a global variable which is used to set the pointer to an internal font table.

#### See also

`printf`

---

### `outtegltextxy`

---

#### Function

Writes `mystr` to the graphics screen at `x,y`.

## Chapter 11 - Writing Text

### Syntax

```
void outtegltextxy(int x, int y, char *mystr);
```

### Remarks

outtegltextxy is affected by the justification settings set by settextjustify and color by setcolor.

x,y is the coordinates of the graphic screen.

mystr is the text string for output.

fonttable is a global variable which is used to set the pointer to an internal font table.

### See also

teglwrtchar

### Example

```
settextjustify(CENTER_TEXT,CENTER_TEXT);  
setcolor(GREEN);  
setteglfont(script);  
outtegltextxy(100,100,"TEGL systems corporation");
```

---

## tegltextwidth

---

### Function

Returns the proportional width of mystr.

### Syntax

```
int tegltextwidth(char *mystr);
```

### Remarks

TEGLTextWidth will scan and total the exact number of pixels mystr will occupy.

### Restrictions

Any unprintable characters will not be included in the final size.

### See also

teglcharwidth, teglcharheight

## Chapter 11 - Writing Text

### teglcharwidth

---

Function

Returns the proportional width of a character.

Syntax

```
int teglcharwidth(int c);
```

Remarks

c is the ordinal value of the character.

teglcharwidth will return a value based on the currently selected font.

Restrictions

Characters outside the 28-126 ascii code will return a invalid size.

See also

tegltextwidth, teglcharheight

---

### teglcharheight

---

Function

Returns the height of the proportional font.

Syntax

```
int teglcharheight(void);
```

Remarks

teglcharheight will return to the first byte in the font table which is the height of the current font.

See also

tegltextwidth, teglcharwidth

---

### teglwrtchar

---

Function

Writes a single character to the graphics screen.

Syntax

```
void teglwrtchar(int c, int x,int y, int color);
```

## Chapter 11 - Writing Text

### Remarks

`x,y` specifies the coordinates for writing the character.

`c` is the ascii code of the character. Valid character range is 28-126.

`color` is color of the output character.

### See also

`teglouttextxy`

---

## setproportional

---

### Function

Switch Proportional font on or off.

### Syntax

Macro  
`void setproportional( char onoff);`

### Remarks

Default is proportional font on TRUE. If proportional font is off FALSE, the spacing is 8 bits.

---

## setteglfont

---

### Function

Sets the font to use in subsequent calls to `outtegltextxy`.

### Syntax

`void setteglfont( fontptr p);`

### Remarks

This procedure simply sets the `fonttable` variable to point to `p`.

Showing ALL Fonts FONTTEST.PAS



## Chapter 11 - Writing Text

The TEGL.C demonstration program uses the fonttest module to display all available fonts, or, individual fonts by selecting from a menu.

---

fontname

---

Function

Returns the name of a font.

Syntax

```
char *fontname( unsigned fontnum);
```

Remarks

fontname is used to build the menu for selective display of fonts.

See also

showonefont, showfonts

---

showonefont

---

Function

An Event that displays a font based on mouseclickpos->clicknumber.

Syntax

```
unsigned showonefont(imagestkptr ifs, msclickptr ms);
```

See also

FontName, ShowFonts

---

showfonts

---

Function

An Event that displays all fonts.

Syntax

```
unsigned showfonts(imagestkptr frame, msclickptr ms);
```

Remarks

An Event that displays all the available fonts and

## Chapter 11 - Writing Text

their respective names.

See also

fontname, showonefont

## Chapter 12 - Events

### Events Library

---

The Event's covered here span over several modules. They may be used immediately in programming an application.

#### The File Selector

The file selector `selectfile` provides a dialogue event, that displays the files of a directory and lets the user select one of the existing files or enter a new file name.

The file selector dialogue box allows the user to choose any displayed file either by clicking on the file name and then clicking on the OK button or by clicking on the selection area and typing in the filename.

To change directories, position the mouse cursor at a directory filename and click or click at the bar at the top of the file selector window and type in the directory path.

`selectfile` will return the full file name, including the directory prefix, for the file selected. If the Cancel button was clicked or no file was selected, the file name returned will be a NULL.

---

#### `selectfile`

---

##### Function

Provides a file selection dialogue that allows a user to choose or create a new filename.

##### Declaration

```
char selectfile(int x, int y, char *path,  
               char *fileselected);
```

##### Result type

Toolean. True if a file was selected. False if no file was selected or the mouse clicked on the cancel button.

##### Remarks

`x,y` is the coordinates where the file selection dialogue will be displayed.

`path` is the original directory path specification. Use a global string variable to retain the last directory path.

`fileselected` will contain the selected path and

## Chapter 12 - Events

filename, if the function returns True.

### String Editing Dialog

The EditString procedure provides a facility for getting text input from the user. The file selector uses this routine to get a new filename.

---

#### editstring

---

##### Function

Provides string input facility.

##### Declaration

```
void editstring(imagestkptr fs, int x, int y,  
                int maxlen, char *textstr);
```

##### Remarks

fs is of the type imagestkptr, created by pushimage.

x,y is the relative coordinates from the upper left of fs where a blinking vertical bar and text input will be displayed.

maxlen is the number of maximum number of input characters.

textstr is the user input string.

##### Restrictions

String editing should be on the topmost window.

##### Example

```
char mystring[12];  
  
pushimage(100,100,150,150);  
setteglfont(font14);  
editstring(stackptr,5,5,12,&mystring);
```

### Mouse Sensitivity Dialogue Window

The mouse sensitivity dialogue box allows the user to change the horizontal,

## Chapter 12 - Events

vertical and threshold settings of the mouse. The dialogue box consists of radio type buttons that can adjust the numeric counters.

---

setmousesense

---

### Function

Provides a mouse sensitivity dialogue window that allows the user to change the sensitivity setting of the mouse.

### Declaration

```
void setmousesense(int x, int y);
```

### Remarks

*x,y* is the coordinates where the SetMouseSense dialogue will be displayed.

### Restrictions

The dialogue does not check if the mouse is present.

### Example

```
unsigned askmousesense(imagestkptr frame,  
                        msclickptr mouseclickpos);  
{  
    setmousesense(160,75);  
    return(1);  
}
```

## Bells & Whistles, Sound Unit

the asksoundsense dialogue window allows the user to change the duration of the beeps and whistle settings of the sound unit. The dialogue box consists of radio type buttons that can adjust the numeric counters.

---

asksoundsense

---

### Function

A sound duration dialogue event

## Chapter 12 - Events

### Syntax

```
unsigned asksoundsense( imagestkptr frame,  
    msclickptr ms);
```

### Remarks

An event that displays a dialogue box that permits the user to set the sound duration for beeps and whistles.

---

### beep

---

### Function

Toggles the sound on for a specific tone and duration for n times.

### Declaration

```
void beep(unsigned tone, unsigned n,  
    unsigned duration);
```

### Remarks

tone specifies the frequency of the emitted sound in hertz.

n specifies the number of times the sound it toggle on and off.

duration specifies the length in milliseconds of the sound.

### See also

slidebeep, soundswitch

### Example

```
beep(1000,3,100);
```

---

### slidebeep

---

### Function

## Chapter 12 - Events

Performs a sliding type of sound. Whistle type.

### Declaration

```
void slidebeep(unsigned tone1, unsigned tone2,  
               unsigned n);
```

### Remarks

tone1 specifies the initial frequency of the emitted sound in hertz. tone2 specifies the second frequency from which tone1 steps towards.

n specifies the number of times the slide beep occurs.

### See also

beep, soundswitch

### Example

```
slidebeep(1000,2000,2);
```

---

## soundswitch

---

### Function

Switches the sound function on/off.

### Declaration

```
void soundswitch(char onoff);
```

### Remarks

onoff switches the sound on-1 or off-0.

### See also

beep, slidebeep

## Chapter 13 - Virtual Memory Manager

### Virtual Memory Manager

---

Graphical images, by their nature, require a tremendous amount of memory to store and manipulate. Combine this with the DOS limitation of 640k, writing applications using a graphical environment can be limiting.

Virtual Memory is a concept by which less expensive mass storage devices (ie. hard disk) may be used as though it were an extension of memory. Then memory is only limited by the size of the hard disk.

The TEGL virtual memory manager may be used within your application program independent of its use within the TEGL window manager.

In this chapter, we provide technical information for advanced programmers. We'll cover topics such as the Virtual Memory Manager, Turbo C's heap manager, Expanded Memory Manager, calling conventions, and more.

malloc, calloc, free, and other Turbo C memory allocation functions are replaced in TEGL by cgetmem and cfreemem. cgetmem and cfreemem are available in TEGL for memory allocation within your Turbo C functions.

When cgetmem is used, the virtual memory manager will automatically swap any images, that is not currently active, to EMS or your hard disk, thus freeing enough memory to fulfill your request.

#### Heap Management

With Window Management routines, the memory requirement is unknown. If we were to attempt to ensure that memory is available for every window that is created within the program, we would have an unwieldy and unjustifiably large program. In actual fact, any modest application would require much more memory than is available.

Rather than attempting to reserve a fixed amount of memory space, which places a limitation on the program, the heap provides the facility of allocating memory dynamically. The heap permits us to allocate memory only when it is required and to release the memory when the task is completed.

#### The Heap Manager

When the virtual memory manager is initialized, a block of memory is allocated from Turbo C's far heap. The default when initializing from teglinit(), is all the remaining memory that is left when a program is executed. If you need to reserve a part of the far heap for C library functions (eg. file streams), that uses malloc, calloc etc. you can use the Macro setheapmemmaxsize(maxsize) to reduce the virtually memory manager from grabbing all of the far heap.



## Chapter 13 - Virtual Memory Manager

The virtual memory manager is identical with Turbo C's heap manager, in its operation of allocating from the reserved memory starting starting with the lowest part of the heap growing upwards. The bottom of the heap is stored in the variable `heaporg`. Each time a block of memory is allocated on the heap (via `cgetmem` or `fgetmem`), the heap manage moves `heapptr` upward by the size of the requested block.

The top of the heap, or the maximum size of the heap is controlled by the variable `freeptr`. It does not point directly at the maximum top, rather it points at the start of the free pointer chain.

The free pointer chain grows downward as memory blocks are freed. Adjacent memory blocks are always combined to form larger blocks.

The Virtual Heap Manager allows us to allocate memory blocks that are greater than 64k. A full EGA screen image (640x350 -16 colors) is approximately 109k.

The `cgetmem` differs from `fgetmem` in that the virtual heap manager will search through the free space chain and reuses the first available memory block that can accommodate the request.

When a memory request is made to `fgetmem`, the manager will attempt to allocate memory between `HeapPtr` and `FreePtr` first, before attempting to find space on the free space list.

`fgetmem` is normally not used as part of your TEGl application.

### The TEGl Heap Error Function

The `hugeheaperror` variable allows you to install a heap error function, which gets called whenever the TEGl heap manager cannot complete an allocation request. `hugeheaperror` is a pointer that points to a function with the following header:

```
int myheaperror(unsigned long heapsize)
```

The TEGl heap error function is installed by assigning its address to the `hugeheaperror` variable:

```
hugeheaperror = myheaperror;
```

The TEGl heap error function gets called whenever a call to `cgetmem` cannot complete the request. The size parameter contains the size of

## Chapter 13 - Virtual Memory Manager

the block that could not be allocated, and the TEGL heap error function should attempt to free a block of at least that size.

Depending on its success, the TEGL heap error function may return a 1 or 2. A return of 2 indicates success and causes a retry (which could also cause another call to the TEGL heap error function). A return of any other value will cause `cgetmem` to return a NULL pointer.

The standard TEGL heap error function always returns a 1, causing `cgetmem` to return a NULL pointer.

`TEGLunit` sets the heap error function to point to the virtual memory manager. Don't use the heap error function if you are using `TEGLUnit`, the virtual memory handler depends on this function to know when its time to start paging out window buffers.

### The TEGL Heap Manager Functions

---

#### `cgetmem`

---

##### Function

Returns a pointer to a memory block of the specified size.

##### Syntax

```
void far * cgetmem(unsigned long heapsize)
```

##### Remarks

Returns a (void) pointer. Size is a unsigned long specifying the size, in bytes, of the memory block to allocate.

If there isn't enough free space on the heap to allocate the memory block, the return pointer is NULL. A user defined run-time error procedure can be used to intercept any heap errors (see `hugeheaperror`).

##### Restrictions

There are actually no restrictions on the size of the largest block that can be allocated, however, DOS limits you to the remaining memory after the program is loaded.

##### See also

`cfreemem`

##### Example

Allocates and frees a 128k buffer.

## Chapter 13 - Virtual Memory Manager

```
#include "teglsys.h"

void main()
{
    char far * buffer;

    buffer = cgetmem(131072);
    cfreemem(buffer,131072);
}
```

---

cfreemem

---

### Function

Frees a memory block and returns the memory back to the heap manager.

### Syntax

```
void cfreemem(void far * freeorgptr,
              unsigned long heapsize)
```

### Remarks

freeorgptr is a pointer variable of any pointer type that was previously assigned by the cgetmem or fgetmem function. Size is an unsigned long specifying the size of the memory block, in bytes, to be freed; it must be exactly the same number of bytes previously allocated to that memory block by cgetmem or fgetmem. cfreemem returns the memory region to the TEGL heap.

### Restrictions

Do not use cfreemem to free up memory allocated by Turbo's C heap manager.

### See also

cgetmem

### Expanded Memory Manager (EMM)

The Expanded Memory Manager is a device driver that controls and manages expanded memory and application programs that use expanded memory.

Expanded memory is memory beyond DOS's 640K-byte limit. The Expanded Memory specification (EMS) supports up to 32M bytes of expanded memory. Because the 8086, 8088, and 80286 (in real mode) microprocessors can

## Chapter 13 - Virtual Memory Manager

physically address only 1M byte of memory, they access expanded memory through a window in their physical address range.

This is similar to a book, where pages within the book can retain data. However, just like a book, if you wish to retrieve the data, you must supply the page number. As well, when you first create the book (returning a handle) the initial number of pages must be specified. If you require more pages after the initial allocation, a new book must be created (Version 3.2 EMS did not provide a function that allows you to expand the initial allocation with the same handle).

There are approximately 30 EMS functions calls available with EMS Version 4.0; as documented in the specification produced jointly by Lotus Development Corporation, Intel Corporation, and Microsoft Corporation. A copy of this documentation (Part number 300275-005) October, 1987, can be obtained from Intel Corporation, 3065 Bowers Avenue, Santa Clara, CA 95051.

However, EMM Version 3.2 is still widely used as the driver on most systems, and therefore we are limited in terms of compatibility, to the number of functions that may be used.

### Expanded Memory Functions

---

emminstalled

---

#### Function

Returns an installed status on the Expanded Memory Manager.

#### Syntax

char emminstalled(void)

#### Result type

Returns a char status of 1, if an EMM driver is installed on the system, 0 if not installed.

#### Remarks

This function uses the address that is found in the Int 67H vector to inspect the device header of the presumed EMM. If the EMM is present, the name field at offset 0AH of the device header will contain the string EMMXXXX0.

emspagesavailable

---

Function

Obtains the total number of expanded memory pages present in the systems, and the number of those pages that are not already allocated.

Syntax

```
unsigned emspagesavailable(unsigned
    *total_ems_pages, unsigned * pages_available)
```

Result type

Returns a return code of 0 if EMM software is successful. A return code other than 0 indicates a possible error in the EMM software or a memory hardware error.

Remarks

This function may be used to determine the number of pages available before allocating EMS pages.

---

allocateexpandedmemorypages

---

Function

Allocates the requested number of pages (16k per page) and returns a handle that is used to reference the allocated pages.

Syntax

```
unsigned allocateexpandedmemorypages(unsigned
    pages_needed, unsigned * handle)
```

Result type

Returns a return code of 0 if EMM software is successful. A return code of \$88 indicates that the requested sh PagesNeeded is greater then the number of pages that is currently available in the system.

See also

mapexpandedmemorypages, getpageframebaseaddress, deallocateexpandedmemorypages

mapexpandedmemorypages

---

Function

Maps one of the logical pages of expanded memory assigned to a handle onto one of the four physical pages within the EMM's page frame.

Syntax

```
unsigned mapexpandedmemorypages(unsigned handle,  
                                unsigned logical_page, unsigned physical_page)
```

Result type

Returns a return code of 0 if EMM software is successful. A return code of \$8A indicates that the logical page requested to be mapped is outside the range of pages that is currently assigned to the handle.

Remarks

A logical page is one page from the range of pages that were allocated through the `sh allocateexpandedmemorypages` function. The logical-page number must be in the range {0\_.\_.\_n\_}\_1}, where {it n} is the number of logical pages previously allocated.

A physical page is one of four 16k byte pages, in the range of 0-3, that may viewed as the window to the expanded memory. Use `sh getpageframebaseaddress` to obtain the segment address to the physical window.

See also

```
allocateexpandedmemorypages,  
getpageframebaseaddress, deallocateexpandedmemorypages
```

---

getpageframebaseaddress

---

Function

Returns the segment address of the page frame used by the Expanded Memory Manager.

Syntax

```
unsigned getpageframebaseaddress(unsigned  
                                *page_frame_address)
```

Result type

## Chapter 13 - Virtual Memory Manager

Returns a return code of 0 if EMM software is successful. A return code other than 0 indicates a possible error in the EMM software or a memory hardware error.

### Remarks

This is only the segment address of the physical page frame. Use offsets of \$0000 for physical page 0, offset of \$4000 for page 1, offset of \$8000 for page 2 and offset of \$C000 for page 3.

### See also

`allocateexpandedmemorypages`, `mapexpandedmemorypages`, `deallocateexpandedmemorypages`

---

## `deallocateexpandedmemorypages`

---

### Function

Deallocates (releases) the pages of expanded memory currently assigned to a handle.

### Syntax

`unsigned deallocateexpandedmemorypages(unsigned handle)`

### Result type

Returns a return code of 0 if EMM software is successful.

### Remarks

This function notifies the Expanded Memory Manager that the application will not be making further use of the allocated expanded memory pages. This function would typically be called by a program just before performing an exit.

### See also

`allocateexpandedmemorypages`, `mapexpandedmemorypages`, `getpageframebaseaddress`.

---

## `getversionnumber`

---

## Chapter 13 - Virtual Memory Manager

Function Returns the EMM Version Number in a string format. A handle.

Syntax `unsigned getversionnumber(char * version_string)`

Result type Returns a return code of 0 if EMM software is successful. A return code other than 0 indicates a possible error in the EMM software or a memory hardware error.

Remarks This function returns a EMM Version Number that may be used to check if the installed EMM will support the requested functions. However since Version 4.00 of the expanded memory specification is downward compatible with Version 3.2, this function is only useful as information.

---

### gethandlecountused

---

Function Returns the number of total handles used by all applications. a handle.

Syntax `unsigned gethandlecountused(unsigned *numberofhandles)`

Result type Returns a return code of 0 if EMM software is successful. A return code other than 0 indicates a possible error in the EMM software or a memory hardware error.

Remarks The number of available handles depends on the parameters used to start up the EMM driver, as well as the number of handles in use by other resident or multitasking software. The upper limit in Version 4.00 is 255 handles with a lower limit of 32. If the returned number of handles is zero, the EMM is idle and none of the expanded memory is in use.

---



## Chapter 13 - Virtual Memory Manager

### getpagesownedbyhandle

---

Function	Returns the number of expanded memory pages allocated to a specific EMM handle.
Syntax	<code>unsigned getpagesownedbyhandle(unsigned handle, unsigned *pagesowned)</code>
Result type	Returns a return code of 0 if EMM software is successful.
Remarks	An EMM handle never has zero pages of memory allocated to it.

### Expanded Memory Test Program

```
#include "teglsys.h"

unsigned    emm_handle,
            page_frame_base_address,
            pages_needed,
            physical_page,
            logical_page,
            offset,
            error_code,
            pages_ems_available,
            total_handle_count,
            pages_owned,
            total_ems_pages,
            available_ems_pages;

char        version_number[5],
            Error_String[80],
            verify;

char        *dataptr;

void
error(char *error_message, int error_number)
{
    printf("%sn", error_message);
    printf("  Error_Number = %Xn", error_number);
    printf("EMS test program aborting.n");
}
```

## Chapter 13 - Virtual Memory Manager

```
    exit(1);
}

void
main()
{
    /*
     * Determine if the Expanded Memory Manager is installed, If not,
     * then terminate 'main' with an ErrorLevel code of 1.
     */

    if (!(emminstalled()))
    {
        printf("The LIM Expanded Memory Manager is not installed.n");
        exit(1);
    }

    /* Get the version number and display it */
    error_code = getversionnumber(version_number);
    if (error_code != 0)
        error("Error trying to get the EMS version number ", error_code);
    else
        printf("LIM Expanded Memory Manager, version %s is ready for "
            "use.nn", version_number);

    /*
     * Determine if there are enough expanded memory pages for this
     * application.
     */
    pages_needed = 1;
    error_code = emspagesavailable(&total_ems_pages,
        &available_ems_pages);

    if (error_code != 0)
        error("Error trying to determine the number of EMS pages "
            "available.", error_code);

    printf("There are a total of %d expanded memory pages present in this"
        " system.n", total_ems_pages);
    printf("  %d of those pages are available for your usage.nn",
        available_ems_pages);

    /*
     * If there is an insufficient number of pages for our application,
     * then report the error and terminate the EMS test program
     */
    if (pages_needed > available_ems_pages)
    {
```

## Chapter 13 - Virtual Memory Manager

```
    sprintf(Error_String, "We need %d EMS pages. There are not that "
        "many available.", pages_needed);

    error(Error_String, error_code);
}

/* Allocate expanded memory pages for our usage */
error_code = allocateexpandedmemorypages(pages_needed, &emm_handle);
sprintf(Error_String, "EMS test program failed trying to allocate %d"
    " pages for usage.", pages_needed);

if (error_code != 0)
    error(Error_String, error_code);
printf("%d EMS page(s) allocated for the EMS test program.\n\n",
    pages_needed);

/*
 * Map in the required logical pages to the physical pages given to
 * us, in this case just one page
 */
logical_page = 0;
physical_page = 0;
error_code = mapexpandedmemorypages(emm_handle, logical_page,
    physical_page);

if (error_code != 0)
    error("EMS test program failed trying to map logical pages onto"
        " physical pages.", error_code);

printf("Logical Page %d successfully mapped onto Physical Page "
    "%d\n\n", logical_page, physical_page);

/* Get the expanded memory page frame address */
error_code = getpageframebaseaddress(&page_frame_base_address);
if (error_code != 0)
    error("EMS test program unable to get the base Page Frame "
        "Address.", error_code);

printf("The base address of the EMS page frame is - "
    "%X.\n\n", page_frame_base_address);

/* Get Handle Count and the number of pages for our handle */
error_code = gethandlecountused(&total_handle_count);
if (error_code != 0)
    error("EMS test program unable to get the Handle Count Used.",
        error_code);

error_code = getpagesownedbyhandle(emm_handle, &pages_owned);
if (error_code != 0)
    error("EMS test program unable to get the number of pages Owned "
```

## Chapter 13 - Virtual Memory Manager

```
    "by handle.", error_code);
```

```
printf("The Total Handle Count is %d and the number of Pages owned is"
      " %d.nn", total_handle_count, pages_owned);
```

```
/* Write a test pattern to expanded memory */
for (offset = 0; offset <= 16382; offset++)
    pokeb(page_frame_base_address, offset, offset % 256);
```

```
/* Make sure that what is in EMS memory is what we just wrote */
printf("Testing EMS memory.n");
```

```
offset = 1;
verify = 1;
while ((offset <= 16382) && verify)
{
    if (peekb(page_frame_base_address, offset) != offset % 256)
        verify = 0;
    offset++;
}
```

```
/* If it isn't report the error */
if (!verify)
    error("What was written to EMS memory was not found during memory"
         " verification test.", 0);
```

```
printf("EMS memory test successful.nn");
```

```
/*
 * Return the expanded memory pages given to us back to the EMS
 * memory pool before terminating our test program
 */
```

```
error_code = deallocateexpandedmemorypages(emm_handle);
if (error_code != 0)
    error("EMS test program was unable to deallocate the EMS pages in"
         " use.", error_code);
```

```
printf("%d page(s) deallocated.nn", pages_needed);
```

```
printf("EMS test program completed.n");
```

```
}
```

### A RAM Disk Driver

Expanded Memory (EMS), in its architecture of multiple pages, is limited in its use as a direct access heap without complex programming. However,

## Chapter 13 - Virtual Memory Manager

one of the simplest ways to take advantage of EMS, is to create a EMS ram disk.

The following EMS RAM Disk functions provides the basics for storing and retrieving a file from EMS memory.

---

emsopen

---

Function

Opens an EMS Ram Disk file.

Syntax

```
emsfile emsopen(unsigned minimumpages)
```

Result type

EMSOpen returns a structure type of EMSFile.

Remarks

EMSFile is predeclared as follows:

```
typedef struct emsblock {
    emsblockptr    nextblockptr;
    unsigned       handle; /* Multiple handles */
    unsigned       emspage; /* Pages allocated */
}                emsblock;

typedef struct emsfilerec {
    unsigned       pageoffset; /* current offset within page */
    unsigned       baseaddress;
    unsigned long  emsposition;
    unsigned       totalpages; /* Total number of 16k pages */
    emsblockptr   rootblkptr;
}                emsfilerec;
```

The baseaddress and pageoffset forms the pointer to the physical expanded memory page. The emsposition field is the current RAM disk file position. totalpages is the total number of expanded memory pages allocated for this EMS Ram file. The rootblkptr points to the first EMS Block pointer.

The minimumpages parameter specifies the initial allocation, however if more pages are required, as you write to the EMS Ram file, pages are automatically

## Chapter 13 - Virtual Memory Manager

allocated as needed. Additional EMS handles and Pages information are stored in separate EMS Block records and are chained together.

ems\_status will return a 0 if the EMS ram file is allocated successfully; otherwise, it will return a nonzero error code.

See also

emsclose

---

emsseek

---

Function

Moves the current position of an EMS RAM file to a specified byte component.

Syntax

```
void emsseek(emsfile emsramfile,unsigned long  
            position)
```

Remarks

emsramfile is the structure type returned by emsopen, and position is an expression of type unsigned long.  
The current EMS Ram file position is moved to the offset position. In order to expand the expanded memory pages allocated, it is possible to emsseek any size beyond the last byte; thus emsseek(myramfile, 98304) will automatically allocate, if required, a total of 6 pages.

ems\_status will return a 0 if the operation was successful; otherwise, it will return a nonzero error code.

Restrictions

EMS Ram file must be open.

See also

emsblockwrite, emsblockread, emsopen, emsclose

---

emsblockwrite

---

## Chapter 13 - Virtual Memory Manager

Function	Writes the information pointed to by the Buffer pointer to the EMS Ram file.
Syntax	<pre>void emsblockwrite(emsfile emsramfile,char     *buffer,unsigned long bytestowrite)</pre>
Remarks	<p>emsramfile is the structure type returned by sh EMSOpen, buffer is any char * type, and bytestowrite is an expression of type unsigned long.</p> <p>emsblockwrite writes bytestowrite bytes to the emsramfile. bytestowrite may be greater than (64k). emsblockwrite will automatically allocate additional EMS Memory pages if the current EMS ram file position plus bytestowrite exceeds the currently allocated expanded memory pages.</p> <p>The current EMS Ram file position is advanced by bytestowrite on completion of emsblockwrite.</p> <p>ems_status will return a 0 if the operation was successful; otherwise, it will return a nonzero error code.</p>
Restrictions	EMS Ram file must be open.
See also	emsseek, emsblockread, emsopen, emsclose

---

### emsblockread

---

Function	Reads from the EMS Ram file to memory pointed to by the buffer pointer.
Syntax	<pre>void emsblockwrite(emsfile emsramfile,char     *buffer,unsigned long bytestowrite)</pre>
Remarks	<p>emsramfile is the structure type returned by sh emsopen, buffer is any char * type, and bytestoread is an expression of type long.</p> <p>emsblockread reads bytestoread bytes to the</p>

## Chapter 13 - Virtual Memory Manager

memory area pointed to by `buffer`. `bytestoread` may be greater than (64k). `emsblockread` will read past the end of Ram file and automatically allocate additional EMS Memory pages if the current EMS Ram file position plus `bytestoread` exceeds the currently allocated expanded memory pages.

The current EMS Ram file position is advanced by `bytestoread` on completion of `emsblockread`.

`ems_status` will return a 0 if the operation was successful; otherwise, it will return a nonzero error code.

### Restrictions

EMS Ram file must be open.

### See also

`emsblockwrite`, `emsseek`, `emsopen`, `emsclose`

---

## emsclose

---

### Function

Close an Open EMS Ram file.

### Syntax

```
void emsclose(emsfile emsramfile)
```

### Remarks

`emsramfile` is the structure type returned by `shemsopen`.

`ems_status` will return a 0 if the operation was successful; otherwise, it will return a nonzero error code.

### See also

`emsopen`

## Virtual Disk Heap

A virtual Disk Heap allows you to simulate a heap using a sequential file. Allocating and freeing space within the Virtual Disk Heap are automatically maintained, with all the flexibility of a real memory heap manager and the unlimited space of a hard disk. The virtual Disk Heap manager has the ability to reuse free space, as well as merging adjacent free space fragments.



## Chapter 13 - Virtual Memory Manager

In addition the virtual disk heap (disk mode) can be used as a simple graphical image database manager. The stored images may be retrieved later by referring to a unique signature that you provide.

---

### vdkopenheapfile

---

#### Function

Opens a heap file on disk.

#### Syntax

```
vdkfile vdkopenheapfile(char
    *vdkfilename,unsigned vdkattribute)
```

#### Result type

vdkopenheapfile returns a structure type vdkfile.

#### Remarks

vdkfilename is a char \* expression that contains the name of heap file and vdkattribute is the attribute that is associated with the file. The following vdkattribute enum are declared:

```
enum { vdkreadwrite = 1};
enum { vdktemporary = 2};
```

vdkopenheapfile will create a new file if the file does not exist. If vdkreadwrite is specified, the file is not erased when the file is closed. if vdkattribute is set to vdktemporary, the file is automatically erased when the file is closed.

vdkfile is declared as follows:

```
typedef struct vdkfreerecord *vdkfreeptr;
typedef struct vdkfreerecord {
    vdkfreeptr    nextvdkfree;
    unsigned long startblock;
    unsigned long endblock;
    signate      signature;
    char         blockfree;
} vdkfreerecord;

typedef struct vdkfilerecord *vdkfile;
```

## Chapter 13 - Virtual Memory Manager

```
typedef struct vdskfilerecord {
    vdskfreeptr      vdskfreeptrchain;
    unsigned long    vdsktopoffile;
    unsigned         vdskattribue;
    unsigned long    vdskpacketsave;
    char             *vdskfilename;
    char             emstype; /* Selector */
    union v {
        int          vdskheapfile;
        emsfile      vemsheapfile;
    }                v;
} vdskfilerecord;
```

vdskfreeptrchain maintains a complete list of all blocks that are allocated and freed. Information regarding each block are stored in a chain of vdskfreerecord. The vdsktopoffile is the position of the end of the heap file. If there are no free space fragments before the end of the heap file to satisfy the requested block size, space is allocated starting at vdsktopoffile. vdskattribue is the passed parameter when the file was opened. The emstype sets the variant portion to either disk or ems memory.

startblock and endblock is the starting and ending address of the allocated or freed block, respectively. signature is a unique type of a 4 character string that can be used as a search string to locate an address of a block. blockfree indicates whether the block is allocated or free.

vdskstatus will return a 0 if the operation was successful; otherwise, it will return a nonzero error code.

See also

vemsopenheapfile, vdsfcloseheapfile

---

vemsopenheapfile

---

Function

Opens a heap file in EMS.

## Chapter 13 - Virtual Memory Manager

**Syntax**  
`vdkfile vemsopenheapfile(int initialalloc)`

**Result type**  
`vemsopenheapfile` returns a variable of type `vdskfile`.

**Remarks**  
`vemsopenheapfile` creates the same structure as `vdskopenheapfile`, with the `emstype` set to `ems` memory.  
  
`vdskstatus` will return a 0 if the `ems` operation was successful; otherwise, it will return a nonzero error code.

**See also**  
`vdskopenheapfile`, `vdskcloseheapfile`

---

### `vdskgetmem`

---

**Function**  
Allocates a block within the virtual heap memory and returns a virtual heap address.

**Syntax**  
`unsigned long vdkgetmem(vdkfile vdkpacket, unsigned long heapsize, char *signature)`

**Result type**  
`vdskgetmem` returns a virtual heap address of `long`.

**Remarks**  
`vdskstatus` will return a 0 if the virtual heap allocation was successful; otherwise, it will return a nonzero error code.

**Restrictions**  
The Virtual Heap memory must be opened.

**See also**  
`vdskfreemem`, `vdskwriteheapdata`, `vdskreadheapdata`

---

### `vdskfreemem`

---

## Chapter 13 - Virtual Memory Manager

Function	Frees the virtual heap memory pointed to by the VDskHeapPtr.
Syntax	<pre>void vdskfreesmem(vdskfile vdskpacket,unsigned long                  vdskheapptr)</pre>
Remarks	<p>vdskpacket is the structure type returned by vemsopenheapfile or vds kopenheapfile. The vdskheapptr must be the virtual disk pointer from vdskgetmem.</p> <p>vdskstatus will return a 0 if the virtual heap de-allocation was successful; otherwise, it will return a nonzero error code.</p>
Restrictions	The Virtual Heap memory must be opened.
See also	vdskgetmem, vdskwriteheapdata, vdskreadheapdata

---

### vdskwriteheapdata

---

Function	Writes the data from memory pointed to by the DataPtr to an allocated virtual heap memory vdskheapptr.
Syntax	<pre>void vdskwriteheapdata(vdskfile vdskpacket,char far                       *dataptr,unsigned long vdskheapptr)</pre>
Remarks	<p>vdskpacket is the structure type returned by vemsopenheapfile or vds kopenheapfile. The dataptr is of a pointer type that points to a memory buffer that will be written out to the virtual heap. The vdskheapptr must be the virtual heap pointer created from vdskgetmem.</p> <p>vdskstatus will return a 0 if writing to the virtual heap was successful; otherwise, it will return a nonzero error code.</p>
Restrictions	The Virtual Heap memory must be opened.
See also	

## Chapter 13 - Virtual Memory Manager

vdskgetmem, vdskfreemem, vdskreadheapdata

---

### vdskreadheapdata

---

#### Function

Reads the data from the virtual heap memory to a memory area pointed to by the DataPtr.

#### Syntax

```
void vdskreadheapdata(vdskfile vdskpacket, char far  
    *dataptr, unsigned long vdskheapptr)
```

#### Remarks

vdskpacket is the structure type returned by vemsopenheapfile or vds kopenheapfile. The dataptr is of a pointer type that points to a memory buffer that will be overwritten by the transfer of data from the virtual heap. The vdskheapptr must be the virtual heap pointer created from vdskgetmem.

vdskstatus will return a 0 if writing to the virtual heap was successful; otherwise, it will return a nonzero error code.

#### Restrictions

The Virtual Heap memory must be opened.

#### See also

vdskgetmem, vdskfreemem, vdskwriteheapdata

---

### vdskcloseheapfile

---

#### Function

Closes a virtual heap.

#### Syntax

```
void vdskcloseheapfile(vdskfile vdskpacket)
```

#### Remarks

vdskpacket is the structure type returned by vemsopenheapfile or vds kopenheapfile.

vdskstatus will return a 0 if the virtual heap

## Chapter 13 - Virtual Memory Manager

operation was successful; otherwise, it will return a nonzero error code.

See also

vemsopenheapfile, vdiskopenheapfile

### The Virtual Heap Error Function

The vdiskerror variable allows you to install a virtual heap error function, which gets called whenever the TEGl heap manager cannot complete an allocation request. vdiskerror is a pointer that points to a function with the following header:

```
int myvirtualerr (unsigned long heapsize)
```

The virtual heap error function is installed by assigning its address to the vdiskerror variable:

```
vdiskerror = myvirtualerr;
```

The virtual heap error function gets called whenever any virtual function calls is unable to complete the request. The code parameter contains a code indicating which virtual heap function is in error. Check VDSKStatus to determine the severity of the error.

The standard virtual heap error function is set to return to the calling procedure.

If you are using the Virtual memory manager (next section), use the virtual memory error function rather than this error function to intercept virtual errors. The virtual memory manager relies on the standard q return to the calling procedure to check vdiskstatus to indicate whether to write to EMS or disk file.

### The Virtual Memory Manager

The virtual memory manager is in constant use by TEGl windows to provide memory extensions for graphical images. Your program may use the virtual memory functions as an external heap, with the restriction that you do close the virtual memory file.

The following virtual memory functions will automatically select the

## Chapter 13 - Virtual Memory Manager

storage medium when moving data to virtual memory. The data is moved to expanded memory if adequate space can be found, otherwise the data is moved to one of the mass storage mediums. Both storage medium (EMS and Hard disk) are used if available.

---

### useharddisk

---

#### Function

This function forces the virtual memory manager to use the hard disk as virtual memory, even if EMS is available.

#### Syntax

Macro  
void useharddisk(char yesno)

#### Remarks

if the yesno is 1, then the virtual memory manager will ignore the installed EMS, and only use the hard disk.

---

### MoveFromVirtual procedure

VIRTMEM

---

#### Function

Moves a block of data from virtual back to normal memory.

#### Syntax

void movefromvirtual(char far \* dataptr,  
unsigned long virtualheaptr)

#### Remarks

The dataptr is any memory block. virtualheaptr is of the type unsigned long, which is the address supplied by movetovirtual.

vdskstatus will return a 0 if the virtual memory operation was successful; otherwise, it will return a nonzero error code.

#### See also

movetovirtual, freevirtual

## Chapter 13 - Virtual Memory Manager

---

### movetovirtual

---

Function

Moves a block of data from memory to virtual memory.

Syntax

```
unsigned long movetovirtual(char far
    *dataptr, unsigned long heapsize)
```

Result type

movetovirtual returns a unsigned long type, which is a physical address of the virtual block.

Remarks

The dataptr is any memory block allocated by cgetmem or fgetmem. heapsize is of the type unsigned long, which is the size of the memory block that you are moving to virtual memory.

movetovirtual will automatically allocate ems memory pages and open any virtual memory files (if needed) if this is the first time call to this procedure.

vdsksstatus will return a 0 if the virtual memory operation was successful; otherwise, it will return a nonzero error code.

See also

movefromvirtual, freevirtual

---

### freevirtual

---

Function

Frees the virtual memory back to the virtual memory pool for reuse.

Syntax

```
void freevirtual(unsigned long virtualheapptr)
```

Remarks

virtualheapptr is of the type unsigned long, which is the address supplied by movetovirtual.



## Chapter 13 - Virtual Memory Manager

`vdkstatus` will return a 0 if the virtual memory operation was successful; otherwise, it will return a nonzero error code.

See also

`movetovirtual`, `movefromvirtual`

---

### `cmaxavail`

---

Function

Returns the size of the largest block available in the upper heap.

Syntax

`unsigned long cmaxavail(void)`

---

### `virtualmemused`

---

Function

Returns the amount of virtual memory allocated.

Syntax

`unsigned long virtualmemused(void)`

Remarks

This is the total of virtual memory allocated. On some systems this can be a combination of both EMS and Disk memory.

### The Virtual Memory Error Function

The `virtualerror` variable allows you to install a virtual memory error function, which gets called whenever the virtual memory manager cannot complete a virtual function request. `virtualerror` is a pointer that points to a function with the following header:

```
int myvirtmemerr (unsigned code)
```

## Chapter 13 - Virtual Memory Manager

The virtual memory error function is installed by assigning its address to the `VirtualError` variable:

```
vdskerror := myvirtmemerr;
```

The virtual memory error function gets called whenever any virtual function calls is unable to complete the request. The code parameter contains a code indicating which virtual heap function is in error. Check `vdskstatus` to determine the severity of the error.

The standard virtual memory error function is set to return to the calling function.

### Resolving Fragments

The memory used by the heap is a dynamic and volatile part of your program. Memory is constantly allocated and de-allocated by the window manager along with allocation of dynamic variables, free space structures, frame structures, mouse click structures, etc.

Although the virtual memory manager will provide almost unlimited windows, the concept is still limited by the number of window structures that will fit in memory and whether the memory is contiguous or fragmented by allocated memory not under the control of the virtual memory manager.

Fragmentation occurs, when free memory blocks are separated by allocated blocks. Since certain allocated memory blocks cannot be moved or de-allocated, fragmentation can cut down the largest block size available from the heap.

Without a proper control on memory fragmentation, an out of space error can still occur even when the virtual memory manager pages out all window images.

In order for the virtual memory Manager to provide large contiguous memory on the heap, two memory managers are used to partition the far heap memory. The normal Turbo C heap manager is replaced with `cgetmem` to allocate simple memory blocks like frame information and virtual pointer information. The second, is `fgetmem`, used by the window manager to allocated large image buffers.

The function `ReserveHugeMinimum` partitions the far heap memory into two parts by allocating a single byte between the minimum and upper memory. Normal allocations using `cgetmem` will default to the lower areas. `cgetmem` will use the upper area when all lower memory area is used, thus

## Chapter 13 - Virtual Memory Manager

the lower memory area is not a restriction. `fgetmem` will only allocate memory from the upper areas.

`ReserveHugeMinimum` provides an elegant solution, that allows normal allocation with `cgetmem` and volatile `fgetmem` to coexist.

---

`reservehugeminimum`

---

### Function

Partition the heap memory into lower and upper areas to reduce fragmentation.

### Syntax

Macro

```
void reservehugeminimum(unsigned long minsize)
```

### Remarks

`minimumpsize` is of the type `unsigned long`, which is the size calculated by adding (60 bytes for a window structure) + the average mouse click and key clicks areas per window (20 bytes per each defined click) multiplied by the maximum number of window records opened at the same time + 4000 bytes (overhead for the virtual memory manager) plus any heap memory requirements by the application.

You are not expected to calculate the exact `minimumpsize`, but as a general rule of thumb, it seems that 12k is effective for most applications.

## Chapter 14 - Sizing and Sliders

### Sizing and Sliding

The chapter has the procedures and functions that give the core for resizing frames and attaching sliders to them.

A slider is a moveable switch. They are quite often used to indicate up and down or left to right scrolls (as in a text editor). They can be attached to a window but are separate, that is, they must be disposed of separately.

Resizing frames adds a degree of complexity to maintaining frames in that the contents of the frame are lost when it is resized. Consequently, you need to code an event that specifically redraws a frame after resizing.

Resizable frames with slider bars require more work. It is up to the programmer to dispose of and then reattach new sliders to a frame after a resize. This presumably is all done within the event that redraws the window. This is not impossible, just careful thought is required when making these kinds of frames. The results will speak for themselves.

---

defineresizeclickarea

---

#### Function

Sets a mouse click area for resizing a frame.

#### Declaration

```
void defineresizeclickarea(imagestkptr ifs,  
    unsigned x, unsigned y, unsigned xl, unsigned yl,  
    callproc resizeproc);
```

#### Remarks

The `resizeproc` must be defined. You cannot pass a NULL pointer. When a frame is resized its image is disposed and must be redrawn.

#### See also

`defineresizeminmax`.

#### Example

```
defineresizeclickarea(ifs,1,1,10,6,redraweditor);
```

## Chapter 14 - Sizing and Sliders

---

### defineresizeminmax

---

#### Function

Sets the minimum and maximum that a frame can be resized to.

#### Declaration

```
void defineresizeminmax(imagestkptr ifs,  
    unsigned minw, unsigned minh, unsigned maxw,  
    unsigned maxh);
```

#### Remarks

minw is the minimum width the frame is allowed if resized. minh is the minimum height, maxw is the maximum width, and maxh is maximum height. Values are in pixels.

#### See also

defineresizeclickarea.

#### Example

```
defineresizeminmax(ifs,200,100,400,200);
```

---

### definesliderarea

---

#### Function

Defines slider area.

#### Declaration

```
void definesliderarea(imagestkptr ifs, unsigned x,  
    unsigned y, unsigned x1, unsigned y1, unsigned minx,  
    unsigned miny, unsigned maxx, unsigned maxy,  
    callproc slideaction);
```

#### Remarks

ifs is the frame the slider is attached to. x,y, x1, y1 is the slider click area. minx, miny, maxx, maxy are the bounds the slider can be moved in. Coordinates are frame relative. slideaction is the event that is called when the slider is moved.

## Chapter 14 - Sizing and Sliders

The `msclickptr` that is passed to `slideaction` contains the new slider position. These coordinates can be used to determine the correct action to taken.

### Restrictions

This procedure only sets the area for the slider and its bounds. It is up to the programmer to draw the slider bar and the slider. The slider bar must be drawn before the call to `definesliderarea`. Then after this draw the slider. The toolkit will look after moving the slider once it has been drawn.

### See also

`setslidepostion`

### Example

---

## dropsliders

---

### Function

Removes all sliders from a frame.

### Declaration

```
void dropsliders(imagestkptr ifs);
```

### Remarks

`dropsliders` should be called before you drop a frame or resize it.

### Restrictions

### See also

### Example

```
dropsliders(ifs);
```

---

## findsliderfs

---

## Chapter 14 - Sizing and Sliders

### Function

Finds a slider on a frame.

### Declaration

```
sliderptr findsliderfs(imagestackptr ifs,  
    msclickptr ms);
```

### Remarks

Returns the sliderptr associated with ms on the frame. This can be used from within an event that is called when a slider is moved. With the SliderPtr you can determine the relative position of the slider without having to examine any other variables.

### Restrictions

#### See also

#### Example

---

## resizeframe

---

### Function

Allocates a new buffer for a frame.

### Declaration

```
void resizeframe(imagestkptr ifs,  
    unsigned x, unsigned y, unsigned x1, unsigned y1);
```

### Remarks

x, y, x1, y1 are the new coordinates of the frame.

### Restrictions

The frame image is hidden then disposed.

### See also

defineresizeminmax

### Example

## Chapter 14 - Sizing and Sliders

### selectandmoveframe

---

Function

An event that allows the frame to be moved.

Declaration

```
unsigned selectandmoveframe(imagestkptr ifs,  
    msclickptr ms);
```

Remarks

Note that this is an event. You would not directly call it but rather would pass it with a `definemouseclickarea`.

See also

`definemouseclickarea`.

Example

```
/* the top 10 pixels across the frame ifs is set to SelectAndMoveFrame */  
  
definemouseclickarea(ifs,0,0,ifs->x1,10,TRUE,  
    selectandmoveframe,MSCLICK);
```

---

### setslideposition

---

Function

Moves a slider to a new position.

Declaration

```
void setslideposition(imagestkpointer ifs,  
    unsigned x, unsigned y);
```

Remarks

`x,y` are relative coordinates within the frame and must be within the slider bar.

See also

`definesliderarea`.



## Miscellaneous Functions

### Miscellaneous Functions

---

#### checkctrlbreak

---

Function

Checks task handler.

Syntax

```
void checkctrlbreak(void);
```

Remarks

Normally this routine does not have to be called, but if you have section of code that is going through a long loop you should insert it there.

If your program has events that are activated after a certain number of timer ticks have passed then a call to checkctrlbreak will allow their processing.

The TEGl Windows Toolkit does not process timer interrupt tasks directly, rather a flag is set and the task is performed when it is safe (ie. no frames are being updated and no memory swaps are begin processed).

Example

```
long x;  
  
for (x = 1;x < 20000000; x++)  
    /* do your stuff */  
    checkctrlbreak(); /* allow processing of other tasks */
```

---

#### checkctrlbreakfs

---

## Miscellaneous Functions

Function Sets an event to call when Ctrl-Break is pressed.

Syntax Macro  
`void checkctrlbreakfs(callproc p);`

Remarks P is an event and works like any other. You can determine within it what processing should take place (Halt, Continue, Close files, etc..).

Example see `inittegl` in `tegleasy`.

---

### `droptimertick`

---

Function Removes an event set with `SetTimerTick`.

Syntax `void droptimertick(unsigned ticks, callproc p);`

Remarks both `ticks` and `p` must be identical to the original call for the event to be removed.

See also `settimertick`.

Example

```
droptimertick(18,backgroundclock);
```

### `nilunitproc`

---

Function

## Miscellaneous Functions

A place holder for events that have not been coded.

Syntax

```
unsigned nilunitproc(imagestkptr ifs, msclickptr ms);
```

Remarks

`nilunitproc` can be used wherever an event handler is called for. This can be a place holder or it can be where event is desired but a parameter is required.

Example

```
{ -- a line in a menu that is never selected or active }  
defineoptions(filem, '--', FALSE, nilunitproc);
```

---

## overlaparea

---

Function

Returns the area that is occupied by two sets of coordinates.

Syntax

```
char overlaparea(unsigned ax, unsigned ay, unsigned ax1,  
                 unsigned ay1, unsigned bx, unsigned by, unsigned bx1,  
                 unsigned by1, unsigned *cx, unsigned *cy,  
                 unsigned *cx1, unsigned *cy1);
```

Remarks

`a` and `b` coordinates are the areas to test. If they overlap then the area is returned in the `c` coordinates and the function returns true, otherwise the function returns false and the `c` coordinates are undetermined.

This is an advanced function that normally would not be used.

---

## settimertick

---

## Miscellaneous Functions

Function

Sets an event to be called periodically.

Syntax

```
void settimertick(unsigned ticks, callproc p,  
    imagestkptr ifs, msclickptr ms);
```

Remarks

Ticks is how many timer ticks to wait before begin called. p is the event to call. ifs and ms are passed to p.

See also

droptimertick.

Example

```
settimertick(18,backgroundclock,NULL,NULL);
```

## Graphics Library - tgraph

### TGraph

---

The tgraph module provides a subset of the functions in the graphics.lib unit provided with Turbo C.

tgraph does not have to be used if you are using Turbo C. If your program requires elaborate graphics drawing and painting then graphics.lib is needed. If, however, your graphics need are simpler then tgraph may provide all that is needed. If this is the case your program can be as much as 25K smaller by using tgraph exclusively. See the appendix Conditional Compilation for directions on building the toolkit without using graphics.lib.

If you are programming with Microsoft's C or Quick C then tgraph is necessary. Depending on the defines in the file teglcond.h (see the appendix Conditional Compilation) tgraph acts as stand-alone or maps graphics calls to the equivalent routine in graphics.lib.

Both Turbo C and Microsoft C's provide the file (it graphics.lib but they are not compatible. TEGL Windows Toolkit tgraph module uses the naming conventions for graphics.lib in Turbo C.

When using Turbo C and tgraph be sure NOT to specify the graphics library option in the integrated environment. For the command line compiler do not include graphics.lib in the link list.

---

### Bar

---

#### Function

Draws a bar using the current fill style and color.

#### Syntax

```
Bar(x1, y1, x2, y2: Integer);
```

#### Remarks

Draws a filled in bar using the pattern and color defined by SetFillStyle or SetFillPattern.

#### See also

SetFillStyle, SetFillPattern

---

### closegraph

---

## Graphics Library - tgraph

Function  
Shuts down the graphics system.

Syntax  
`closegraph;`

Remarks  
The screen mode is restored to the original mode before graphics were initialized.

---

### detectgraph

---

Function  
Detects graphics hardware.

Syntax  
`void far detectgraph(int far *graphdriver,  
int far graphmode);`

Remarks  
Returns the detected driver and mode value that can be passed to `initgraph` which will change to graphics mode. If no graphics hardware is found or the graphics hardware is not supported then a call to `graphresult` will return a value of `-2` (`grNotDetected`).

See also  
`initgraph`, `graphresult`

---

### getbkcolor

---

Function  
Returns the current background color.

Syntax  
`int far getbkcolor(void);`

Remarks  
Background colors can range from 0 to 15.

See also  
`getcolor`, `setbkcolor`, `setcolor`

---

getcolor

---

Function

Returns the color value passed to the previous call to setcolor.

Syntax

```
int far getcolor(void);
```

Remarks

Drawing colors can range from 0 to 15.

See also

setcolor

---

getfillpattern

---

Function

Returns the last fill pattern set by the last call to setfillpattern.

Syntax

```
void far getfillpattern(char far *pattern);
```

Remarks

Copies the user-defined fill pattern set by setfillpattern into the area pointed to by pattern. It must be an area of 8 bytes.

The following pattern definition would create a solid fill.

```
char solid[8] =  
    0xff, 0xff, 0xff, 0xff, 0xff, 0xff, 0xff, 0xff;
```

See also

setfillpattern, getfillsettings

---

getgraphmode

---

## Graphics Library - tgraph

Function Returns the current graphics mode.

Syntax `int far getgraphmode(void);`

Remarks Returns the current graphics mode set by `initgraph` or `setgraphmode`.

See also `detectgraph`, `initgraph`, `restorecrtmode`, `setgraphmode`

---

### getmaxx

---

Function Returns the pixel width (minus 1) of the current graphics driver and mode.

Syntax `int far getmaxx(void);`

Remarks `getmaxx` can be used to determine the boundaries of the screen.

See also `getmaxy`, `getx`, `gety`

---

### getmaxy

---

Function Returns the pixel height (minus 1) of the current graphics driver and mode.

Syntax `int far getmaxy(void);`

Remarks `getmaxy` can be used to determine the boundaries of the screen.

See also `getmaxx`, `getx`, `gety`



gettextsettings

---

Function

Returns the current text settings.

Syntax

```
void far gettextsettings(struct textsettingstype  
    far *textinfo);
```

Remarks

textsettingstype contains fields for the font, direction, size and justification that was set by settextstyle and settextjustify.

See also

settextjustify, settextstyle

---

graphresult

---

Function

Returns the error code for the last graphics operation.

Syntax

```
int far graphresult(void);
```

Remarks

graphresult is reset to zero after it has been called. The user may want to store it into a temporary variable before testing it.

---

imagesize

---

Function

Returns the number of bytes required to store a rectangular region of the screen.

Syntax

```
unsigned far imagesize(int x1, int y1, int x2, int y2);
```

## Graphics Library - tgraph

### Remarks

`x1,y1,x2,y1` defines the area on the screen.

---

### initgraph

---

### Function

Initializes the graphics system and sets the hardware to graphics mode.

### Syntax

```
void far initgraph(int far *graphdrive,  
                  int far *graphmode, char far *driverpath);
```

### Remarks

If `graphdriver` is equal to 0 (DETECT) then a call is made to `detectgraph`. If supported hardware is detected then the graphics system is initialized and a graphics mode is selected.

The parameter `driverpath` is provided for compatibility with `graphics.lib`, it is not used, all drivers are linked in.

If you are using one of the Microsoft C compilers and a Hercules display then the program `MSHerc.com` must be run first.

### See also

`detectgraph`, `closegraph`

---

### line

---

### Function

Draws a line from `x1, y1` to `x2, y2`.

### Syntax

```
void far line(int x1, int y1, int x2, int y2);
```

### Remarks

Draws a line in the color set by `setcolor`

## Graphics Library - tgraph

---

### outtextxy

---

Function

Sends a string to the screen.

Syntax

```
void far outtextxy(int x, int y, char far* textstring);
```

Remarks

textstring is output at the screen location x,y.

See also

outtextxy uses the options set by setttextjustify.  
setttextjustify, gettextsettings

---

### rectangle

---

Function

Draws a rectangle using the current color.

Syntax

```
void far rectangle(int x1, int y1, int x2, int y2);
```

Remarks

x1,y1 define the upper left corner of the rectangle, and x2,y2 define the lower right corner.

See also

setcolor

---

### restorecrtmode

---

Function

Restore the screen mode.

Syntax

```
restorecrtmode;
```

Remarks

Restore the screen mode to its original state before

## Graphics Library - tgraph

graphics was initialized.

See also

detectgraph, initgraph

---

### setbkcolor

---

Function

Sets the background color.

Syntax

```
void far setbkcolor(int color);
```

Remarks

Background colors may range from 0 to 15.

See also

getbkcolor, setcolor

---

### setcolor

---

Function

set the drawing color.

Syntax

```
setcolor(int color);
```

Remarks

Drawing colors may range from 0 to 15.

See also

getcolor

---

### setfillpattern

---

Function

Selects a user-defined fill pattern.

Syntax

```
void far setfillpattern(char far *upattern, int color);
```

## Graphics Library - tgraph

Remarks  
Sets the pattern and color for all filling done by bar.

See also  
getfillpattern, setfillstyle

---

### setfillstyle

---

Function  
Sets the fill pattern and color.

Syntax  
void far setfillstyle(int pattern,int color);

Remarks  
Set the pattern and color for all filling done by bar. There are 12 fill patterns available.

See also  
getfillsettings

---

### settextjustify

---

Function  
Sets text justification values used by outtextxy and outtegltextxy.

Syntax  
settextjustify(int horiz, int vert);

Remarks  
The default justification settings are settextjustify(lefttext, toptext).

See also  
getttextsettings, outtextxy

## APPENDICES

### Appendix A - Overlapping Graphics

---

There are many methods in creating and managing overlapping windows, however the end result to the user must be in the context of windows that form independent layers on a single display.

This section discusses the method that is used with the TEGL Windowing Manager.

#### Video Buffers

The video buffer is a block of memory where displayable data is stored. A program may read and write to the video buffer in the same way it accesses any other memory.

The video display circuitry updates the screen by continually reading the data in the video buffer and translating the bit information to the screen. Each group of bits in the video buffer specifies the color and brightness of a particular location on the screen. A particular location on the screen is known as a pixel. If a program changes the contents of the video buffer, the screen reflects the change immediately.

Because you have control over each pixel in the displayed image, you can construct complex geometric images, fill arbitrary areas of the screen with blends of colors, or create animated images that moves across the screen.

We may think of windows as multiple video buffers, the distinction is that, with the TEGL Windows Toolkit, only 1 video buffer is used. To create a window effect, we must physically copy and move display data to and from a single video buffer, overlaying the images as we would layout images on paper.

#### Windows


Windows are simply predefined rectangular areas of the screen. A window manager is a coordinator that ensures that images related to a window are saved (stored in memory) before other overlapping images writes to the screen. When a window is closed, the underlying image is copied back to screen video buffer.

The basis of a window manager is the copying and restoring of multiple areas of the screen.

#### Frames

## APPENDICES

An EGA video has a maximum resolution of 640 pixels horizontal by 350 pixels. The coordinates are specified as  $(x,y)$  and  $(x1,y1)$ , where  $x$  and  $y$  are the horizontal and vertical position respectively. The position is relative to upper left coordinate which has a coordinate value of  $(0,0)$ .



### A Frame Stack


A frame stack is a list with each entry representing a screen area. Each entry contains information and data that is required by the window manager to coordinate the overlaps between frames.

The order of the list is in the same order as the frames are stacked on the screen.

### A Simple Window Manager


This section talks about creating a simple window manager. We will use the following example to see how we can update frame (A) independent of the other 3 frames.

The following frames have called PUSHIMAGE to save the underlying graphics.




## APPENDICES


In order for Frame (A) to be updated, the image for Frame (D) is saved, and Frame (D) is erased from the screen by restoring the the underlying image that was saved previously.



The image for Frame (C) is saved, and Frame (C) is erased from the screen by restoring the the underlying image that was saved previously.



The image for Frame (B) is saved, and Frame (B) is erased from the screen by restoring the the underlying image that was saved previously.





## APPENDICES



The composite image of (A) is now complete and can be updated. The images (B), (C) and (D) are restored by reversing the above steps.


In the earlier generations of TEGl, this formed the basis of the stacked frame concept (the removal of images that overlaps the current).

### Partial Image Update

As you can imagine, this process is slow and causes a lot of unnecessary updates to the screen. With the foundation of q a simple window manager, we can now begin to refine this process.

Partial image update is removing only the intersection portion of the frames from the screen by extracting a section of the saved image.

The following shows the intersection of D, C and B that is needed to be replaced on the screen.



Partial Image (D) is replaced first, followed by Partial (C) and (B).

### Refined Partial Image Update


Since we are only interested in the composite image of (A), there is still a lot of unnecessary update to the screen.

Imagine a notepad and you wish to write on the fifth page of the notepad. The fastest way to lift up five pages in a group, write, and close the notepad.

So let's split image (D) into 5 pieces.



APPENDICES




Notice the double pages of (D2) (B) and (D4) (C). Now we only need to replace (D1), (B), (D3), (C) and (D5). We don't need to replace (D2) and (D4) because (B) and (C) has already restored the composite image of (A).

TEGL was further refined to (cut out) only the pieces that needs to be replaced, thus removing all unnecessary updates to the screen.


A Refined Partial Image Update Algorithm

check for condition where by replacing the bottom image will replace the top image. eg.




Replacing 3 will be redundant, since we want to update 1, replacing 2 will remove both 2 and 3.


check if we can begin trim the ends off one of the overlapped images to reduce the size that we need to replace.




## APPENDICES



create a new insert that has one end trimmed and repeat steps 1 through 3 to cut the images into the necessary pieces.



The only time that we are unable to split an overlapping image is when the image overlaps by 1 pixel.




APPENDICES


+-----+

A Quick Run through the algorithm

The procedure to handle the splitting of images is called StackOverlaps. StackOverlaps works in the following fashion:




PrepareForUpdate(A) creates temporary stack entries:



## APPENDICES

Begin Cutting and Eliminating: Comparing only the overlapped images.




StackOverlaps compares B1 with D1, B1 with C1 and C1 with D1 for overlaps.


eliminate redundant overlaps

### Appendix B - Heap Management

One of the major problems with window management is the amount of dynamic memory that is allocated and de-allocated. Memory is constantly fragmented with records, dynamic variables, and window images, thus reducing the largest block size over a period of time.




APPENDICES



This chapter will discuss how the TEGl heap manager using reservehuge minimum reduces the fragmentation that occurs.

TEGL Heap Manager

There are only two main pointers that manages the heap. The heapptr points to the end of the last memory block. freeptr points to a list of free memory blocks that can be re-used.





When memory is requested from the TEGl Heap Manager, a sequential scan of the freeptr chain is made to see if any of the free memory space can be re-used. Any free space that satisfy the requested size will be used.



APPENDICES

The free space is then reduced by the allocation size and removed from the freeptr chain if the block is completely allocated.

cgetmem(102k)



cgetmem(20k)




APPENDICES



When memory is released (freed), the TEGL Heap Manager sequentially scans the freeptr chain to see if any of the free memory space is adjacent to the memory block that is being freed.

cfreemem(A)




If adjacent memory is found, the free space pointer is removed from the freeptr chain and TEGL's heap manager takes the most recent entry and moves it to fill the now empty position. The size and the original pointer (A) is adjusted to reflect a new pointer position and size.






APPENDICES



When all possible adjacent blocks have been removed, the TEGL heap manager checks if the end of memory block is equal to the heapptr. If not, a free space entry is added to the bottom of freeptr.

cfreemem(B)



The TEGL memory manager sorts the free space entries, so that all


## APPENDICES

allocation of space using `cgetmem` will always be towards the lower part of the heap memory.

### TEGL Upper Heap Manager


The TEGL `fgetmem` is slightly different in its management methods. Allocation of memory is always attempted between `heapptr` and `freeptr` before searching for free space within the `freeptr` chain.

`fgetmem(20k)`




When memory is released (freed), `fgetmem` uses `cfreemem` to release the memory block back into the heap.


`cfreemem(A)`



APPENDICES




If adjacent memory is found, the free space pointer is removed from the FreePtr chain and TEGL's heap manager moves the free chain structure up by one entry to close the empty position. The size and the original pointer (A) is adjusted to reflect a new pointer position and size.



When all possible adjacent blocks have been removed, the TEGL heap manager checks if the end of memory block is equal to the HeapPtr. If not, a free space entry is added to the bottom of FreePtr.

cfreemem(B)

APPENDICES




TEGL uses the more efficient method of maintaining the free space chain in sorted order. This allows allocation of memory to favor the lower portion of the heap. This does not remove the fragmentation problem where one non-movable records is allocated in the middle of the heap.


Combining the best of both Heap Managers (Coexisting)

What we noted that we needed was the ability to have two heaps. One for miscellaneous dynamic variables and one for large allocations for images. Combined with the virtual memory handler, this allows the paging out the large allocations effectively releasing adjacent memory. At the same time we did not want to limit either heap. The lower heap must have the ability to flow over to the second heap without problems.

ReserveHugeMinimum provides an elegant solution of partitioning the standard heap into two parts. A single non-movable byte is allocated as a partitioner.




APPENDICES



cgetmem will always search for free space through the FreePtr Chain, the lower partitioned area will always be used first (it is always the first few entries in the freeptr chain).

fgetmem used by the window manager will always attempt to allocate space between heapptr and freeptr before searching through the free space pointer chain. Even when searching through the free space chain, a comparison is made on the minimum area for allocating. When TEGL frees a memory block, the free space pointer is sorted upwards into the free space chain.



APPENDICES

```
+++++|2<-|+|||
+++++|3<-|-+||
+++++|5<-|--|+
+++++|4<-+|
+++++|2<-----+
* Program *
```

## Conditional Compilation

The file `teglcond.h` contains conditions compilation directives that support different facilities with the Toolkit.

Note! If you change any defines you will have to make the entire toolkit.

The following defines affect the Toolkit:

`#define NOGR` - The toolkit is built with no explicit references to `graphics.lib` provided with Turbo C. Instead a compatible module `tgraph` is used which provides a subset of the functions provided in `graphics.lib`. If your application does not need all the features of the Graph unit then compiling with this directive enabled can save as much as 25K of code size in a program (assuming the BGI drivers are linked in).

`#define NOVIRT` - The code that implements virtual memory using either EMS or a disk drive is not included. Applications save about 8K of code space but can easily run out of memory if many windows are opened. This is more critical for EGA or VGA displays since the windows require four times as much memory than CGA or Hercules displays.

`#define QUICKC` - The toolkit will be built assuming that a Microsoft C compiler is being used.

`#define TURBOC` - The toolkit will be built assuming that the Turbo C compiler is being used.

## INDEX

Bar menu.....	94
Bar.....	237
Click and drag.....	24
EGA.....	144
Event driven code.....	23
Expand and shrink.....	25
FGAND.....	77
FGNORN.....	77
FGNOT.....	77
FGOR.....	77
FGXOR.....	77
FontTable.....	192
Jagged.....	97
Keyboard events.....	25
Mickey.....	124
MoveFromVirtual procedure.....	223
MsSense.....	84
MxClick.....	84
OE.....	96
OM.....	95
Option entry.....	96
Option menu.....	95
Proportional.....	192
ReadKey.....	91
TEGLSupervisor.....	24
Timer ticks.....	25
VGA.....	139
abort_msg.....	149
activebutton.....	30
addcapturekey.....	131
addframe.....	184
allocateexpandedmemorypages.....	205
animate.....	186
animatecomplete.....	186
animateinit.....	185
asksoundsense.....	197
beep.....	198
bigimagesize.....	143
cfreemem.....	203
cga640x200x2.....	136
cgetmem.....	202
checkctrlbreak.....	233
checkctrlbreakfs.....	233
checkformouseselect.....	173
checkmouseclickpos.....	172
clearbuttoninfo.....	121
clearkeyboardbuf.....	90
clearteglkeyboardbuf.....	90
clearteglscreen.....	151
closegraph.....	238



## INDEX

cmaxavail.....	225
collapsetoiconshow.....	165
collapsetomsclick.....	166
coltox.....	31
commitupdate.....	61
countframes.....	49
createbarmenu.....	105
createimagebuffer.....	74
createoptionmenu.....	96
createshadowom.....	98
currentframenumbers.....	185
cursorshape.....	117
deallocateexpandedmemorypages.....	207
definebuttonclick.....	163
defineglobalkeyclickarea.....	91
definelocalkeyclickarea.....	92
definelongbuttonclick.....	164
definemouseclickarea.....	84
defineoptionclickarea.....	110
defineoptions.....	97
defineresizeclickarea.....	228
defineresizeminmax.....	229
definesliderarea.....	229
defineuserbuttonclick.....	164
deletecapturekey.....	132
destination.....	181
detectgraph.....	238
drawlongbutton.....	170
dropimagebuffer.....	75
dropkeyclick.....	92
dropsliders.....	230
dropstackimage.....	54
droptimercount.....	129
droptimertick.....	234
easytegl.....	36
editstring.....	196
ega640x350x16.....	137
emminstalled.....	204
emsblockread.....	215
emsblockwrite.....	214
emsclose.....	216
emsopen.....	213
emspagesavailable.....	205
emsseek.....	214
errmess.....	31
explodefromiconhide.....	166
explodefrommsclick.....	167
extendtextxy.....	162
extractimg.....	146
extractpixs.....	146

## INDEX

fastline.....	140
findframe.....	171
findkeyclickptr.....	93
findmouseclickptr.....	85
findsliderfs.....	230
fitframe.....	32
flipapage.....	144
flipvpage.....	145
fmttegltextxy.....	189
fontname.....	193
frameexist.....	49
framefromicon.....	32
frameselectandmove.....	63
frametext.....	33
freeimagebuffer.....	77
freevirtual.....	224
freezmouse.....	123
frozenmouse.....	122
getbiti.....	142
getbkcolor.....	238
getbuttonpressinfo.....	121
getbuttonreleaseinfo.....	120
getcolor.....	239
getfillpattern.....	239
getfrontimage.....	78
getfsimage.....	76
getgraphmode.....	240
gethandlecountused.....	208
getkbsteps.....	127
getmaxx.....	240
getmaxy.....	240
getmousesensitivity.....	125
getmousey.....	34
getorigin.....	180
getpageframebaseaddress.....	206
getpagesownedbyhandle.....	209
getpartialfrontimage.....	78
getpixs.....	141
gettextsettings.....	241
getversionnumber.....	207
getyesno.....	35
graphresult.....	241
herc720x348x2.....	137
hideimage.....	56
hidemouse.....	116
imagesize.....	241
initgraph.....	242
keystackptr.....	93
lastcol.....	36
lastrow.....	37

## INDEX

line.....	242
linkfs.....	72
linkunderfs.....	73
lockimage.....	79
mapexpandedmemorypages.....	206
mcursoroff.....	114
mcursoron.....	115
mouseposition.....	119
movebox.....	167
moveframe.....	70
movestackimage.....	68
movetovirtual.....	224
msclick.....	24
msetpos.....	115
mssense.....	24
nilkeycallproc.....	133
nilunitproc.....	234
origin procedure.....	180
outbaroption.....	106
outframetextxy.....	38
outtegltextxy.....	189
outtextxy.....	243
overlaparea.....	235
overlayimg.....	147
pageinfs.....	79
pageoutfs.....	80
pageoutimagestack.....	81
pictsize.....	149
popimage.....	51
prepareforpartialupdate.....	58
prepareforupdate.....	60
pressbutton.....	174
pushimage.....	50
putbiti.....	142
putfsimage.....	76
putpict.....	45
putpict.....	149
putpixs.....	141
putuserbuttonclick.....	165
quickframe.....	39
quit.....	38
rectangle.....	243
replaceoptiontext.....	102
reservehugeminimum.....	227
resetframe.....	182
resetkeyclickcallproc.....	93
resetmouseclicks.....	88
resetmsclickactive.....	87
resetmsclickcallproc.....	87
resetmsclicksense.....	89

## INDEX

resetoptionmenuevents.....	111
resetsequence.....	183
resettimerflag.....	129
resizeframe.....	231
resizeoptionmenu.....	99
restorecrtmode.....	243
restoretext.....	39
rotatestackimage.....	52
rotateunderstackimage.....	53
rowtoy.....	40
selectafile.....	195
selectandmoveframe.....	232
selecteasytext.....	40
sequence.....	182
setapage.....	143
setautorotate.....	64
setbarbordercolor.....	108
setbarborderoff.....	108
setbarfillstyle.....	109
setbarmenucolor.....	107
setbarmenumargin.....	109
setbarshadowtext.....	108
setbartextcolor.....	107
setbkcolor.....	244
setcolor.....	244
seteasyfont.....	41
setfillpattern.....	244
setfillstyle.....	245
setframemobility.....	66
sethidesubmenu.....	104
setimagecoordinates.....	81
setkbsteps.....	126
setkeyboardmouse.....	125
setmousecolor.....	119
setmousehotspot.....	119
setmouseminmax.....	122
setmouseposition.....	116
setmousesense.....	197
setmousesensitivity.....	124
setmoveframecallproc.....	67
setmoverestrictions.....	65
setoptionmenubordercolor.....	104
setoptionmenucolors.....	103
setproportional.....	192
setshadowbordercolor.....	157
setshadowcolor.....	156
setshadowfillpattern.....	157
setshadowfillstyle.....	158
setshadowtexthighlight.....	161
setshadowtextshadow.....	160

## INDEX

setshadowtexttype.....	160
setshiftkeys.....	134
setslideposition.....	232
setteglbackcolor.....	152
setteglbordercolor.....	153
setteglbordershow.....	152
setteglfillpattern procedure.....	154
setteglfillstyle.....	154
setteglfont.....	192
settextjustify.....	245
settimerstart.....	128
settimertick.....	235
setvideochoices.....	138
setvpage.....	144
shadowbox.....	155
shadowboxtext.....	156
shadowtext.....	159
shadowtexthighlightoff.....	161
shifttextxy.....	162
showbuttonstatus.....	134
showcoordinates.....	58
showfonts.....	193
showimage.....	57
showmouse.....	116
showonefont.....	193
slidebeep.....	198
soundswitch.....	199
spawn.....	113
super vga.....	138
svga800x600x16.....	138
swapbytes.....	147
swapteglintroff.....	113
swapteglintron.....	114
swaptimerin.....	128
swaptimerout.....	127
teglcharheight.....	191
teglcharwidth.....	191
teglkeypressed.....	133
teglreadkey.....	132
teglsupervisor.....	19
tegltextwidth.....	190
teglwrtchar.....	191
timerswtich.....	129
togglecheckmark.....	100
toggleentrystatus.....	101
toggleoptionbar.....	103
unfreezermouse.....	124
unlinkfs.....	70
unlockimage.....	82
unuseimage.....	82

## INDEX

useharddisk.....	223
useimage.....	83
vskcloseheapfile.....	221
vskfreemem.....	219
vskgetmem.....	219
vskopenheapfile.....	217
vskreadheapdata.....	221
vskwriteheapdata.....	220
vmsopenheapfile.....	218
vga640x480x16.....	138
videoautodetect.....	139
videoid.....	139
videopage.....	145
vidid.....	136
virtualmemused.....	225
visualbuttonpress.....	175
xorbox.....	148
xorcornerbox.....	148
zipfrombox.....	169
ziptobox.....	168