

MetaView ii

COLLABORATORS					
	TITLE :				
ACTION	NAME	DATE	SIGNATURE		
WRITTEN BY		September 15, 2022			

REVISION HISTORY					
NUMBER	DATE	DESCRIPTION	NAME		

MetaView

# **Contents**

1	Meta	aView	1
	1.1	main	1
	1.2	requirement	1
	1.3	installation	2
	1.4	what is it	2
	1.5	shareware	2
	1.6	bugs	3
	1.7	start	3
	1.8	arexx	4
	1.9	menu	5
	1.10	requesters	6
	1.11	preferences	7
	1.12	formate	7
	1.13	history	8
	1.14	author	0
	1.15	thanks	0
	1.16	index e	1

MetaView 1 / 12

## **Chapter 1**

## **MetaView**

#### 1.1 main

M E T A V I E W 2 . 3

Requirement

Installation

What is it?

Shareware

Bugs

Start

ARexx

Menu

Requesters

History

Author

Thanks

Index

## 1.2 requirement

```
- any Amiga
```

- OS 2.x (only tested with 3.0)

MetaView 2 / 12

```
- 1 MB RAM or better (more than 0.5 MB free ChipMem)
- for Kick 3.x, the 'tabs.gadget' (included)
- for Kick 3.1, maybe the new 'SetPatch' (included)
```

#### 1.3 installation

```
- doubleclick the install-icon.

or

- copy the 'libs/amigametaformat.library' to 'libs:'

- create the drawer 'libs:AMF/'

- copy all files from 'libs/AMF/' to 'libs:AMF/'

- copy from 'libs/gadgets/tabs.gadget' to 'sys:classes/gadgets/'

- copy the executable "MetaView", where ever you want

- remark the path to MetaView in 'envarc:MetaView.path', with 'echo "(MetaView ← path)/MetaView" >envarc:MetaView.path'

and if you have:

- copy the keyfile "keyfile.metaview" to the same directory like the executable
```

#### 1.4 what is it

```
Programm to view and convert
  * WMF files (also embeded in Windows(tm) CLP files)
  * AMF files
  * DXF files
  * DR2D files
  * XFIG files (version 3.0 or 3.1)
  * WPG files (version 1.0)
  * GEM files (work in progress, need more examples)
  * DSDR files (work in progress, no gradients, no pattern)
  * CGM files (work in progress, need more examples)
to
  * ILBM
  * AMF
  * CGM
 * GEM
  * DR2D
 * HPGL
  * EPS
  * AI
  * JMF
  * WMF
```

There is also a menu item for open CDR-files, this is only for testing and can extract the preview picture. 'preview.bmp' can be found in 't:' dir.

#### 1.5 shareware

```
SHAREWARE:
```

This MetaView are shareware. If you use this programm regulary you must pay  $30,-\ \mathrm{DM}$  (20 \$) to

MetaView 3 / 12

me

. After this you get the newest version from MetaView and the keyfile. Without the keyfile you can't save your pictures about  $\mathsf{ARexx}$ .

For bank account and my address, please look at the end of file. The executable are freely distributable, only the keyfile "keyfile.metaview" are not freely distributable without permission from me.

To get the newer versions from MetaView, bugfixes etc. please look at "Aminet:qfx/conv/" or you send

me

 $\ensuremath{\mathtt{a}}$  empty disk and a franked and filled return envelop.

#### 1.6 bugs

- Not all WMF-codes are supported, but the most WMF-files should work.
- In this version MetaView can't display and convert any included BitMaps!!!
- If you find a bug on startup and own Kick 3.1, please install the new SetPatch 43.5 and try again.
- If you find any other bug please feel free to send me a mail with the following dates:
  - your configuration
  - in which cases the bug appears
  - if there only appears on some gfx files, then please send me also the gfx files
- I TAKE NO WARRANTLY FOR ANY DAMAGES ON YOUR SYSTEM!

#### 1.7 start

This programm is startable from Workbench or CLI.

For start from Workbench just doubleclick the icon. For start from CLI just type in the consolewindow 'MetaView'. You can give some options:

- LOADNAME the gfx-file to view
- SAVENAME the gfx-file to save, for converting, if you have give a SAVENAME, then the program will not open the window to show the gfx-file.
- LOAD/K force to load the gfx-file as AMF, WMF, CDR, DXF, DR2D, WPG, CLP, GEM,

CGM, DSDR

, if you dont use this option, the program look for the filetype alone.  $\,$ 

MetaView 4 / 12

```
- SAVE/K
              save the qfx-file as
              AMF, EPS, CGM, GEM, WW, ILBM, AMF2, JMF, WMF
               or PRT
              AMF

    AmigaMetaFileFormat

              AMF2 - AMF with previewpicture (* not yet *)
              DR2D - Drawing 2D
              JMF - Java Metafile
              WMF - Windows Metafile
              CGM - Computer Graphics Metafile
              GEM - GEM Metafile
                  - WordWorth-ARexx-script
              WW
              EPS - Encapsulated PostScript
              AI - Adobe Illustrator
              ILBM - Interleaved Bitmap
              HPGL - HP Graphics Language
              PRT - Printer
              CLIP - copy to ClipBoard unit 0
  if you dont use this option, then you get AMF-files
- WIDTH/K/N
              for ILBM, CLIP and PRT the WIDTH of output (ILBM, CLIP -
              pixels, PRT - mm)
- HEIGHT/K/N for ILBM, CLIP and PRT the HEIGHT
- XOFF/K/N
             for PRINTER the x-position in mm
- YOFF/K/N
             for PRINTER the y-position in mm
- DEPTH/K/N
             Depth for ILBM, CLIP and PRT output
- ERRORS/S
              writeout debug informations, make a big decrease of the speed
              of fileparsing
- NOPROP/S
              no preserve picture-aspect
- TRANSPARENT/S no drawing in background and set color 0 as transparent for
              ILBM and CLIP output
- NODISPLAY/S MetaView will not open a screen but only create a ARexxPort
              for background operations
the default options are:
  SAVE
        = AMF
  WIDTH = 640 (ILBM, CLIP) or 50 (PRT)
  HEIGHT = 400 (ILBM, CLIP) or 50 (PRT)
  XOFF
        = 0
  YOFF
       = 0
  DEPTH = 4
```

#### 1.8 arexx

MetaView opens a ARexxPort based on the name "METAVIEW" a point  $\hookleftarrow$  "." and a number starting at 0. So if you start MetaView once the ARexxPort name are

MetaView 5 / 12

```
"METAVIEW.0".
Commands:
- LOAD
                   load a gfx-file
    LOADNAME/A
                    name of gfx-file
                     force to load gfx-file as AMF, WMF,...
    AS/K
- SAVE
                   save a gfx-file
    SAVENAME/A
                    name of gfx-file
    AS/K
                     save the qfx-file as
              AMF, EPS, GEM, CGM, HPGL, DR2D, WW, ILBM, JMF, WMF
                   WIDTH/K/N
                                     pixel width for ILBM output
                     pixel height for ILBM output
    HEIGHT/K/N
    DEPTH/K/N
                     depth for ILBM output
- PRINT
                  print a gfx-file
    XOFF/K/N
                    left offset in mm
    YOFF/K/N
                    right offset in mm
    WIDTH/K/N
                    width in mm
                    height in mm
    HEIGHT/K/N
    DEPTH/K/N
                    depth of printing
- COPY
                   copy a gfx-file to clipboard (unit 0)
    WIDTH/K/N
                    pixel width
    HEIGHT/K/N
                    pixel height
    DEPTH/K/N
                     depth
- SET
                   set some attributes
    PROP/S
                    preserve picture-aspect
    NOPROP/S
                    no preserve picture-aspect
                   background transparent
    TRANSPARENT/S
    NOTRANSPARENT/S no transparent
                 ask for a filename (in "result")
- REQUESTFILE
                    initial filepath and -name
    PATH
    TITLE/K
                    title of requester
    OK/K
                    string for ok-button
    PATTERN/K
                    string for pattern
                  ask for options (in "rc")
- REQUESTCHOICE
                    title of requester
    TITLE/K
    BODY/K
                     string for question
    BUTTONS/K
                     string for buttons (seperate with "|")
                   inform the user
- REQUEST
    BODY/F
                    information string
- QUIT
                   quit MetaView
```

Ther exist some ARexx-Scripts in the drawer "ARexx-Examples".

#### 1.9 menu

```
- Project
- Open

(look here for formate)
- Open as

- AMF
- WMF
- CLP
- DR2D
- WPG
- DXF
```

MetaView 6 / 12

```
- FIG
        - CDR
        - DSDR
        - GEM
        - CGM
    - Save as
              (look here for formate)
                       - AMF
        - AMF+PIC /* not yet */
              ILBM
                        - EPS
       - GEM
       - CGM
        - DR2D
       - HPGL
       - WW
       - AI
       - WMF
        - JMF
             Print
                   - About
   - Quit
- Other
   - Logo
                   - draw the start picture again
    - Info
                  - show some picture infos (type, size, version)
   - Сору
                   - copy to clipboard (unit 0)
- Settings
   - Aspect
                  - preserve picture aspect (proportions) or not
   - Transparent - draw to background or not (importend for ILBM brush)
              Change...
                  - change screentype, -mode, -depth and defaultfonts
```

### 1.10 requesters

```
- Print
   - you can set the print dimension either by numbers (mm) or by drawing
     a rectangle with the mouse (press leftmousebutton and drag)
   - you can set the depth of printing (from black and white to 256 colors)
   - you can suppress the paper ejecting
    - you can switch on a frame outside of picture
- Save ILBM
    - you can set the picture dimension and the depth
   - the switch strip means, that the picture will be render in 9 stripes
     and saved to one ILBM to save ChipMem and allow big ILBM-Pictures
- Change
              Settings...
                    - you can set either custom- or publicscreen
   - change the name of publicscreen
   - change the screenmode and -depth
    - set the defaultfonts (for serif, sans serif, deco, typewriter, script)
- Substitute FONT
```

MetaView 7 / 12

```
substitute the not existing font either with defaultfonts (serif, sans serif, ...) or a special font, selected now
press "USE" for using now or "INCLUDE" for including by save as other formats
```

## 1.11 preferences

- Settings saved in env:MetaView.prefs and envarc:MetaView.prefs as ASCII and can also edit separate

#### Defaults:

SCREENMODE=\$8004

SCREENWIDTH=-1

SCREENHEIGHT=-1

SCREENDEPTH=4

CUSTOMSCREEN=TRUE

PUBLICSCREEN=Workbench

SERIF\_FONT=Times.font

SANS\_FONT=Helvetica.font

TYPE\_FONT=Courier.font

SCRIPT\_FONT=Times.font

DECO\_FONT=Times.font

PRINT\_DEVICE=printer.device

PRINT\_UNIT=0

#### 1.12 formate

Format	Description	
Save:		
AMF	Amiga MetaFile my own format, deviceindependent, fast and based on AmigaMetaFormat.library	
CGM	ComputerGraphicMetafile uses on Amiga (WordWorth, with colors), PC or UNIX	
GEM	uses on Amiga (WordWorth, no colors), PC or Atari	
EPS	Encapsulated PostScript uses on all Computersystems, can also printed on PSPrinters	
HPGL	Hewlett-Packard Graphics Language uses for Plotters	
DR2D	Drawing 2D uses on Amiga (PageStream, DrawStudio, ProVector etc.)	
ILBM	Interleaved BitMap uses on Amiga (DPaint etc.) but lost quality on sizeing	

MetaView 8 / 12

```
ΑI
          Adobe Illustrator
  WMF
  JMF
          Java MetaFile uses on the WWW, please
          look at my HomePage for more informations
Load:
  AMF
  WMF
          Windows MetaFile
          uses on PC (many Clipart-CDs)
  CLP
          Clipboard
          uses for ClipBoard on PC (Windows)
  WPG
          Wordperfect Graphic
          uses on PC (WordPerfect), (some Clipart-CDs)
  CDR
          Corel Drawing
          uses on PC and also Macintosh (CorelDraw),
          but there is no information about this
  DR2D
  DXF
          Drawing Exchange File
          uses on PC and UNIX (AutoCAD), (mostly CAD files)
  FIG
          uses on Amiga (AmiFIG or XFig) and UNIX (XFig)
  DSDR
          DrawStudio Drawing
          uses on Amiga (DrawStudio)
  GEM
  CGM
```

### 1.13 history

MetaView 9 / 12

```
- zoom function (now you can better read your DXF-files :-)
Version 2.1
  NEW and FIXED:
    - there was a bug in ILBM-export created in Version 2.0, now fixed
      (thanks to Jon Peterson)
    - include Version in Screentitle and Aboutwindow (also ARexxPort)
      (thanks to jon Peterson)
    - include ARexx-Examples
    - include 'tabs.gadget' and 'SetPatch' (@ Amiga Technologie)
    - ignore comments on start of DXF files
    - faster DXF parsing if $EXTMIN/MAX present
    - WPG files with colors and switch top/down
      (thanks to Andreas Kleinert for WPG-example)
    - no exit if tabs.gadget not found
  CHANGES in 'amigametaformat.library'
    - complete dr2d.driver and hpgl.driver
Version 2.0
  NEW:
    - change from pd to shareware
    - support Screenmode and PublicScreens
    - support transparent
    - many new Importformats
    - HPGL- and DR2D-export
  FIXED:
    - fixed bug in ILBM-export when width not a multiple from 16
      (thanx to MagicBox Inc.)
    - the long terrible bug, i hope, was not my fault, but an error on
      ^\prime mathieeesingbas.library^\prime from Kick 3.1
    - fixed bug in ILBM-export for Kick 2.0
Version 1.4
  NEW:
    - preserve picture-aspect
     thanks to Geoffrey A. Gass
    - enhanced ILBM-export
    - enhanced printing, also from CLI
  FIXED:
    - Installer-Bug,
     thanks to Geoffrey A. Gass
  CHANGES in 'amigametaformat.library'
    - please look at 'amigametaformat.readme'
Version 1.3
  NEW:
    - CLI-Arguments
    - batchmode to convert many Cliparts (with s:dpat)
    - automatic gfxtype recognite
  FIXED:
    - Bug with ASL-Requester (mixing file- and pathname),
     thanks to Andreas Kleinert
    - No more 'unexpect End of File' if loading correct WMF,
      thanks to Harry W. Turner II and Geoffrey A. Gass
    - Better colors in WMF-files
  CHANGES in 'amigametaformat.library'
    - please look at 'amigametaformat.readme'
Version 1.2
  Second public release, first within the AMF-Library.lha.
  NEW:
    - WMF-import
```

MetaView 10 / 12

```
CHANGES in 'amigametaformat.libary' - fix some bugs in CGM-driver with AMF_POLYGON and AMF_FILL_POLY
```

## 1.14 author

Henk Jonas Zionskirchs 10119 Berli Germany		3	
email: subv		tel.zrz.tu-berlin.de 92199	<b>:</b>
WWW: http:/	//www.cs.t	u-berlin.de/~jonash	1
bank account: Name: Name of bank: Number of bank: Number of account:			
Please fill	out the	following form and	send it to me:
	cut	here	
Name:			
Address:			
Hometown:			
Country:			
EMail:			
<del>-</del>		ansfer (prefered) (on your own risk!) (payable to me)	
Comment:			
	C11t	- here	

## 1.15 thanks

- to all peoples, that support the  ${\tt AMIGA}$
- to all peoples, that understand my bad english ;-)
- to my girlfriend and my rat ;-)

MetaView 11 / 12

```
\mbox{-} to all peoples that mail or write \mbox{me}
```

- and last but not least to all peoples, that have register, thanx

## 1.16 index\_e

Α

AMF

ARexx

Arguments

В

Bugs

С

CGM

CLI

D

DR2D

DSDR

Ε

EPS

G

GEM

Н

History

HPGL

I

ILBM

M

Menuitems

Р

Preferences

- change

- file

Print

R

Register

W

MetaView 12 / 12

WMF

Workbench