

```
; This a a sample prune file.
;
10,A:
;   Deletes all messages in conference 10.
;
!10,N:100
;   Unkill message 100 in conference 10.
;   Note: these two lines could be replaced by 10,N~100.
;
!10,SP:Interesting subject
;   Unkill all messages in conference 10 with "Interesting subject"
;   in their subject lines.
;
20,N:<500
;   Kill all messages in conference 20 that have message numbers less than
;   500.
;
30,N:>500
;   Kill all messages in conference 30 that have message numbers greater
;   than 500.
;
A,B:Joe Schmuck
;   Kill all messages either to or from "Joe Schmuck"
;
20,F:John Doe
|,F:Joe Blow
&,T:Richard Roe
;   Kill all messages in conference 20 from "John Doe" or "Joe Blow" that
;   are also to "Richard Roe"
;
0,B:John Doe
&,B:Richard Roe
&,S:Private Argument
;   Kill all messages in conference 0 that are to or from "John Doe", and
;   and also to or from "Richard Roe", that have "Private Argument" as
;   their subject
;
A,F:Joe Doaks
&,T~@ME@
;   Kill all messages from "Joe Doaks" that are not addressed to you.
;
A,D:30
;   Kill all messages more than 30 days old.
;
Z,SESSION
;   Delete SESSION.TXT, if it exists.
```