ColorView for Windows

Version 0.95 Copyright © 1992 Millennium Technologies Corporation ALL RIGHTS RESERVED.

> Millennium Technologies Corporation Suite #205, 649 61st Street West New York, New Jersey 07093

| TABLE OF CONTENTS | <u>Page</u> |
|-------------------------------------|-------------|
| Shareware Disclaimer - Agreement | 1 |
| | 2 |
| Registration Form | 3 |
| Introduction | 4 |
| Hardware & Software Requirements | 4 |
| Features | 4 |
| User Guide | 5 |
| Appendix A | 8 |
| Appendix B | 9 |

ColorView for Windows is distributed as <u>SHAREWARE</u>. Please read the following information before using it.

SHAREWARE

ColorView is a shareware product, it is not free. Shareware distribution gives users a chance to try software before buying it. If you try a Shareware program and continue using it, you are expected to register. With registration of ColorView version 0.95, you will receive a diskette with the latest version of the software and documentation. In addition, you will receive ColorView version 1.0 when it is released - free of charge.

Copyright laws apply to both Shareware and commercial software, and Millennium Technologies Corporation retains all rights, with a few specific exceptions as stated below. You are specifically granted the right to copy and distribute the ColorView package, complete and unmodified, as described in the Disclaimer-Agreement section below.

Shareware is a distribution method, not a type of software. The Shareware system makes fitting your needs easier, because you can try it before you buy it. And because the overhead is low, prices are low. Shareware has the ultimate money-back guarantee -- if you don't use the product, you don't pay for it.

DISCLAIMER - AGREEMENT

Users of ColorView must accept this disclaimer of warranty:

"ColorView is supplied as is. Millennium Technologies Corporation disclaims all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. Millennium Technologies Corporation assumes no liability for damages, direct or consequential, which may result from the use of ColorView."

ColorView is a "shareware program" and is provided at no charge to the user for evaluation. Feel free to share it with your friends, but please do not give it away altered or as part of another system. The essence of "user-supported" software is to provide personal computer users with quality software without high prices, and yet to provide incentive for programmers to continue to develop new products. If you find this program useful and find that you are using ColorView and continue to use ColorView after a reasonable trial period, you must make a registration payment of \$29.95 to Millennium Technologies Corporation (please use the registration form below). The \$29.95 registration fee will license one copy for use on any one computer at any one time. You must treat this software just like a book. An example is that this software may be used by any number of people and may be freely moved from one computer location to another, so long as there is no possibility of it being used at one location while it's being used at another. Just as a book cannot be read by two different persons at the same time.

Commercial users of ColorView must register and pay for their copies of ColorView within 30 days of first use or their license is withdrawn. Site-License arrangements may be made by contacting Millennium Technologies Corporation.

Anyone distributing ColorView for any kind of remuneration must first contact Millennium Technologies Corporation at the address below for authorization. Millennium Technologies Corporation should be advised so that the distributor can be kept up-to-date with the latest version of ColorView.

Disk Vendors, Shareware Distributors and BBS(s) may charge a nominal fee for distribution of the program. The recipient of ColorView must be informed, in advance, that the fee paid to acquire ColorView does not relieve the recipient from paying the Registration Fee for ColorView if the recipient uses ColorView.

You are encouraged to pass a copy of ColorView along to your friends for evaluation. Please encourage them to register their copy if they find that they can use it. All registered users will receive a copy of the latest version of the ColorView system.

REGISTRATION

Please use this form to register ColorView. The registration for ColorView version 0.95, entitles you to receive a free upgrade to ColorView version 1.0 when it is released. See Appendix A for a list of features planned for Version 1.0. With registration you will receive a disk containing both, ColorView and ColorView '386.

REGISTRATION FORM

ColorView v. 0.95

| MME: | |
|---|--|
| 'REET: | |
| TY: | |
| ZATE:ZIP | |
| CLEPHONE: | |
| olorView license number\$29.95 | |
| ew Jersey residents add 7% sales tax (\$2.10) | |
| residents - Shipping and handling \$5.00 | |
| ther - Shipping and Handling \$8.00 | |
| | |
| otal in US Funds drawn on a US Bank \$ | |
| Circle Disk Size: 3 1/2" 5 1/4" | |

Make checks payable to: Millennium Technologies Corporation

Mail to:

Millennium Technologies Corporation Suite #205, 649 61st Street West New York, New Jersey 07093

INTRODUCTION

ColorView is a program designed to view and manipulate color images in the Microsoft Windowstm environment. Some of the features slated for version 1.0 are not in this pre-release. Please see Appendix A for the complete list of features and formats supported in the version 1.0. Two versions of the software are available: ColorView and ColorView '386. The latter is optimized to make use of the Intel 80386 instructions to improve performance of JFIF conversions. Both versions support the same formats and provide the same features. The only difference is speed: ColorView '386 is more than twice as fast as the generic ColorView. Of course, ColorView '386 requires a 80386 or better processor to run.

HARDWARE & SOFTWARE REQUIREMENTS

The following hardware and software is supported by **ColorView** version 0.95:

Color display (any resolution):

8 bit, 256 color, palette based, or

15 bit 'true' (32768 colors) color, or

24 bit true color.

VGA: The software will run correctly on a 4 bit (standard VGA) display, but 16 colors will not be enough to render the image correctly on the screen.

CPU and memory:

80286 or above for generic **ColorView**.

80386 or above system is required for **ColorView '386**.

Memory: As much as possible. Anything from 4 MBytes to infinity is recommended. In general, the more contiguous memory you have available in Windows, the bigger the image you can display.

Operating System:

MS-DOS, Microsoft Windows 3.0 or 3.1

FEATURES

This version of the software supports the following image formats:

Reading:

JPEG (JFIF subset) *.JPG: 24 bit color, highly compressed images **GIF'87** (GIF'89 in v1.0) *.GIF: LZW encoded 8 bit palette based

images

Windows Bitmaps *.BMP: (RLE in v1.0) 4 bit, 8 bit and 24 bit color

images

Writing:

JPEG (JFIF subset) in version 1.0

GIF'87

Windows Bitmaps (RLE in v1.0): 8 bit and 24 bit color images

USER GUIDE

The following is a short description of the menus and options available:

File Menu

File New

Removes any loaded image from memory, clears viewer window.

File Open...

Displays a dialog box allowing you to pick an image file to load. Version 0.95 recognizes the image format of the file by its extension.

File Save As...

Allows you to save an image in a different format. An image must be loaded (and converted into 8-bit format for GIF and BMP 8-bits save). The extension of the file name determines the image format to be saved.

File Save Image Options...

Provides a way to assign configuration options (from the Options pop-up menu) to the current image. When you try to load the same image in the future, you will be able to automatically configure the viewer by loading the saved options. The saved configuration includes all four of the Enhance Color parameters (see below).

File Exit

Exit ColorView, releasing all resources and memory allocated.

File About ColorView

ColorView Copyright and Registration messages.

Options

Options <u>D</u>ither Image

When performing a 24 bit to 8 bit conversion, tells ColorView to use dithering to smooth out quantization errors. In most cases dithering will significantly improve image quality. In some cases the image might become a little less sharp. ColorView uses Floyd-Steinberg dithering.

Options Full Palette

Windows reserves 20 colors from the system palette for its own use. Normally, these colors cannot be changed by an application, limiting the number of colors available to 236. If this option is selected, ColorView will use the entire system palette minus 2 colors (white and black) reserved for Windows. Windows will use the palette of the active application, so when ColorView is active, other applications might not display correct colors. Just click on the other application to activate it and to force Windows to redisplay it

properly. This also works when running multiple copies of ColorView: just click on the one you want to see, and its palette will become the system palette.

Options

Enhance Color - 256, 15 and 24 bit displays
Provides a way to color correct an image. Note that on 256 color displays, this is fast because only the palette needs to be updated. On 15 and 24 bit displays, any change affects every pixel in the image, causing slower performance. The Color Enhancement panel contains 4 slide controls described below. Each control can be adjusted using the mouse, or once it has focus, the arrow keys can be used for fine tuning.

Color:

range 0 to 360, normal at 180: changes the hue of the image.

Saturation

range 0 to 255, normal at 128: changes the amount of color in the image. Saturation of 0 means no color, or black & white image.

Brightness:

range 0 to 255, normal at 128: adjusts overall image brightness.

Gamma Factor:

range 0 to 1000, normal at 0: gamma-corrects the image. This provides a way to correct for the difference between perceived colors and their computer generated equivalents. This can be very useful for scanned images, improving sharpness and contrast of the original. If the original has already been gamma-corrected, additional corrections might degrade image quality.

Options

8 Bit Conversion

This option is available on 15 or 24 bit cards only. On any other display system it is automatically selected (and disabled). If this option is selected, ColorView will convert any 24 bit image into a 256 color palette based image, even if your card can handle more than 256 colors. This can be used to generate GIF or 8 bit BMP files. In most cases, a 256 color image will be inferior to a 15 or a 24 bit color image.

Options

Fast Quant:

Selects Millennium Technologies Fast Quantization algorithm for reducing 24 bit images to 256 colors. This is a one-pass color reduction method. Although the results are not as high quality as with the Heckbert Quant (below), Fast Quant requires no additional memory, and does not add an extra pass to render the image. This is useful for quick pre-view of an image.

Options <u>H</u>eckbert Quant

Selects Heckbert's Quantization Algorithm. This algorithm uses RGB space sub-division to find the most important colors in the image.

Heckbert Quant requires more memory to run, and an extra pass over the image to figure out color distribution. Our highly optimized implementation of Heckbert Quant, makes it the algorithm of choice when coupled with the 'Dither Image' option above.

Options Full Window

Display image overlaying the caption and the menu of the viewer window. This is just a display option: the menu is still available, and if you click in the right region you can bring the menu on top of the image to make a selection.

Options Show Scroll Bars

Enable horizontal and vertical scroll bars. This allows you to scroll to any portion of the image if the image is bigger than the window it is displayed in. Scroll bars are disabled in the Stretch Image Mode (below). NOTE: Windows has a bug when displaying large images (larger than 640 x 480) which might cause scrolling not to work properly. This depends on the image size, and is more common with images larger than 1024x1024 pixels.

Options Stretch Image

Resizes the displayed image to fit into the viewer window. Only the display is changed, the memory image retains the original size.

Options Keep Aspect Ratio

Used with Stretch Image option (above). This allows you to relax the requirement to preserve the original height to width ratio. If unselected, the image will be stretched to completely fill the viewer window, even if this distorts the image.

Options Save <u>Viewer Options</u>

This saves currently selected viewer options (everything in the Options pop-up menu) into CVIEW.INI file. These settings are automatically loaded next time you start ColorView, making them your default choice.

APPENDIX A - ColorView Version 1.0

ColorView Version 1.0 will be an improved and expanded version 0.95. The following list of additions and modifications are planned:

- Full support for reading GIF'87 and GIF'89 files.
- Reading and writing Windows BMP RLE files
- Saving any file in **JFIF** format
- Speed improvements on reading **JFIF** files
- Clipboard operations on any portion of the image
- Partial Save option allowing a portion of the image to be saved in any of the supported formats.
- Support for 'batch-mode' processing of images (e.g. unsupervised conversions)
- Improved memory handling and custom virtual memory for better performance on machines with less physical memory.
- Fixes to bugs reported in version 0.95. Please send us any comments and bug reports at the address at the top of this document.

NOTE: If you register now for ColorView version 0.95, you will not only receive the current version, but also version 1.0 (free of charge) when it becomes available.

In addition, a DOS-based ColorView is in the works, providing support for Super VGA color cards, EMS memory and mouse support.

APPENDIX B - Trademarks and Acknowledgements

ColorView is based in part on the work of the Independent JPEG Group. The Independent JPEG Group disclaims all warranty and/or liability claims.

GIF files:

The Graphics Interchange Format © is the Copyright property of CompuServe Incorporated.

GIF(sm) is a Service Mark property of CompuServe Incorporated.

For further information, please contact:

CompuServe Incorporated Graphics Technology Department 5000 Arlington Center Boulevard Columbus, Ohio 43220 U. S. A.

Microsoft and MS-DOS are a registered trademarks and Windows is a trademark of Microsoft Corporation.

Intel is a registered trademark and 386 is a trademark of Intel Corporation.