

3D-VB Input [ver 3.0]

3D-VB is an enhanced TextBox control for Microsoft Visual Basic.

Description

This control emulates the standard Visual Basic TextBox control which allows the user to enter text. 3D-VB Input can give the text and the control a 3D look. It also allows for different alignment of the text. Plus the first VB control with **Property Menus**. [ver 3.0] includes properties to access database data.

Registration

File Name

INPUT.VBX

Object Type

Input

Remarks

3D-VB Input gives the Visual Basic developer the ability to easily change the look and characteristics of the control. (Text formatting, 3D look, Fonts, Alignment, Default Property Settings and Other Properties) using the Right Mouse Button.

All of the properties, events, and methods for this control are listed below. Properties and events that apply only to this control, or require special consideration when used with it, are marked with an asterisk. They are documented in the next section. See the *Visual Basic Language Reference* or online Help for documentation of the remaining properties, events, and methods.

Properties

<u>(About)</u>	<u>(DesignNames)</u>
<u>(Help)</u>	<u>(SetDefault)</u>
<u>Alignment</u>	BackColor
<u>BorderStyle</u>	CtlName
<u>DataField [ver 3.0]</u>	DataSource [ver 3.0]
Drag	DragIcon
Enabled	<u>Font3D</u>
FontBold	FontItalic
FontName	FontSize
FontStrikeThru	FontUnderline
ForeColor	<u>Format</u>
Height	<u>HWnd</u>
Index	Left
MousePointer	<u>Parent</u>
<u>ReadOnly</u>	<u>SelAuto</u>
SelLength	SelStart
SelText	TabIndex
TabStop	Tag
Text	<u>TextLimit</u>
Top	<u>Value</u>

Visible

Width

Events

Change

DbClick [\[ver 3.0\]](#)

DragDrop

GotFocus

KeyPress

LostFocus

MouseMove [\[ver 3.0\]](#)

Clicked

DragOver

KeyDown

KeyUp

MouseDown [\[ver 3.0\]](#)

MouseUp [\[ver 3.0\]](#)

Methods

Drag

Refresh

Move

SetFocus

(About)

Description

Displays About Box and version information.

Remarks

DesignTime Only:

Data Type

None

(DesignNames)

Description

Displays CtlName property during DesignTime for all 3D-VB Input controls.

Remarks

DesignTime Only. Has no effect at RunTime.

Data Type

None

(Help)

Description

Starts 3D-VB Input Help

Remarks

DesignTime Only:

Data Type

None

(SetDefault)

Description

Makes properties of the current control the default.

Remarks

DesignTime Only. Just select the control and set the default property. The following properties and their values will become the default for all the subsequent controls until the default is changed.

<u>Alignment</u>	BackColor
<u>BorderStyle</u>	<u>Font3D</u>
ForeColor	<u>Format</u>
<u>ReadOnly</u>	<u>SelAuto</u>
<u>TextLimit</u>	Visible

Data Type

None

Alignment

Description

Sets or returns the alignment of text in the Panel.

Usage

`[form.]Input.Alignment[= setting%]`

Remarks

The Alignment property settings are:

Setting Description

- 0 Caption appears left justified at the top.
- 1 Caption appears left justified in the middle.
- 2 Caption appears left justified at the bottom.
- 3 Caption appears right justified at the top.
- 4 Caption appears right justified in the middle.
- 5 Caption appears right justified at the bottom.
- 6 Caption appears centered at the top.
- 7 Caption appears centered in the middle.
- 8 Caption appears centered at the bottom.

Data Type

Integer (Enumerated)

BorderStyle

Description

Sets or returns the three-dimensional style of the Input BorderStyle

Usage

[*form.*]Input.**BorderStlye**[= *setting%*]

Remarks

The BorderStyle property settings are:

Setting Description

- | | |
|---|---|
| 0 | None, No Border is shown. |
| 1 | Standard, Border is shown Normal, default window color. |
| 2 | Raised, Border appears raised. |
| 3 | Inset, Border appears inset. |
| 4 | Raised-Enhanced, Border appears more raised. |
| 5 | Inset-Enhanced, Border appears more inset. |
| 6 | Raised-Ridge, Border appears as a raised ridge. |
| 7 | Inset-Ridge, Border appears as an inset ridge. |

The BorderStyle property works with all the Color properties. Settings 4 and 5 work best with non-gray colors.

Data Type

Integer (Enumerated)

Font3D

Description

Sets or returns the three-dimensional style of the Input Text.

Usage

`[form.]Input.Font3D[= setting%]`

Remarks

The Font3D property settings are:

<u>Setting</u>	<u>Description</u>
----------------	--------------------

- | | |
|---|--|
| 0 | Normal. |
| 1 | Norma. |
| 2 | Raised, Text appears raised. |
| 3 | Inset, Text appears inset. |
| 4 | Raised-Enhanced, Text appears more raised. |
| 5 | Inset-Enhanced, Text appears more inset. |

The Font3D property works with all the other Font properties. Settings 2 and 4 (heavy shading) look best with larger, bolder fonts.

Data Type

Integer (Enumerated)

Format

Description

Sets or returns the Format of the Input Text.

Usage

[*form.*]Input.**Format**[= *setting%*]

Remarks

The Format property settings are:

<u>Setting</u>	<u>Description</u>
0	All, all characters are accepted.
1	Upper, upper case characters only.
2	Lower, lower case characters only.
3	Caps, words are capitolized when focus is lost.
4	Numbers only
5	Integers only (0..9)

The format setting restricts and/or changes characters entered in to the control. When the Format property is set to 5, the '+' and '-' keys increment the Value of the Text.

Data Type

Integer (Enumerated)

HWnd

Description

Returns the Window Handle of the Input Control.

Usage

[setting%] = *[form.]Input.HWnd*

Remarks

HWnd is readonly and available only at RunTime.

HWnd is used mostly for direct calls to the Windows API.

Data Type

Integer

Parent

Description

Returns the Parent Form

Usage

`[setting%] = [form.]Input.Parent`

Remarks

Parent is readonly and available only at RunTime.

Data Type

Form.

ReadOnly

Description

Sets or returns the ReadOnly property of Input Control.

Usage

```
[form.]Input.ReadOnly[ = setting%]
```

Remarks

The ReadOnly property settings are either (True/False).

When ReadOnly is set to True, the user cannot tab into the control or enter it with the mouse, but the Clicked event is still enabled.

Data Type

Integer (Boolean)

SelAuto

Description

Sets or returns the SelAuto property of Input Control.

Usage

[form.]Input.SelAuto [= *setting%*]

Remarks

The SelAuto property settings are either (True/False).

When SelAuto is set to True, tabbing into the control will select all the text just like in normal windows dialog boxes. The False setting makes it behave like the Visual Basic default, which is to select only what was selected before when the control last had the focus.

Data Type

Integer (Boolean)

TextLimit

Description

Sets or returns the TextLimit property of the Input Control.

Usage

[form.]Input.TextLimit[= setting%]

Remarks

The TextLimit property limits the amount of text which can be entered into the Input control. A setting of zero places no limit on the number of characters that can be entered, within Windows limitations.

Data Type

Integer

Value

Description

Sets or returns the Value property of the Input Control.

Usage

[form.]Input.Value [= *setting%*]

Remarks

Value is not available at DesignTime.

Retrieves or sets the integer value of the text of the control. This property eliminates the need to use the Visual Basic `Val()` function on the Text property.

Data Type

Long

Property Menu

Description

Right Clicking on the 3D-VB Input during development brings up a Property Menu which allows for changing all of the controls properties.

Remarks

Why MicroSoft didn't include this in standard VB instead of the VB Property Bar is beyond me. No more mousing back and forth between the controls and the property bar.

Selecting one of the menu items brings up a dialog box to change the properties.

Color...

Brings to front VB's standard color pallete allowing change to:

ForeColor BackColor

Display...

Brings up a dialog box to change:

Alignment BorderStyle
Font3D Visible

Fonts...

Brings up Windows common font dialog box to change all font settings.

Format...

Brings up a dialog box to change:

Enabled Format
ReadOnly SelAuto
TabIndex TextLimit

Name...

Brings up a dialog box to change:

CtlName Index
Tag Text

Position...

Brings up a dialog box to change:

Left Height
Top Width

Edit

Brings up edit sub-menu.

Options

Brings up sub-menu to change:

DesignNames SetDefault

Help

Starts the Help file.

About...

Displays About dialog box.

Registration

3D-VB Input © is written by Brett Liddicoet
Copyright © 1991-1993
Opaque Software ©
P.O. Box 2483.
Napa, CA 94558
CIS# 70621,3034

3D-VB Input ver 3.0 has been written using Turbo Pascal for Windows. I welcome all comments, suggestions and problems with 3D-VB Input. Feel free to contact me via US mail or CompuServe E-MAIL. Registered users will be given priority. Thanks for using 3D-VB Input.

REGISTRATION COSTS

15 Dollars U.S (disk is \$7 extra)

SOFTWARE LICENSE

3D-VB Input is not and has never been public domain software, nor is it free software.

Non-licensed users are granted a limited license to use 3D-VB Input on a 30-day trial basis for the purpose of determining whether 3D-VB Input is suitable for their needs. The use of 3D-VB Input, except for the initial 30-day trial, requires registration. The use of unlicensed copies of 3D-VB Input by any person, business, corporation, government agency or any other entity is strictly prohibited.

A single user license permits a user to use 3D-VB Input only on a single computer. Licensed users may use the program on different computers, but may not use the program on more than one computer at the same time.

Licensed users may also distribute the runtime INPUT.VBX and TPW2VB.DLL with their completed applications.

No one may modify or patch the 3D-VB Input executable files in any way, including but not limited to decompiling, disassembling, or otherwise reverse engineering the program. A limited license is granted to copy and distribute 3D-VB Input only for the trial use of others, subject to the above limitations, and also the following:

- 1) 3D-VB Input must be copied in unmodified form, complete with the file containing this license information and only the following 3D-VB Input files: INPUT.EXE, TPW2VB.DLL, ORDER.WRI and README.TXT. You may NOT distribute the 3D-VB Input registration ID, control numbers or that portion of the WIN.INI file created by 3D-VB Input.
- 2) The full machine-readable 3D-VB Input documentation must be included with each copy.
- 3) No fee, charge, or other compensation may be requested or accepted, except as authorized below:

A) Operators of electronic bulletin board systems (sysops) may make 3D-VB Input available for downloading only as long as the above conditions are met. An overall or time-dependent charge for the use of the bulletin board system is permitted as long as there is not a specific charge for the download of 3D-VB Input.

B) Vendors of user-supported or shareware software may distribute 3D-VB Input, subject to the above conditions, without specific permission. Vendors may charge a disk duplication and handling fee, which, when pro-rated to the 3D-VB Input product, may not

exceed five dollars.

C) Non-profit user groups may distribute 3D-VB Input, subject to the above conditions, without specific permission. Non-profit user groups may charge a disk duplication fee, which, when pro-rated to the 3D-VB Input product, may not exceed five dollars.

LIMITED WARRANTY

EXCEPT AS PROVIDED ABOVE, OPAQUE SOFTWARE DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT. SHOULD THE PROGRAM PROVE DEFECTIVE, THE

PURCHASER ASSUMES THE RISK OF PAYING THE ENTIRE COST OF ALL NECESSARY SERVICING, REPAIR, OR CORRECTION AND ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. IN NO EVENT WILL OPAQUE SOFTWARE BE LIABLE FOR ANY DAMAGES WHATSOEVER (INCLUDING WITHOUT LIMITATION DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION AND THE LIKE) ARISING OUT OF THE USE OR THE INABILITY TO USE THIS PRODUCT EVEN IF OPAQUE SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Use of this product for any period of time constitutes your acceptance of this agreement and subjects you to its contents.

U.S. GOVERNMENT RESTRICTED RIGHTS

Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subdivision (b)(3)(ii) of the Rights in Technical Data and Computer Software clause at 252.227-7013. Contractor/manufacturer is Opaque Software.

