(c)1993 by Mark Gamber

Actual documentation

Sample Listbox #1

Sample Listbox #2

Sample Listbox #3

About This File

^{1&}lt;sup>#</sup> contents

^{2&}lt;sup>\$</sup> Contents

(c)1993 by Mark Gamber

About This File

This project may be freely distributed under the condition that none of the files listed below are removed from the compressed file. The contents of WHLISTBX.DLL may not be altered without explicit permission from the author. Upon using any portion of this project, the user agrees to indemnify and hold harmless the author and project files from any damage caused. If unable to comply, the user should destroy the software immediately.

Included Files:

WHLISTBX.DLL: Embedded listbox driver file.

LBTEST.HLP: This example and documentation help file. LBTEST.HPJ: WinHelp Project file to create LBTEST.HLP

LBTEST.RTF: WinHelp Project source file to create LBTEST.HLP

LIST1.INI: Baggage INI file for first listbox.
LIST2.INI: Baggage INI file for second listbox.
LIST3.INI: Baggage INI file for third listbox.

The author may be reached via the following services:

America Online: PCA MarkG

Compuserve: 76450,2754

Internet: pcamarkg@aol.com

Sample Listbox #1

Double-Click an Item {ewc whlistbx.dll,whlistbx,list1.ini}

Sample Listbox #2

Double-Click an Item {ewc whlistbx.dll,whlistbx,list2.ini}

Sample Listbox #3

Double-Click an Item {ewc whlistbx.dll,whlistbx,list3.ini}

(c)1993 by Mark Gamber

Actual Documentation

This Winhelp file demonstrates the **WHListbx** control by Mark Gamber. It may be added to any Windows Help file with minimal effort by including the $\{ewx\}$ statement in the Help source (RTF) file and providing an instruction file via a baggage file.

To add the control to the RTF file, simply include a reference to the control, specifying the baggage file it should use for initialization. For example, the first listbox in this file uses the file <code>list1.ini</code> so it's embedded into the help file using <code>[ewlwhlistbx.dll,whlistbx,list1.ini]</code>. The second listbox is the same with the exception of the baggage file which is <code>list2.ini</code>. Note that the "ewl" command shown above has square brackets when, in fact, they should be "{" and "}". This was done only to prevent the listbox from appearing here. Don't use square brackets when you really want a listbox to appear!

Baggage files are used by the listbox to initialize themselves and are very easy to construct and include in the Help Project file (HPJ). A baggage file is an **INI** type file broken into three sections: <u>Initialization</u>, <u>Items and Topics</u>.

(c)1993 by Mark Gamber

Baggage Initialization Section

Each listbox uses a baggage file for initialization and control. The baggage file is an **INI** file which contains an initialization section (**INIT**) which much contain the following information:

[INIT] Identifies this section as the initialization section

Ysize=#Specifies the horizontal size of the listbox **Ysize=#**Specifies the vertical size of the listbox **FGColor=#**Specifies the foreground color (0-16777215) **BGColor=#**Specifies the background color (0-16777215) **Items=#**How many items specified in **ITEMS** section

Items=# How many items specified in <u>ITEMS</u> section
FontHeight=# Height of font to use in the listbox

FontWeight=# Weight of listbox font (400-normal, 800=bold, etc)

FaceName=font Name of font to use in listbox. (MS Sans Serif, etc)

For example, the **INIT** section for the first listbox in this file is as follows:

[INIT]
Xsize=240
Ysize=100
FGColor=0
BGColor=16776960
Items=20
FontHeight=8
FontWeight=700
FaceName=MS Sans Serif

(c)1993 by Mark Gamber

Items and Topics Sections

Each listbox uses a baggage file for item display and where to jump in the help file if an item is double-clicked upon. The first section, **ITEMS**, contains the text displayed for each listbox element, the number of elements specified in the **INIT** section by the **Items** identifier. When the listbox is created, it scans this section, reading each line and adding it to the listbox. The **ITEMS** list **must** start with **List1** and continue unbroken.

Along with the **ITEMS** section is a matching **TOPICS** section which tells the listbox where to direct the WinHelp file when an element is double-clicked upon. Each topic is identified by it's Topic Mapping number, the map numbers defined in the Help Project file's **[MAP]** section. The **TOPICS** list **must** begin with **Topic1** and continue unbroken to the last topic number.

For example, here is the **ITEMS** and **TOPICS** sections for the first listbox appearing in the Windows Help file:

[ITEMS]	[TOPICS]
List1=Jump To Topic #1	Topic1=101
List2=Jump To Topic #2	Topic2=102
List3=Jump To Topic #3	Topic3=103
List4=Jump To Topic #4	Topic4=104
List5=Jump To Topic #5	Topic5=105
List6=Jump To Topic #6	Topic6=106
List7=Jump To Topic #7	Topic7=107
List8=Jump To Topic #8	Topic8=108
List9=Jump To Topic #9	Topic9=109
List10=Jump To Topic #10	Topic10=110
List11=Jump To Topic #11	Topic11=111
List12=Jump To Topic #12	Topic12=112
List13=Jump To Topic #13	Topic13=113
List14=Jump To Topic #14	Topic14=114
List15=Jump To Topic #15	Topic15=115
List16=Jump To Topic #16	Topic16=116
List17=Jump To Topic #17	Topic17=117
List18=Jump To Topic #18	Topic18=118
List19=Jump To Topic #19	Topic19=119
List20=Jump To Topic #20	Topic20=120

(c)1993 by Mark Gamber

{ewx} Windows Help Embedded Windows

A window such as this listbox control may be embedded within a Windows Help using a directive added to the RTF source text. The syntax of the command is as follows:

{ew[lcr] filename.dll,winclass,data}

Icr: Determines if the window is left, center or right aligned.

filename.dll: Filename of the DLL with the embedded window. In this case

"whlistbx.dll"

winclass: Classname of the embedded window. In this case, "WHListbx".

data: Whatever data the author specified. In this case, the filename of the baggage

file.