

Hardware Compatibility Guide

NEXTSTEP Release 3.3 for Intel Processors

Revised July 17, 1996

This document describes in general terms the types of PC-compatible hardware that is supported by NEXTSTEP Release 3.3 for Intel Processors.

This guide is divided into six sections:

-_General System Requirements_*
-_Display Options_*
-_Networking Options_*
-_SCSI Options_*
-_Sound Options_*
-_System Options_*

In addition to this guide, please refer to NeXTanswers, NeXT's free information retrieval system. All the drivers in the Guide have corresponding NeXT answer numbered documents with more detailed information.

NeXTanswers(TM): this guide and many other kinds of information are available from NeXTanswers, NeXT's free information-retrieval system. For NeXTanswers documents by fax, call (415) 780-3990 from a touch-tone phone. By Internet mail, send email to _nextanswers@next.com_ with the two-word subject: INDEX HELP. NeXTanswers is also available by World Wide Web at [_http://www.next.com/_](http://www.next.com/), FTP at [_ftp.next.com_](ftp.next.com) or BBS at (415) 780-2965.

Driver Overviews: Driver Overview files, found in NeXTanswers, are documents describing in detail supported features of specific drivers. They include supported adaptors, supported features of adaptors, and any known problems NeXT's Quality Assurance team or NeXT Technical Support have encountered. Please refer to these more detailed overviews prior to making purchasing decisions to assure compatibility of your system.

Driver Updates: NeXT and third parties continuously develop and enhance drivers for NEXTSTEP. New drivers or updates to existing drivers can be downloaded from the Internet via email, ftp, WWW or from our BBS. NeXTanswers provides an easy method to obtain drivers by email. As described above, follow the instructions for obtaining a document via return email. (Note: You must be able to receive NeXTMail or MIME in order to receive a driver through email.) To obtain drivers by ftp, use ftp to access [_ftp.next.com_](ftp.next.com), log in as 'anonymous' with any password and cd to pub. In that directory there is a README file that explains how to download drivers and other NeXTanswers information. The drivers are located under NeXTanswers/Files/NEXTSTEP/Intel_Configuration_Information/Drivers/. Be sure to also download [_1824_Installing_Drivers_Overview.rtf_](#) for detailed instructions on how to decompress and install the driver once you have downloaded it. If you have any further questions about how to obtain a Driver Update contact NeXT Technical Support at 1-800-955-NeXT.

For current device support, please request the latest edition of this NEXTSTEP Hardware Compatibility Guide from NeXTanswers or by calling 1-800-TRY-NeXT (or your local NeXT representative)

GENERAL SYSTEM REQUIREMENTS

CPU

486, Pentium(R) or Pentium(R) Pro based PC compatible computer. NEXTSTEP requires a floating-point coprocessor. Systems using processors without a built-in floating-point coprocessor require an add-on floating-point coprocessor, or upgrade to a 486, Pentium or Pentium Pro with built-in floating-point support.

EXPANSION BUS

ISA, EISA, VL-Bus or PCI expansion bus.

AVAILABLE HARD DISK SPACE

NEXTSTEP supports multiple partitioned hard disks, allowing the user to install and boot several operating systems from the same local hard disk. Larger local disks are recommended for stand-alone systems or for systems with a local non-NEXTSTEP partition.

User Environment: 120 MB partition minimum, 200 MB recommended for stand-alone systems.

User + Developer: Environments: 330 MB partition minimum, 400 MB recommended.

RAM REQUIREMENTS

RAM requirements vary depending upon your selection of graphics adapter and imaging model.

32-bit color: 24 MB RAM Minimum, 32 MB RAM Recommended

16-bit color: 16 MB RAM Minimum, 24 MB RAM Recommended

8-bit color/grayscale: 12 MB RAM Minimum, 16 MB RAM Recommended

2-bit grayscale: 8 MB RAM Minimum, 12 MB RAM Recommended

GRAPHICS ADAPTERS

See the "Display Options" section in this guide for details on graphics support.

DISK INTERFACES

IDE and several SCSI hard disk interfaces are supported.

Note: A SCSI adapter and SCSI CDROM, or a supported network adapter and properly configured network installation host are required for installation of NEXTSTEP.

Note: Some EIDE ATAPI CD-ROM drives are now supported for installation of NEXTSTEP. See [NeXTanswer _1933_EIDE_and_ATAPI_CDROM_Support_in_NEXTSTEP_3.3.rtf_](#) for details.

POINTING DEVICES

Microsoft(TM) and Logitech(TM) compatible PS/2(TM) and serial mice. Logitech bus mouse.

PRINTERS

Any PostScript printer connected via a serial port, parallel port or network including the NeXT Color Printer (connected via a SCSI port). NeXT recommends color PostScript printers with PostScript Level II for proper color support.

NETWORKING

Several Ethernet and Token Ring networking adapters are supported. A networking adapter is optional.

SOUND

NEXTSTEP can support certain PC sound cards for both playback and recording. A sound card is optional.

DISPLAY OPTIONS

Key: Display Driver Name

Location of detailed driver overview; Location of drivers

Adaptors or Chipsets that work with this driver

Integrated systems that work with this driver

ATI

Overview is [_NeXTanswer #1763_](#); Driver available on NEXTSTEP CDROM

ATI Graphics Ultra Pro (EISA, ATI 68875 RAMDAC)

ATI Graphics Ultra Pro (EISA, TI 34075 RAMDAC)

ATI Graphics Ultra Pro (VL-Bus, ATI 68875 RAMDAC)

Intel GX/Pro (Custom LB, onboard ATI, TI 34075 RAMDAC)

Data General Dasher DE2 (Custom LB, TI 34075 RAMDAC)
AST Premmia 4D (Custom LB, onboard ATI, BT 481 RAMDAC)
Gateway V Series (VL-Bus, ATI 68875 RAMDAC)

ATI Mach32

Overview is [_NeXTanswer #1817_](#); Driver available from NeXTanswers

ATI Graphics Ultra Pro - EISA (with 2MB VRAM)
ATI Graphics Ultra Pro - PCI (with 2MB VRAM)
ATI Graphics Ultra Pro - VL-Bus (with 2MB VRAM)
ATI Graphics Ultra Pro XLR - VL-Bus (with 2MB DRAM) - not tested, but should work
ATI Graphics Ultra Pro XLR - PCI (with 2MB DRAM) - not tested, but should work
Intel GX/Pro (Custom LocalBus, onboard ATI, TI 34075 RAMDAC)
Data General Dasher DE2 (Custom LocalBus, TI 34075 RAMDAC)
AST Premmia 4D (Custom LocalBus, onboard ATI, BT 481 RAMDAC)
Gateway V Series (VESA LocalBus, ATI 68875 RAMDAC)

ATI Mach64

Overview is [_NeXTanswer #1735_](#); Driver available from NeXTanswers

ATI Graphics Ultra Pro Turbo (PCI, with 2MB VRAM)
ATI Graphics Ultra Pro Turbo (PCI, with 2MB DRAM)
ATI Graphics Ultra Pro Turbo (PCI, with 4MB VRAM)
ATI Graphics Ultra Pro Turbo (PCI, with 4MB DRAM)
ATI Graphics Ultra Pro Turbo (VL-Bus, with 4MB VRAM)
ATI Graphics Ultra Pro Turbo (VL-Bus, with 4MB DRAM)
AT& T Globalyst 600

Canon object.station41 Display

Overview is [_NeXTanswer #1774_](#); Driver available on NEXTSTEP CDROM

(Integrated)

Canon object.station 41

Chips & Technologies Wingine

**Overview is [_NeXTanswer #1775_](#); Driver available on NEXTSTEP CDROM
(Integrated)**

Epson Wingine

LGI Wingine

Chips & Technologies Wingine 64300

**Overview is [_NeXTanswer #1756_](#); Driver available from NeXTanswers
(Integrated)**

NEC Powermate 466D

Cirrus Logic GD542X Family

**Overview is [_NeXTanswer #1776_](#); Driver available on NEXTSTEP CDROM
(Integrated, ISA)**

Cirrus Logic GD5434

**Overview is [_NeXTanswer #1818_](#); Driver available on NEXTSTEP CDROM and from
NeXTanswers**

Diamond SpeedStar 64 (PCI)

Orchid Kelvin 64 (with GD5434)

Elonex WS4100

Intel Premier (with integrated GD5434)

HP Vectra XM Series3 (not tested but reported to work)

Compaq QVision

**Overview is [_NeXTanswer #1780_](#); Driver available on NEXTSTEP CDROM and from
NeXTanswers**

QVision 1024/E EISA (QV30E, QV32E)

QVision 1280/E EISA (QV32E)

QVision 1280/P PCI (QV35P, QV64P)

Compaq Deskpro XE560

Compaq Deskpro XE466

Compaq Deskpro 5100

Dell DGX (JAWS)

Overview is [_NeXTanswer #1781_](#); Driver available on NEXTSTEP CDROM

(Integrated)

Dell 450DE/2 DGX

Diamond Stealth

Overview is [_NeXTanswer #1941_](#); Driver available from NeXTanswers

Diamond Stealth 64 DRAM PCI-Bus Display Adapter

Diamond Stealth 64 DRAM VL-Bus Display Adapter

Diamond Stealth 64 Video PCI-Bus Display Adapter

Diamond Stealth 64 Video VL-Bus Display Adapter

Diamond Stealth 64 VRAM PCI-Bus Display Adapter

Diamond Stealth SE PCI-Bus Display Adapter

Diamond Stealth SE VL-Bus Display Adapter

Diamond Stealth 64 DRAM T PCI-Bus Display Adapter

Diamond Stealth 64 DRAM T VL-Bus Display Adapter

Diamond Stealth64

Overview is [_NeXTanswer #1782_](#); Driver available on NEXTSTEP CDROM

Diamond Stealth 64 (PCI, 4MB VRAM)

Diamond Stealth 64 (PCI, 2MB VRAM)

Diamond Stealth 64 (VL-Bus, 4MB VRAM)

Diamond Stealth 64 (VL-Bus, 2MB VRAM)

HP Vectra XP

Overview is [_NeXTanswer #1787_](#); Driver available on NEXTSTEP CDROM

(Integrated)

HP Vectra XP (4MB VRAM)

HP Vectra XP (2MB VRAM)

HP Vectra XU Display

Overview is [_NeXTanswer #1910_](#); Driver available as beta from NeXTanswers (Integrated)

HP Vectra/XU S3/864 on-board video

IBM ThinkPad 755CX Display

Overview is [_NeXTanswer #1982_](#); Driver available from NeXTanswers (Integrated)

IBM ThinkPad 755CX

IBM ThinkPad 760CD Display

Overview is [_NeXTanswer #2098_](#); Driver available as beta from NeXTanswers (Integrated)

IBM ThinkPad 760CD

Matrox MGA Millennium

Overview is [_NeXTanswer #1974_](#); Driver available from NeXTanswers and as beta from NeXTanswers

Matrox MGA Millennium

Number Nine GXE Family

Overview is [_NeXTanswer #1796_](#); Driver available on NEXTSTEP CDROM

#9GXE-VL Level 10 (VL-Bus, 1MB VRAM) - not tested, but should work

#9GXE-VL Level 11 (VL-Bus, 2MB VRAM)

#9GXE-VL Level 12 (VL-Bus, 2MB VRAM) - not tested, but should work

#9GXE-VL Level 14 (VL-Bus, 4MB VRAM) - not tested, but should work

#9GXE-VL Level 16 (VL-Bus, 4MB VRAM) - not tested, but should work

#9GXE-PCI Level 10 (PCI, 1MB VRAM) - not tested, but should work

#9GXE-PCI Level 12 (PCI, 2MB VRAM)

Number Nine GXE64 Pro

Overview is [_NeXTanswer #1797_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

Number 9 GXE 64 Pro (PCI, 4MB VRAM)

Number 9 GXE 64 Pro (PCI, 2MB VRAM)

Number 9 GXE 64 Pro-1600 (PCI, 4MB VRAM, 200Mhz RAMDAC) - not tested, but should work

Number 9 GXE 64 Pro (VL-Bus, 4MB VRAM)

Number 9 GXE 64 Pro (VL-Bus, 2MB VRAM)

Number 9 GXE 64 Pro-1600 (VL-Bus, 4MB VRAM, 200Mhz RAMDAC) - not tested, but should work

Number Nine Imagine128

Overview is [_NeXTanswer #1742_](#); Driver available from NeXTanswers

Number9 Imagine 128 (PCI) (NB128-V2-P)

Number Nine Motion331

Overview is [_NeXTanswer #2120_](#); Driver available as beta from NeXTanswers

Number Nine 9FX Motion 331 1MB PCI (NB9-FX1-331-1P)

Number Nine 9FX Motion 331 2MB PCI (NB9-FX1-331-2P)

Number Nine Motion771

Overview is [_NeXTanswer #2113_](#); Driver available from NeXTanswers

Number Nine 9FX Motion 771 2MB PCI (NB9FX2-771-2P)

Number Nine 9FX Motion 771 4MB PCI (NB9FX2-771-4P)

Number Nine 9FX Motion 771 2MB VL-Bus (NB9FX2-771-2VL)

Number Nine 9FX Motion 771 4MB VL-Bus (NB9FX2-771-4VL)

S3 805 / 928

Overview is [_NeXTanswer #1805_](#); Driver available on NEXTSTEP CDROM

(Integrated, VL-Bus)

IBM PS/ValuePoint

Hewlett-Packard Vectra XM

DECpc 466d2 MTE

S3 Generic

Overview is [_NeXTanswer #1737_](#); Driver available from NeXTanswers and as beta from NeXTanswers

(Integrated, PCI, VL-Bus)

S3 ViRGE Display Driver

Overview is [_NeXTanswer #2165_](#); Driver planned.

Number Nine 9FX Reality 332 PCI Display Adapter

(90-332010-000, 91-332010-000, 91-332013-000)

Diamond Stealth 3D 2000 PCI Display Adapter

STB Pegasus

Overview is [_NeXTanswer #1812_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

STB Pegasus (VL-Bus, 4MB VRAM)

STB Pegasus (VL-Bus, 2MB VRAM)

Trident Generic

Overview is [_NeXTanswer #2104_](#); Driver available as beta from NeXTanswers

(PCI)

This driver will not support the built-in display on IBM Thinkpad 760CD.

Tseng Labs ET4000

Overview is [_NeXTanswer #1813_](#); Driver available on NEXTSTEP CDROM

(ISA)

Tseng Labs ET4000W32

Overview is [_NeXTanswer #1819_](#); Driver available as beta from NeXTanswers

(VL-Bus)

VGA

**Overview is [_NeXTanswer #1814_](#); Driver available on NEXTSTEP CDROM
(Integrated, ISA)**

Weitek Power 9000

Overview is [_NeXTanswer #1815_](#); Driver available on NEXTSTEP CDROM

Diamond Viper (PCI)

Diamond Viper (VL-Bus)

Genoa VideoBlitz 9200-VL (VL-Bus) - not tested, but should work

Weitek Power 9100

Overview is [_NeXTanswer #1740_](#); Driver available from NeXTanswers

Diamond Viper Pro (PCI, 2MB VRAM)

Diamond Viper Pro (PCI, 4MB VRAM)

Western Digital WD90C24

**Overview is [_NeXTanswer #1816_](#); Driver available on NEXTSTEP CDROM and as beta from
NeXTanswers**

(Integrated)

NEC Versa E Series

NEC Versa V Series

Compaq LTE Elite

NETWORKING OPTIONS

Key: Networking Driver Name

Location of detailed driver overview; Location of drivers

Adaptors or Chipsets that work with this driver

Integrated systems that work with this driver

3COM EtherLink III

Overview is [_NeXTanswer #1757_](#); Driver available on NEXTSTEP CDROM and as beta from NeXTanswers

3Com EtherLink III 3C509 ISA (BNC, AUI)
3Com EtherLink III 3C509B ISA (BNC, AUI)
3Com EtherLink III 3C509-TP ISA (RJ-45, AUI)
3Com EtherLink III 3C509B-TP ISA (RJ-45, AUI)
3Com EtherLink III 3C509-COMBO ISA (BNC, AUI, RJ-45)
3Com EtherLink III 3C509B-COMBO ISA (BNC, AUI, RJ-45)
3Com EtherLink III 3C509-TPO ISA (RJ-45)
3Com EtherLink III 3C509B-TPO ISA (RJ-45)
3Com EtherLink III 3C579 EISA (BNC, AUI)
3Com EtherLink III 3C579-TP EISA (AUI, RJ-45)
3Com EtherLink III 3C589C-COMBO (BNC, RJ-45)
3Com EtherLink III 3C589C-TP (RJ-45)

AMD PCnet32

Overview is [_NeXTanswer #1762_](#); Driver available on NEXTSTEP CDROM, from NeXTanswers and as beta from NeXTanswers

X/Lan Add-On Adapter (based on Am79C970)

Canon object.station 41

Compaq Deskpro XL (On-board)

HP Vectra XU (On-Board)

Cogent EM960 PCI

Overview is [_NeXTanswer #1777_](#); Driver available on NEXTSTEP CDROM

Cogent EM960C (PCI, Combo)

Cogent EM960TP (PCI, TP Only)

Cogent EM964TP (PCI, TP Only, 4 ports - 1st port only supported)

Cogent EMaster EISA

Overview is [_NeXTanswer #1778_](#); Driver available on NEXTSTEP CDROM

EM932 (EISA, BNC/AUI)

EM932TP (EISA, UTP/AUI)

EM935XL (EISA, BNC/UTP/AUI)

DECchip21040 Network

Overview is [_NeXTanswer #1856_](#); Driver available from NeXTanswers and as beta from NeXTanswers

Cogent EM960 PCI

SMC PCI EtherPower (SMC 8432)

Digital EtherWORKS Turbo PCI (DE435)

Linksys EtherPCI LAN Card

DANPEX PCI Ethernet (EN-9400P3)

JCIS Condor (JC1260)

Kingston EtheRx PCI Ethernet (KNE40T & KNE40BT)

DEC Celebris GL & GLST

DECchip21140 Network

Overview is [_NeXTanswer #1927_](#); Driver available from NeXTanswers and as beta from NeXTanswers

Cogent EM100 Fast Ethernet Adapter

Cogent EM110 Fast Ethernet 10/100 Adapter

Cogent EM110-T4 Fast Ethernet 10/100/BNC Adapter

DEC DE500 Fast EtherWORKS PCI 10/100

SMC 9332 Fast Ethernet 10/100 Adapter

HP Vectra XM, XP Integrated

Overview is [_NeXTanswer #1786_](#); Driver available on NEXTSTEP CDROM

BNC, UTP (Integrated)

HP Vectra XM

HP Vectra XP

Elonex WS4100 - Not tested, should work

IBM Token Ring

Overview is [_NeXTanswer #1788_](#); Driver available on NEXTSTEP CDROM, from NeXTanswers and as beta from NeXTanswers

IBM 25F7367 (ISA, 16/4 Mbps, 8-bit, 64K)

IBM 25F9858 (ISA, 4Mbps, 8-bit, 16K)

IBM 67X0438 (ISA, 4Mbps, 8-bit, 16K)

IBM 60G3994A? (ISA, 16/4 Mbps, 16-bit, 64K)

IBM 92G7668 (Auto, ISA, 16/4 Mbps, 16-bit, 64K)

IBM 41H8450 (Auto, ISA, 16/4 Mbps, 16-bit, 64K)

Token Ring option for Compaq DeskPro and Prolinea series

Intel 82556 Network

Overview is [_NeXTanswer #2093_](#); Driver available from NeXTanswers

Intel EtherExpress PRO/100 EISA LAN Adapter (EILA8265)

Intel EtherExpress PRO/100 PCI LAN Adapter (PILA8465)

Intel 82557 Network

Overview is [_NeXTanswer #2109_](#); Driver available from NeXTanswers

Intel EtherExpress PRO/100 PCI LAN Adapter (PILA8465B) (10Base-T, 100Base-TX)

Intel EtherExpress PRO/100 PCI LAN Adapter (PILA8475B) (10Base-T, 100Base-T4)

Intel EtherExpress PRO/10+ PCI LAN Adapter (PILA8500) (BNC, AUI, RJ-45)

Intel EtherExpress PRO/10+ PCI LAN Adapter (PILA8520) (RJ-45)

Intel 82595 Chipset

Overview is [_NeXTanswer #1791_](#); Driver available on NEXTSTEP CDROM, from NeXTanswers and as beta from NeXTanswers

Cogent EM595 TP PCMCIA (RJ-45)

Cogent EM595 C PCMCIA (RJ-45/BNC)

Intel EtherExpress PRO/10 ISA LAN Adapter (BNC/RJ-45/AUI)

Intel EtherExpress PRO/10+ ISA LAN Adapter (BNC/RJ-45/AUI) (PCLA8200B)

Intel EtherExpress PRO/10+ ISA LAN Adapter (BNC/RJ-45) (PCLA8210B)

Intel EtherExpress PRO/10+ ISA LAN Adapter (RJ-45) (PCLA8220B)

Intel EtherExpress PRO/10+ ISA LAN Adapter (BNC/RJ-45/AUI) (PCLA8205B)

Intel EtherExpress PRO/10+ ISA LAN Adapter (BNC/RJ-45) (PCLA8215B)

Intel EtherExpress PRO/10+ ISA LAN Adapter (RJ-45) (PCLA8225B)

Intel 82596 Network

Overview is [_NeXTanswer #1750_](#); Driver available from NeXTanswers

Intel EtherExpress PRO/10 PCI (PILA8400) (BNC, UTP, AUI)

Intel EtherExpress PRO/10 PCI (PILA8420) (UTP)

Intel EtherExpress Flash32 EISA (EILA8225) (BNC, UTP, AUI)

Cogent eMaster EM935 EISA XL (BNC, UTP, AUI)

Cogent eMaster EM932 EISA (UTP, AUI)

Cogent eMaster EM932 EISA (BNC, UTP, AUI)

Cogent eMaster EM945 EISA FDE (BNC, UTP, AUI)

Intel EtherExpress16

Overview is [_NeXTanswer #1792_](#); Driver available on NEXTSTEP CDROM

EtherExpress16 (ISA, BNC/AUI)

EtherExpress16TP (ISA, UTP/AUI)

EtherExpress16C (ISA, BNC/UTP/AUI)

Intel TokenExpress

Overview is [_NeXTanswer #1793_](#); Driver available on NEXTSTEP CDROM

STP (ISA)

SMC EtherEZ/Elite16 Ultra

Overview is [_NeXTanswer #1748_](#); Driver available from NeXTanswers

SMC EtherCard Elite Ultra16 (ISA)

SMC EtherCard Elite Ultra16T (ISA)

SMC EtherCard Elite Ultra16C (ISA)

SMC EtherEZ (8416BTA)

SMC EtherEZ (8416B)

SMC EtherEZ (8416T)

SMC EtherEZ (8416BT)

SMC EtherEZ (8416BA)

SMC EtherEZ (8416TA)

SMC EtherElite 16

Overview is [_NeXTanswer #1809_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

SMC EtherCard Plus Elite16 Ethernet Adapter

Xircom Netwave

Overview is [_NeXTanswer #2088_](#); Driver available from NeXTanswers and as beta from NeXTanswers

Xircom CreditCard Netwave Adapter (CNW(AM))

Xircom Performance Series

Overview is [_NeXTanswer #1746_](#); Driver available from NeXTanswers and as beta from NeXTanswers

Xircom PS-CE2-10BT (PCMCIA, UTP)

Xircom PS-CE2-10BC (PCMCIA, UTP/BNC)

OTHER OPTIONS

Key: Other Driver Name

Location of detailed driver overview; Location of drivers

Adaptors or Chipsets that work with this driver

Integrated systems that work with this driver

FTG ISA Light Pen

Overview is [_NeXTanswer #2101_](#); Driver available from NeXTanswers

PXL-395 Light Pen Interface (ISA)

FT-356 1-Button Light Pen

FT-357 2-Button Light Pen

FTG Light Pen

Overview is [_NeXTanswer #2058_](#); Driver available from NeXTanswers

PXL-780 Light Pen Interface (Serial)

FT-356 1-Button Light Pen

FT-357 2-Button Light Pen

SCSI OPTIONS

Key: SCSI Driver Name

Location of detailed driver overview; Location of drivers

Adaptors or Chipsets that work with this driver

Integrated systems that work with this driver

AMD PC SCSI

Overview is [_NeXTanswer #1752_](#); Driver available from NeXTanswers

The AMDPCSCSI driver is known to work with the following SCSI devices:

Toshiba CD-ROM XM-3401T

Peripheral Solutions 8mm Exabyte DAT Drive -- 8500

Syquest 88MB SQ5110 D3G 810

IOMEGA Bernoulli 230 BETA230 1.1408/2

Pinnacle Micro Tahoe 230MB MO J6CTahoe-130A

Quantum 504MB LPS5255S 311012 Hard Drive

Quantum LPS540S 590H01 Hard Drive

Next SCSI Color Printer

HSD Scan-X Color Scanner (UMAX engine)

COMPAQPC DPES-31080

Compaq Deskpro XL

HP Vectra XU

Adaptec 154x family and compatible

Overview is [_NeXTanswer #1758_](#); Driver available on NEXTSTEP CDROM

Adaptec 154xB (ISA)

Adaptec 154xC (ISA)

Adaptec 154xCF (ISA)

Adaptec 174x (EISA) in standard 154x mode only

Adaptec 274x and 284x family

Overview is [_NeXTanswer #1759_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

Adaptec 2740 (EISA) - not tested but should work

Adaptec 2740T (EISA)

Adaptec 2840 (VLB)

Adaptec 2940 family & 7870 integrated

Overview is [_NeXTanswer #1760_](#); Driver available on NEXTSTEP CDROM and from

NeXTanswers

Adaptec AHA-2940 (PCI)

Adaptec AHA-2940W (PCI, Wide SCSI)

Adaptec AHA-2940U (PCI, Ultra SCSI)

Adaptec AHA-2940UW (PCI, Ultra/Wide SCSI)

DEC EISA/PCI Server system w/ 7870 on motherboard

DEC Celebris GLST w/ 7850 on riserboard

Adaptec 6x60 chipset (add-on & integrated)

Overview is [_NeXTanswer #1761_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

Adaptec AVA-1505A (ISA)

Adaptec AVA-1515A (ISA)

Adaptec AHA-1520A (ISA)

Adaptec AHA-1530P (ISA) - Not tested but might work.

Adaptec Slim SCSI (PC/MCIA)

Intel GX/Pro

Bus Logic FlashPoint

Overview is [_NeXTanswer #2129_](#); Driver available as beta from NeXTanswers

BusLogic KT-930 (PCI)

BusLogic family

Overview is [_NeXTanswer #1771_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

BusLogic 546C (ISA)

BusLogic 747C (EISA)

BusLogic 445C (VL-Bus)

BusLogic 946C (PCI) - only rev C and D have been tested

Canon object.station 41

DPT 2000 family

Overview is [_NeXTanswer #1783_](#); Driver available on NEXTSTEP CDROM

DPT 2021/9x SmartCache III (ISA) - not tested, but should work

DPT 2022/9x SmartCache III (EISA)

DPT 2122/9x SmartCache III (EISA)

DPT 2122/9xW SmartCache III (EISA, Wide) - not tested, but should work

DPT 2122/9xDW SmartCache III (EISA, Differential, Wide) - not tested, but should work

DPT 2024 SmartCache III (PCI) - In future update

DPT 2124 SmartCache III (PCI) - In future update

NEC Express II P60 (On-Board)

DPT SCSI family

Overview is [_NeXTanswer #1830_](#); Driver available from NeXTanswers

Model# Bus Description

PM2021/90 ISA SCSI adapter

PM2021/95 ISA SCSI adapter

PM2022/90 EISA SCSI adapter

PM2022/95 EISA SCSI adapter

PM2024 PCI SCSI adapter

PM2041W * ISA Wide SCSI adapter

PM2042W * EISA Wide SCSI adapter

PM2044W * PCI Wide SCSI adapter

PM2122/90 EISA SCSI adapter

PM2122/95 EISA SCSI adapter

PM2124 PCI SCSI adapter

PM2124W PCI WIDE SCSI adapter

PM2142W * EISA Wide SCSI adapter

PM2144UW * PCI Ultra Wide SCSI adapter

PM3021 ISA SCSI RAID controller (Not tested, should work)
PM3222 EISA SCSI RAID controller
PM3224 PCI SCSI RAID controller
PM3224W PCI WIDE SCSI RAID controller

DPT-TWR n/a 6-bay SCSI Tower
DPT-TWR/W n/a 6-bay WIDE SCSI Tower (Not tested, should work)

* These products have not yet been tested by NeXT's SQA Dept.
NEC Express II P60 (On-Board)

SymbiosLogic53C8xxSCSIDriver

Overview is [_NeXTanswer #1754_](#); Driver available from NeXTanswers
(Integrated, PCI)
DEC Celebris XL/590

__SOUND OPTIONS__

Key: Sound Driver Name

Location of detailed driver overview; Location of drivers

Adaptors or Chipsets that work with this driver

Integrated systems that work with this driver

Beep

Overview is [_NeXTanswer #1766_](#); Driver available on NEXTSTEP CDROM
()

Canon object.station41 Sound

Overview is [_NeXTanswer #1773_](#); Driver available on NEXTSTEP CDROM
(Integrated)

Canon object.station 41

Compaq Business Audio

Overview is [_NeXTanswer #1779_](#); Driver available on NEXTSTEP CDROM

(Integrated)

Compaq Deskpro / M

Compaq Deskpro / I

ESS 1x88 Audio Driver

Overview is [_NeXTanswer #2026_](#); Driver available from NeXTanswers

(ISA)

Compaq Prolinea

NEC Versa 4000

DEC Celebris GL & GL/ST

IntelGXProAudio

Overview is [_NeXTanswer #1794_](#); Driver available on NEXTSTEP CDROM

(Integrated)

Intel GX/Professional

Media Vision Jazz 16

Overview is [_NeXTanswer #1731_](#); Driver available from NeXTanswers

Media Vision Deluxe Sound Card

Media Vision Pro Sonic Sound Card

Microsoft Sound System

Overview is [_NeXTanswer #1795_](#); Driver available on NEXTSTEP CDROM

Microsoft Sound System (ISA)

Pro Audio Spectrum 16

Overview is [_NeXTanswer #1802_](#); Driver available on NEXTSTEP CDROM

(ISA)

Sound Blaster 16

Overview is [_NeXTanswer #1810_](#); Driver available on NEXTSTEP CDROM, from NeXTanswers and as beta from NeXTanswers

Sound Blaster 16 Basic (ISA)

Sound Blaster 16 Value (ISA)

Sound Blaster 16 AWE (ISA)

Sound Blaster 16 SCSI-II (ISA)

Sound Blaster 16 Value PnP (ISA)

Sound Blaster 8

Overview is [_NeXTanswer #1811_](#); Driver available on NEXTSTEP CDROM

Sound Blaster Basic ISA)

Sound Blaster Pro (ISA)

Sound Blaster Delux (ISA)

Sound Blaster Value (ISA)

SYSTEM OPTIONS

Key: System Driver Name

Location of detailed driver overview; Location of drivers

Adaptors or Chipsets that work with this driver

Integrated systems that work with this driver

BusMouse

Overview is [_NeXTanswer #1772_](#); Driver available on NEXTSTEP CDROM

Logitech MouseMan Bus

Logitech MouseMan Cordless

EIDE

Overview is [_NeXTanswer #1839_](#); Driver available from NeXTanswers and as beta from NeXTanswers

The following ATAPI CD-ROM drives are supported:

Chinon CD-ROM CDS-525 (2X), firmware rev. W09

Matsushita CD-ROM CR-571 (2X), firmware rev. 1.0e -- Panasonic

Mitsumi CD-ROM 1B (4X), firmware rev. B02 -- model FX400

Sony CD-ROM CDU55E (2X), firmware rev. 1.0u

Sony CD-ROM CDU76E-S (4X), firmware rev. 1.0c

Toshiba CD-ROM XM-5302TA (4X), firmware rev. 0305

The beta driver adds support for the following ATAPI CD-ROM drives:

Philips CM207, firmware rev 1.10 (??) -- reported to work

SONY CD-ROM CDU76E-Q, firmware rev 1.0c (4X)

SONY CD-ROM CDU55D, firmware rev 1.0v (2X)

SONY CD-ROM CDU77E, firmware rev 1.0e (4X)

TORISAN CD-ROM CDR-S1, firmware rev 1.70 (4X) -- SANYO

Chinon CD-ROM CDS-545, firmware rev ERc A1.0 (4X)

GoldStar CD-ROM GCD-R540, firmware rev 1.17 (4X)

GoldStar CD-ROM GCD-540C, firmware rev 1.01 (4X)

SANYO CRD-254P, firmware rev 1.02 (4X)

MATSHITA CD-ROM CR-574, firmware rev 1.06 (4X) -- Panasonic

Pioneer CD-ROM DR-UA124X, firmware rev 1.02 (4X) -- force detection

MITSUMI CD-ROM !B, firmware rev K02 (4X) -- DRM FX400B

TEAC CD-55E, firmware rev ?? (4X) -- Thinkpad 760CD

ATAPI CD-ROM SPEED-6X, firmware rev 6.2D (6X) -- ACER 665A

VERTOS 600ESD CD-ROM X6-IDE, firmware rev 1.20 (6X)

TEAC CD-56E, firmware rev 1.0D (6X)

MATSHITA UJDCD4700, firmware rev 1.11 (??)

Other ATAPI 1.2 compliant CD-ROM drives should work with NEXTSTEP even if they are not in the supported list. If a CD-ROM drive does not work with NEXTSTEP (or even if it does) we would like to know about it. Please send an email message to _nextanswers-request@next.com including the model number of the CD-ROM drive and also whether this drive is connected as a master or a slave.

EISABus

Overview is [_NeXTanswer #1784_](#); Driver available on NEXTSTEP CDROM, from NeXTanswers and as beta from NeXTanswers

Floppy

**Overview is [_NeXTanswer #1785_](#); Driver available on NEXTSTEP CDROM
Integrated, ISA**

IDE

**Overview is [_NeXTanswer #1789_](#); Driver available on NEXTSTEP CDROM
Integrated, ISA**

ISA Serial Port

**Overview is [_NeXTanswer #1943_](#); Driver available from NeXTanswers
Integrated, ISA**

Intel 82365 and compatible PCMCIA chipset

Overview is [_NeXTanswer #1800_](#); Driver available on NEXTSTEP CDROM, from NeXTanswers and as beta from NeXTanswers

SwapBox Classic MMCD-D - Not test by SQA, might work.

NEC Versa E Series

NEC Versa V Series

NEC Versa 4000

Compaq LTE Elite

IBM Thinkpad 755CX

Adaptec CardPark

Intel 824X0 PCI Chipset

Overview is [_NeXTanswer #1790_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

Integrated

PCI Bus

Overview is [_NeXTanswer #1799_](#); Driver available on NEXTSTEP CDROM

PCMCIA Bus

Overview is [_NeXTanswer #1801_](#); Driver available on NEXTSTEP CDROM, from NeXTanswers and as beta from NeXTanswers

PS/2-Style Mouse

Overview is [_NeXTanswer #1803_](#); Driver available on NEXTSTEP CDROM and from NeXTanswers

Rose Electronics ServeView Keyboard/Mouse/Display multiplexer

PS2 Keyboard

Overview is [_NeXTanswer #1804_](#); Driver available on NEXTSTEP CDROM

Integrated

Parallel Port

Overview is [_NeXTanswer #1798_](#); Driver available on NEXTSTEP CDROM

Integrated, ISA

Port Server

Overview is [_NeXTanswer #1947_](#); Driver available from NeXTanswers

SCSITape

Overview is [_NeXTanswer #1806_](#); Driver available on NEXTSTEP CDROM and as beta from NeXTanswers

Serial Pointing Device

Overview is [_NeXTanswer #1945_](#); Driver available from NeXTanswers

Alps Glidepoint

LogiTech FirstMouse

LogiTech MouseMan

LogiTech MouseMan Cordless

LogiTech TrackMan

Kensington Expert Mouse v2.0

Kensington Expert Mouse v4.0

Microsoft Serial Mouse

Mouse Systems PC Mouse III

SerialMouse

Overview is [_NeXTanswer #1807_](#); Driver available on NEXTSTEP CDROM

EIA-232 (Serial)

SerialPorts

Overview is [_NeXTanswer #1948_](#); Driver available on NEXTSTEP CDROM

Integrated, ISA

NeXTanswers is a service of NeXT Technical Support

Questions or comments about NeXTanswers? [_nextanswers-request@next.com_](mailto:nextanswers-request@next.com)

NeXT sales and product information inquiries? [_Click here_](#)

Last modified 96-07-17. [_Copyright_ 1996](#) [_NeXT Software, Inc._](#) [_Proprietary Notices._](#)