

# Index

## A

- Absolute Date/Time BNF C-3
- Absolute Set Points
  - high 10-12
  - low 10-12
- Activity Monitor 4-29–4-33
- Add
  - a Group 2-20, 4-7, 4-24
  - Logical Device Name 6-3
  - Pools 2-10
  - Scheduled backup 6-18
- Add Domain Name Server 9-30
- Add Remote File Distribution Window 9-15
- Add User 4-3
  - Add Groups 2-20, 4-7
  - Default Start-up Shell 4-6
  - Expires 4-7
  - Office 4-4
  - Password 2-20, 4-7
  - Real name 4-4
  - Span 4-8
  - Telephone 4-5
  - User ID 4-5
- AgentENL 10-5
- AgentENL Command F-2
- AgentMon 10-5, 10-6
  - tests and functions by OS H-1
- AgentMON (8N) Command F-3
- alarm 10-37
- Alarm Messages 10-9

- Alarm Set Points 10-12
- Allow/Disallow Logins 4-28
- Alter Menu 2-8
- API Tests 10-7, 10-37
- Apply button 2-11, A-1
- Archive
  - Backup catalog 6-13–6-16
  - Backup partitions 6-7–6-9
  - Configure Devices 6-2–6-5
  - Modify device configuration 6-5
  - Restore files 6-10–6-12
  - Restoring 6-11
  - Scheduling backups 6-17–6-23
  - Tape Operations 6-6
  - Viewing 6-10
- Archive Device Configuration window 6-2
- Assign Users
  - Add 4-26
- Auto refresh
  - options 2-4
- Automated Corrective Action 10-10

## B

- Backing Up 6-17–6-23
- Backup 2-7
  - catalog name 6-13
  - Changed files 6-19
  - Command 5-12
  - Executing 6-22
  - Full 6-7

- Incremental 6-7
- List of files 6-16
  - made before 6-13
  - made since 6-13
- Modifying schedule 6-21
- Print log 6-23
- Scheduling 6-20
- Status logs 6-23
- Boot scripts
  - Checks 3-5

**C**

- Chgrp Command 5-13
- Chmod Command 5-12
- Chown Command 5-13
- Clock Management 8-22–8-26
  - Setting 8-25
  - Synchronizing 8-22
- Communicating with SNMP systems 10-4
- Compare Snapshots 5-4, 5-14, 5-17, 5-30–5-42
- Components of Events 10-5–10-6
- Configuration 10-7
- Configuration File B-3
- Configuration File Parameters 10-11
- Configuration, Overriding Default B-3
- Configure
  - Add Devices 6-2
- Configuring
  - Add a Printer 7-2
  - Adding a user 4-3–4-9
  - Alter menu 2-8
  - Crontab jobs 8-13
  - EMD Data Expiration 2-25–2-26
  - Pools 2-9–2-12
  - Session Preferences 2-2–2-7
  - User Authorization 2-13–2-16
  - User Templates 2-17–2-24
- Configuring Tests 10-7
- Continue 4-19, 4-30, 4-33, 8-7, 8-8
- Continue Command 4-32
- Copy
  - Print Destinations 7-2
- CPU Summary 8-7
  - Terminate 4-33

- Cron Management 8-13–8-21
  - Adding a job 8-14
  - Querying jobs 8-17
  - Users 8-19
- Crontab Contents 3-6
- Custom
  - Driver 7-12
- Custom Command 5-14

## **D**

- Data Logging 10-8
- Default Configuration File B-3
- Delete
  - a device 6-2
  - a Group 4-26
  - a Printer 7-2
  - Directories from export list 5-55
  - Users from a group 4-26
- Delete button
  - Pool 2-12
- Devices
  - Delete 6-2
  - Modify 6-2
  - Type 6-3
- Directories Tests 10-35
- Directory Queues 10-37
- Disable
  - Printer 7-2
  - TTY Configuration 8-2
- Disk
  - Compare Snapshots 5-30–5-42
  - Exporting directories 5-50–5-56
  - File search 5-6, 5-19–5-23
  - Graph summary 5-6
  - Processes by Filesystem 5-24–5-26
  - Save Snapshots 5-27–5-29
  - Set UID/GID problems A-4
  - Usage by filesystem 5-3–5-7
  - Usage by groupname 5-16–5-18
  - Usage by username 5-8–5-15
  - Wizard A-4
- DMS
  - Adding mail exchangers 9-36
  - Deleting mail exchangers 9-38
  - Modifying mail exchangers 9-37

---

DNS 9-29–9-38  
  Adding 9-30–9-34  
  Adding a secondary server 9-32  
  Adding primary server 9-31  
  Deleting existing configuration 9-35  
  Mail exchangers 9-35  
  Modifying existing configuration 9-34  
  Server configuration 9-29  
Domain Name Servers. *See* DNS

## E

EMD J-1–J-4  
  Basic design J-2  
  Invoking and killing J-4  
  Relational database J-2  
EMD Data Expiration 2-25–2-26  
Enable  
  Printer 7-2  
Enterprise Management Database. *See* EMD  
ENTERPRISE Specific Traps E-6  
Erase 6-6  
Events  
  Alarm messages 10-9  
  Communications 10-4  
  Components 10-5  
  Configuration 10-7  
  Configuring Tests 10-7  
  Generating Reports 10-39  
  Inventory Tracking 10-3  
  Notification with Status Map 11-6  
  Overview 10-2  
  Practical use 10-4  
  Querying 11-11–11-13  
  testtab file 10-10  
Events Commands F-1–F-10  
  AgentENL F-2  
  AgentMON F-3  
  EventsCli F-5  
  FieldCk F-7  
  testtab F-8  
Events List 11-10  
EventsCli Command F-5  
Exporting Directories  
  Adding a directory 5-52  
  Copying parameters 5-55  
  Deleting 5-55

  Export button 5-56  
  Modifying parameters 5-55  
  Mounting 5-56  
Exporting directories 5-50–5-56

## F

FieldCk Command F-7  
File  
  Decreased in Size 5-33  
  Increased in Size 5-33  
  Lost 5-33  
  Minimum/maximum size 6-13  
  Modified since/before 6-15  
  Read 5-33  
  Renamed 5-33  
  Search 5-3, 5-6, 5-19–5-23  
  to find 6-13  
  Types 5-23  
  Updated 5-33  
  Viewing 5-9  
File Lists  
  New File 5-33  
File Size 10-33  
  TRAP PDU 10-33  
File System 10-18  
File System Devices 3-4  
File System Tests 10-17  
File Tests 10-33  
Filenames  
  Find Like 6-13  
  Skip Like 6-13  
Files  
  View 5-4, 5-5, 5-17, 5-33  
files group 10-33

## G

Graph 5-3, 5-5, 8-8  
Group 4-25  
  Assign Users 4-26  
  Summary 5-3, 5-5  
Group File Integrity 3-8  
Group Tests 10-7, 10-13  
  / blocks free 10-17  
  / inodes free 10-18  
  cache\_ctx 10-26  
  cache\_pag 10-26

cache\_par 10-26  
cache\_reg 10-26  
cache\_seg 10-26  
cache\_usr 10-26  
cpu\_load 10-15  
fork\_pages 10-16  
forks 10-16  
icmp\_badcode 10-30  
icmp\_badlen 10-30  
icmp\_checksum 10-30  
icmp\_error 10-30  
icmp\_reflect 10-30  
icmp\_tooshort 10-30  
ip\_badhlen 10-29  
ip\_badlen 10-29  
ip\_badsum 10-29  
ip\_cantforward 10-30  
ip\_forward 10-30  
ip\_fragdropped 10-29  
ip\_fragments 10-29  
ip\_fragtimeout 10-29  
ip\_redirectsend 10-30  
ip\_tooshort 10-29  
ip\_toosmall 10-29  
ip\_total 10-29  
kernel\_cxt 10-16  
kernel\_devints 10-16  
kernel\_syscalls 10-16  
kernel\_traps 10-16  
mbuf\_clfree 10-27  
mbuf\_clusters 10-27  
mbuf\_drain 10-27  
mbuf\_drops 10-27  
mbuf\_space 10-27  
mbuf\_wait 10-27  
mbufs 10-27  
ncache 10-28  
printers 10-19  
proc\_slots 10-20  
rpcc\_badcalls 10-23  
rpcc\_badxid 10-23  
rpcc\_calls 10-23  
rpcc\_newcred 10-23  
rpcc\_retrans 10-23  
rpcc\_timeout 10-23  
rpcc\_timers 10-23  
rpcc\_wait 10-23

rpcc\_badcalls 10-23  
rpcc\_badlen 10-24  
rpcc\_calls 10-23  
rpcc\_nullrecv 10-23  
rpcc\_xdr call 10-24  
tcp\_bgot 10-30  
tcp\_bsent 10-30  
tcp\_dropped 10-30  
tcp\_pgot 10-30  
tcp\_psent 10-30  
udp\_badhead 10-30  
udp\_badlen 10-31  
udp\_badsum 10-31  
udp\_overflow 10-31  
vfork\_pages 10-16  
vforks 10-16  
vm\_claimed 10-25  
vm\_free 10-26  
vm\_locked 10-25  
Groups 4-24–4-27  
  Adding 4-24  
  Adding users 4-27  
  Deleting 4-26  
  Deleting users 4-27  
  IDs 4-25  
  MIB II E-5  
  Modifying 4-26  
  Moving Users 4-27  
  Names of 4-25  
  SNMP E-2  
GUI  
  modifying B-3

## **H**

Hangup 4-19, 4-30, 4-33, 8-7, 8-8  
Hangup Command 4-31, 5-25  
Host Address Conflicts A-8  
Host Aliasing Conflicts A-8  
Host Configuration 9-7–9-9  
  Modifying 9-8  
Host Entries 4-19, 8-32, 9-2–9-6  
  Adding 9-3–9-4  
  Deleting 9-5  
  Modifying 9-4  
  NIS maps 9-6  
  Overrides 9-25

---

- Host Entry Configuration Window 9-2
- Host Entry Name Conflicts A-8
- Host File Import 9-5
- Host Naming Services 9-10–9-13
  - DNS 9-12
  - Modifying 9-11
  - NIS naming 9-11
- Host Naming Services Configuration Window 9-10
- Host Overview 11-7–11-10
- Host Wizard A-8
- Hosts
  - Add 2-11
  - Address conflicts A-8
  - Aliasing conflicts A-8
  - Button 2-11
  - Entry name conflicts A-8

## I

- ICMP 10-29
- Incremental Set Points
  - jump 10-12
- Interfaces group 10-28
- Inventory Tests 10-21
- Inventory Tracking 10-3
- IP 10-29
- Item tests 10-7, 10-32
  - Directory Queues 10-33
  - File Size 10-32
  - Processes 10-33

## L

- limits E-2
- Lock a User 4-16
- Logical Device Name 6-3
- Login
  - allowing 4-28
  - disallowing 4-28
  - Who is logged in 4-29
- Logout 4-29
  - Command 4-30

## M

- Mail Aliases 8-27–8-30
  - Adding 8-29
  - Modifying 8-30
  - Overrides 9-26
  - Querying 8-33
  - Viewing 8-32
- Mail Exchangers 9-35
  - Adding 9-36
  - Deleting 9-38
  - Modifying 9-37
- Main Menu Window B-12
- Masked Passwords 2-6
- Master Snapshots A-4
- MBUF Tests 10-27
- Menu Items B-8
  - Altering B-2
  - Creating B-5
- Menus
  - Attributes B-5
  - Defining B-5
  - Defining items B-8
  - Item attributes B-8
  - Main B-12
  - Sample Utility B-7
  - Utilities submenu B-10
- Message 4-29
  - Command 4-30
- MIB Group 10-14, 10-15, 10-16, 10-17, 10-19, 10-20, 10-21, 10-23, 10-25, 10-27, 10-28, 10-29
  - File System 10-17
  - Inventory 10-21, 10-22
  - Limits 10-14
  - MBUF 10-27
  - Ncache 10-28
  - OS 10-15
  - Printer 10-19
  - Process 10-20
  - RPC 10-23
  - TrapManage 10-14
  - VM 10-25
- MIB II Groups E-5
- MIB II Tests 10-28
- Modify 8-2
- Modify Host Configuration Window 9-7

- Modify Host Naming Services Window 9-10
- Modifying Tests 10-10
- Monitor User Processes
  - Terminate 4-19
- monitoring 10-11
- Move 4-26
- Multi-User Add 4-9–4-14
  - Default HOME directory 4-11
  - Default Password Configuration 4-12
  - Default Start-up Shell 4-11
  - Default User Group 4-10
  - Initial Password 4-12
  - Password to expire 4-12
  - Span between changes 4-13
  - Starting Userid 4-10

## **N**

- Name Cache, 10-28
- Names
  - Duplicate A-6
- Naming Service Configuration 9-23–9-28
  - Adding 9-24–9-27
  - Alias file 9-27
  - Deleting 9-28
  - Group overrides 9-25
  - Host overrides 9-25
  - Mail alias overrides 9-26
  - Modifying 9-27
  - Password 9-25
- Naming Service Overrides Window 9-23
- Navigate
  - Host Overview 11-7–11-10
  - Query Events 11-11–11-13
  - Status map 11-2–11-6
- Ncache Tests 10-28
- Network
  - DNS 9-29–9-38
  - Host Configuration 9-7–9-9
  - Host entries 9-2–9-6
  - Host file import 9-5
  - Host Naming Services 9-10–9-13
  - Naming Service Configuration 9-23–9-28
  - NIS 9-39–9-47
  - Remote File Distribution 9-14–9-22
- Network File System. *See* NFS
- Network Host Configuration Window 9-7

- Network Information Service. *See* NIS
- network manager 10-14
- NFS 2-6, 5-43–5-56
  - Adding a partition 5-44
  - Create a new partition 5-49
  - Modifying mount parameters 5-48
  - Mounted directories 5-43
  - removing directories 5-48
- NIS 9-6, 9-39–9-47
  - Adding a server 9-40–9-43
  - Deleting server configuration 9-46
  - Master server 9-40
  - Slave server 9-42
- NIS Maps 9-6
- NIS+
  - Adding a server 9-43
  - Deleting server configuration 9-46
  - Master server 9-44
  - Replica server 9-45
- number of packets 10-29
  - bad 10-29
  - sent and received 10-29
- number of protocol errors 10-29

## **O**

- OBJECT IDENTIFIER E-2
- Obvious Passwords 3-11

## **P**

- Password
  - Masked 2-6
  - Obvious A-6
- Passwords
  - Add user 4-7
  - Aging D-1
  - Berkeley UNIX and pre-System V.4 D-2
  - Common names 3-12
  - Common words 3-12
  - Default 2-20
  - expire user 4-17
  - Expiry 2-21
  - File Integrity 3-7
  - Life Span 2-21
  - Masked 2-6
  - Minimum length 2-22
  - Modify 4-16

---

- Naming service configuration 9-25
- Obvious 3-12
- Security checks 3-13
- System V.4 D-2
- PDU 10-35
- Percent Change Set Points
  - rate 10-12
- Pool
  - Adding 2-10
  - Button 2-11
  - Hierarchy 11-5
  - Modifying 2-11
  - Selecting 2-12
  - Viewing 2-12
- Pool Configuration 2-9–2-12
- Port Configuration 8-3
- Preferences 2-2–2-7
- Printer
  - Adding Local 7-2
  - Canceling jobs 7-9
  - Class 7-2
  - Cross-Platform 7-7
  - Delete 7-7
  - Description 7-12, 7-13
  - Devices 7-2
  - Disable 7-8, 7-10
  - Disabled A-7
  - Driver 7-12
  - Enable 7-8, 7-9
  - Interface 7-12, 7-14
  - Jobs 7-8
  - Large jobs A-7
  - Local Queue Name 7-7
  - Long queues A-7
  - Model 7-2
  - Model Name 7-13
  - Move (Print Job) 7-10
  - Name 7-2
  - Options 7-15
  - Queue 7-9–7-11, A-7
  - Remote Host 7-7
  - Use 7-12, 7-13
  - Wizard A-7
- Printer Configuration 7-2
- Printer Tests 10-19
- Priority 4-19, 4-30, 4-33, 8-7, 8-8
- Priority Command 4-32, 5-26

- Process Status 4-31–4-32
- Process Tests 10-20
- Processes 4-29, 5-3, 10-36
  - CPU 4-33
  - Status 4-31
  - Terminate 4-30, 8-7, 8-8
- Processes by Filesystem 5-24
- Processes Command 5-6
- processes group 10-36
- Processes Tests 10-36

## Q

- Query 4-20–4-23
  - GID between ... and 4-21
  - Home dirs 4-21
  - Hosts 11-11
  - Logged in 4-22
  - Messages 11-12
  - Not Logged in 4-22
  - Office 4-22
  - Password 4-23
  - Real Name 4-22
  - Shell(s) 4-21
  - Telephone 4-22
  - Test name filter 11-12
  - UID 4-21
  - User Group 4-21
  - User Names 4-21
- Query Events 11-11–11-13
- Query Events Messages Window 11-4
- queue group 10-35
- Queue, printer 7-9

## R

- Raw Device Name 6-3
- Rebooting the System 8-9–8-12
- Rebuild 5-3
- Refresh
  - Button 2-4
  - Options 2-4
- Relational Database
  - Access J-3
  - Data types stored J-2
  - Directory structure J-3
- Relative Date/Time BNF C-4

## Remote File Distribution 9-14–9-22

- Adding 9-15–9-19
- Copying 9-20
- Deleting 9-20
- Executing 9-20
- Install scripts 9-16
- Install to host 9-16
- Installing to host 9-15
- Modifying 9-19
- Print log 9-22
- Relay hosts 9-18
- Scheduling 9-18
- Status logs 9-20

## Reports

- Events 10-39

## Restore

- Archives 6-10, 6-11
- Viewing 6-10

RFC 1155 10-6

RFC 1157 10-6

RFC 1212 10-6

RFC 1213 10-6

RFC 1215 10-6

RFC 1227 10-6

RPC Tests 10-22

**S**

Save Current Snapshots 5-27

Scheduled Backup Configuration Window  
6-17

Search 5-35

- Altered files 5-38
- Attempt to determine renamed files 5-38
- Button 5-35
- Files 5-19–5-23
- Group names 5-37
- Group Ownership 5-40
- Maximum file size 5-37
- Minimum file size 5-37
- Mode 5-40
- New files 5-38
- New/lost dirs 5-38
- Owner names 5-37
- Ownership 5-40
- Size 5-39

## Security

- Attempted break-ins 3-10
- Boot/shutdown scripts 3-5
- Cron users 8-19
- Crontab contents 3-6
- Disk Wizard A-4–A-5
- File system devices 3-4
- Group file integrity 3-8
- Home directories 3-9
- Logfile 3-2
- Obvious passwords 3-12
- Password file integrity 3-7
- Vital files 3-3

## Select button

- Pool 2-12

Server Configuration 9-29

Session Preferences 2-2–2-7

Set or modify a password 4-16

## Shell

- start-up 2-19

## Shutdown scripts

- Checks 3-5

## Snapshots

- Building 5-2
- Compare 5-3, 5-4, 5-5, 5-6, 5-14, 5-17,  
5-30–5-42
- Graph button 5-5
- Save 5-3, 5-4, 5-5, 5-6, 5-15, 5-17, 5-27
- Search 5-35–5-42
- Summary 5-32

SNMP 10-4, 10-29

## SNMP Groups E-2

- api1,...,api6 E-4
- cpu E-2
- files E-3
- fs E-3
- hardware E-3
- limits E-2
- mbuf E-2
- ncache E-2
- os E-2
- printer E-3
- proc E-3
- queue E-3
- rcp E-3
- software E-3



---

- trapmanage E-2
- Traps E-6
  - vm E-2
- SNMP Managed Groups E-1
- SNMP trapmanage group E-6
- Starting EMD J-4
- Status Logs 6-23, 9-20
- Status Map 11-2–11-5
  - Editing 11-3
  - Event notification 11-6
  - Information areas 11-5
  - Navigating 11-3
- Suspend 4-19, 4-30, 4-33, 8-7, 8-8
- Suspend Command 4-32, 5-26
- Swap Space 11-8
- Swap Space Usage 8-8
- System
  - Clock Management 8-22–8-26
  - CPU Summary 8-7
  - Cron Management 8-13–8-21
  - Mail aliases 8-27–8-35
  - Reboot 8-9–8-12
  - Swap space 8-8
  - TTY Configuration 8-2–8-6
- System group 10-28

## T

- Tape Operations
  - Retention 6-6
- TCP 10-29
- Terminate 4-31
- Terminate Command 4-31, 5-25
- test off, 10-8
- tests 10-7
- testtab Command F-8
- testtab file 10-10
- testtab file configuration parameters
  - !log 10-11
  - age 10-12
  - alarmfreq 10-11
  - log 10-11
  - mailer 10-11
  - notify 10-11
  - testfreq 10-11
- Time Formats C-1–C-4

- Transmission group 10-29
- Trap types
  - cpuLoad E-6
  - mbufClfree E-6
  - quOldFiles E-7
  - quQuedFiles E-7
  - vmFree E-6
- Traps E-6
- TTY Configuration 8-2
  - Add 8-2
  - Baud rate 8-4
  - Device Type 8-4
  - Disabling the port 8-6
  - Enabling the port 8-5
  - From Port 8-3
  - Modifying the port 8-5
  - Terminal Type 8-5
  - To Port 8-3
  - TTY Name 8-4

## U

- UDP 10-29
- Usage By Filesystem
  - User summary 5-3
- Usage by Groupname 5-16–5-18
- Usage by Username 5-8–5-15
- User
  - Activity Monitor 4-29–4-33
  - Add 4-3
  - Adding multiple 4-9
  - Delete 4-15
  - Home Directories 3-9
  - Lock 4-16
  - Login status 4-28
  - Modify 4-14
  - Query 4-20–4-23
  - Summary 5-3
  - Unlock 4-17
  - View Information 4-17
- User Authorization 2-13–2-16
- User Templates 2-17–2-24
- User Wizard A-6
- Userids
  - Duplicate A-6

## **V**

### View

- Files 5-4, 5-5, 5-9, 5-17, 5-33

- Print Jobs 7-2

- User Information 4-17

Vital Files 3-3

VM Tests 10-24

## **W**

### Who is Logged In

- Write command 4-29

WINN.ORG B-3

WINN.OUT B-3

WINOUT\_NET B-3

### Wizard

- button A-1

- Disk A-4–A-5

- Host A-8

- Printer A-7

- User A-6

Write command 4-30