

Index

A

- Action buttons A-11
- Activity Monitor 5-24–5-25
- Add
 - Group 3-8
 - Scheduled backup 4-38, 4-40
- Add user
 - Add groups 3-8
 - Default Start-up Shell 3-8
 - Expires 3-9
 - Office 3-6
 - Password 3-9
 - Real name 3-6
 - Span 3-9
 - Telephone 3-7
 - User ID 3-7
- Apply button A-6
- Archive
 - Backup partitions 4-35–4-42
 - Configure devices 4-32–4-34
 - Modify device configuration 4-34
- Archive Device Configuration window 4-32
- Auditing security checks 5-20

B

- Backups
 - Changed files 4-41
 - Fields 4-40–4-42
 - Full 4-36
 - Incremental 4-36
 - Modifying schedule 4-40
 - Scheduling 4-42
 - Status logs 4-43

C

- Close icon A-2
- Common logging 6-5
- Configuring
 - Crontab jobs 4-24
- Continue 5-22, 5-24
- CPU summary
 - Terminate 5-24
 - Usage 5-24
- Creating defaults A-14
- Cron management
 - Adding a job 4-24
 - Configuring a job 4-24
 - Parameters 4-27
 - Querying jobs 4-28
 - Users 4-29

D

- Data requests A-16
- De-installing ENlighten/DSM C-1–C-3
- Disk
 - Usage by filesystem 4-4
 - Usage by groupname 4-6
 - Usage by username 4-5

E

- EMD
 - Database Access 6-24
 - Directory structure 6-23
 - Invoking and killing 6-24
 - Relational database 6-22
- Enterprise Management Database. See EMD
- Events
 - Adding a test 5-4–5-6
 - Clearing a test 5-20
 - Copying a test 5-13
 - Deleting 5-13
 - Dispatching 6-2–6-3
 - Modifying 5-12
 - Overview of 5-3
 - Querying 5-17–5-19, 6-18
 - Test parameters 5-6–5-12

F

- Form letter
 - Disk A-4
 - Macros for creating A-4
 - Obvious A-4
 - Security A-4
 - System performance A-4
- Function buttons A-8

G

- Global functions A-2
- Graph A-13
- Graphical user interface 1-2, A-1–A-13
- Graphing list items A-13

H

- Hangup 5-22, 5-24
- Hangup command 5-23
- Help button A-7
- Help icon A-7

K

- Killing 5-23

L

- List function
 - Buttons A-8
 - Deselect all A-8–A-10
 - Invert A-8
 - Search A-8
 - Select all A-8
- List items
 - Confirming requests A-12
 - Graphing A-13
 - Performing actions on A-11
- Logout 5-21
- Logout command 5-22

M

- Mail icon A-3
- Managing
 - Backups 4-35–4-43
 - Cron jobs 4-24–4-31
 - Disk partitions 4-3–4-7
 - File archival 4-31–4-34
 - Network file systems 4-13–4-18
 - Servers 4-44–4-48
 - System access 4-2–4-3
- Message 5-21
- Message command 5-22
- Monitoring
 - CPU usage 5-24
 - Logins 5-22
 - Process status 5-23

N

Navigate

- Query Events 5-17–5-19

Network Information Service. See NIS

Network Pools 2-7–2-9, A-14

NFS 4-13

- Adding a partition 4-13

NIS

- Deleting server configuration 4-51

- Exporting directories 4-18

- Field 4-22

- Master server 4-46

- Modifying partition options 4-16–4-17

- Mounting directories 4-13

- Slave server 4-47

NIS+

- Adding a server 4-48

- Deleting server configuration 4-51

- Master server 4-49

- Replica server 4-50

P

Passwords

- Add user 3-9

- Changing a user 3-11

- Expiring 3-12

- Masked 2-6

PEP

- Common logging 6-5

- Engine program example 6-20

- Functionality description 6-3

- Interaction with ENlighten/DSM 6-2

- Invoking 6-7

- Killing 6-7

- Policy definition 6-5

- Policy engine 6-4

- Rules-based language 6-5

- Status Map dispatching 6-5

Performance expectations

- Disk snapshots A-15

- Large lists A-15

Pools 2-7–2-9, A-14

- Defined A-14

Print button A-8

Printer

- Enable 3-21

Printing A-9

Priority command 5-22, 5-24

Process status 5-23–5-24

Processes

- CPU 5-25

- Graphing 5-25

- Status 5-23

- Terminate 5-22

- Viewing 5-25

Program function buttons A-2–A-7

Programmable Events Processor. See PEP

Q

Query Events 5-17–5-19, 6-18

R

Refresh

- Button 2-3

- Options 2-3

Refresh icon A-4

Relational database

- Access 6-24

- Data types stored 6-22

- Directory structure 6-23

Reports A-5

S

Searching

- Pattern A-9

- Scope A-10

Security

- Checks 5-20

- Cron users 4-29

Selection options A-8

Session preferences 2-2–2-6, A-9, A-14

Set or modify a password 3-10

Snapshots A-5, A-15

Sort icon A-6

Sorting data requests A-16

Starting EMD 6-25

Status logs 4-43

Status Map

- Dispatching 6-5
- Interpreting 5-14
- Navigating 5-17
- Querying Events 5-17
- Suspend 5-22, 5-24
- Suspend command 5-24
- Swap space usage A-13
- System status 5-14–5-20

T

- Templates 3-4
- Terminate command 5-23
- Troubleshooting B-1–B-3

U

User

- Account templates 3-4
- Activity Monitor 5-24–5-25
- Authorization 2-9–2-14
- Lock 4-2
- Setting up accounts 3-2–3-12
- System access 4-2–4-3
- User accounts 3-2

W

- Who Is Logged In window 5-21
- Wizard icon A-2
- Write command 5-22