PRINTER,C,30	DEVICE,C,10 FILE,C,40	PACCPI_CCPI_NEJE		
Epson (draft mode)		58	16.7	10.0 12
Epson (Letter Quality Mode)		58	16.7	10.0 12
Laser Jet Landscape		55	16.7	10.0 12
Laser Jet Portrait		55	16.7	10.0 12
Basic/Unknown		55	16.7	10.0 12
Fujitsu DPL24I, DPL24C (Elite)		58	16.7	10.0 12
IBM Graphics (Elite)		58	16.7	10.0 12
Epson FX-80, JX-80 (Elite)		58	16.7	10.0 12
IBM Proprinter XL		58	16.7	10.0 12
Fujitsu DPL24D (Elite)		58	16.7	10.0 12
Diablo 630 (Elite)		58	16.7	10.0 12
Fujitsu DPL24I, DPL24C (draft)		58	16.7	10.0 12
IBM Graphics (draft)		58	16.7	10.0 12
Epson FX-80, JX-80 (draft)		58	16.7	10.0 12
Fujitsu DPL24D (draft)		58	16.7	10.0 12
Diablo 630 (draft)		58	16.7	10.0 12
LJ 4 Landscape (Extra Conden)		55	25.0	10.0 12

INIT,C,80 27,64,27,120,"0" 27,64,27,120,"1" 27,"(10U",27,"(s0p10.00h12.0v0s0b0T",27,"&I10",27,"&I8D" 27,"(10U",27,"(s0p12.00h10.0v0s0b3T",27,"&I00",27,"&I6D"

27,"@",27,"%",0,"1" 27,"@",27,"%",0,"1" 27,"@",27,"%",0,"1" 27,26,"I",27,"#1" 27,26,"I" 27,"@",27,"%",0,"2" 27,"@",27,"%",0,"2"

27,"@",27,"%",0,"2" 27,26,"I",27,"#4" 27,26,"I",27,"#4" 27,"(10U",27,"(s0p10.00h12.0v0s0b0T",27,"&I10",27,"&I8D"

COMP,C,80	NOCOMP,C,80
15	18
15	18
27,"(10U",27,"(s0p16.67h8.5v0s0b0T",27,"&l10"	27,"(10U",27,"(s0p10.00h12.0v0s0b0T",27,"&I1O"
27,"(10U",27,"(s0p16.67h8.5v0s0b0T",27,"&l0O"	27,"(10U",27,"(s0p12.00h10.0v0s0b3T",27,"&l0O"
15	18
15	18
15	18
15	18
15	18
15	18
15	18
15	18
15	18
15	18
15	18
15	18
27,"(s1V",27,"(s25H"	27,"(10U",27,"(s0p10.00h12.0v0s0b0T",27,"&I1O"

USERDEF1,CUSERDEF2,CUSERDEF3,CUSERDEF4,CUSERDEF5,C,80