<small># K $</small> **Table of Contents**

EXAMPLE.TOC000
K Contents;Index;Table
$ Table of Contents

Help file produced by [#] **HELLLP!**, a product of Guy Software, on 2/1/2023 for Edward Guy.

The above table of contents will be automatically completed and will also provide an excellent cross-reference for context strings and topic titles. You may leave it as your main table of contents for your help file, or you may create your own and cause it to be displayed instead by using the I button on the toolbar. This page will not be displayed as a topic.

HINT: If you do not wish some of your topics to appear in the table of contents as displayed to your users (you may want them ONLY as PopUps), move the lines with their titles and contexts to below this point. If you do this remember to move the whole line, not part.

_._

<inline># K $</inline> Your Title Screen

(This is where you would put the stuff which you want to be displayed when help is invoked.)

The text below would have been typed or imported by you, and the hypertext jump set up with the J button. This topic was set as the initial display using the I button.

Take me to your <u>Table of Contents</u>.

K $ Your Table of Contents

(This topic will also display when you click the **contents** button - as set by the **Set Button Selection** function on the **Format** menu).

Take me to <u>Topic Number One</u>

Take me to <u>Topic Number Two</u>

EXAMPLE.YTO001

K YOUR;TABLE;CONTENTS

$ Your Table of Contents

[#] ^K [$] Your First Topic

This is the text of your first topic. It has been given the number 1 for purposes of numbered topic mapping (i.e. HelpContextID) by the **Map Topic For Application** function on the **Insert** menu..

This will call the PopUp

Title

Your Second Topic

This is the text of your second topic. Notice that this screen has an extra button **Title**. This was created with the **Set Button Selection** function on the **Format** menu, and connected to your title screen.

[#][K][$] This is an example of a PopUp.