Class java.awt.MenuComponent

```
java.lang.Object
   |
   +----java.awt.MenuComponent
```

---

public class **MenuComponent**
extends Object

The super class of all menu related components.

Version:
1.6, 08/17/95
Author:
Arthur van Hoff

Constructor Index

o **MenuComponent**()

Method Index

o **getFont**()
Gets the font used for this MenuItem.
o **getParent**()
Returns the parent container.
o **getPeer**()
Gets the menucomponent's peer.
o **paramString**()
Returns the String parameter of this MenuComponent.
o **postEvent**(Event)
Posts the specified event to the menu.
o **removeNotify**()
Removes the menu component's peer.
o **setFont**(Font)
Sets the font to be used for this MenuItem to the specified font.
o **toString**()

Returns the String representation of this MenuComponent's values.

Constructors

o **MenuComponent**

```
public MenuComponent()
```

Methods

o **getParent**

```
public MenuContainer getParent()
```

Returns the parent container.

o **getPeer**

```
public MenuComponentPeer getPeer()
```

Gets the menucomponent's peer. The peer allows us to modify the appearance of the menu component without changing the functionality of the menu component.

o **getFont**

```
public Font getFont()
```

Gets the font used for this MenuItem.
Returns:
the font if one is used; null otherwise.

o **setFont**

```
public void setFont(Font f)
```

Sets the font to be used for this MenuItem to the specified font.
Parameters:
f – the font to be set

o **removeNotify**

```
public void removeNotify()
```

Removes the menu component's peer. The peer allows us to modify the appearance of the menu component without changing the functionality of the menu component.

o **postEvent**

```
public void postEvent(Event evt)
```

Posts the specified event to the menu.
Parameters:
evt – the event which is to take place

o **paramString**

```
protected String paramString()
```

Returns the String parameter of this MenuComponent.

o **toString**

```
public String toString()
```

Returns the String representation of this MenuComponent's values.
Overrides:
toString in class Object