

	A	B	C	D	E	F	G	H	I
1	CARTRIDGE INPUT INFORMATION DATABASE			Use DATA FORM command to Access Database					
2	1	2	3	4	5	6	7	8	9
3	LOAD #	AMMUNITION	Bullet	DIA(in)	WT(gr)	NOSE	MOD	M.V.	Bore Offset
4	1	5.56mm US M193	55-FMJBT	0.224	55	1	2	3310	-1.5
5	2	5.56mm W748-53gr	53-BTHP	0.224	53	1	2	3310	-1.5
6	3	7.62mm NATO - FRG	147-FMJFB	0.308	147	1	1	2800	-1.25
7	4	7.62mm W748-168	168-BTHP	0.308	168	1	2	2800	-1.25
8	5	.357 Silhouette	158-JHP	0.357	158	4	4	1510	-1
9	6	.357 Indoor (Light Load)	158-SWC	0.357	158	4	4	950	-1
10	7	7.62x39mm Imported Surplus	122-FMJFB	0.308	122	1	1	2329	-1.5
11	8	.22 LR Match	52-LEAD	0.224	52	4	4	1015	-1.25
12	9	.303 Enfield	205-FMC-RN	0.311	205	4	1	2600	-1
13	10	.45-70 Govt Regulation Load	405-LFN	0.458	405	5	4	1320	-1
14	11	5.56mm 75gr VLD	75 VLD	0.224	75	6	1	2650	-1.5

	J	K	L	M	N	O	P
1							
2	10	11					
3	Zero Range	Est B.C.			NOSES	1	0.6
4	200	0.28998				2	0.7
5	200	0.27944				3	0.85
6	200	0.36895				4	1
7	200	0.46851				5	1.2
8	100	0.14758				6	0.452
9	100	0.14758			MODIFIERS	1	0
10	200	0.3062				2	-0.06
11	50	0.12338				3	0.07
12	300	0.30279				4	0.2
13	200	0.19701				5	0.01
14	200	0.47211				6	0.14

	Q	R	S
1			
2			
3	VERY SHARP PT		
4	MODERATELY SHARP POINT		
5	MODERATELY SHARP WITH SLIGHTLY FLATTENED TIP		
6	MODERATELY BLUNT		
7	VERY BLUNT PROFILES		
8	VLD PROFILE		
9	NONE		
10	BOAT TAILS		
11	SMALL EXPOSED LEAD TIP		
12	LARGE EXPOSED LEAD TIP		
13	BT + SMALL LEAD TIP		
14	BT + LARGE LEAD TIP		