

WORD,C,12

.AND.  
.F.  
.NOT.  
.OR.  
.T.  
AADD  
AAVERAGE  
ABS  
ACCEPT  
ACCESS  
ACHOICE  
ACLONE  
ACOPY  
ACOS  
ACTIVATE  
ACTIVE  
ADD  
ADDCOLUMN  
ADDITIVE  
ADDZIP  
ADEL  
ADIR  
AEVAL  
AFIELDS  
AFILEREAD  
AFILEWRITE  
AFILL  
AGAIN  
AINS  
ALEN  
ALERT  
ALIAS  
ALL  
ALLTRIM  
ALLTRIMLEN  
ALTD  
ALTERNATE  
ALTHANDLE  
AMACPRINT  
AMAX  
AMAXN  
AMAXSTR  
AMAXSTRLEN  
AMAXSTRN  
AMERICAN  
AMIN  
AMINN

AMINSTR  
AMINSTRLEN  
AMINSTRN  
AMPM()  
AND  
ANSI  
APPEND  
APPLICATIO  
AREPLICATE  
ARGC  
ARGV  
ARRAY  
ARRAYPRINT  
ASC  
ASCAN  
ASCENDING  
ASCIITOEBC  
ASIN  
ASIZE  
ASORT  
ASSIGN  
ASSIST  
AT  
ATAIL  
ATAN  
ATEST  
ATESTN  
ATLAST  
ATN2  
ATNEXT  
ATOTAL  
AUTOSAVE  
AVERAGE  
AVG  
BACKSPACE  
BAR  
BEEP  
BEFORE  
BEGIN  
BELL  
BG  
BIN2I  
BIN2L  
BIN2NUM  
BIN2W  
BITSTRIP  
BLANK  
BLANKTEXT  
BLICURCAL

BLICURDSK  
BLICURNME  
BLICURSIZ  
BLIDBGHAN  
BLIDEMCAL  
BLIDEMDTE  
BLIDEMMIN  
BLIDISFRG  
BLIDISOVL  
BLIDISSTS  
BLIDISTRC  
BLIERRNUM  
BLIERRPRM  
BLILSTFRG  
BLIMEMAVL  
BLIMEMBLK  
BLIMEMMAX  
BLIMEMPAK  
BLIMEMSIZ  
BLIMEMUSE  
BLINKBIT  
BLIOVLCLR  
BLIOVLOPS  
BLIOVLSIZ  
BLIPRFMOD  
BLISERNUM  
BLISTRFRG  
BLITOTAC  
BLITOTCAL  
BLITOTDSK  
BLITOTLOD  
BLITOTSIZ  
BLOCKSIZE  
BOF  
BORDER  
BOTTOM  
BOX  
BR  
BREAK  
BRITISH  
BROWSE  
BYTE2BIN  
CALCULATE  
CALL  
CANCEL  
CAPFIRST  
CAPITALIZE  
CAPSLOCK  
CAPSTEXT

CARRY  
CASE  
CATALOG  
CCAST  
CDOW  
CEILING  
CENTER  
CENTURY  
CHAIN  
CHANGE  
CHDIR  
CHECKDATE  
CHECKTIME  
CHR  
CHRCOUNT  
CHRFOUND  
CHRSWAP  
CLEAR  
CLIPPER  
CLIPPERCMD  
CLOCK  
CLOCK12  
CLOCK24  
CLOSE  
CLS  
CLUSTERS  
CLUSTSIZE  
CMONTH  
CNT  
COL  
COLDBOOT  
COLOR  
COLORDISP  
COLORRECT  
COLOUR  
COLWIDTH  
COMCHECK  
COMIN  
COMINIT  
COMMA  
COMMAND  
COMMIT  
COMOFF  
COMON  
COMOUT  
COMPILE  
COMPLETED  
COMPRESS  
COMRESET

COMSET  
COMSWAP  
CONFIGURE  
CONFIRM  
CONSOLE  
CONTINUE  
CONVERT  
COPY  
COS  
COUNT  
CPUTYPE  
CRASH  
CREATE  
CSRBOT  
CSROFF  
CSRON  
CSRPUT  
CSRSET  
CSRTOP  
CTOD  
CURDIR  
CURDRIVE  
CURRENCY  
CURSOR  
D  
DATABASES  
DATE  
DATETYPE  
DAY  
DAYS  
DBAPPEND  
DBASEII  
DBCLEARFIL  
DBCLEARIND  
DBCLEARREL  
DBCLOSEALL  
DBCLOSEARE  
DBCOMMIT  
DBCOMMITAL  
DBCREATE  
DBCREATEIN  
DBDELETE  
DBEDIT  
DBEVAL  
DBF  
DBFILTER  
DBGOBOTTOM  
DBGOTO  
DBGOTOP

DBMEMO3  
DBRECALL  
DBREINDEX  
DBRELATION  
DBRSELECT  
DBSEEK  
DBSELECT  
DBSELECTAR  
DBSETDRIVE  
DBSETFILTE  
DBSETINDEX  
DBSETORDER  
DBSETRELAT  
DBSKIP  
DBSTRUCT  
DBUNLOCK  
DBUNLOCKAL  
DBUSEAREA  
DEACTIVATE  
DEBUG  
DEC2HEX  
DECIMALS  
DECLARE  
DECRYPT  
DEFAULT  
DEFINE  
DEHILITE  
DELCOLUMN  
DELETE  
DELETED  
DELIMITED  
DELIMITERS  
DELLEFT  
DELRIGHT  
DELVOLUME  
DELWORDLEF  
DELWORDRIG  
DESCEND  
DESCENDING  
DESIGN  
DEVELOPMEN  
DEVICE  
DEVOUT  
DEVPOS  
DIF  
DIFFERENCE  
DIR  
DIRECTORY  
DISK

DISKSIZE  
DISKSPACE  
DISKTOSCR  
DISPBEGIN  
DISPBOX  
DISPEND  
DISPLAY  
DISPOUT  
DMY  
DO  
DOHISTORY  
DOSERROR  
DOSMEM  
DOSVERS  
DOUBLE  
DOW  
DOWN  
DRIVES  
DRIVESTR  
DTC  
DTOR  
DTOS  
DTOW  
E  
EBCTOASCII  
ECHO  
EDIT  
EGA25  
EGA43  
EGAMEM  
EJECT  
ELAPTIME  
ELSE  
ELSEIF  
EMPTY  
EMPTY()  
ENCRYPTION  
ENCRPT  
END  
ENDCASE  
ENDDO  
ENDIF  
ENDPRINTJO  
ENDSCAN  
ENDTEXT  
ENDWHILE  
ENHANCED  
ENVIRONMEN  
EOF

EPOCH  
ERASE  
ERROR  
ERRORBLOCK  
ERRORLEVEL  
ERRORNEW  
ESCAPE  
EVAL  
EXACT  
EXCEPT  
EXCLUSIVE  
EXECUTE  
EXIT  
EXITKEYS  
EXP  
EXPMEM  
EXPORT  
EXTENDED  
EXTERNAL  
EXTMEM  
F  
FADVANCE  
FBOF  
FBOL  
FBOT  
FCHANGED  
FCLOSE  
FCOPY  
FCOPYBYTE  
FCOUNT  
FCREATE  
FCREATEF  
FEOF  
FERASE  
FERROR  
FGETATTR  
FGETDATE  
FGETTIME  
FHIDE  
FIELD  
FIELDBLOCK  
FIELDGET  
FIELDNAME  
FIELDPOS  
FIELDPUT  
FIELDS  
FIELDWBLOC  
FILE  
FILECOUNT



FILESIZE  
FILL  
FILTER  
FIND  
FINDATTR  
FINDDATE  
FINDFIRST  
FINDNEXT  
FINDSIZE  
FINDTIME  
FIXED  
FKEY  
FKLABEL  
FKMAX  
FLDEFINE  
FLEN  
FLINECOUNT  
FLOAD  
FLOAT  
FLOCATE  
FLOCK  
FLOOR  
FLRESET  
FLUSH  
FOPEN  
FOR  
FORM  
FORMAT  
FOUND  
FPROTECT  
FRE  
FREAD  
FREADBYTE  
FREADINT  
FREADLINE  
FREADLONG  
FREADSTR  
FREEZE  
FRENAME  
FRENCH  
FREPLICATE  
REWIND  
FROM  
FSEEK  
FSETATTR  
FSETDATE  
FSETTIME  
FSTRCOUNT  
FTELL

FTOP  
FULLPATH  
FUNCTION  
FUNHIDE  
FUNPROTECT  
FV  
FW2  
FWRITE  
FWRITEBYTE  
FWRITEINT  
FWRITELINE  
FWRITELONG  
F\_HEADER  
F\_ISDBF  
F\_LUPDATE  
F\_NDXKEY  
F\_RECSIZE  
GB  
GERMAN  
GET  
GETACTIVE  
GETAPPLYKE  
GETATTR  
GETCOLUMN  
GETDOSETKE  
GETE  
GETENV  
GETMODE  
GETNEW  
GETPAGE  
GETPOSTVAL  
GETPREVALI  
GETREADER  
GETS  
GETVAR  
GETVOLUME  
GO  
GOBOTTOM  
GOTO  
GOTOP  
GR  
HANDLES  
HARDCR  
HEADER  
HEADING  
HELP  
HEX2DEC  
HIGHLIGHT  
HILITE

HISTORY  
HOME  
HOURS  
I2BIN  
IF  
IFDEF  
IFNDEF  
IIF  
IMPORT  
INCLUDE  
INDEX  
INDEXES  
INDEXEXT  
INDEXKEY  
INDEXORD  
INFORMATIO  
INITSCREEN  
INKEY  
INP  
INPUT  
INSCOLUMN  
INSERT  
INTEXT  
INSTRUCT  
INT  
INTENSITY  
INTERRUPT  
INTO  
INVALIDATE  
ISALPHA  
ISASCII  
ISBUTTON  
ISCNTRL  
ISCOLOR  
ISCOM  
ISDIGIT  
ISDIR  
ISDISK  
ISDRIVE  
ISEMS  
ISEXTENDED  
ISFILE  
ISFIXED  
ISFLOPPY  
ISHANDLE  
SINDEX  
ISKEYSET  
ISLASTDAY  
ISLEAP

ISLOWER  
ISLPT  
ISMARKED  
ISMOUSE  
ISNUM  
ISPRINT  
ISPRINTER  
ISQUEUE  
ISSPACE  
ISSTATE  
ISUPPER  
ISXDIGIT  
ISZIP  
ITALIAN  
JAPAN  
JOIN  
KBDSTAT  
KEY  
KEYBOARD  
KEYSTAT  
KILLFOCUS  
L2BIN  
LABEL  
LAST  
LASTDAY  
LASTDRIVE  
LASTKEY  
LASTREC  
LEADCHAR  
LEFT  
LEN  
LENNUM  
LIB  
LIKE  
LINENO  
LINKAGE  
LIST  
LJUST  
LKSYS  
LOAD  
LOCAL  
LOCATE  
LOCK  
LOG  
LOG10  
LOGOUT  
LOOKUP  
LOOP  
LOWER

LPRINT  
LPRINTLINE  
LPTRESET  
LPTSET  
LPTSWAP  
LTRIM  
LTRIMLEN  
LUPDATE  
MACROS  
MARGIN  
MARK  
MASTER  
MAX  
MAXCOL  
MAXHANDLES  
MAXROW  
MDX  
MDY  
MEDIATYPE  
MEMLINES  
MEMOEDIT  
MEMOLINE  
MEMOREAD  
MEMORY  
MEMOTRAN  
MEMOWIDTH  
MEMOWRIT  
MEMOWRITE  
MEMVAR  
MEMVARBLOC  
MENU  
MENUS  
MESSAGES  
MIN  
MKDIR  
MLCOUNT  
MLCTOPOS  
MLINE  
MLPOS  
MOD  
MODIFY  
MODULE  
MONO  
MONO43  
MONOTYPE  
MONTH  
MOUSE  
MOUSETRAP  
MOVE

MPOSTOLC  
MX\_CHOICE  
MX\_DBFVIEW  
MX\_POPDIR  
MX\_POPFILE  
MX\_VIEW  
M\_ACTIVATE  
M\_AREGION  
M\_BUTTONS  
M\_CHOICE  
M\_CLICKS  
M\_COL  
M\_CSROFF  
M\_CSRON  
M\_CSRPUT  
M\_DATA  
M\_DATAREST  
M\_DATASAVE  
M\_DBFVIEW  
M\_DISPLAY  
M\_FRAME  
M\_GETPAGE  
M\_HMICKEYS  
M\_INBUTTON  
M\_INCOL  
M\_INROW  
M\_ISCURSOR  
M\_MAXCOL  
M\_MAXROW  
M\_MENU  
M\_MESSAGE  
M\_MICKEYS  
M\_MOVEMENT  
M\_PEN  
M\_POPDIR  
M\_POPFILE  
M\_POSITION  
M\_PROMPT  
M\_QUERY  
M\_REGION  
M\_RELEASE  
M\_RESET  
M\_RESTORE  
M\_ROW  
M\_SAVE  
M\_SETPAGE  
M\_SPEED  
M\_SQUEAK  
M\_STACK

M\_STACKGET  
M\_STACKNEW  
M\_STACKNUM  
M\_STACKPUT  
M\_TITLE  
M\_TRAPFEED  
M\_TRAPFREE  
M\_TRAPGET  
M\_TRAPNEW  
M\_TRAPREST  
M\_TRAPSAVE  
M\_TRAPSET  
M\_VIEW  
M\_VMICKEYS  
M\_WAIT  
N  
NAP  
NDPTYPE  
NDX  
NEAR  
NETERR  
NETNAME  
NETWORK  
NET\_USE  
NEXT  
NEXTHANDLE  
NEXTKEY  
NLEN  
NOAPPEND  
NOCLEAR  
NODELETE  
NOEDIT  
NOEJECT  
NOFOLLOW  
NOINIT  
NOMENU  
NONE  
NORMAL  
NOSNOW  
NOTE  
NPV  
NSTUFF  
NUM2BIN  
NUM2DAY  
NUM2MONTH  
NUMGETS  
NUMLOCK  
NUMTEXT  
NUPPER

OBJ  
ODOMETER  
OFF  
ON  
ONDO  
ONKEY  
OPEN  
OR  
ORDER  
OS  
OTHERWISE  
OUTERR  
OUTP  
OUTSTD  
OVERSTRIKE  
PACK  
PAD  
PADC  
PADL  
PADR  
PAGEDOWN  
PAGEUP  
PALETTE  
PANEL  
PANEND  
PANHOME  
PANLEFT  
PANRIGHT  
PARAMETERS  
PARK  
PATH  
PAUSE  
PAYMENT  
PCOL  
PCOUNT  
PDOX  
PEEK  
PEEKSTR  
PFS  
PI  
PICTURE  
PLAIN  
PLAY  
PLL  
POINT  
POKE  
POPUP  
POPUPS  
PRECISION



PRIMARY  
PRINT  
PRINTER  
PRINTJOB  
PRINTSTATU  
PRIVATE  
PRNHANDLE  
PRNRESET  
PRNSTATUS  
PROCEDURE  
PROCLINE  
PROCNAME  
PROGRAM  
PROMPT  
PROW  
PRTSCR  
PUBLIC  
PUTKEY  
PV  
QOUT  
QQOUT  
QUERY  
QUIT  
Q\_CANCEL  
Q\_DELETE  
Q\_FILE  
Q\_HOLD  
Q\_RESTART  
Q\_STATUS  
Q\_SUBMIT  
RAND  
RANDOM  
RANGE  
RANK  
RAT  
RB  
READ  
READERROR  
READEXIT  
READH  
READINSERT  
READKEY  
READMODAL  
READS  
READSCREEN  
READVAR  
RECALL  
RECCOUNT  
RECNO

RECORD  
RECSIZE  
REFRESH  
REFRESHALL  
REFRESHCUR  
REINDEX  
RELATION  
RELEASE  
REMARK  
REMOVEABLE  
RENAME  
REPLACE  
REPLICATE  
REPORT  
REPROCESS  
REQUIRED  
RESET  
RESTGETS  
RESTORE  
RESTSCREEN  
RESUME  
RETRY  
RETURN  
REVERSE  
RG  
RIGHT  
RJUST  
RLOCK  
RMAKE  
RMDIR  
ROL  
ROLLBACK  
ROLOC  
ROMDATE  
ROR  
ROUND  
ROW  
RPD  
RTLINKCMD  
RTOD  
RTRIM  
RUN  
SAFETY  
SAMPLE  
SAVE  
SAVEGETS  
SAVESCREEN  
SAY  
SCAN

SCANCODE  
SCANLINES  
SCOREBOARD  
SCREEN  
SCRLOCK  
SCRLTEXT  
SCROLL  
SCRTODISK  
SDF  
SECONDARY  
SECONDS  
SECS  
SECTORS  
SECTORSIZE  
SEED  
SEEK  
SEG  
SELECT  
SELECTION  
SEPARATOR  
SEQUENCE  
SET  
SETATTR  
SETBLINK  
SETCANCEL  
SETCOLOR  
SETCOLUMN  
SETCURSOR  
SETDATE  
SETDRIVE  
SETFOCUS  
SETHANDLES  
SETKEY  
SETKEYREST  
SETKEYSAVE  
SETLOGICAL  
SETMODE  
SETPAGE  
SETPOS  
SETPRC  
SETSCREEN  
SETSNOW  
SETTIME  
SETVOLUME  
SHIFT  
SHL  
SHOW  
SHR  
SIGN

SIN  
SKIP  
SNAP  
SNAPCODE  
SNAPMACRO  
SOFTSEEK  
SORT  
SOUND  
SOUNDEX  
SPACE  
SQL  
SQRT  
SRAND  
STABILIZE  
STANDARD  
STATE  
STATECODE  
STATIC  
STATUS  
STD  
STDIN  
STDOUT  
STEP  
STORE  
STR  
STRATNEXT  
STRCENTER  
STRCOUNT  
STREXPAND  
STREXTRACT  
STRSTUFF  
STRTRAN  
STRUCTURE  
STRZERO  
STUFF  
STYLE  
SUBSTR  
SUM  
SUMMARY  
SUSPEND  
SWAP  
SYLK  
SYS  
SYSTYPE  
TABEXPAND  
TABS  
TAG  
TALK  
TAN

TBCOLUMNNEW  
TBROWSE  
TBROWSEDB  
TBROWSENEW  
TEST  
TEXT  
TIME  
TIMEH  
TIMEOUT  
TITLE  
TITLES  
TMP  
TO  
TODECPOS  
TONE  
TOP  
TOTAL  
TRAILCHAR  
TRANSACTION  
TRANSFORM  
TRANSLATE  
TRAP  
TRIM  
TRIMLEN  
TRIMPUNCT  
TSTRING  
TURBO  
TYPE  
TYPEAHEAD  
UNCLOCK12  
UNCLOCK24  
UNDEF  
UNDO  
UNIQUE  
UNLOCK  
UNSELECTED  
UNTRIM  
UP  
UPDATE  
UPDATEBUFF  
UPDATED  
UPPER  
USE  
USED  
USER  
USERS  
USING  
VAL  
VALID

VALTYPE  
VAR  
VARGET  
VARPUT  
VARREAD  
VERSION  
VIDTYPE  
VIEW  
VREPLICATE  
WAIT  
WAITKEY  
WARMBOOT  
WHEN  
WHILE  
WIDTH  
WILDCARD  
WINDOWS  
WITH  
WK1  
WK3  
WKS  
WORD  
WORDLEFT  
WORDRIGHT  
WR1  
WRAP  
WRK  
XCOMMAND  
XLS  
XOR  
XSCANCODE  
XTRANSLATE  
YEAR  
ZAP  
\_ALIGNMENT  
\_BOX  
\_INDENT  
\_ISBUTTON  
\_LMARGIN  
\_LOWER  
\_NEWLINE  
\_PADVANCE  
\_PAGENO  
\_PBPAGE  
\_PCOLNO  
\_PCOPIES  
\_PDRIVER  
\_PECODE  
\_PEJECT

\_PEPAGE  
\_PFORM  
\_PLENGTH  
\_PLINENO  
\_PLOFFSET  
\_PPITCH  
\_PQUALITY  
\_PSCODE  
\_PSPACING  
\_PWAIT  
\_RMARGIN  
\_TABS  
\_UPPER  
\_WRAP  
\_XKEY  
\_XKEYVAL  
\_XVAL  
\_VINIT  
\_SET\_CANCEL  
ÿ