WWW Publisher Revision History

Version 1.0 Beta 2

    Added HTML Code Insert Dialog

    Changed "Open" and "Save" dialogs to Explorer Style

    Fixed file display bug in "Open" dialog

    Corrected Printing Bug

Version 1.0 Final Release

    Added Support for <FONT> tag

    Allowed editor background change to match WWW colors

    Added Frames Support

    Added Tables Support

    Added List Support

Version 1.2 Final Release

    Added lowercase tag support

Version 2.0 Final Release

    Added support for Multiple Document Interface

    Fixed bug to allow switching case from the "New" command

Version 2.01 Final Release

    Added "Brower Test" Capability

    Made MRU length user-definable

Version 2.03 Final Release

    Added default browser setting

    Added "Blank File on Start" option

    Made use of HTML background colors in editor optional

Version 2.04 Final Release

    Added tags for JavaScript and VBScript

    Added tags for Java Applets

Version 3.0 Final Release

    Updated interface to use coolbars

    Reduced code size

    Added support for Internet Explorer 4.0 ActiveX control.

Version 3.01 Final Release

Added right-click menu functionality to edit window

Version 3.02 Final Release

Corrected MRU Bugs

Version 3.5 Final Release

Added FTP Upload Support

Version 3.51 Final Release

Improved FTP Upload Dialog

Added Install/Uninstall Support

Version 4.0 Final Release

Added Online Help

Added User Edited Tags Menu

Version 4.5 Final Release

Added Table Constuctor

Added Frame Constructor

Modified Icons

WWW Publisher Standard Options

Use System Browser / Specify External Browser
The system browser is the default browser for HTML Files.   To use a browser other than the default, choose "Specify External Browser" and enter the path to the browser.

Size of the MRU List
Sets the number of most recently files whose names are saved on the File menu.

Use Lowercase HTML Tags
Tells WWW Publisher to insert HTML tags in lowercase.   If this is unchecked, tags are inserted in uppercase.

Start at Blank File
Tells WWW Publisher to open a blank file on start up.

Show "User Tags" Menu
Tells WWW Publisher to display the user tags menu on the menu bar.

Use HTML Background color
Tells WWW Publisher to change the editor window's color to match any changes in the HTML background

Use Internet Explorer for Internal Browser (Requires IE 4.0)
Tells WWW Publisher to use IE 4.0 ActiveX control for viewing HTML.

WWW Publisher FTP Options

In this dialog you can enter your information for FTP uploads.   Enter the Host, Username, and Password.

WWW Publisher is designed by Mark Bidewell

Email: mbbs@voicenet.com
Website: http://www.voicenet.com/~mbbs/WWWPublish