

Sheet1

FOFSAYSAYSAY_TXT,C,40	SAY_PIC,C,4(SAY_FUNC,CSAY_COLOR,GEGET_NAME,C,12
1 22 21 "Enter Description: "	0 0 DESC
5 3 12 "Description: "	0 0 DESC
5 5 12 "File Path : "	0 0 FILE_PATH
5 7 12 "File Name : "	0 0 FILE_NAME
6 22 21 "Enter User ID: "	0 0 USER_ID
6 22 21 "Enter Description: "	0 0 DESC
7 22 21 "Enter Description: "	0 0 DESC
7 22 21 "Enter User ID: "	0 0 USER_ID
9 3 12 "Description: "	0 0 DESC
9 5 12 "User ID : "	0 0 USER_ID
9 7 12 "Password : "	0 0 PASSWORD
10 22 21 "Enter Description: "	0 0 DESC
10 22 21 "Enter User ID: "	0 0 USER_ID
11 3 12 "Description: "	0 0 DESC
11 5 12 "User ID : "	0 0 USER_ID
11 7 12 "Password : "	0 0 PASSWORD
15 3 12 "Description: "	0 0 M->DESC
15 5 12 "File Path : "	0 0 M->FILE_PATH
15 7 12 "File Name : "	0 0 M->FILE_NAME
15 16 5 "Index: "	nINDEX
15 16 36 "Order: "	nORDER
19 3 12 "Description: "	0 0 M->DESC
19 5 12 "User ID : "	0 0 M->USER_ID
19 7 12 "Password : "	0 0 M->PASSWORD
19 16 5 "Index: "	nINDEX
19 16 36 "Order: "	nORDER

GET_READ,C,40

GET_PIC,C,40

GET_FUNC,C,40

"!"+cDRIV_SEP+REPLICATE("!",36)

!"

"!"+cDRIV_SEP+REPLICATE("!",36)

!"

"g"

OBJECT nORDER

"*HT \\?\<Ascending;\<Descending"

"g"

OBJECT nORDER

"*HT \\?\<Ascending;\<Descending"

GET_RANGE,SIZSIZSIZGET_VALID,C,40

GET_BROWSGET_ERR,C,4

```
.T.  
.T.  
fnPATH(@M->FILE_PATH)  
fnNAME(M->FILE_PATH,M->FILE_NAME)  
0 0 0.T.  
0 0 0 .t.  
0 0 0 .t.  
0 0 0.T.  
0 0 0 .t.  
0 0 0.T.  
    .T.  
0 0 0  
0 0 0.T.  
0 0 0  
0 0 0.T.  
0 0 0.T.  
    .T.  
    .T.  
0 0 0.T.  
  
    .T.  
    .t. .OR. LEN(RTRIM(M->DESC)) = 0  
0 0 0.T.  
0 0 0.T.  
    .t.  
    .T.
```

GET_COLOR,C,4|GET_WHEN,C|GET_REST,C|GET_DE|

SAY SCHEME 2
SAY SCHEME 2
SAY SCHEME 2

SAY SCHEME 2
SAY SCHEME 2
SAY SCHEME 2

cDESC

SAY SCHEME 2
SAY SCHEME 2
SAY SCHEME 2
SAY SCHEME 2
SAY SCHEME 2
SAY SCHEME 2

cDESC

nINDEX <> 0
nORDER <> 0

SAY SCHEME 2
SAY SCHEME 2
SAY SCHEME 2

nINDEX <> 0
nORDER <> 0

GET_MSG,C,80
UPPER(M->DESC)
"Enter Application Description"
"Enter Application File Path"
"Enter starting procedure name (no extension)"
UPPER(M->USER_ID)
UPPER(M->DESC)
UPPER(M->DESC)
UPPER(M->USER_ID)
"Enter Application Description"
"Enter User ID (leave blank for application-wide password)"
"Enter Application/User Password"
UPPER(M->DESC)
UPPER(M->USER_ID)
"Enter Application Description"
"Enter User ID (leave blank for application-wide password)"
"Enter Application/User Password"
"Enter Application Description"
"Enter Application File Path"
"Enter starting procedure name (no extension)"
"Select Index File"
"Select Index Order"
"Enter Application Description"
"Enter User ID (leave blank for application-wide password)"
"Enter Application/User Password"
"Select Index File"
"Select Index Order"

GET_MEMO,GET_POPUP,

GET_DESC,C,40

LEFT(' '+PROMPT(),1)

PROMPT()

LEFT(' '+PROMPT(),1)

PROMPT()