

ImagedeskE

COLLABORATORS

	TITLE : ImagedeskE		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		December 6, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	ImagedeskE	1
1.1	ImagedeskE.guide	1
1.2	ImagedeskE.guide/M1_INTRD	2
1.3	ImagedeskE.guide/M1_REQUI	2
1.4	ImagedeskE.guide/M1_INSTL	3
1.5	ImagedeskE.guide/M1_FASTE	3
1.6	ImagedeskE.guide/M1_TOUSE	5
1.7	ImagedeskE.guide/Starting ImageDesk	6
1.8	ImagedeskE.guide/Configuration	6
1.9	ImagedeskE.guide/System Prefs	7
1.10	ImagedeskE.guide/Viewer Prefs	8
1.11	ImagedeskE.guide/Menu	10
1.12	ImagedeskE.guide/M2_PROJ	11
1.13	ImagedeskE.guide/M21_OPCAT	11
1.14	ImagedeskE.guide/M21_GNCAT	11
1.15	ImagedeskE.guide/M21_RSING	12
1.16	ImagedeskE.guide/M21_SPATH	12
1.17	ImagedeskE.guide/M21_ABOUT	13
1.18	ImagedeskE.guide/M21_INFMT	13
1.19	ImagedeskE.guide/M21_QUITP	13
1.20	ImagedeskE.guide/M2_VIEW	13
1.21	ImagedeskE.guide/M22_SFILE	14
1.22	ImagedeskE.guide/M22_PCONT	14
1.23	ImagedeskE.guide/M22_SELEC	14
1.24	ImagedeskE.guide/M2_THUM	14
1.25	ImagedeskE.guide/M23_RMSIN	15
1.26	ImagedeskE.guide/M23_CLEAN	15
1.27	ImagedeskE.guide/M23_MRKDL	15
1.28	ImagedeskE.guide/M2_PREF	15
1.29	ImagedeskE.guide/M24_SPWIN	16

1.30	ImagedeskE.guide/M24_VPWIN	16
1.31	ImagedeskE.guide/M24_SINFO	16
1.32	ImagedeskE.guide/M24_ABCDK	17
1.33	ImagedeskE.guide/M24_LOADP	17
1.34	ImagedeskE.guide/M24_SAVEP	17
1.35	ImagedeskE.guide/M24_RESET	17
1.36	ImagedeskE.guide/Restrictions	17
1.37	ImagedeskE.guide/Hints on Usage	18
1.38	ImagedeskE.guide/M1_TOOLS	20
1.39	ImagedeskE.guide/M11_LIST	20
1.40	ImagedeskE.guide/M11_CPAT	21
1.41	ImagedeskE.guide/M11_REPK	21
1.42	ImagedeskE.guide/M11_JOIN	22
1.43	ImagedeskE.guide/M11_RMEN	23
1.44	ImagedeskE.guide/M1_REGIS	24
1.45	ImagedeskE.guide/M1_UPDAT	24
1.46	ImagedeskE.guide/M1_RIGHT	25
1.47	ImagedeskE.guide/Liability	25
1.48	ImagedeskE.guide/Distribution	25
1.49	ImagedeskE.guide/Trademarks	26
1.50	ImagedeskE.guide/Copyright	27
1.51	ImagedeskE.guide/M1_BUGRP	27
1.52	ImagedeskE.guide/M1_FUTUR	27
1.53	ImagedeskE.guide/M1_HISTO	28
1.54	ImagedeskE.guide/M1_THANX	29
1.55	ImagedeskE.guide/M1_AUTOR	30

Chapter 1

ImagedeskE

1.1 ImagedeskE.guide

ImageDesk

An utility for cataloging your picture directories

Version 1.2

(C) Copyright 1994-1995 Reinhard Haslbeck

SHAREWARE

Introduction	What is ImageDesk good for
System Requirements	Minimum requirements on your Amiga
Installation	...is really easy
Quick Start	For the unpatient ones
Usage in General	Description of ImageDesk's functionality
Catalog Tools	Tools for touching up Catalog files
Register	How do I get my keyfile
Updates	Where can I get the latest releases
Legal Stuff	Copyright, Liability, Trademarks
Known Bugs	It's not a bug, it's ...
Future	Possible future enhancements
Releases	What has changed
Thanks	Do not forget to read this
Author	If you want to contact me

1.2 ImagedeskE.guide/M1_INTRD

Introduction

ImageDesk is a program to catalog your picture directories. By this, small representants of the pictures, so called thumbnails, are being generated to get a quick overview of the directory contents. Those thumbnails are internally being expanded to objects which will include all essential attributes of the represented pictures. Several thumbnail objects which corresponding pictures are in the same directory, could be saved together into a so called catalog file for being available immediately on request. These files could be saved packed, too provided XPK has been installed. The following picture formats are currently supported and will be recognized automatically:

- * IFF ILBM (standard palette upto 256 colors, EHB, HAM, HAM8, DEEP)
- * GIF (87a, 89a)
- * JPEG (1)
- * PCX (1 bit upto 32 bit)
- * BMP (4,8 and 24 bit, OS/2 and Windows formats, unpacked only)
- * PCD (upto BASE size)
- * PNM (P4, P5 und P6)
- * TARGA (all formats, Interleaved has not been tested yet)

The corresponding picture of a thumbnail object could be shown if requested. Therefore two internal viewers, the window- and the screen viewer, exists for each above mentioned format. The latter are able to view Images on CyberGraphics-, Picasso- or standard 8 bit screens. If you do not like the internal viewers, it is also possible to use external picture viewers.

----- Footnotes -----

(1) ImageDesk needs the "Tower JPEG Codec Class" from Christoph Feck for its JPEG support.

1.3 ImagedeskE.guide/M1_REQUI

System Requirements

To figure a thumbnail image on the Desk, ImageDesk needs an Intuition Screen with 256 colors. Hence the minimum requirements on Kickstartversion is 3.0 (V39) or higher, and on the graphics hardware the ability to provide 8-bit Intuition screens.

This distribution contains two versions of ImageDesk. One is compiled for standard systems with a 68000 CPU the other version has been optimized for 68030 processors but should run on 020 and 040 systems, too. A coprocessor is not required (ImageDesk makes no use of floating point arithmetics).

It is not easy to define, how much memory ImageDesk requires. In normal state, up to 1MB system memory is needed. During the generation of catalog files very much memory will be allocated - that is the critical moment. In this case the memory consumption could be estimated approximately. In general, for every directory entry which matches the specified pattern, about 7KB of memory will be allocated. In addition there will be a hidden picture generated in the memory. For every pixel of that picture 3 bytes (24 bit) are needed.

Remark: You could reduce the memory requirement by limiting the entries per Catalog file (see also System Prefs in Configuration). This could be very useful, especially by generating catalog files for very large directories as they could be found on CD-ROM picture archives.

1.4 ImagedeskE.guide/M1_INSTL

Installation

The installation procedure is completely handled by the Commodore Installer. You just have to double-click one of the icons Install.Deutsch or Install.English in the drawer ImageDesk.

To install the "Tower JPEG Codec Class" (which is necessary for ImageDesk's JPEG support) just double-click the icon Install in the drawer JPEG Codec. If the JFIF DataType by Christoph Feck has been installed already, It is not necessary to do this installation procedure.

1.5 ImagedeskE.guide/M1_FASTE

Quick Start

ImageDesk can be started from Shell or from WorkBench. In both cases the same three arguments and tooltypes, resp., are supported.

* Prefs=<Filename> - ImageDesk opens the prefs file <Filename>

- * CAT=<Filename> - ImageDesk opens the file <Filename> immediately at the programstart
- * VILLAGEMODE - For Picasso users only: ImageDesk starts in Village mode (default is CyberGrahpics mode).

If no prefs file were specified, ImageDesk is looking for the file ImageDesk.idprefs in the current directory. Should no valid prefs file be found, ImageDesk asks via requester for screen and font to be used. If it gets all required resources, the screen will be opened and all available functions are accessible by the menu (and partly by hotkeys, too).

Open Catalog

Opens a requester which allows to select a former generated catalog file. If selected by Selectable, a window will be opened after confirmation by the OK-button, where the first catalog entry and the number of entries to load can be selected.

Generate Catalog

First of all a filename for the catalog file has to be specified in a requester. After this, another requester opens where path and pattern for the desired files has to be selected. Now ImageDesk checks every file if it is a supported picture format. In this case a thumbnail object will be created, which will appear as an intuition gadget on the screen.

Read Single Image

A thumbnail object for a single picture will be created.

Scan Path

Operates like Generate Catalog, but no catalog file will be saved.

About

no comment

Information

Informs about the current program state

Quit

Quits ImageDesk after a security request.

Single File

Views a choosen picture, if its format is known by ImageDesk.

Path Contents

Works like View Single Image, but every file which filename is visible in the filerequesters listview will be processed.

Selected Thumbnails

First of all, the desired thumbnail objects have to be marked by a single click into its image. The marking will be visualized by a frame rendered around the thumbnail image. After that this menu item needs to be selected again. Now all pictures which belong to the marked objects will be viewed one by one.

Remove Single

The next selected thumbnail object will be removed from the desk.

Clean Whole Desk

After a security request all thumbnail objects on the desk will be removed.

Mark & Delete

Thumbnail objects have to be selected exactly as described in Selected Thumbnails. If this menu item is selected again all marked Thumbnails will be removed from the screen.

System Prefs Window

Opens the window to change the system preferences settings.

Viewer Prefs Window

Opens the window to change the viewer preferences settings.

Show Image Infos

With this menu item being checked and a thumbnail object is clicked an information window will be displayed giving information about the picture which belongs to this thumbnail object. In this window it is either possible to view the picture or to turn back to the desk immediately.

Ask Before Cleaning Desk

If this menuitem is checked nearly everytime a Clean Whole Desk has to be made a security requester will prompt you for confirmation.

Load Prefs

Load an other preferences file.

Save Prefs

Saves the current preferences settings.

Reset to defaults

Overrides the current preferences settings and uses default values. Screen size and font will be asked by requester.

1.6 ImagedeskE.guide/M1_TOUSE

Usage in General

Starting ImageDesk	Stack, Arguments, Tooltypes
Configuration	Adjust ImageDesk to your own requirements
Menu	ImageDesk's menu structure
Restrictions	...without a keyfile
Hints on Usage	Tips and Hints

1.7 ImagedeskE.guide/Starting ImageDesk

Starting ImageDesk

=====

Due to my experiences, the stacksize is not growing much beyond the 2KB border. Therefore the default size of 4096 Bytes will be sufficient in most cases. If you work mainly with images much wider than 1000 pixels its more secure to increase the stacksize to 8KB.

ImageDesk could be started from a shell or by Workbench. Currently there are three arguments and tooltypes, resp., allowed:

- PREFS=<Dateiname> - ImageDesk tries to load the prefsfile <Dateiname> at programstart. If this file could not be found or it is not a valid ImageDesk prefsfile, default values will be used.
- CAT=<Dateiname> - ImageDesk opens the catalog file <Dateiname> immediately at the programstart.
- VILLAGEMODE - (for usage in conjunction with a picasso only)
If the CyberGraphics software is installed on the system, ImageDesk will use it for its specail screens in 8/15/16/24 bitdepth by default. if VILLAGEMODE is set, it is tryed to use the standard Picasso drivers instead.

If no configuration file has been specified at programstart, ImageDesk will try to find the file ImageDesk.idprefs in the current directory. The first time you start ImageDesk, it won't find a configuration file, of course. In this case, ImageDesk reports about it and you will be asked for screenmode and screenfont. The other values will be set to defaults. After that procedure a prefsfile will be saved immediately. Nevertheless it is recommended to set all the preferences values to your own requirements by selecting the menu items System Prefs Window and Viewer Prefs Window (see also Configuration).

1.8 ImagedeskE.guide/Configuration

Configuration

=====

The configuration adjustments in ImageDesk have been splitted in two major groups:

- * System preferences
- * Viewer preferences

Therefore, two preferences windows are available:

- System Prefs Window - To configure ImageDesk's main environment
- Viewer Prefs Window - To configure ImageDesk's handling of the

picture viewers

These windows could be opened by selecting one of the menu items System Prefs Window or Viewer Prefs Window.

System Prefs
Viewer Prefs

1.9 ImagedeskE.guide/System Prefs

System Prefs

The data of the valid screenmode is displayed in the frame titled Screen. A mouse click on the ?-button opens a screenmode requester where a new screenmode can be selected. It is also possible to choose higher values for width and height than the screen's visible sizes. In this case it will be opened as an autoscroll screen.

The frame titled Font can be handled the same way. Here, the font for screen and windows of ImageDesk is displayed and can be changed.

Caution: If screenmode or font has been changed and you want to leave this window by pressing the USE or Save button, all thumbnail objects will be removed.

The third framed area of this window groups some gadgets where the xpkmode to use, an encryption password if supported and the efficiency of packing has to be specified. If XPK is not installed these gadgets are disabled.

Other preferences gadgets which could not be classified to a specific group are:

Output Window

Here the string for specifying the attributes of the external viewer console window has to be edited. It is very important for this string to contain SCREEN=IMAGEDESK at the end. Otherwise, this console window won't open on ImageDesk's screen.

Max. entries per catalog

This is a slider gadget which allows to change the entry limit of the catalog files. If a scanned directory contains of more entries than specified here, there will be generated as many catalog files as necessary to store all its thumbnails. Should more than one catalog file be used for a single scan, the files will be numbered and its filename will get this number as an filename extension.

Use XPK for Catalogs

This gadget is displayed disabled if XPK has not been installed. Otherwise, it determines if XPK is used for saving catalog files.

Dither Thumbnail Images

Since ImageDesk has to deal with a limited number of colours, the thumbnail images are not always in best quality, especially if the images contain of fine colour runs. If this gadget is selected a bigger colour space is simulated by the use of ordered dithering. However, using dithering not always results in a better quality of the thumbnail images as the pixelspace is too small to cheat the eyes perfectly. Another disadvantage is that dithered images could not be packed as effectively.

Save Project Icons

This gadget determines if an icon should be created for each generated catalog file. Creating project icons for catalog file has a big advantage. Later, it is possible to start ImageDesk and load a catalog file with a single mouse click.

There are four additional buttons, horizontally spreaded at the bottom of the window:

Save

The edited configuration is saved in the current directory and gets the filename ImageDesk.idprefs. After this, the window will be closed and the changed values will be used in ImageDesk.

Use

The edited configuration is used immediately and the window will be closed.

Load

In a file requester you are prompted for a prefsfile which is loaded afterwards. The window remains open to let the user make further changes to the loaded prefs.

Cancel

The window is closed, all changes will be dismissed.

1.10 ImagedeskE.guide/Viewer Prefs

Viewer Prefs

This window is used to select which viewer has to be taken for each supported image format. To select, click on one radio button of custom screen, external or window.

Remarks:

- * If the 'Tower JPEG Codec' has not been installed, the corresponding buttons are disabled.

To specify an external viewer, you have to type the viewer name and the arguments you want to use. Instead of a filename type %s. A small example:

Supposed you want to use the picture viewer called GigaView and

usually you would call this viewer:

```
GigaView <filename> SCREENBEHIND
```

In the corresponding gadget you would have to type the following string:

```
GigaView %s SCREENBEHIND
```

Caution: you have to set the whole path instead of the viewer name only. Otherwise ImageDesk may not find it.

The preferences in the framed area named Internal Viewer Prefs are meaningless for external viewers and partly meaningless for the most image formats.

Display Screens

With this cycle gadget you tell ImageDesk how to determine the custom screens for displaying the images.

- autoscreen - ImageDesk tries to find optimal values for screen mode and screen size by itself.
- requester - Everytime an image has to be displayed, the user will be asked for a screen mode by a requester.
- global - Fixed screen ids will be used. The user is responsible for Global CLUT Screen and Global DCOL Screen to have valid values.

Display Size

Which size the images should be displayed has to be determined here. These values are meaningless for the external viewers.

- original - The image will be displayed in original size.
- small - The image will be displayed in half the height and half the width.
- tiny - The image will be displayed in a quarter the height and a quarter the width. Caution: The values in Display Size are only meaningful for the image formats PCD and JPEG, yet.

Orientation

These adjustments will cause the following:

- Auto - PCD only: Tries to find out the orientation by itself.
 - Force Landscape - PCD only: Displays images in landscape mode.
 - Force Portrait - PCD only: Displays images in portrait mode.
 - Upside Down - all formats: Displays images mirrored to the x-axis.
 - Left to Right - PCD only: Displays images mirrored to the y-axis.
-

Global CLUT Screen

After clicking on the ?-button a screenrequester appears where you have to choose an 8-bit screen. This selected screenmode is used for displaying all images containing upto 256 colors. This setting is only significant if Display Screens is set to global.

Global DCOL Screen

Same as Global CLUT Screen, with the difference that a screenmode for all images containing more than 256 colors has to be choosen.

Remark: it is quite possible to choose an 8-bit screenmode, but the display quality will be not very satisfying.

Dither 8-Bit Displays

If this gadget is checked, the images in 8 bit illustration (this is valid for the window viewers and for the 8-bit screen viewers) are displayed dithered. This improves the display quality of the image, but slows down the procedure a bit. Only images which contain more than 256 colors will be dithered. This means all 15/16/24/32 bit pictures and HAM images.

Use Original Palette

If checked, this gadged says that the windows viewer will use the original color palette of the pictures. Therefore, it is meaningful for images which contains up to 256 colors, only. If 'Use Original Palette' is activated, ImageDesk temporarily (to be more specific, for the duration a picture is displayed) switches its palette to the one of the picture. This will cause a somewhat strange looking user interface but it will decrease the the time for building up an image dramatically and will avoid quality losses. In the other case the image will be converted to 24-bit RGB row by row and scaled to 8-bit RGB, afterwards (for the insiders: RRRGGGBB).

Delay

The maximum duration time an image has to be displayed (in 1/10 seconds). After all, the display could be closed at any time (any keystroke or mouse button when screen viewers are used, ESC-key or CloseGadget when the Window viewers are used).

The four additional buttons SAVE, USE, LOAD and CANCEL have the same meaning as they have in the System Prefs window.

1.11 ImagedeskE.guide/Menu

Menu

====

Project

View Images

Remove Thumbnails

Preferences

1.12 ImagedeskE.guide/M2_PROJ

Project

```

Open Catalog
Generate Catalog
~~~~~
Read Single Image
Scan Path
~~~~~
About...
Information
~~~~~
Quit

```

1.13 ImagedeskE.guide/M21_OPCAT

Open Catalog

.....

This menu item branches in two subitems:

- * Selectable - opens a requester in which a former generated catalog file has to be chosen. If this file could not be identified as a catalog file, you will get an error message. In the other case, a window is opened, giving information about free space for thumbnail objects on the desk and the number of entries in the catalog file. The window contains two slider gadgets where the first entry to load and the number of thumbnail objects to load could be specified. Existing thumbnail objects on the desk won't be replaced, therefore it is sometimes necessary to remove all of them from the desk with Clean Desk First before new ones are loaded. Loading is started when the Load-button has been pressed. A process monitor will show approximately the current state of the loading procedure. It could be interrupted by pressing the ESC-key.
- * Quick - the selection window won't be opened. The catalog file is loaded immediately. There will be just as many thumbnails loaded as there will fit on the screen.

1.14 ImagedeskE.guide/M21_GNCAT

Generate Catalog

.....

This menu item branches in two subitems:

- * Show Thumbnails - First of all a filename is requested for the catalogfile to be generated. After this another requester opens where path and a template for the picture files could be choosen. An additional selected file will be ignored. If the OK-button has been pressed, ImageDesk starts to examine all files listed in the requester for being a supported format. In this case, a thumbnail object will be generated which occurs as an intuition gadget on the screen.

Caution: If there is no space left on the desk for a single thumbnail image, all existing objects will be removed from the desk without any demand. However, this will not influence the file which is generated.

The process monitor which occurs during the generation process helps by estimating the current state of the procedure. To stop the thumbnail generation, press the ESC-key and it will be interrupted on the next possible point of time.

Remark: If the generation process has been interrupted, all former generated objects will be saved correctly.

- * Don't show Thumbnails - Acts exactly like Show Thumbnails, but the generated thumbnail images won't occur on the desk.

1.15 ImagedeskE.guide/M21_RSING

Read Single Image

.....

A filename for a single image file is requested and a thumbnail object will be generated for it.

1.16 ImagedeskE.guide/M21_SPATH

Scan Path

.....

Acts nearly the same way like Generate Catalog, but no catalogfile is generated and saved.

1.17 ImagedeskE.guide/M21_ABOUT

About

.....

Opens a information window which tells about program version, author and registered user.

1.18 ImagedeskE.guide/M21_INFMT

Information

.....

Opens a information window which tells:

- * Name of the public screen
- * Graphics board mode
- * Available memory
- * Thumbnail deskpace
- * Number of thumbnail objects used

1.19 ImagedeskE.guide/M21_QUITP

Quit

....

Exits ImageDesk after a security request.

1.20 ImagedeskE.guide/M2_VIEW

View Images

The menuitems contained here serve for viewing pictures. For the viewer's behaviour the adjustments made in the Viewer Prefs Window are responsible.

Single File
Path Contents
Selected Thumbnails

1.21 ImagedeskE.guide/M22_SFILE

Single File
.....

You will be prompted for a filename of an imagefile. If it is a supported format it will be displayed.

1.22 ImagedeskE.guide/M22_PCONT

Path Contents
.....

Acts like Single File, but all in the filerequester's listview shown files will be processed. During this procedure, a process monitor is present to inform about the current process state. To interrupt it press the ESC-key.

1.23 ImagedeskE.guide/M22_SELEC

Selected Thumbnails
.....

First of all, ImageDesk turns into a marking mode. You will be prompted to mark all thumbnail objects you want by clicking them with the mouse. ImageDesk confirms this by rendering a frame around the object. At this point of time it is still possible to unmark selected objects by clicking it again. If the marking procedure is finished this menuitem has to be choosen again and all images which belong to the marked objects will be displayed one by one.

1.24 ImagedeskE.guide/M2_THUM

Remove Thumbnails

The contained menu items serve for removing a single or all thumbnail objects from the desk.

Remove Single
Clean Whole Desk
Mark & Delete

1.25 ImagedeskE.guide/M23_RMSIN

Remove Single

.....

The thumbnail object selected next will be removed from the desk.

1.26 ImagedeskE.guide/M23_CLEAN

Clean Whole Desk

.....

All thumbnail objects will be removed from the desk. Depending on the current preferences a security request is made before.

1.27 ImagedeskE.guide/M23_MRKDL

Mark & Delete

First of all, ImageDesk turns into a marking mode. You will be prompted to mark all thumbnail objects you want to remove by clicking them with the mouse. ImageDesk confirms this by rendering a frame around the object. At this point of time it is still possible to unmark selected objects by clicking it again. If the marking procedure is finished this menuitem has to be chosen again and all marked objects will be removed.

1.28 ImagedeskE.guide/M2_PREF

Preferences

- System Prefs Window
- Viewer Prefs Window
 - Show Image Infos
 - Ask Before Cleaning Desk
- Load Prefs
- Save Prefs
- Reset to defaults

1.29 ImagedeskE.guide/M24_SPWIN

System Prefs Window

.....

Opens the window for changing the system preferences (see also System Prefs in Configuration).

1.30 ImagedeskE.guide/M24_VPWIN

Viewer Prefs Window

.....

Opens the window for changing the viewer preferences (see also Viewer Prefs in Configuration).

1.31 ImagedeskE.guide/M24_SINFO

Show Image Infos

.....

In the default mode ImageDesk displays the corresponding Image of a thumbnail object, if it has been clicked with the mousebutton. If this menu item is marked by a hook symbol, an information window opens after the activation of an object. It will show the essential attributes of an image represented by this thumbnail object.

- * Filename of the original image
- * Path of the file
- * Type of the image (IFF, JPEG, GIF...)
- * Image width in pixels
- * Image height in pixels
- * Original bitdepth of the image
- * Does the image file contain of a colorpalette

To display the image, press the button View Image. If you do not want to see the picture then you'll have to press the button Very Interesting.

If this menu item is not marked with a hook the image belonging to the thumbnail object will be displayed immediately after the activation of the object.

1.32 ImagedeskE.guide/M24_ABCDK

Ask Before Cleaning Desk
.....

If this item is checked, everytime a Clean Whole Desk operation is made the user will be prompted for confirmation before (ignored during thumbnail generation).

1.33 ImagedeskE.guide/M24_LOADP

Load Prefs
.....

This menuitem serves for loading a former saved configuration. The filename for the prefsfile will be asked by a requester.

1.34 ImagedeskE.guide/M24_SAVEP

Save Prefs
.....

You will be prompted for a filename which will be used for saving the current configuration.

1.35 ImagedeskE.guide/M24_RESET

Reset to defaults
.....

The current configuration will be neglected to fix default values. Screenmode and font will be asked by requester.

1.36 ImagedeskE.guide/Restrictions

Restrictions
=====

Without a personal keyfile, ImageDesk does not offer its whole functionality. The restrictions in particular:

* Sometimes a 'NervRequester' will appear to remind on registering.

- * The maximum number of entries in a catalog file is restricted to 15. But it is still possible to work on much larger directories.
- * The maximum number of thumbnail objects to load is restricted to 13.
- * The catalog tool CATJoin won't work at all.

I apply on your insight for these restrictions. How to get a personal keyfile you can read in Register.

1.37 ImagedeskE.guide/Hints on Usage

Hints on Usage
=====

Using XPK

Of course, it is every users decision wether he use XPK or not. Despite a short delay while loading and saving catalogfiles, XPK provides nothing but advantages. The files will be shrinked to 35% of their original size in average. This shrink factor may be brought down to 25% if an according xpkmode and xpkefficiency has been choosen. Further more xpk provides password protection for catalog files. Yet, for all that it has to be considered, that your password ist stored unencrypted in the prefsfile and could be read by everyone who has access to the computer system. The following xpkmethods are very useful.

- SHRI - provides very high packing rates
- RDCN - provides very fast packing

Caution: Don't use xpack for packing or repacking catalog files, ImageDesk won't be able to read them then. Use CATRepack instead.

Online Help

ImageDesk does not yet support an internal online-help function, but this could be done external very easily:

check the tooltypes in the icon of the hypertext document ImageDesk.guide. If it has not been done before, set a tooltype variable to PUBSCREEN=IMAGEDESK.

If you need help after ImageDesk has been started you have to switch to the Workbench Screen (<Left-Amiga>+<m>) and to double-click the icon ImageDesk.guide.

ImageDesk Windows

Everytime the current configuration is saved, size and position of

certain ImageDesk windows are saved with it. The last used positions and sizes will be stored here.

Screen Colors

ImageDesk uses an optimized color palette. 255 out of 256 possible colors are reserved for figuring the thumbnail images. Therefore it is not possible to let the user choose custom colors for ImageDesk's user interface. Another consequence of this fixed palette are the unusual colors the mouse pointer will get.

Increasing the Deskspace

Suggestions have been made to supply ImageDesk with more than one screen plane to provide more deskspace. Such a feature won't be implemented in the near future. I refer to the possibility to change the screensizes in the screenmode requester. If the supplied values are higher than the screen's visible dimensions, the screen will be an autoscrolling one.

How to avoid memory short runs

If you want to limit the memory consumption you should, first of all, avoid using very big screens. Furthermore, the max. number of entries per catalog should not be too high (see also System Prefs in the chapter Configuration). Thumbnail objects which won't be used anymore should be removed, this will give back some memory to the system.

PCD support

The PCD support in ImageDesk is just rudimentary. I'm sorry, but I can't afford to spend thousands of Dollars to get a license and a toolbox for Windows(TM).

All the Information on the PCD format I used in ImageDesk, I got from studying pertinent source codes or I found out by myself. If you want to have a more professional Photo CD(TM) support you should consider to buy a commercial product. Thereby you'll get access to the larger formats 1536x1024, 3072x2048 (and partly bigger) and to image-converting and -processing functions.

Changing the 'default project' icon

If you don't like the icons generated by ImageDesk (maybe you need 'MagicWB'-style icons), you just have to change the icon named ID_DefProjIcon(.info). This could be done with pertinent icon tools e.g. IconEd. But you should consider not to change the icon's attributes.

1.38 ImagedeskE.guide/M1_TOOLS

Catalog Tools

This distribution contains of several CLI-only tools. They serve for touching up catalog files created by ImageDesk. The templates for running such a tool do accord with the Commodore style guides. For further explanation take a look into your AmigaDos Manuals.

CATList

CATChPath

CATRepack

CATJoin

CATRemEntry

1.39 ImagedeskE.guide/M11_LIST

CATList

=====

Template:

CATFILE/A,P=PASSWORD/K,F=FULL/S

Description:

Lists all entries of an ImageDesk catalog file in the order of their occurrence. This command is very useful to find out which position a specific entry has. To remove an entry, for example, it is neccessary to know its position in the catalog file.

CATFILE/A

Path and filename of an ImageDesk catalog file.

P=PASSWORD/K

If a catalog file was generated by using xpk-password encryption, the corresponding password has to be specified here.

F=FULL/S

Besides position and filename, this switch directs CATList to print further attributes of the pictures.

1.40 ImagedeskE.guide/M11_CPAT

CATChPath
=====

Template:

CATFILE/A,P=NEWPATH/A

Description:

To avoid a repeated thumbnail generation run if a path of an image directory has changed, you should use this program. It changes the content of the pathname in a catalog file to the choices given by the user. As only the header of a catalog file is changed, it is not necessary to specify a password even if it has been encrypted before. In opposition to most of the other catalog tools, CATChPath is a so called 'In Place'-operation. This means, you should better work on a copy of a catalog file to avoid damaging this file if an error occurs.

CATFILE/A

Filename of the ImageDesk catalog to work on.

P=NEWPATH

A string which describes the path to image directory. It won't be checked for validity, so the user is responsible for the correctness.

1.41 ImagedeskE.guide/M11_REPK

CATRepack
=====

Template:

CATFILE/A,O=OUTFILE/K,X=XPKMETHOD/K,F=EFFICENCY/N,P=PASSWORD/K

Description:

If the packing method or packing efficiency of a former generated catalog file is to be changed, this command has to be used. For example, you could save your catalog files uncompressed in ImageDesk and pack them afterwards with CATRepack. For security reasons an OUTFILE should be specified.

CATFILE/A

Filename of the ImageDesk catalog to work on.

O=OUTFILE/K

Name for the resulting output file. If this argument ist missing, the original file will be overwritten.

X=XPKMETHOD/K

Packing method to be used for the catalog file. Refering to the XPK conventions, this has to be an uppercase fourletter string.

X=NUKE for example would mean, XPK method NUKE has to be used.

If this argument is missing or XPK has not been installed the file will be saved without packing.

F=EFFICENCY/N

Efficiency the under XPKMETHOD specified packmethod should work with. This has to be a number in the range between 0 and 100.

Default value is 50.

P=PASSWORD/K

If the catalog file has been saved key-encrypted here the password has to be specified. This password will also be used for the new output file if XPKMETHOD supports passwords.

1.42 ImagedeskE.guide/M11_JOIN

CATJoin

=====

Template:

CATFILE1/A, CATFILE2/A, AS=TO/K/A, X=XPKMETHOD/K, F=EFFICENCY/N, P=PASSWORD/K

Description:

Joins two catalog files to a new one. Provided that you have generated more than one catalog file for a image directory in ImageDesk - maybe to save memory. For later assembly this command has to be used. It is very imortant for CATFILE1 and CATFILE2 to have the same path entry for the image directory. CATJoin won't work if ImageDesk has not been registered - it is the only one of the catalog tools which requires the keyfile.

CATFILE1/A

Filename of the first ImageDesk catalog file.

CATFILE2/A

Filename of the second ImageDesk catalog file.

AS=TO/K/A

Name for the output file.

X=XPKMETHOD/K

Packing method to be used for the output file. Refering to the XPK conventions, this has to be an uppercase fourletter string. If this argument is missing or XPK has not been installed the file

will be saved without packing.

F=EFFICENCY/N

Efficiency the under XPKMETHOD specified packmethod should work with. This has to be a number in the range between 0 and 100. Default value is 50.

P=PASSWORD/K

If the catalog files has been password-encrypted, you have to specify the password here. Unless the two input files use the same password, CATJoin returns with an error. In this case, one of them has to be adjusted with CATRepack to the other one. This password will also be used for the output file.

1.43 ImagedeskE.guide/M11_RMEN

CATRemEntry

=====

Template:

CATFILE/A, E=ENTRY/N/A, O=OUTFILE/K, X=XPKMETHOD/K, F=EFFICENCY/N, P=PASSWORD/K

Description:

CATRemEntry removes the entry with the position number ENTRY from a catalog file. This could be necessary to re-establish the consistence between the catalog file and the contents of the image directory. By help of CATList you can find out the entrynumber you want to know. The other arguments show the same behaviour as they do in CATRepack.

CATFILE/A

Filename of the ImageDesk catalog to work on.

E=ENTRY/N/A

Postition of the entry to remove.

O=OUTFILE/K

Name for the resulting output file. If this argument is missing the original file will be overwritten.

X=XPKMETHOD/K

Packing method to be used for the output file. Referring to the XPK conventions, this has to be an uppercase fourletter string. If this argument is missing or XPK has not been installed the file will be saved without packing.

F=EFFICENCY/N

Efficiency the under XPKMETHOD specified packmethod should work with. This has to be a number in the range between 0 and 100. Default value is 50.

P=PASSWORD/K

If the catalog file has been saved key-encrypted here the password has to be specified. This password will also be used for the new output file if XPKMETHOD supports passwords.

1.44 ImagedeskE.guide/M1_REGIS

Register

As you may have noticed, ImageDesk is a shareware product. Nearly all functions are available for testing without paying any money. If you think ImageDesk is worth the amount of 30,- DM or \$20,-, refer to me for your personal keyfile.

The keyfile method offers the advantage to enjoy the whole functionality of new ImageDesk releases immediately. You do not have to wait until I send you a new fully featured version.

Besides the keyfile, you'll get the latest release of the ImageDesk distribution and a printed manual.

To get registered for ImageDesk, please print the file OrderForm on your printer (if no printer is available, write off this text), fill up this form and send it to the given address. I will endeavour to act upon your registration within two weeks after I get the register form and the sharefee. In most cases it will be done faster. Prospectively the keyfiles will be shipped by (snail)mail.

The author reserves the right, not to accept register requests.

Special Conditions

=====

Since I had stopped developping for FLIcasso, FLImer and FLItina some month ago, I offer all former registered users of these programs the opportunity to become registered for ImageDesk.

1. Registered version of ImageDesk without a printed manual: Send me a floppy disk, a stamped envelope addressed to yourself and the register form.
2. Registered version of ImageDesk, including a printed manual: Send me 10,- DM (or \$10,-) in cash and the register form.

1.45 ImagedeskE.guide/M1_UPDAT

Updates

When you become a registered user, you will get the latest release of ImageDesk together with your personal keyfile. Thereby, you are independent from a direct support by the author. You'll get the latest releases from Aminet (eventually other PD archives, too) instead.

If you do not have the possibility to get ImageDesk this way you could get it directly from the author. In this case, send me a letter and include 5,-DM (\$5,- if you do not live within the EU). This offer is valid for registered users only.

1.46 ImagedeskE.guide/M1_RIGHT

Legal Stuff

Liability
Distribution
Trademarks
Copyright

1.47 ImagedeskE.guide/Liability

Liability
=====

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDER AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

1.48 ImagedeskE.guide/Distribution

Distribution

=====

It is allowed to distribute ImageDesk on any data medium and to make it available on bulletin boards or other network compounds if the following directory structure will be kept.

c (dir)	
CATChPath	CATJoin
CATList	CATRemEntry
CATRepack	
example (dir)	
Aminet4_Pix_misc.CAT	Aminet4_Pix_misc.Dither.CAT
Aminet4_Pix_trace.CAT	Aminet4_Pix_trace.Dither.CAT
Bestellformular	Bestellformular.info
ImageDesk.000	ImageDesk.000.info
ImageDesk.030	ImageDesk.030.info
ImagedeskD.guide	ImageDeskD.guide.info
ImageDeskE.guide	ImageDeskE.guide.info
Install.Deutsch.info	Install.English.info
installID	ID_DefProjIcon.info
OrderForm	OrderForm.info

It is of course allowed to distribute these files in a packed archive file. It is also allowed to levy copy charges for the distribution on floppy disks or CD-ROMs, as long as it has stated clearly for the user that he has not payed for the share fee, hereby. It is not allowed to copy, distribute or generate keyfiles for ImageDesk without a written permission from the author.

Special Versions

If you want me to program a special version of ImageDesk e.g. for the management of commercial image archive CD-ROMs, you should try to contact me.

1.49 ImagedeskE.guide/Trademarks

Trademarks

=====

Workbench (TM), Intuition(TM) and Amiga (TM) are registered trademarks of Commodore Amiga Inc., West Chester, USA.

GIF(TM) and "Graphics Interchange Format"(TM) are registered trademarks of Compuserve Inc., Ohio, USA.

PCD(TM) and "Photo CD"(TM) are registered trademarks of Kodak Corp.

Windows(TM) is a registered trademark of Microsoft Corp.

1.50 ImagedeskE.guide/Copyright

Copyright
=====

ImageDesk, the accompanying files and the ImageDesk manual is
Copyright (C) 1994-1995, Reinhard Haslbeck. All Rights reserved.

The JPEG codec is Copyright © 1994 Christoph Feck, TowerSystems.
All Rights Reserved. It is based in part on the work of the
Independent JPEG Group.

1.51 ImagedeskE.guide/M1_BUGRP

Known Bugs

The following bugs are known:

- * Some of the image decoding functions are not very tolerant of corrupt image files. This could cause system crashes.
- * If 'MagicMenu' has been installed some menu colors will be displayed wrongly.

1.52 ImagedeskE.guide/M1_FUTUR

Future

The following list should give a reference which features future releases of ImageDesk may have. The succession of this list does not say anything, at all.

- * AREXX Port
 - * Better error handling of corrupt image files
 - * Asynchronous window management
 - * Speed improvements for the dog slow GIF and IFF decoders
 - * Decrease of the memory usage during thumbnail generations runs
 - * Support for further image formats
 - * Add a Toolbar
-

1.53 ImagedeskE.guide/M1_HISTO

Releases

0.97 Beta

First beta release.

0.98 Beta

- * Now the default publicscreen is left to the workbench as long as it is not necessary for ImageDesk to declare its screen to the default publicscreen.
- * Before closing the screen, ImageDesk now checks if other applications have opened their windows on ImageDesk's publicscreen.
- * Don't try to load IFF-ILBM images with unknown compression type anymore.
- * Filenames for the external viewers may contain spaces, yet.
- * The slidergadgets in the Load Catalog control window are now managed correctly.
- * A few catalog file tools have been added (CATList, CATChPath, CATRepack, CATJoin and CATRemEntry).

1.0 - first public release

- * Added internal window viewer.
- * Removed small bug in the BMP reader.
- * System font will be opened correct, now.
- * Added dither option for 8-bit displays.

1.01

- * Fixed bug: Village Screenmode requester sometime has been opened on the workbench screen.
- * Fixed bug in the JPEG Picasso viewer: 8-bit JPEGs were displayed wrongly on the 8-bit screens.
- * Fixed a wrong palette entry in the 8-bit Picasso viewer.
- * Improved display speed of the window viewer for truecolor images.

1.02

- * Added Scrollbars to the window viewer.

1.1

- * Added Switch 'Use Original Palette' for the window viewers.
- * Now supports and generates project icons for catalogs.

1.11

- * Thumbnail generation from 4-bit BMPs reported an error - Fixed.
- * Now The name of the screen is displayed instead of the ID in the System Prefs window.

1.12

- * 'Default Public Screen' has not been set back to workbench if the Picasso screenrequester has been used - Fixed.

1.2

- * Fixed bug: If no complete path has been specified for a catalog file to be generated, some problems could have been arised while saving.
- * CyberGraphics and standard 8 bit intuition screens are supported.
- * The state of Show Image Infos is stored in the prefs file.
- * The information window now shows the current graphics board mode.
- * Added new menu item Ask Before Cleaning Desk.
- * Open Catalog now branches into subitems: Selectable and Quick.
- * Added new menu item Mark & Delete for multiple thumbnail removal.
- * Changed (Improved?) most of the screen displaying routines.
- * The image information window now shows the path of the file too.

1.54 ImagedeskE.guide/M1_THANX

Thanks

The following people I have to thank a lot. Without them, ImageDesk

would not exist (at least not in this appearance).

- Christoph Feck for his great job on the JPEG Codec.
- Matthias Meixner for gengui which enables ImageDesk's size sensitive GUI.
- Markus Wild for porting the GNU-C compiler to the Amiga.
- Urban Dominik Müller and all others who worked on XPK.
- Reinhard Spisser and Sebastiano Vigna for the amiga release of MakeInfo.
- Erik Gerl, Christian Herzinger, Thomas Kummer for betatesting and their suggestions.
- Martin Pfingstl for allowing me to test on his A4000/40.
- Renate Valenta for her helping hand on the translation of the manual.
- Frank Mariak for his help on my CyberGraphics problems.

All these people could get a registered version of ImageDesk if they want (For this make a remark on the register form).

1.55 ImagedeskE.guide/M1_AUTOR

Author

Reinhard Haslbeck
Spirknerstr. 7
84137 Vilsbiburg

FR GERMANY

Tel. +49 (0)8741/91212
Fax. +49 (0)8741/7140

e-mail: Internet haslbeck@informatik.tu-muenchen.de
or haslbeck@leo.org
