

Index

Symbols

@ operator 46

A

A5 register 38
A5 world
 and context switching 167
 defined 37
 size of 170
activate events
 handling 125–127
active application 166
AddResource procedure 66
alert boxes 134
Alias Manager 12
APDA xv, 189
AppendResMenu procedure 156
Apple Event Interprocess Messaging Protocol 16
Apple Event Manager 15, 16–17
Apple events 16–17
 Core suite 17
 functional-area suites 17
 Required suite 17
 sent by the Finder 17
Apple menu 159
application global variables 37
application heap 34–36, 169
 defined 34
application parameters 38
application partitions 29, 32–38
applications
 initializing 74–75
 quitting 175–176
ApplLimit global variable 31, 33
ApplZone global variable 31

B

background process 166
Balloon Help 10
BeginUpdate procedure 125
bit images 91–92, 99–101
BitMap data type 91

bitmaps 91
blocks, memory
 defined 35
 purging and reallocating 43–44
buttons
 drawing an outline around 146
Byte data type 44
 coercing to Char data type 47

C

Cancel button
 in modal dialog boxes 146
Char data type
 coercing to Byte data type 47
check boxes
 handling user clicks on 142–144
circles 89, 94
Clipboard 170
close box 111
 handling clicks in 121
 handling mouse-down events in 128–129
Close command (File menu) 161, 162
CloseRgn procedure 96
CloseWindow procedure 129
Command key 160
Communications Resource Manager 19
Communications Toolbox 18–19
compaction. *See* heap compaction
compatibility
 and the Toolbox 7
 guidelines 187–188
 trap availability 178–181
Connection Manager 19
content region
 handling mouse-down events in 121–123
context of a process
 switching 167
Control Manager 10
controls
 drawing an outline around 146
 .See also check boxes, radio buttons
 setting values of 142–144
cooperative multitasking environment 165–167
coordinate plane 86
CopyBits procedure 99, 101
CurrentA5 global variable 31, 38

current process 166
 CurResFile function 52
 cursors, initializing 9

D

dangling pointers 42
 data, exchanging with other applications 15
 data types, general purpose 39–40, 44–46
 dBoxProc window type 167
 default button 146
 Delay procedure 80
 desk accessories 114, 121
 closing 128
 desktop 166
 DetachResource procedure 66
 Device Manager 11, 12
 dialog boxes 133–148
 closing 128
 defined 133
 event handling in 78
 introduced 109
 items in. *See* item lists
 Dialog Manager 10, 110, 133–148
 dialog resources 57, 135
 DialogSelect function 142
 DIBadMount function 77
 DiffRgn procedure 97
 DisableMenuItem procedure 162
 Disk Initialization Manager 12
 disk-inserted events
 handling 76–77
 in modal dialog boxes 147
 DisposeHandle procedure 129, 156
 DisposePtr procedure 129–130
 DisposeWindow procedure 130
 'DITL' resource type 135
 dividers 152, 157
 'DLOG' resource type 135
 document records 115–118
 document windows 110, 114
 closing 128–129
 double indirection 40
 drag region 121
 DragWindow procedure 121
 drawing 85–106
 DrawMenuBar procedure 156, 162
 DrawString procedure 5, 104

E

Edition Manager 14, 15–16
 Edit menu 159, 160
 EnableMenuItem procedure 162
 EndUpdate procedure 125
 Enter key
 in modal dialog boxes 146
 EraseRect procedure 104
 errors
 and Resource Manager routines 66
 handling 176–178
 Escape key
 in modal dialog boxes 146
 EventAvail function 167
 event-driven programming 71
 event loop 75, 77
 Event Manager 10, 15, 71–81
 event priority 75
 event record 76
 EventRecord data type 76
 events 71
 activate 125–127
 high-level 15, 72
 key-down 148
 key-up 79
 low-level 72
 mouse-up 79–81
 null 72
 operating-system 72
 priority 75
 receiving 75–79
 types of 72, 76
 ExitToShell procedure 178
 extensions. *See* system extensions

F

figures, syllogistic 23
 File Manager 11, 12
 File menu xii, 160
 Close command 128, 161, 162
 New command 116
 Quit command 175
 files
 specifying in a document record 116
 File Transfer Manager 19
 FillRect procedure 89
 FillRgn procedure 98
 Finder 6, 10
 sending Apple events 17
 Finder Interface 6, 10
 FindFolder function 63

checking for availability 178–179
 FindWindow function 119
 Font Manager 9, 13, 102
 foreground process 166
 FrameOval procedure 96
 FrameRect procedure 89
 free blocks 38
 FrontWindow function 128, 162
 FSpCreate function 21

G

Gestalt function 20, 179
 Gestalt Manager 179
 Get1Resource function 54
 GetDialogItem procedure 47, 136, 140, 148
 GetIndString procedure 52
 GetMenuHandle function 162
 GetMenuItemText procedure 159
 GetNewDialog function 60, 137, 137–138, 145
 GetNewMBar function 154–156
 GetNewWindow function 60, 130
 GetPattern function 60
 GetPort procedure 94
 GetResource function 54, 60
 GetWRefCon function 115
 GlobalToLocal procedure 122
 glue routines 20, 181
 GrafPort data type 92
 GrafPtr data type 93, 113
 graphics ports 92–94
 and window records 113
 setting and restoring 93–94

H

Handle data type 40, 44
 handles 40
 heap compaction 36
 heap fragmentation 35
 heap purging 43–44
 heap. *See* application heap; system heap
 help balloons 185
 Help Manager 10, 185
 HideWindow procedure 110
 high-level events 72
 HiliteControl procedure 127, 148
 HiliteMenu procedure 159
 HLock procedure 42, 47
 HOpenResFile function 54, 63
 HUnlock procedure 42



I

'ICON' resource type 99
 icons 91, 99
 Image Compression Manager 17
 InitCursor procedure 9, 75
 InitFonts procedure 9
 InitGraf procedure 9, 181
 InitWindows procedure 9
 InsertMenu procedure 154
Inside Macintosh xii–xiv
 code conventions 24–25
 format conventions xiii–xiv
 integers
 coercing to long integers 47
 coercing to pointers 47
 interapplication communication 14–17
 InvalRect procedure 123
 InvalRgn procedure 123
 IsDialogEvent function 142
 item lists 135
 item numbers 135
 items in alerts and dialog boxes 136–137

J

jump table 38

K

keyboard equivalents 152, 157
 handling 160–161
 reserved 160
 key-down events 148
 key-up events 79

L

lines 89
 List Manager 11
 localization 52
 localization guidelines 188
 locking relocatable blocks 42–43
 long integers
 coercing to integers 47
 coercing to pointers 47
 low-level events 72

M

Macintosh Operating System 11–12
 Macintosh script management system 13
 Macintosh system software 3
 Macintosh Toolbox 7–11
 major switches 167
 managers 6. *See also* system software
 master pointer blocks 40
 master pointers 40
 MaxApplZone procedure
 and ApplLimit global variable 33
 'MBAR' resource type 154
 'MDEF' resource type 52
 MemError function 177
 memory
 allocating 35, 38, 40, 42
 locking 42–43
 organization of 29–38
 purging 43–44
 Memory Manager 11
 and application heap 35–36
 data types 39–40
 menu bar
 creating 74
 specifying 154
 menu commands
 keyboard equivalents 119, 152, 157
 menu item numbers 156
 menu items 151
 disabling 162
 enabling 162
 MenuKey function 160, 161
 Menu Manager 10, 151–162
 introduced 6
 menu numbers 156
 'MENU' resource type 152–154
 menus 151–162
 adjusting 161–162
 creating 74, 152–156
 defined 151
 disabling 162
 dividers in 152, 157
 enabling 162
 handling selections 156–159
 required 152
 MenuSelect function 156, 161
 menu titles 151
 minimum partition size 168
 minor switches 167
 modal dialog boxes 133–134, 144–148
 creating 145–146
 modal dialog filter functions 146–148
 ModalDialog procedure 144, 146, 167
 modeless dialog boxes 134–135, 137–144

 creating 137–138
 handling events in 141–144
 moods, syllogistic 23
 MoreMasters procedure 41
 mouse-down events
 in menu bar 156
 in the menu bar 120
 in windows 119–123
 mouse-up events 79–81
 movable modal dialog boxes 144
 MoveTo procedure 5
 MoveWindow procedure 121
 movies 17
 Movie Toolbox 17
 MPW 57
 MultiFinder 165
 multitasking environment 165–167

N

NewHandleClear function 21, 118
 NewHandle function 20, 42, 43
 NewPtr function 40, 118
 NewRgn function 96
 NewWindow function 4–5, 42, 112
 nonrelocatable blocks
 advantages of 42
 data type for 40
 defined 38
 null events 72, 167
 handling 173–174

O

OpenDeskAcc function 159
 OpenRgn procedure 96
 operating environment
 checking features of 20, 178–181
 operating-system events 72
 OSErr data type 176
 ovals 89

P

packages 8, 20
 PaintRect procedure 89
 part codes 119
 partitions 29. *See also* application partitions; system partition

- sizes of 168
- patches 20
- patterns 91
- PBHCreate function 21
- pixels 88
- Point data type 87
- pointers 39
 - coercing to integers 47
 - coercing to long integers 47
 - to procedures and functions 46
- points 86–87
- PPC Toolbox 15
- preferences files
 - creating 64–66
 - managing 60–67
 - names of 61
 - reading 61–64, 74
 - updating 66–67
- Preferences folder 53
- preferred partition size 168
- processes
 - background 166
 - context of 167
 - current 166
 - foreground 166
 - switching between 167
- processing options
 - specifying 168–170
- Process Manager 11
- ProcPtr data type 46
- Program-to-Program Communications Toolbox 15
- PtInRect function 81
- Ptr data type 39, 44
- pull-down menus 151, 152
 - See also* menus
- purging relocatable blocks 43–44

Q

- QuickDraw 9–??, 9, ??–9, 10, 85–106
 - capabilities 9, 85
 - drawing text 101–105
 - initializing 9
- QuickDraw global variables 38
- QuickTime 17–18

R

- radio buttons
 - handling user clicks on 142–144
- RAM 19

- random-access memory. *See* RAM
- read-only memory. *See* ROM
- ReallocateHandle procedure 43
- reallocating relocatable blocks 43–44
- rectangles 87–89, 89
- Rect data type 88
- Region data type 90
- regions 89–91
 - defining 95–98
 - drawing in 98
 - empty 96
- relocatable blocks
 - data type for 39
 - defined 38
 - disadvantages of 42
 - locking 42–43
 - properties of 42–43
 - purging 43–44
 - reallocating 43–44
 - unlocking 42–43
- ResEdit resource editor 57–58, 152–154
- ResError function 66, 176–177
- resource files
 - creating 64–66
 - current 64
 - defined 51
 - determining reference number of 52
 - managing 60–67
 - reading 61–64
 - updating 66–67
- Resource Manager 10, 51–68
 - checking for errors 66
- resource maps 56
- resource paths 52–54
- resources 51–68
 - compiled 58
 - defined 51
 - standard types 55
 - structure of 56–58
 - specifying using ResEdit 57–58
 - specifying using Rez 57
 - types 55–56
 - typical locations of 53
 - using custom 60–67
 - using standard 59–60
 - using to facilitate localization 52
 - using to store static data 51
- resource specifications 55
- resource types
 - 'DITL' 60, 135
 - 'DLOG' 60, 135
 - 'ICON' 99
 - 'MBAR' 154
 - 'MDEF' 52
 - 'MENU' 152–154

- 'SIZE' 165
- 'STR#' 52, 102
- 'WIND' 60
- resource types. *See* resources, types
- ResType data type 55
- resume events 126
 - handling 170–173
- Return key
 - in modal dialog boxes 146, 148
- Rez resource description language 57, 152
- ROM 19

S

- Scrap Manager 10
- script management system. *See* Macintosh script management system
- Script Manager 13
- script systems 13
- SCSI Manager 12
- SectRgn procedure 97
- SelectWindow procedure 126, 138
- SetCtlValue procedure 144
- SetDialogItem procedure 139–140
- SetMenuBar procedure 156
- SetPort procedure 5, 94, 113, 138, 146
- SetRect procedure 4, 89, 104
- SetResFile procedure 54
- SetWRefCon procedure 115, 118
- ShowWindow procedure 118
- Shutdown Manager 12
- SignedByte data type 39, 44
- size resources 168
- 'SIZE' resource type
 - sample Rez input 169
 - setting flags of 168
 - specifying partition size 165
- Sound Input Manager 11
- Sound Manager 11
- stack 33
- stack frame 34
- stack sniffer 33
- Standard File Package 10
- StillDown function 80
- 'STR#' resource type 52, 102
- Str15 data type 45
- Str255 data type 45
- Str27 data type 45
- Str31 data type 45
- Str63 data type 45
- StringHandle data type 45
- StringPtr data type 45
- strings

- drawing 5
 - in C 46
 - in Pascal 45
- suspend events 126
 - handling 170–173
- switching
 - context 167
 - major 167
 - minor 167
- SystemClick procedure 121
- SystemEdit function 159
- system extensions 20
- System file 20
- system global variables 31, 188
- system heap 31–??, 31, ??–31
- system partition 29–31
 - .*See also* system heap; system global variables
- system resources 52
- system software 6–19

T

- Terminal Manager 19
- text
 - centering in a window 5, 113
 - drawing 5, 101–105
 - setting font of 104
 - setting size of 104
- TextEdit 10, 102
- TextFont procedure 104
- text service components 14
- Text Services Manager 14
- TextSize procedure 104
- Text Utilities 13
- TickCount function 188
- Ticks global variable 31, 188
- Time Manager 12
- title bar 111
- TrackGoAway function 79, 128
- tracking the mouse 79–81
- tracks 17
- transfer modes 101
- trap dispatch table 181
- trap numbers 181
- type casting 47
- type coercion 47

U

- unlocking relocatable blocks 42–43
- update events

- and activate events 126
- handling 123–125
- in modal dialog boxes 147
- user-centered design 71, 79
- UseResFile procedure 64
- user items 137
 - setting up 139–140

V

- Venn Diagrammer 21–24
- Vertical Retrace Manager 12
- Virtual Memory Manager 12

W, X, Y, Z

- WaitNextEvent function 75, 78, 123, 167, 173, 181
 - and multitasking 170
- Window Manager 6, 9, 10, 109–130
- WindowPeek data type 113
- window pointer 5
- WindowPtr data type 113
- window record 5
- WindowRecord data type 112
- window records 112
 - reference constant in 115, 116
- windows 109–130
 - activating 125–127
 - active 125
 - and dialog boxes 109
 - and graphics ports 113
 - closing 128–130, 176
 - creating 4
 - creating a new window 115–119
 - deactivating 145
 - desk accessory 114
 - dialog boxes 114
 - document 114
 - dragging 121
 - drawing content region 124–125
 - events in 119–127
 - introduced 109
 - mouse-down events in 119–123
 - origin in 6
 - parts of 110–112
 - positioning 118
 - setting title 118
 - types 109, 113–115
 - updating 118, 123–125
- WorldScript 13