

Enables or Disables file scan.

Enables or Disables scan  
when files are opened.

Enables or Disables scan  
when files are closed.

Enables or Disables scan  
when files are renamed

Enables or Disables scan of Microsoft network drives.

Enables or Disables scan of Novell network drives.

## *Sentinel* **NT** v1.0

Panda Software International

(c) 1998

**Sentinel NT** is a virus detector that works in the background, searching for viruses while the user works with his/her programs and files as normal.

Enables or Disables the recording of scanning incidents on the hard disk.



Enables or Disables the recording of scanning incidents in the system Event Log.

Specifies the name of the Workstation  
that appears in the Incidents file.

Display the present contents  
of the Incidents file.

Obtain a hard copy of the contents  
of the Incidents file.

Delete Incidents file.

List of extensions from which those that **Sentinel** must scan are selected.

The user may add or remove up to a maximum of 50 extensions.

The extensions to be scanned by **Sentinel** must be checked in the list.

You may check as many extensions as you wish.

**Note:** EXE and COM extensions are always scanned, regardless of how scannable extensions are configured.

Indicates the current number of extensions entered in the list.

Indicates how many extensions  
in the list are checked, and will  
therefore be scanned by **Sentinel**.



Edit the required extension (maximum 3 characters) and press the Add button to increase the list of extensions.

**Note:** If you want the new extension to be scanned, you must activate it in the list.

Deletes the current extension from the list of extensions.

**Note:** The current extension is framed by a dotted line.

Instructs **Sentinel** to scan all files,  
regardless of their extensions.

If this option is active, **Sentinel** revises the contents of ZIP, ARJ, LZEXE and UUENCODE files to be scanned.

This is the number of files scanned by  
**Sentinel** since the machine was booted.

This is the number of files in which  
**Sentinel** detected viruses since the  
machine was booted.

This is the number of files **Sentinel** has disinfected since the machine was booted.

This is the number of files **Sentinel** has renamed since the machine was booted.



This is the number of files **Sentinel** has deleted since the machine was booted.

This is the number of files **Sentinel** has moved since the machine was booted.

This is the number of viruses found by  
**Sentinel** since the machine was booted.

Select from the list the language you want configuration messages and **Sentinel** warnings to be displayed in.

This is the language **Sentinel** messages  
and warnings will be displayed in.

If this option is activated when a virus is found,  
the program will prevent access to the infected file.

If this option is activated when a virus is found, the program will inform you but will allow you to freely access the infected file.

If this option is activated when a virus is found,  
the program will proceed to disinfect it.



If this option is activated when a virus is found,  
the program will rename the file with a **.VIR** extension.

If this option is activated when a virus is found,  
the program will delete the infected file.

If the antivirus finds a virus that it cannot disinfect and this option is checked, the program will rename the file with a **.VIR** extension.

If the antivirus finds a virus that it cannot disinfect and this option is checked, the program will delete the infected file.

Enables or disables the exclusion of directories, files and extensions from the **Sentinel** scan.

List of selected directories to be excluded  
from the Sentinel scan.

Add a new directory to the list.

Removes the selected directory from the list.



List of selected files to be excluded  
from the **Sentinel** scan.

Add a new file to the list.

Removes the selected file from the list.

List of selected extensions to be excluded  
from the **Sentinel** scan.

Add a new extension to the list.

Removes the selected extension from the list.



