

SwazBlanker/Goats

David Swasbrook

Copyright © Copyright(C)1994 David Swasbrook. All Rights Reserved.

COLLABORATORS

	TITLE : SwazBlanker/Goats		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY	David Swasbrook	June 4, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	SwazBlanker/Goats	1
1.1	Goats (26.03.95)	1
1.2	What it actually does...	1
1.3	Configuration preferences...	1
1.4	Bug fixes and updates...	2
1.5	index	2

Chapter 1

SwazBlanker/Goats

1.1 Goats (26.03.95)

```
SWAZBLANKER : Goats
=====
```

```
(C) 1992-95 David Swasbrook,
    All Rights Reserved.
```

Introduction	What it actually does
Interface	Configuration preferences
History	Bug fixes and updates

1.2 What it actually does...

```
Goats/Introduction
=====
```

This module is a simulation of Goat herders and Goats running around a field. The herders plant grass and the goats eat the grass. This blanker shows interesting behavior and is fun to watch.

1.3 Configuration preferences...

```
Goats/Interface
=====
```

Save - save and use the current settings.

Use - use the current settings.

Test - test the blanker under the current settings

Cancel - cancel all changes.

Hearders - number of hearders.
Default: 40.

Goats - the number of goats to start with.
Default: 80.

Reproduction - how fast the goats reproduce.
Default: 5.

Display Mode - the screen mode to use. If the preferred screen cannot be opened then the default screen mode will be tried, if this fails then the minimum screen mode required for this blanker will be tried, if that fails then the blanker will quit and let SwazBlanker choose an alternative blank method.
Default: Hi-Resoloution Laced.

1.4 Bug fixes and updates...

Goats/History
=====

'1.0' o Code originally taken from the GBlanker Goats module source.

1.5 index

Goats/Index
=====

History	Bug fixes and updates
Interface	Configuration preferences
Introduction	What it actually does