

CompilAIBB

Yann-Erick Proy

Copyright © 1994, 1995 Yann-Erick Proy

COLLABORATORS

	<i>TITLE :</i> CompilAIBB	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY	Yann-Erick Proy	August 3, 2022
<i>SIGNATURE</i>		

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	CompilAIBB	1
1.1	CompilAIBB 1.0	1
1.2	About CompilAIBB...	1
1.3	AIBB modules	2
1.4	Hardware setup	2
1.5	Software setup	3
1.6	Consult a module	3
1.7	Create a module	4
1.8	Obtainment	4
1.9	By FTP	4
1.10	By e-mail	5
1.11	AIBB	5
1.12	Evolution	5
1.13	By e-mail	6
1.14	By normal, snail mail	6
1.15	Usage	6
1.16	Comparing accelerating boards	7
1.17	Comparing two Kickstart versions	7
1.18	Observing the effects of patches	8
1.19	Inventory	9
1.20	Amiga Report	10
1.21	Aminet	10
1.22	Rights	10
1.23	Acknowledgements	11
1.24	Amiga 500	11
1.25	Amiga 600	12
1.26	Amiga 1000	12
1.27	Amiga 1200	12
1.28	Amiga 2000	13
1.29	Amiga 3000	14

1.30 Amiga 4000	15
1.31 Amiga 500 ou 500+	16
1.32 A500 - ICD AdSpeed	16
1.33 A500 - Blizzard Turbo Memory	16
1.34 A500 - Hurricane 500	16
1.35 A500 - StormBringer H 530	17
1.36 A500 - CSA Mega Midget Racer	17
1.37 A500 - VXL 030	17
1.38 A500/A500+ - GVP A530 Turbo	17
1.39 A500 - PPS 040/500	18
1.40 Amiga 600	18
1.41 Amiga 1000	18
1.42 Amiga 1200	19
1.43 A1200 - Microbotics 1200	19
1.44 Qu'est-ce que c'est que cette daube de carte, Stéphane ?	19
1.45 A1200 - DKB 1202	19
1.46 A1200 - Archos AMem 32	20
1.47 A1200 - GVP A1208 Mem+	20
1.48 A1200 - Blizzard 1220	20
1.49 A1200 - ATurbo 1228	20
1.50 A1200 - DKB 1228	21
1.51 A1200 - M-Tec 68030	21
1.52 A1200 - ICD Viper 1230	21
1.53 A1200 - Apollo 1230	22
1.54 A1200 - Microbotics MBX1230XA	22
1.55 A1200 - DKB 1240	22
1.56 A1200 - GVP A1230	23
1.57 A1200 - CSA Twelve Gauge	23
1.58 A1200 - Blizzard 1230	23
1.59 Amiga 2000	24
1.60 Amiga 2000 - ICD AdSpeed	24
1.61 Amiga 2000 - Blizzard Turbo Memory	24
1.62 Amiga 2000 - Supra 28	25
1.63 Amiga 2000 - ACD Animate Turbo	25
1.64 Amiga 2000 - CBM A2620	25
1.65 Amiga 2000 - CBM A2630	25
1.66 Amiga 2000 - Professional 030	26
1.67 Amiga 2000 - Microbotics VXL 030	26
1.68 Amiga 2000 - Hurricane 2800	26

1.69 Amiga 2000 - GVP A3001	27
1.70 Amiga 2000 - GVP Combo	27
1.71 Amiga 2000 - Apollo 2030	28
1.72 Amiga 2000 - RCS Fusion Forty	28
1.73 Amiga 2000 - PPS 040/2000	28
1.74 Amiga 2000 - GVP G-Force 040	29
1.75 Amiga 2000 - PPS 040 Zeus	29
1.76 Amiga 3000 16 MHz	29
1.77 Amiga 3000 25 MHz	30
1.78 Amiga 3000 - CBM A3640	30
1.79 Amiga 3000 - PPS 040/3000	30
1.80 Amiga 3000 - PPS Mercury	30
1.81 Amiga 3000 - GVP F40	31
1.82 Amiga 4000/030	31
1.83 Amiga 4000 - Blizzard 4030	31
1.84 Amiga 4000 - Apollo 4030	32
1.85 Amiga 4000/040LC	32
1.86 Amiga 4000/040	32
1.87 Amiga 4000 - Apollo 4040	32
1.88 Amiga 4000 - Warp Engine	33
1.89 Amiga 4000 - GVP A4440	33
1.90 Amiga 4000 - Cyberstorm 40/40	33
1.91 Amiga 4000 - Cyberstorm 60/50	34
1.92 Module GVP A530 Turbo	34
1.93 Module Microbotics VXL 030	34
1.94 Module Microbotics VXL 030	34
1.95 Module AMem 32	35
1.96 Damned board module	35
1.97 Module DKB 1202	35
1.98 Module Blizzard 1220	35
1.99 Module Apollo 1230	35
1.100Module GVP 1230 série I	36
1.101Module Blizzard 1230 série II	36
1.102Module GVP 1230 50 MHz	36
1.103Module Apollo 1230 50 MHz	37
1.104Module Microbotics MBX 1230XA	37
1.105Module M-Tec 68030 28 MHz FPU 16 MHz	37
1.106Module M-Tec 68030 28 MHz FPU 40 MHz	37
1.107Module M-Tec 68030 28 MHz FPU 50 MHz	38

1.108Module Viper 28 FPU 16 MHz	38
1.109Module Amiga 2000, Supra 28	38
1.110Module Amiga 2000	38
1.111Module Commodore A2620	39
1.112Module GVP A3001	39
1.113Module GVP A3001	40
1.114Module GVP Combo 322	40
1.115Module GVP Combo 333	40
1.116Module GVP Combo 340	40
1.117Module GVP Combo 340	41
1.118Module PPS 040/2000	41
1.119Module PPS 040/2000	41
1.120Module GVP G-Force 040	42
1.121Module GVP G-Force 040	42
1.122Module GVP G-Force 040	42
1.123Module Amiga 3000	43
1.124Module Amiga 3000T - CBM A3640	43
1.125Module Amiga 4030	43
1.126Module overclocked A4030	43
1.127Module A4040 and GVP Spectrum	44
1.128Module A4000 and Warp Engine 4028	44
1.129Module A4000 and Cyberstorm 40/40	44
1.130Module A4000 and Cyberstorm 60/40	45
1.131Amiga	45
1.13280486	45
1.133The Amiga is a machine for enthusiasts : up and at tolerants !	46
1.134Cédric Beust	46
1.135PC : Purulent Cart	47
1.136Personnal thought... Don't read.	47
1.137You were there, booby...	47
1.138Rough handling...	47
1.139Philippe Brand	47
1.140Personnal thought... Don't read.	48

Chapter 1

CompilAIBB

1.1 CompilAIBB 1.0

CompilAIBB 1.0 : AIBB test modules compilation.

About...

What is that compilation

Obtainment

How to get it

AIBB

What is that software

Evolution

How to contribute to the compilation

Usage

Goals for using it

Inventory

Setups, modules list

Rights

Restrictions of use

Acknowledgements

The usual greetings...

Copyright ©1994, 1995 Yann-Erick Proy. All rights reserved.

1.2 About CompilAIBB...

About CompilAIBB : What is that compilation.

CompilAIBB is a collection of files, modules, created with the

AIBB
 soft-
 ware, and enclosing informations about the
 hardware
 and
 software
 setup,
 and the performances of a given
 Amiga
 setup.

This is the 1.0 version of CompilAIBB, constituted of modules made with 6.0 or newer versions of AIBB.

The idea of CompilAIBB came from discussions about performances held on the french mailing-list created by

Cédric Beust
 : amiga@sophia.inria.fr.

This list is coupled to the newsgroup : fr.comp.sys.amiga.

CompilAIBB is free, but I would greatly appreciate a nice postcard from where you live if you use it.

CompilAIBB is dedicated to Alex, my littl' wag...

1.3 AIBB modules

AIBB Modules : What are they, how to use them.

An

AIBB
 module is a file, small enough (1760 bytes), in which are ↔
 summed

up the

hardware
 and
 software
 setup together with the results of all the
 tests that AIBB know to apply to a given
 Amiga
 setup.

Consult
 How to read a module

Create
 How to make a module

1.4 Hardware setup

Hardware setup : Examples.

- processor kind : 68000, 68020, 68030,
80486
, etc
- its frequency : 14 MHz, 33 MHz, etc
- possible presence of mathematics coprocessor
- specialized chipset identification : Agnus, Denise, Alice, etc
- possible presence of expansion boards
- etc

1.5 Software setup

Software setup : Examples.

- Kickstart version, i.e. system version :
37.175 for 2.04, 40.63 for 1e 3.1, etc
- system main libraries versions :
exec.library, graphics.library, etc
- Kickstart locations : ROM or RAM

1.6 Consult a module

Consult a module : How to read it.

There are two ways to consult a module : with
AIBB
itself or with the
ModInfo program released with the 6.1 version of AIBB.

With AIBB, you must select one of the four comparison machines in the Main AIBB screen (the four boxes under the "you" box for the current machine) and thus get the screen summing up the features of that machine. Then, just select the menu option :

Options / Load New / Load From Module File

It remains only to select the module of your choice with the help of the file requester. The features of the machine with which the module was made are then displayed. Back to the Main screen, you can compare your machine to the other four, or, in "review" mode (menu option Special / Enter Review Mode), this four machines to each other.

The ModInfo utility allows to translate in text understandable by any mortal the content of a module. Its use is one the most simple. From any shell, type :

ModInfo nom_de_module

The text then scrolls to the screen. You will find convenient to redirect the output to a file :

```
ModInfo >RAM:microsofts_grosprofits.txt nom_de_module
```

1.7 Create a module

Create a module : Instructions.

You just need, in the Main screen, to choice the menu option :

```
Special / All Tests : Make Module
```

You must pay attention to configure your machine right before to launch this option : this operation is long enough (about one hour with a stock A2000, at least 15 minutes with a 25 MHz 68030) and can't be interrupted. Your setup must be equivalent to the one of the machines which you want to compare to : caches and burst modes use, resolution and number of colors, interferences of programs modifying the system, etc.

1.8 Obtainment

Obtainment : How to get CompilAIBB.

A new CompilAIBB version will be released each time enough new modules are in my possession. The release can be done in three different ways :

By FTP

If you have total Internet access

By e-mail

If you have partial Internet access

By normal, snail mail

If you don't have Internet access at all

1.9 By FTP

By FTP : Some addresses.

Each new CompilAIBB version will uploaded to the following FTP site :

Aminet

in /pub/aminet/util/misc

The name of the file to be downloaded is : CompilAIBBx.x.lha (where "x.x" is the version, here 1.0).

1.10 By e-mail

By e-mail : You'll have to subscribe.

Send an empty message of which the subject is "CompilAIBB by e-mail" to one of the two following addresses :

Yann-Erick.Proy@Imag.fr or Proy@Merlin-Gerin.fr

CompilAIBB will be sent to you each time it is released in the form of an uuencoded lha archive. In order not to overload mailboxes, this archive will contain only the modules and the english AmigaGuide file.

1.11 AIBB

AIBB : What is that software.

AIBB
(Amiga Intuition Based Benchmarks) is a software for evaluation ↔
and
comparison of performances of
Amiga
setups. AIBB allows to get precise
informations about
hardware
and
software
setup of the tested machine too.

Its author is Peter LaMonte Koop, whose address is (according to the AIBB 6.5 documentation, dated 1993) :

lkoop@tigger.stcloud.msus.edu or f00012@kanga.stcloud.msus.edu

Alas, Peter has not logged on to both sites since the beginning of october 1994.

1.12 Evolution

Evolution of CompilAIBB : It depends on you.

A new CompilAIBB version will be released each time enough new modules are in my possession. If you own a setup different from the ones in already, don't waste time : create a module and send it to me with a detailed description of your machine !

Be careful to activate all caches and burst modes, copy-back, etc, of the processor. On the contrary, unactivate every exotic patch that may alter the performances of your machine (or make a second module). The only exception to this rule is the Kickstart copy in RAM : widely practised, it is preferred to Kickstart in ROM (you can always send me both modules).

By e-mail
If you have Internet access

By normal, snail mail
If you don't have Internet access

Furthermore, CompilAIBB may contain uncomplete or absolutely wrong informations about some boards or setups. I would be grateful to you if you let me know it, in order to improve the quality of this document.

I would appreciate suggestions about that poor english translation too...

1.13 By e-mail

By e-mail : Uuencode and mail.

In order to do it, you must uuencode the module you got, because it is a binary file. Then, you only need to insert the coded file in a message to be sent to one of these addresses :

Yann-Erick.Proy@Imag.fr or Proy@Merlin-Gerin.fr

1.14 By normal, snail mail

By normal, snail mail : You can kill two birds with one stone.

Send me your module on a floppy disk to the following address, if you join to it a sufficiently stamped envelope, I will send back to you your floppy disk with the very last CompilAIBB version :

Yann-Erick PROY
CompilAIBB
44, avenue GAMBETTA
F-74000 ANNECY
FRANCE

1.15 Usage

Usage : Goals for using CompilAIBB.

This compilation of AIBB
modules
can serve to other purposes than only to
satisfy your curiosity :

Comparing accelerating boards
Which one to choose ?

Comparing two Kickstart versions
Is the upgrade to be done ?

Observing the effects of patches
How to improve performances ?

1.16 Comparing accelerating boards

Comparing accelerating boards : Which one to choose ?

CompilAIBB can help you in your choice by giving you, thanks to AIBB, an indication about relative performances of the boards between which you are hesitating. Take care however not to rely too much upon the results given by AIBB :

- all modules from the compilation haven't been done in the same conditions unfortunately ;
- AIBB may be wrong as well ;
- the execution speed of AIBB tests may not represent the one of the application(s) you use (the amount of memory and the fastness of disks accesses may greatly influence this one).

In any case, you should have read the whole AIBB documentation to pretend understand its results without making too many errors.

Likewise, the greatest prudence is recommended towards the informations given in this document about memory capacities, expansion abilities, etc, of the various boards cited. CompilAIBB don't pretend to be exhaustive as well.

1.17 Comparing two Kickstart versions

Comparing two Kickstart versions : Is the upgrade to be done ?

CompilAIBB can inform you about relative performances of successive versions of the system software of the Amiga, that is to say, for the greatest part, the Kickstart. Indeed, some of its modules only differ by their KickStart version. These are examples :

Comparing KS 2.0 and 3.1 :

A2000-07-ROM20

A2000 B, KS 2.04 in ROM

A2000-07-ROM31
A2000 B, KS 3.1 in ROM

GFr40-33-ROM20-GVP
GForce 040 33 MHz, KS 2.04 in ROM

GFr40-33-ROM31-GVP
GForce 040 33 MHz, KS 3.1 in ROM

Comparing KS 3.0 et 3.1 :

A3001-28-FAS30-GVP
GVP A3001 28 MHz, KS 3.0 in RAM

A3001-28-FAS31-GVP
GVP A3001 28 MHz, KS 3.1 in RAM

The "WritePixel", "EllipseTest" and "TGTest" tests, which call upon the graphical layers of the system software a lot, allow to appreciate the improvement done in this domain by the 3.1 Kickstart.

1.18 Observing the effects of patches

Observing the effects of patches : How to improve performances ←
?

CompilAIBB can help you to optimize your setup by revealing to you, for instance, which system patches may improve, or, on the contrary, degrade the performances of your machine. The easiest to use and the most common is of course the Kickstart relocation in fast 32 bits memory :

A-530-40-ROM20-GVP
GVP A530 40 MHz, KS 2.04 in ROM

A-530-40-FAS20-GVP
GVP A530 40 MHz, KS 2.04 in RAM

MTec3-28-ROM30-FPU16
M-Tec 68030 28 MHz, 68882 16 MHz, KS 3.0 in ROM

Viper-28-FAS30-FPU16
Viper 1230 28 MHz, 68882 16 MHz, KS 3.0 in RAM

A4030-25-ROM30_FPU33
A4000/030,

A4030-25-ROM30_FPU33_Patch
A4000/030, CopyMemQuicker, Execpatch, etc

You can also observe the degrading of performances in memory accesses when using a virtual memory software such as VMM 2.0 :

```
A1230-50-FAS30-GVP
GVP A1230 50 MHz
```

```
A1230-50-FAS30-GVP_VMM
GVP A1230 50 MHz, VMM
```

Furthermore, CompilAIBB allow to observe the effects of miscellaneous settings with caches activated or not, etc :

```
A1230-50-FAS30-GVP
GVP A1230 50 MHz
```

```
A1230-50-FAS30-GVP_NoDtCch
GVP A1230 50 MHz, datacache on
```

1.19 Inventory

Inventory : Modules list.

Modules

files are named in the same fashion. The first eight characters ↔
of

the file name are the module name displayed by
AIBB

.

Modules are sorted according to the kind of central unit. Several modules may correspond to a same central unit and possible accelerator board setup : other parameters may change, as Kickstart version, relocation in Fast RAM, arithmetics coprocessor, etc

A500

A600

A1000

The venerable ancestor...

A1200

A2000

A3000

First Zorro III machine

A4000

First AGA machine

Copyright ©1994, 1995 Yann-Erick Proy. All rights reserved.

1.20 Amiga Report

Amiga Report : An electronic magazine dedicated to the Amiga.

Amiga Report is an electronic magazine dedicated to the Amiga and edited by Jason Compton (jcompton@cup.portal.com).

Amiga Report is available on
Aminet
(docs/mags) or by suscribing to a
mailing list (send a short message to Jason). You can also read it without
downloading it with the help of Mosaic :

<http://www.cs.cmu.edu:8001/Web/People/mjw/Computer/Amiga/News/AR/index.html>

Light-headed like I am, I forgot to ask to Jason the permit to include in CompilAIBB the module of the Cyberstorm 40/40 board found in the 2.31 issue of Amiga Report. On the eve of releasing the compilation in guise of wishes for the year 1995, it is now too late. I hope he won't blame me...

1.21 Aminet

Aminet : A network of FTP servers for the Amiga.

Aminet designates a federation of FTP sites, lead by Urban Dominik Mueller (umueller@wuarhive.wustl.edu). Every "Aminet" site has the same directory hierarchy inside a /pub/aminet root and daily exchange the new files up-loaded to each other.

These are a few addresses of Aminet conformant sites :

wuarhive.wustl.edu (central site)
amiga.physik.unizh.ch (origin site)
ftp.luth.se
ftp.uni-paderborn.de
ftp.src.doc.uk
ftp.cnam.fr (Finally an Aminet site in France !)

The Aminet-Weekly and Aminet-Daily mailing lists enable you to know periodically which are the new files. Send an "HELP" message to the address listserv@wunet.wustl.edu to know how to suscribe.

1.22 Rights

Rights : Restrictions of use

All rights for reproduction of programs and files reserved.
Copyright ©1994 Yann-Erick Proy.

The use and distribution of the files composing CompilAIBB are subject to the acceptance of the following rules. If you can't obey them, destroy these files and forget them.

These files, modules and documentation, are proposed to you without any warranty of any sort, particularly of relevance or fitness to a given purpose. By no means, the author could be held liable of the consequences of the use of these files.

CompilAIBB may be freely distributed on condition that :

- 1- the original form under which its author has published it is respected ;
- 2- the price asked for its diffusion is not more than usually asked for Fish floppies (\$3, 15 FF, etc) or CDs (\$30, 200 FF, etc) ;
- 3- the diffusion may stop immediately if asked so by the author.

1.23 Acknowledgements

Acknowledgements : The usual greetings...

My thanks to :

- Every contributor to CompilAIBB ;
- Cedric Beust, for his
engagement
in years gone by, and, I hope, to
come ;
- Pierre Carrette (BrowserII, ParM, WhatIs), Eric Totel (MUIBuilder)
and Lionel Vintenat (Deft_II, PDBank) for their respective tools
and their "electronic friendliness" ;
- Claudio Zani, for the editor from TDS (TEd) ;
- Pascal Lauly et Sebastien Laine, for the first
Aminet
site in
France (ftp.cnam.fr) ;
- Andrew Baldwin for his excellent Amiga adaptations of Pink Floyd
(Money, Any color you like).

(Available advertising space, contact me for the next version)

1.24 Amiga 500

Amiga 500 : Setups list.

A500 ou A500+

ICD AdSpeed
68000 14 MHz

Blizzard Turbo Memory
68000 14 MHz

Hurricane 500 68020 16 MHz

StormBringer H 530
68030 16 to 50 MHz

CSA Mega Midget Racer
68030 20 to 33 MHz

VXL 030
68030 25, 40 or 50 MHz

GVP A530
68EC030 40MHz, SCSI

PPS 040/500
68040/68LC040 28 MHz

1.25 Amiga 600

Amiga 600 : Setups list.

A600

1.26 Amiga 1000

Amiga 1000 : Setups list.

A1000
avec 68010

Lucas 60820 Shareware project
Hurricane 68020

1.27 Amiga 1200

Amiga 1200 : Setups list.

A1200

Microbotics 1200
Fast RAM

DKB 1202
Fast RAM, FPU

AMem 32
Fast RAM, FPU

GVP A1208 Mem+
Fast RAM, FPU, SCSI

Blizzard 1220
68EC020 28 MHz

ATurbo 1228
68030 28 MHz

DKB 1228
68030 28 MHz

M-Tec 68030/28
68030 28 MHz

ICD Viper 1230
68030 28 or 50 MHz

Apollo 1230
68030 28 or 50 MHz

Microbotics MBX1230XA
68030 28, 33 or 50 MHz

DKB 1240
68EC030 40 MHz

GVP A1230
68EC030 40 MHz

CSA Twelve Gauge
68EC030 40 MHz or 68030 50 MHz

Blizzard 1230
68EC030 40 MHz or 68030 50 MHz

1.28 Amiga 2000

Amiga 2000 : Setups list.

A2000

ICD AdSpeed
68000 14 MHz

Blizzard Turbo Memory
68000 14 MHz

Supra 28
68000 28 MHz

ACD Animate Turbo
68020 14 MHz

CBM A2620
68020 14 MHz

CBM A2630
68030 25 MHz

Professional 030
68030 16 or 28 MHz

VXL 030
68030 25, 40 or 50 MHz

Hurricane 2800
68030 28 to 50 MHz, SCSI

GVP A3001
68030 25 to 50 MHz, AT-IDE

GVP Combo
68030 22 to 50 MHz, SCSI

Apollo 2030
68030 28 or 50 MHz

RCS Fusion Forty
68040 25 or 33 MHz

PPS 040/2000
68040 28 MHz

GVP G-Force 040
68040 28 or 33 MHz, SCSI

PPS 040 Zeus
68040 25 or 33 MHz, SCSI-2

1.29 Amiga 3000

Amiga 3000 : Setups list.

A3000 16 MHz

A3000 25 MHz

CBM A3640
68040 25 MHz

PPS 040/3000
68040 25 MHz

PPS Mercury
68040 28 MHz

GVP F40
68040 28 MHz

1.30 Amiga 4000

Amiga 4000 : Setups list.

A4000/030
68EC030 25 MHz

Apollo 4030
68030 50 MHz

Blizzard 4030
68030 50 MHz

A4000/040LC
68LC040 25 MHz

A4000/040
68040 25 MHz

Apollo 4040
68040 28, 33 or 40 MHz

Warp Engine
68040 28, 33 or 40 MHz

GVP A4440
68040 40 MHz

Cyberstorm 40/40
68040 40 MHz

Cyberstorm 60/50
68060 50 MHz

1.31 Amiga 500 ou 500+

Amiga 500 ou 500+ : Features and modules.

CPU : 68000 7.14 MHz
FAST RAM : none
CHIP RAM : 512 KB, 1 MB for the A500+ version

Modules list :

None, alas...

1.32 A500 - ICD AdSpeed

A500 - ICD AdSpeed : Features and modules.

CPU : 68000 14 MHz
FAST RAM : none

Modules list :

None, alas...

1.33 A500 - Blizzard Turbo Memory

A500 - Blizzard Turbo Memory : Features and modules.

CPU : 68000 14 MHz
FAST RAM : ?

Modules list :

None, alas...

1.34 A500 - Hurricane 500

A500 - Hurricane 500 : Features and modules.

CPU : 68020 16 MHz
FPU : 68882 socket at same speed (dedicated FPU socket)
FAST RAM : 1, 2 or 4 MB

Modules list :

None, alas...

1.35 A500 - StormBringer H 530

A500 - StormBringer H 530 : Features and modules.

CPU : 68030 16, 28, 36 or 50 MHz (MMU)
FPU : 68882 at same speed
FAST RAM : 1, 2 or 4 MB

Modules list :

None, alas...

1.36 A500 - CSA Mega Midget Racer

A500 - CSA Mega Midget Racer : Features and modules.

CPU : 68030 20, 25, 28, or 33 MHz (MMU)
FPU : ?
FAST RAM : 512 KB, 1 or 2 MB static RAM, from 0 to 8 MB

Modules list :

None, alas...

1.37 A500 - VXL 030

A500 - VXL 030 : Features and modules.

CPU : 68030 25 or 50 MHz (MMU), 68EC030 40 MHz
FPU : ?
FAST RAM : ?

Modules list :

VXL30-25-ROM20-FPU25
A500, 4 MB FAST, KS 2.04

VXL30-25-FAS20-FPU25
A500, 4 MB FAST, KS 2.04

VXL30-50-ROM20-FPU28
A500, 4 MB FAST, KS 2.04

1.38 A500/A500+ - GVP A530 Turbo

A500/A500+ - GVP A530 Turbo : Features and modules.

CPU : 68EC030 40 MHz
FPU : 68882 socket
FAST RAM : 2 SIMM sockets 1 or 4 MB
MISC : SCSI-2 controller, optional PC/AT 286 16 MHz emulator

Modules list :

A-530-40-ROM20-GVP
A500+, 4 MB FAST, KS 2.04

A-530-40-FAS20-GVP
A500+, 4 MB FAST, KS 2.04 in RAM

1.39 A500 - PPS 040/500

A500 - PPS 040/500 : Features and modules.

CPU : 68040 or 68LC040 28 MHz (MMU, FPU)
FPU : see CPU (not for 68LC040)
FAST RAM : ?

Modules list :

None, alas...

1.40 Amiga 600

Amiga 600 : Features and modules.

CPU : 68000 7.14 MHz
FAST RAM : none
CHIP RAM : 1 MB

Modules list :

AIBB internal module A600, KS 2.04

1.41 Amiga 1000

Amiga 1000 : Features and modules.

CPU : 68000 7.14 MHz
FAST RAM : none
CHIP RAM : 256 KB (extensible to 512 KB)

Modules list :

None, alas...

1.42 Amiga 1200

Amiga 1200 : Features and modules.

CPU : 68EC020 14 MHz
FPU :
CHIP RAM : 2 MB
FAST RAM : none

Modules list :

AIBB internal module KS 3.0

1.43 A1200 - Microbotics 1200

A1200 - Microbotics 1200 : Features and modules.

FAST RAM : 1 SIMM socket 1, 2, 4 or 8 MB

Modules list :

None, alas...

1.44 Qu'est-ce que c'est que cette daube de carte, Stéphane ?

: Features and modules.

mangeot@iuta.u-nancy.fr

A1200-14-ROM30-FPU33 : ? (68882 33 MHz + 4 MB) KS 3.0

1.45 A1200 - DKB 1202

A1200 - DKB 1202 : Features and modules.

FPU : 68882 socket (dedicated FPU socket)
FAST RAM : 1 SIMM socket 1, 2, 4 or 8 MB

Modules list :

A1202-14-ROM30-DKB_FPU17
68881 17 MHz, 1 MB FAST, KS 3.0

1.46 A1200 - Archos AMem 32

A1200 - Archos AMem 32 : Features and modules.

FPU : 68882 socket
FAST RAM : 1 SIMM socket 1, 2, 4 or 8 MB

Modules list :

A1200-14-ROM30-AMem32
4 MB FAST, KS 3.0

1.47 A1200 - GVP A1208 Mem+

A1200 - GVP A1208 Mem+ : Features and modules.

FPU : 68882 socket 33 MHz
FAST RAM : 2 SIMM sockets 4 MB
MISC : SCSI controller

Modules list :

None, alas...

1.48 A1200 - Blizzard 1220

A1200 - Blizzard 1220 : Features and modules.

CPU : 68EC020 28 MHz
FPU : 68882 socket
FAST RAM : 2 SIMM sockets 4 MB

Modules list :

A1220-28-ROM30-Blizzard
4 MB FAST, KS 3.0

1.49 A1200 - ATurbo 1228

A1200 - ATurbo 1228 : Features and modules.

CPU : 68030 28 MHz
FPU : 68882 socket (dedicated FPU socket)
FAST RAM : 2 SIMM sockets 4 MB

Modules list :

None, alas...

1.50 A1200 - DKB 1228

A1200 - DKB 1228 : Features and modules.

CPU : 68030 28 MHz
FPU : 68882 socket (dedicated FPU socket)
FAST RAM : 1 SIMM socket 1, 2, 4, 8, 16, 64 MB

Modules list :

None, alas...

1.51 A1200 - M-Tec 68030

A1200 - M-Tec 68030 : Features and modules.

CPU : 68030 28 MHz or 50 MHz
FPU : 68882 socket (dedicated FPU socket)
FAST RAM : 2 SIMM sockets 4 MB
MISC : optional SCSI controller, see

ICD Viper 1230
Modules list :

MTec3-28-ROM30-FPU16
28 MHz, 68882 16 MHz, KS 3.0

MTec3-28-FAS30-FPU40
28 MHz, 68882 40 MHz, KS 3.0 in RAM

MTec3-28-ROM30-FPU50
28 MHz, 68882 50 MHz, KS 3.0

1.52 A1200 - ICD Viper 1230

A1200 - ICD Viper 1230 : Features and modules.

CPU : 68030 28 or 50 MHz
FPU : 68882 socket (dedicated FPU socket)
FAST RAM : 2 SIMM socket 4 MB
MISC : optional SCSI controller, see

M-Tec 68030
Modules list :

Viper-28-FAS30-FPU16
28 MHz, 68882 16 MHz, KS 3.0 in RAM

1.53 A1200 - Apollo 1230

A1200 - Apollo 1230 : Features and modules.

CPU : 68030 28 or 50 MHz
FPU : 68882 at same speed (dedicated FPU socket)
FAST RAM : 3 SIMM sockets 4 MB
MISC : optional SCSI controller

Modules list :

A1230-28-ROM30-Apollo
28 MHz, KS 3.0

A1230-50-ROM30-Apollo
50 MHz, KS 3.0

1.54 A1200 - Microbotics MBX1230XA

A1200 - Microbotics MBX1230XA : Features and modules.

CPU : 68030 28, 33 or 50 MHz
FPU : 68882 socket at same speed
FAST RAM : 2 SIMM sockets 4 MB

Modules list :

MBX30-50-ROM30
50 MHz, KS 3.0

1.55 A1200 - DKB 1240

A1200 - DKB 1240 : Features and modules.

CPU : 68EC030 40 MHz
FPU : ?
FAST RAM : ?

Modules list :

None, alas...

1.56 A1200 - GVP A1230

A1200 - GVP A1230 : Features and modules.

CPU : 68EC030 40 MHz
FPU : 68882 socket at same speed
FAST RAM : 1 SIMM socket 4 MB
MISC : optional SCSI controller
CPU : 68030 50 MHz (series II)
FPU : 68882 50 MHz
FAST RAM : 1 SIMM socket 4 MB
MISC : SCSI controller

Modules list :

A1230-40-ROM30-GVP_I
40 MHz, KS 3.0

A1230-40-ROM30-GVP_I_FPU40
40 MHz, 68882, KS 3.0

A1230-50-FAS30-GVP
50 MHz, KS 3.0 in RAM

A1230-50-FAS30-GVP_NoDtCch
50 MHz, data cache disabled, KS 3.0 in RAM

A1230-50-FAS30-GVP_VMM
50 MHz, VMM, KS 3.0 in RAM

1.57 A1200 - CSA Twelve Gauge

A1200 - CSA Twelve Gauge : Features and modules.

CPU : 68EC030 40 MHz or 68030 50 MHz
FPU : ?
FAST RAM : ?

Modules list :

None, alas...

1.58 A1200 - Blizzard 1230

A1200 - Blizzard 1230 : Features and modules.

CPU : 68EC030 40 MHz or 68030 50 MHz
FPU : 68882 at same speed
FAST RAM : ?
MISC : optional Fast SCSI-2 controller

Modules list :

A1230-50-FAS30-BlizzardII
50 MHz, KS 3.0 in RAM

1.59 Amiga 2000

Amiga 2000 : Features and modules.

CPU : 68000 7.14 MHz
FAST RAM : none on the motherboard
CHIP RAM : 512 KB (plus 512 KB de Ranger RAM, extensible to 1 MB) or 1 MB

Modules list :

A2000-07-ROM20
4 MB FAST, KS 2.04

A2000-07-ROM31
4 MB FAST, KS 3.1

1.60 Amiga 2000 - ICD AdSpeed

Amiga 2000 - ICD AdSpeed : Features and modules.

CPU : 68000 14 MHz
FAST RAM : none

Modules list :

None, alas...

1.61 Amiga 2000 - Blizzard Turbo Memory

Amiga 2000 - Blizzard Turbo Memory : Features and modules.

CPU : 68000 14 MHz
FAST RAM : ?

Modules list :

None, alas...

1.62 Amiga 2000 - Supra 28

Amiga 2000 - Supra 28 : Features and modules.

CPU : 68000 28 MHz
FAST RAM : none

Modules list :

A2000-28-ROM20-Supra
Supra 28, 4 MB FAST, KS 2.04

1.63 Amiga 2000 - ACD Animate Turbo

Amiga 2000 - ACD Animate Turbo : Features and modules.

CPU : 68020 14 MHz
FPU : support 68881/68882
FAST RAM : slots for 1 MB by 512 KB steps (version III)

Modules list :

None, alas...

1.64 Amiga 2000 - CBM A2620

Amiga 2000 - CBM A2620 : Features and modules.

CPU : 68020 14 MHz (plus 68851 MMU)
FPU : 68882 32 MHz
FAST RAM : 2x2 SIMM sockets 1 MB
MISC : board delivered with the first A2500 generation

Modules list :

A2620-14-FAS20-CBM_FPU32
KS 2.04 in RAM

1.65 Amiga 2000 - CBM A2630

Amiga 2000 - CBM A2630 : Features and modules.

CPU : 68030 25 MHz (MMU)
FPU : 68882 25 MHz
FAST RAM : 2x2 SIMM sockets 1 MB
MISC : board delivered with the second A2500 generation

Modules list :

None, alas...

1.66 Amiga 2000 - Professional 030

Amiga 2000 - Professional 030 : Features and modules.

CPU : 68030 16 MHz (MMU)
FPU : 68882 24 MHz
CPU : 68030 28 MHz (MMU)
FPU : 68882 40 MHz
FAST RAM : 1 SIMM socket 1 MB or 4 MB

Modules list :

None, alas...

1.67 Amiga 2000 - Microbotics VXL 030

Amiga 2000 - Microbotics VXL 030 : Features and modules.

CPU : 68EC030 25 or 40 MHz, or 68030 50 MHz (MMU)
FPU : 68882 at same speed
FAST RAM : 1 SIMM socket 2 MB

Modules list :

None, alas...

1.68 Amiga 2000 - Hurricane 2800

Amiga 2000 - Hurricane 2800 : Features and modules.

CPU : 68030 28, 36 or 50 MHz (MMU)
FPU : 68882 25 or 33 MHz
FAST RAM : 4 SIMM sockets 4 MB
MISC : SCSI controller

Modules list :

None, alas...

1.69 Amiga 2000 - GVP A3001

Amiga 2000 - GVP A3001 : Features and modules.

CPU : 68030 25, 28, 33 or 50 MHz (MMU), or 68EC30 40 MHz
FPU : 68882 at same speed (dedicated oscillator FPU socket)
FAST RAM : 2x4 SIMM sockets 30 pins 1 MB (25, 28 MHz)
FAST RAM : 8 SIMM sockets 30 pins 1 or 4 MB (33, 50 MHz)
MISC : AT-IDE controller

Modules list :

A3001-28-FAS30-GVP
28 MHz, 4 MB FAST, KS 3.0 in RAM

A3001-28-FAS30-GVP_bis
28 MHz, 4 MB FAST, KS 3.0 in RAM

A3001-28-FAS31-GVP
28 MHz, 4 MB FAST, KS 3.1 in RAM

A3001-28-FAS31-GVP_FPU32
CPU 28 MHz, FPU 32 MHz, 4 MB FAST, KS 3.1 in RAM

A3001-32-FAS31-GVP_FPU28
CPU 32 MHz, FPU 28 MHz, 4 MB FAST, KS 3.1 in RAM

1.70 Amiga 2000 - GVP Combo

Amiga 2000 - GVP Combo : Features and modules.

CPU : 68030 22, 33 or 50 MHz (MMU), or 68EC030 25 or 40 MHz
FPU : 68882 at same speed
FAST RAM : 1 MB on board plus 3 SIMM sockets 4 MB (Combo 322)
FAST RAM : 1 MB on board plus 4 SIMM sockets 4 MB (Combo 325 series 3)
FAST RAM : 4 MB on board plus 3 SIMM sockets 4 MB (Combo 333, 340 or 350)
FAST RAM : 4 MB on board plus 4 SIMM sockets 4 MB (Combo 350 series 3)
MISC : SCSI controller, may be known as G-Force 030 too

Modules list :

Combo-22-FAS20-GVP
Combo 322, 5 MB FAST, KS 2.0 in RAM

Combo-33-FAS30-GVP
Combo 333, 4 MB FAST, KS 3.0 in RAM

Combo-40-ROM20-GVP
Combo 340, 4 MB FAST, KS 2.04

Combo-40-FAS30-GVP
Combo 340, 4 MB FAST, KS 3.0 in RAM

Combo-40-FAS30-GVP_MMU
Combo 340 (68030), 4 MB FAST, KS 3.0 in RAM

1.71 Amiga 2000 - Apollo 2030

Amiga 2000 - Apollo 2030 : Features and modules.

CPU : 68030 28 or 50 MHz (MMU)
FPU : 68882 at same speed
FAST RAM : 4 SIMM sockets 1, 4 or 16 MB

Modules list :

None, alas...

1.72 Amiga 2000 - RCS Fusion Forty

Amiga 2000 - RCS Fusion Forty : Features and modules.

CPU : 68040 25 or 33 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 2x4 SIMM sockets 1 or 4 MB

Modules list :

None, alas...

1.73 Amiga 2000 - PPS 040/2000

Amiga 2000 - PPS 040/2000 : Features and modules.

CPU : 68040 28 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 2x4 SIMM sockets 30 pins 1 or 4 MB

Modules list :

PPS40-28-ROM20
8 MB FAST, KS 2.0

PPS40-28-ROM20_4Mo
4 MB FAST, KS 2.0

PPS40-28-ROM31
8 MB FAST, KS 3.1

1.74 Amiga 2000 - GVP G-Force 040

Amiga 2000 - GVP G-Force 040 : Features and modules.

CPU : 68040 28 or 33 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : ?
MISC : SCSI controller

Modules list :

GFr40-33-ROM20-GVP
KS 2.0

GFr40-33-ROM31-GVP
KS 3.1

GFr40-33-ROM31-GVP_bis
KS 3.1

1.75 Amiga 2000 - PPS 040 Zeus

Amiga 2000 - PPS 040 Zeus : Features and modules.

CPU : 68040 25 or 33 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 3x4 SIMM sockets 30 pins 1 or 4 MB
MISC : SCSI-2 controller

Modules list :

None, alas...

1.76 Amiga 3000 16 MHz

Amiga 3000 16 MHz : Features and modules.

CPU : 68030 16 MHz (MMU)
FPU : 68881 16 MHz
CHIP RAM : 1 MB extensible to 2 MB
FAST RAM : 4 ZIP sockets 1 or 4 MB

Modules list :

None, alas...

1.77 Amiga 3000 25 MHz

Amiga 3000 25 MHz : Features and modules.

CPU : 68030 25 MHz (MMU)
FPU : 68881 25 MHz
CHIP RAM : 2 MB
FAST RAM : 4 ZIP sockets 1 or 4 MB

Modules list :

AIBB internal module 16 MB FAST, KS 2.04

A3000-25-FAS31
12 MB FAST, KS 3.1 in RAM, Retina BLT23

1.78 Amiga 3000 - CBM A3640

Amiga 3000 - CBM A3640 : Features and modules.

CPU : 68040 25 MHz (MMU, FPU)
FPU : see CPU

Modules list :

A3640-25-ROM31
16 MB FAST, KS 3.1, Picasso II

1.79 Amiga 3000 - PPS 040/3000

Amiga 3000 - PPS 040/3000 : Features and modules.

CPU : 68040 25 MHz (MMU, FPU)
FPU : see CPU

Modules list :

None, alas...

1.80 Amiga 3000 - PPS Mercury

Amiga 3000 - PPS Mercury : Features and modules.

CPU : 68040 28 MHz (MMU, FPU)
FPU : see CPU

Modules list :

None, alas...

1.81 Amiga 3000 - GVP F40

Amiga 3000 - GVP F40 : Features and modules.

CPU : 68040 28 MHz (MMU, FPU)
FPU : see CPU

Modules list :

None, alas...

1.82 Amiga 4000/030

Amiga 4000/030 : Features and modules.

CPU : 68EC030 25 MHz
FPU : 68881/68882 socket
CHIP RAM : 2 MB
FAST RAM : 4 SIMM sockets 1 or 4 MB

Modules list :

A4030-25-ROM30_FPU33
KS 3.0

A4030-25-ROM30_FPU33_Patch
KS 3.0, CopyMemQuicker, Execpatch, SpeedRamsey...

A4030-32-ROM30
68EC030 overclocked to 32 MHz, 2 MB FAST, KS 3.0

1.83 Amiga 4000 - Blizzard 4030

Amiga 4000 - Blizzard 4030 : Features and modules.

CPU : 68030 50 MHz (MMU)
FPU : 68882 socket
FAST RAM : ?

Modules list :

None, alas...

1.84 Amiga 4000 - Apollo 4030

Amiga 4000 - Apollo 4030 : Features and modules.

CPU : 68030 50 MHz (MMU)
FPU : 68882
FAST RAM : 4 SIMM sockets 1, 4, 8 or 16 MB

Modules list :

None, alas...

1.85 Amiga 4000/040LC

Amiga 4000/040LC : Features and modules.

CPU : 68LC040 25 MHz (MMU, inactivated FPU)
FPU : 68881/68882 socket
CHIP RAM : 2 MB
FAST RAM : 4 SIMM sockets 1 or 4 MB

Modules list :

None, alas...

1.86 Amiga 4000/040

Amiga 4000/040 : Features and modules.

CPU : 68040 25 MHz (MMU, FPU)
FPU : see CPU
CHIP RAM : 2 MB
FAST RAM : 4 SIMM sockets 1 or 4 MB

Modules list :

AIBB internal module 4 MB FAST, KS 3.0
A4040-40-FAS31 68040 overclocked to 40 MHz, 16 MB FAST, KS 3.1 in RAM

1.87 Amiga 4000 - Apollo 4040

Amiga 4000 - Apollo 4040 : Features and modules.

CPU : 68040 28, 33 or 40 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 4 SIMM sockets 1, 4, 8, 16 or 32 MB

Modules list :

None, alas...

1.88 Amiga 4000 - Warp Engine

Amiga 4000 - Warp Engine : Features and modules.

CPU : 68040 28, 33 or 40 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 4 SIMM sockets 72 pins 4, 8, 16 or 32 MB
MISC : Fast SCSI-2 controller

Modules list :

A4040-40-FAS31 68040 overclocked to 40 MHz, 16 MB FAST, KS 3.1 in RAM

1.89 Amiga 4000 - GVP A4440

Amiga 4000 - GVP A4440 : Features and modules.

CPU : 68040 40 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 2 SIMM sockets 64 pins 4 or 16 MB, slot for expansion board
with 6 SIMM sockets 64 pins 4 or 16 MB
MISC : Optional Fast SCSI-2 controller

Modules list :

None, alas...

1.90 Amiga 4000 - Cyberstorm 40/40

Amiga 4000 - Cyberstorm 40/40 : Features and modules.

CPU : 68040 40 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 4 SIMM sockets 72 pins, 8, 16 or 32 MB
MISC : Optional Fast SCSI-2 controller, optional I/O module (Fast
SCSI-2, fast serial, Ethernet)

Modules list :

Cyb40-40-ROM30-Cyberstorm
KS 3.1

1.91 Amiga 4000 - Cyberstorm 60/50

Amiga 4000 - Cyberstorm 60/50 : Features and modules.

CPU : 68060 50 MHz (MMU, FPU)
FPU : see CPU
FAST RAM : 4 SIMM sockets 72 pins, 8, 16 or 32 MB
MISC : Optional Fast SCSI-2 controller, optional I/O module (Fast SCSI-2, fast serial, Ethernet)

Modules list :

Cyb60-40-ROM31-Cyberstorm
Prototype, KS 3.1

1.92 Module GVP A530 Turbo

Module GVP A530 Turbo :

Laurent Donato ldonato@missb.cern.ch

Modules obtained with an A500+ and a GVP A530 board fitted with 4 MB of 32 bits RAM.

A-530-40-ROM20-GVP KS 2.04
A-530-40-FAS20-GVP KS 2.04 in RAM

1.93 Module Microbotics VXL 030

Module Microbotics VXL 030 :

Denis Barthou Denis.Barthou@prism.uvsq.fr

Modules obtained with an A500 and a 25 MHz Microbotics VXL 030 board fitted with 4 MB of 32 bits RAM and a 25 MHz 68882.

VXL30-25-ROM20-FPU25 KS 2.04
VXL30-25-FAS20-FPU25 KS 2.04 in RAM

1.94 Module Microbotics VXL 030

Module Microbotics VXL 030 :

Thomas Huber judas@tomtec.abg.sub.org

Modules obtained with an A500 and a 50 MHz Microbotics VXL 030 board fitted with 4 MB of 32 bits RAM and a 28 MHz 68882.

VXL30-50-ROM20-FPU28 KS 2.04

1.95 Module AMem 32

Module AMem 32 :

Who did send this module to me ?

Module obtained with an A1200 and an AMem32 board fitted with 4 MB of 32 bits RAM.

A1200-14-ROM30-AMem32 KS 3.0 in RAM

1.96 Damned board module

Damned board module :

Stéphane Mangeot mangeot@iuta.u-nancy.fr

Module obtained with an A1200 and a damned board fitted with 4 MB of 32 bits RAM and a 33 MHz 68882.

A1200-14-ROM30-FPU33 KS 3.0

1.97 Module DKB 1202

Module DKB 1202 :

Who did send this module to me ?

Module obtained with an A1200 and a DKB 1202 board fitted with 1 MB of 32 bits RAM and a 17 MHz 68881.

A1202-14-ROM30-DKB_FPU17 KS 3.0

1.98 Module Blizzard 1220

Module Blizzard 1220 :

Jean-Christophe Pottier jcp@ramses.fdn.org

Module obtained with an A1200 and a Blizzard 1220 board fitted with 4 MB of 32 bits RAM.

A1220-28-ROM30-Blizzard KS 3.0

1.99 Module Apollo 1230

Module Apollo 1230 :

Laurent Charmet charmet@ie2.u-psud.fr

Module obtained with an A1200 and a 28 MHz Apollo 1230 board fitted with 12 MB of 32 bits RAM and a 30 MHz 68882.

A1230-28-ROM30-Apollo KS 3.0

1.100 Module GVP 1230 série I

Module GVP 1230 série I :

Paul Redondo pr@telesys-innov.fr

Modules obtained with an A1200 and a 40 MHz GVP 1230 series I board fitted with 4 MB of 32 bits RAM.

Caution ! AIBB thinks the Kickstart is in ROM, while Paul warranted it was relocated in 32 bits Fast RAM.

A1230-40-ROM30-GVP_I KS 3.0
A1230-40-ROM30-GVP_I_FPU40 KS 3.0, 68882 40 MHz

1.101 Module Blizzard 1230 série II

Module Blizzard 1230 série II :

Dominique Strigl strigl@sxb.bsf.alcatel.fr

Module obtained with an A1200 and a 50 MHz Blizzard 1230 series II board fitted with 4 MB of 32 bits RAM.

Caution ! The tests have been done in a 16 colors graphic mode, instead of 8.

A1230-50-FAS30-BlizzardII KS 3.0 in RAM

1.102 Module GVP 1230 50 MHz

Module GVP 1230 50 MHz :

Frank Atikossi frank.atikossi@ramses.fdn.org

Modules obtained with an A1200 and a 50 MHz GVP 1230 board fitted with 8 MB of 32 bits RAM.

Caution ! The tests have been done in a 640x256 graphic mode instead of 640x200.

A1230-50-FAS30-GVP KS 3.0 in RAM
A1230-50-FAS30-GVP_NoDtCch KS 3.0 in RAM, data cache disabled
A1230-50-FAS30-GVP_VMM KS 3.0 in RAM, 8 MB VMM virtual memory

1.103 Module Apollo 1230 50 MHz

Module Apollo 1230 50 MHz :

Who did send this module to me ?

Module obtained with an A1200 and a 50 MHz Apollo 1230 board fitted with 4 MB of 32 bits RAM.

A1230-50-ROM30-Apollo KS 3.0

1.104 Module Microbotics MBX 1230XA

Module Microbotics MBX 1230XA :

Vincent Thomas anansi@lorraine.u-strasbg.fr

Module obtained with an A1200 and a 50 MHz Microbotics MBX 1230XA board fitted with 4 MB of 32 bits RAM.

MBX30-50-ROM30-MBX1230XA KS 3.0

1.105 Module M-Tec 68030 28 MHz FPU 16 MHz

Module M-Tec 68030 28 MHz FPU 16 MHz :

Dimas Caparros Gomez dimas@maze.mazanet.es

Module obtained with an A1200 and a 28 MHz M-Tec 68030 board fitted with 4 MB of 32 bits RAM and a 16 MHz 68882.

This module has been found in the comp.sys.amiga.hardware newsgroup.

MTec3-28-ROM30-FPU16 KS 3.0

1.106 Module M-Tec 68030 28 MHz FPU 40 MHz

Module M-Tec 68030 28 MHz FPU 40 MHz :

Jean-Christophe Pottier jcp@ramses.fdn.org

Module obtained with an A1200 and a 28 MHz M-Tec 68030 board fitted with 8

MB of 32 bits RAM and a 40 MHz 68882.

MTec3-28-FAS30-FPU40 KS 3.0 in RAM

1.107 Module M-Tec 68030 28 MHz FPU 50 MHz

Module M-Tec 68030 28 MHz FPU 50 MHz :

Bruno Rohee rohee@univ-mlv.fr

Module obtained with an A1200 and a 28 MHz M-Tec 68030 board fitted with 8 MB of 32 bits RAM and a 50 MHz 68882.

This board has been delivered with a 50 MHz oscillator for the coprocessor but this one is a 33 MHz one...

MTec3-28-ROM30-FPU50 KS 3.0

1.108 Module Viper 28 FPU 16 MHz

Module Viper 28 FPU 16 MHz :

Mark Jackson mark@mpfj.demon.co.uk

Module obtained with an A1200 and a 28 MHz Viper board fitted with 4 MB of 32 bits RAM and a 16 MHz 68882.

Viper-28-FAS30-FPU16 KS 3.0 in RAM

1.109 Module Amiga 2000, Supra 28

Module Amiga 2000, Supra 28 :

Daniel Higgins danbo@ccwf.cc.utexas.edu

Modules obtained with a NTSC A2000 and a 4 MB SupraRAM RAM expansion board and, for one of them, a Supra 28 board.

Both modules have been downloaded on {"Aminet" link Aminet} (archive "ST28-2K_AIBB ↔ .lha").

A2000-07-ROM20 KS 2.04, 68000 7 MHz

A2000-28-ROM20-Supra KS 2.04, 68000 28 MHz

1.110 Module Amiga 2000

Module Amiga 2000 :

Yann-Erick Proy yann-erick.proy@imag.fr

Modules obtained with a A2000 B (revision 6.2) and a 4 MB GVP HCD+ expansion board (SCSI controller).

A2000-07-ROM31 KS 3.1

1.111 Module Commodore A2620

Module Commodore A2620 :

Loïc Marechal marechal@asimov.cnam.fr

Module obtained with a A2000 B and an A2620 board fitted with 2 MB 32 bits RAM (100 ns, jumper in 80 ns position).

Caution ! The tests have been done in a NTSC graphic mode instead of PAL.

A2620-14-FAS20-CBM_FPU32 KS 2.04 in RAM

1.112 Module GVP A3001

Module GVP A3001 :

Yann-Erick Proy yann-erick.proy@imag.fr

Modules obtained with a A2000 B (révision 6.2), a GVP SR-2 2 MB RAM expansion (SCSI controller) and a 28 MHz A3001 board fitted with 4 MB 32 bits RAM (80 ns).

Although it is clocked 28 MHz, that A3001 board (released from GVP in october 89) is fitted with 25 MHz only 68030 and 68882 : it benefited by the free 28 MHz upgrade campaign organized by the french importer, CIS.

It has been impossible to replace the 28.322 MHz quartz by a 32.000 MHz one : protocol errors between 68030 and 68882 (\$0D exception) occurred systematically during the "BeachBall" test. Still it has been possible to achieve an AIBB module by bringing back the math coprocessor to 28 MHz, but the system was unstable for a daily use. On the other hand, keeping a 28 MHz CPU and a 32 MHz FPU seems to be reliable.

The 3.0 Kickstart was relocated in RAM with MKick 1.6, the 3.1 Kickstart was relocated with the CPU FASTROM command from the 3.1 system.

The author solded this board in order to buy a PPS 040/2000.

A3001-28-FAS30-GVP KS 3.0 in RAM

A3001-28-FAS31-GVP KS 3.1 in RAM

A3001-28-FAS31-GVP_FPU32 KS 3.1 in RAM, FPU 68882 overclocked to 32 MHz

A3001-32-FAS31-GVP_FPU28 KS 3.1 in RAM, CPU 68030 overclocked to 32 MHz

1.113 Module GVP A3001

Module GVP A3001 :

Loïc Marechal marechal@asimov.cnam.fr

Module obtained with a A2000 B and a 28 MHz A3001 board fitted with 4 MB 32 bits RAM (80 ns).

Both 68030 and 68882 are real 28 MHz ones.

Caution ! The tests have been done in a NTSC graphic mode instead of PAL.

A3001-28-FAS30-GVP_bis KS 3.0 in RAM

1.114 Module GVP Combo 322

Module GVP Combo 322 :

Nicolas Dehaine nd@telesys-innov.fr

Module obtained with a A2000 B and a GVP Combo 322 board fitted with 5 MB 32 bits RAM.

Combo-22-FAS20-GVP KS 2.0 in RAM

1.115 Module GVP Combo 333

Module GVP Combo 333 :

Arnaud Meurgues arnaud.meurgues@ramses.fdn.org

Module obtained with a A2000 B and a GVP Combo 333 board fitted with 4 MB 32 bits RAM.

Caution ! The tests have been done in a 16 colors graphic mode, instead of 8.

Combo-33-FAS30-GVP KS 3.0 in RAM

1.116 Module GVP Combo 340

Module GVP Combo 340 :

Emmanuel Nony NONY@EMBL-Heidelberg.DE

Module obtained with a A2000 B (ECS Denise) and a GVP Combo 340 board fitted with 4 MB 32 bits RAM.

Combo-40-ROM20-GVP KS 2.04

1.117 Module GVP Combo 340

Module GVP Combo 340 :

Lionel Vinténat vinténat@reseau.onecert.fr

Modules obtained with a A2000 B (ECS Denise), an Archos ADD 2000 4 MB RAM expansion (SCSI controller) and a GVP Combo 340 board fitted with 4 MB 32 bits RAM.

The second module has been obtained by replacing the original 40 MHz 68EC030 by a

68030 25 MHz

...

Combo-40-FAS30-GVP Combo 340, 4 MB FAST, KS 3.0 in RAM

Combo-40-FAS30-GVP_MMU Combo 340 (68030), 4 MB FAST, KS 3.0 in RAM

1.118 Module PPS 040/2000

Module PPS 040/2000 :

Cedric Dumas dumas@ensta.fr

Modules obtained with a A2000 B, a GVP HCD II + 4 MB RAM expansion (SCSI controller) and a PPS 040/2000 board fitted with 8 MB 32 bits RAM (of which 2 in AUTOCONFIG space).

The author solded this board.

PPS40-28-ROM20 8 MB 32 bits RAM, KS 2.0

PPS40-28-ROM20_4Mo 4 MB 32 bits RAM, KS 2.0

1.119 Module PPS 040/2000

Module PPS 040/2000 :

Yann-Erick Proy yann-erick.proy@imag.fr

Modules obtained with a A2000 B (6.2 revision), a GVP HCD II + 4 MB RAM expansion (SCSI controller), a GVP SR-2 2 MB RAM expansion (SCSI controller) and a PPS 040/2000 board fitted with 8 MB 32 bits RAM (of which 2 in AUTOCONFIG space).

The dynamic library 68040.library isn't the one delivered with the 3.1 Kickstart (40.63) but the one delivered with the board (system software dated august 1992...) : but for that it is impossible to use the Init040 program to add the memory blocks outside AUTOCONFIG space to the available memory.

It seems impossible to get stable operation if the whole PPS 32 bits RAM is outside AUTOCONFIG space.

It has been impossible to relocate the 3.1 Kickstart in RAM with the CPU FASTROM command from the 3.1 system : it has no effect.

PPS40-28-ROM31 8 MB RAM 32 bits, KS 3.1

1.120 Module GVP G-Force 040

Module GVP G-Force 040 :

Jim Gorczyca jvg@netcom.com

Module obtained with a A2000 B (4.3 revision), a MegaChip 2000 (Agnus 2 MB and 2 MB CHIP RAM) expansion, an ASDG 2 MB RAM expansion and a 33 MHz GVP G-Force 040 fitted with 16 MB 32 bits RAM.

Caution ! The tests have been done in a NTSC graphic mode instead of PAL.

GFr40-33-ROM20-GVP KS 2.0

1.121 Module GVP G-Force 040

Module GVP G-Force 040 :

Pat R. Empleo empleop@grumpy.palmdale.ca.us

Module obtained with a A2000 B (4.3 revision, ECS Denise), a MegaChip 2000 (Agnus 2 MB and 2 MB CHIP RAM) expansion, a 2 MB Picasso board and a 33 MHz GVP G-Force 040 fitted with 16 MB 32 bits RAM.

Caution ! The tests have been done in a NTSC graphic mode instead of PAL, with a 24 bits graphics board.

GFr40-33-ROM31-GVP KS 3.1

1.122 Module GVP G-Force 040

Module GVP G-Force 040 :

Michael Grom gromyko@sputnik.rhein-main.de

Module obtained with a A2000 B (4.3 revision), a 2 MB RAM expansion and a 33 MHz GVP G-Force 040 fitted with 16 MB 32 bits RAM.

GFr40-33-ROM31-GVP_bis KS 3.1

1.123 Module Amiga 3000

Module Amiga 3000 :

Philippe Brand phb@colombo.telesys-innov.fr

Module obtained with a A3000, 12 (16 ?) MB 32 bits RAM and a Retina BLTZ3 graphics board.

Philippe

achieved a module highlighting the speed of his Retina board in a graphical mode available to any Amiga (but not honouring that board, of course).

A3000-25-FAS31

KS 3.1 in RAM

1.124 Module Amiga 3000T - CBM A3640

Module Amiga 3000T - CBM A3640 :

Stephen Anspach spach@xor.lax.primenet.com

Module obtained with a A3000T (revision 6.1), 16 MB 32 bits RAM (80 ns), a CBM A3640 daughter board (revision 3.1, the one of a A4000/040) and a 2 MB Picasso II graphics board.

A3640-25-ROM31

KS 3.1

1.125 Module Amiga 4030

Module Amiga 4030 :

Denis Barthoud Denis.Barthou@prism.uvsq.fr

Module obtained with a A4030 with 8 MB 32 bits RAM and a 33 MHz 68882.

For the second module, the system was patched with the following utilities for improved performances :

CopyMemQuicker, Execpatch, fbl, SpeedRamsey.

A4030-25-ROM30_FPU33 KS 3.0

A4030-25-ROM30_FPU33_Patch KS 3.0, patched system

1.126 Module overclocked A4030

Module overclocked A4030 :

Adam Harvey a.harvey@uea.ac.uk

Module obtained with a A4030 of which the 68EC030 was overclocked to 32 MHz and with 2 MB 32 bits RAM.

This module has been downloaded on {"Aminet" link Aminet} (archive "A4K33Mhz.lha") ↔
.

A4030-32-ROM30 KS 3.0

1.127 Module A4040 and GVP Spectrum

Module A4040 and GVP Spectrum :

Philippe Thomas phil@diane.u-3mrs.fr

Modules obtained with a A4040 with 8 MB 32 bits RAM and a GVP Spectrum graphics board.

Caution ! The tests have been done in a DBLPAL graphic mode instead of PAL, then in a 256 colors EGS graphic mode.

A4040-25-ROM30 KS 3.0
A4040-25-ROM30-EGS256 256 colors, KS 3.0

1.128 Module A4000 and Warp Engine 4028

Module A4000 and Warp Engine 4028 :

Ivan Daou si2gl7@corail.cict.fr

Module obtained with a A4040 with 2 MB 32 bits RAM and a Warp Engine 4028 board fitted with 8 MB 32 bits RAM (70 ns).

Warp--28-ROM30 KS 3.0

1.129 Module A4000 and Cyberstorm 40/40

Module A4000 and Cyberstorm 40/40 :

Michael Wolf MikeWolf@bonebag.tynet.sub.org

Module obtained with a A4040 with 2 MB 32 bits RAM and a Cyberstorm 40/40 board fitted with 8 MB 32 bits RAM (70 ns).

This module has been found in the 2.31 issue of {"Amiga Report" link AmigaReport} ↔ (08/11/1994).

Cyb40-40-ROM30-Cyberstorm KS 3.0

1.130 Module A4000 and Cyberstorm 60/40

Module A4000 and Cyberstorm 60/40 :

Ralph Schmidt laire@uni-paderborn.de

Module obtained with a A4040 with 4 MB 32 bits RAM and a Cyberstorm prototype board fitted 68060 clocked at 40 MHz and with 8 MB 32 bits RAM.

As AIBB was not designed with the 68060 in mind, this module isn't very coherent. In particular, in order to obtain it, Ralph Schmidt had to force the following parameters :

```
-c0          to tell it is a 68000
              (whence the lack of tests with 68020 optimized code)
-m0          to tell there is no MMU
-f2          to tell there is a 68882
              (but the internal 68060 FPU is the one used of course)
-cs40 -fs40 to tell the clock speed is 40 MHz
              (AIBB estimated to 577 MHz the FPU clock speed...)
```

Between these disadvantageous test parameters and the 40 MHz clock speed of this prototype instead of 50 MHz, the performances achieved yet let hope impressive power for this Cyberstorm 60/50.

Cyb60-40-FAS30-Cyberstorm KS 3.1

1.131 Amiga

Amiga : the computer for the creative mind.

Being creative means necessarily turn one's back to established standards, which answer to a motivation of productivity, and experiment, sometimes to it's own detriment, something new.

This is the reason why one shouldn't then fall into the trap of devout fanaticism, creativity desert since broad-mindedness is bannished from it.

This being said...

I piss upon short-winded Macintoshes and stinking Windows PCs !!!

(Thanks Bar2...)

1.132 80486

80486 : Of course not.

The 80486 is a

```
    ROTTEN
    processor, that may be found in these
```

ROTTEN
micros
called PC, and animated (well, it's a mode of speaking...) by this
ROTTEN
system of MS-DOS, flanked by its Windows wart,
ROTTEN
to the bone !

And I don't even mention the Pentium, which can't align a division and a multiplication with float numbers.

The brand new Pentium technology : floating arithmetics.
Intel : still ahead !

CAUTION ! Intel inside !

1.133 The Amiga is a machine for enthusiasts : up and at tolerants !

PCs are rotten machines : Yes, of course yes.

You disagree ??? Uh ? Well... Aren't you
Cédric
by chance ?

1.134 Cédric Beust

Cédric Beust : Uh, who's that ?

For some people :

Brilliant Jack-of-all-trades of the Amiga in France, regular and inspired contributor to the french magazine "Amiga News" (75 published articles, since the issue #9, where he was unassembling the SCA virus), founder of the french speaking mailing-list "amiga@sophia.inria.fr", author of XData (data management mechanism via IFFParse.library)... In short, a great name of the Amiga close to Giorgio Cuppertino, Fred Fish, Urban Dominik Mueller, etc

For the others :

Pretentious INRIA researcher, dangerous revisionist inviting to forget the Amiga for looking to the PC side, dark prophet of the Amiga collapse preaching the most discouraging catastrophism... In short a wicked individual to pillory, close to Bill Gates, Marc Barret, etc

The ones and the others thus betray the
influence
that Cédric has over the
french Amiga community.

1.135 PC : Purulent Cart

PC : BEEEEUUUUUUUUUARK ! Hum ! Excuse-me...

1.136 Personnal thought... Don't read.

Personnal thought... : Don't read.

After such an epitaph, I think I gained the right to rag him one hundred times (at least) on Usenet without being excluded from the mailing list... I believed I had tell you not to read !

1.137 You were there, booby...

AIBB : Say, do you believe we're goin' to turn round like that for long ?

1.138 Rough handling...

Rough handling : a 25 MHz 68030 overclocked to 40 MHz

After having plagued his playmates for long that with his 40 MHz hot-shot he was overspeeding everybody, Lionel realized that he had lost the MMU on his way : no Enforcer or virtual memory (VMM), not much Unix...

The monster then recovered, in old scrap Sun workstations, some unlucky 25 MHz 68030, who were thinking to be able to enjoy a well deserved retirement. After having wrung more than one of these devices, he found out one being more enduring, and, since then, cruelly force it to run at 40 MHz.

1.139 Philippe Brand

Philippe Brand : world's GNU order

Dynamic french salesman of the Macrosystems company and world-wide salesman of GNU for the Amiga branch, Philippe has the advantage to experience a very comfortable situation, since the Retina BLTZ3 board is the unique graphics board available for the Amiga and GCC is the unique C++ compiler for the Amiga (or is it for any computer ?)...

Displaying an exemplary willingness despite of an overloaded daily routine this sympathetic and persuasive Amiga adept is also sysop of the Ramses BBS (the only one for Amiga in France...) and NetBSD promotor (the unique Amiga UNIX...).

One can wonder if his Amiga is not the only one world-wide to be programmable in "wooden language" !

Keep cool, have a nice
beer

1.140 Personnal thought... Don't read.

Personnal thought... : Don't read.

About that matter, the first time I meet Philippe will probably cost me a fortune in beers of many brands...
