

Sheet1

*---A macro to REPLACE all ERR or NA in a 3-D or 2-D range with ZEROS
*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
range names in this column (starts with the \Z macro name)
*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

!

\Z

ZEROERR

cont179

!

!

!

!

counter1179

counter1a179

labels1179

!

here179

!

labels1a179

!

!

!

counterb179

hereabs179

!

rel179

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs179,@cellpointer("address")}~{LET counter1179,0}  
{FOR counter1179,0,@cols(Which range ?)-1,1,labels1179}  
{let rel179,@INFO("RELEASE")}~{IF @LEFT(REL179,1)="3"}{goto}{hereabs179}~{let counterb179,counterb179+1}~{if counte  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here179,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a179,0,@ROWS(WHICH RANGE ?)-1,1,labels
```

\$F\$1

```
{IF @ISERR(@CELLPOINTER("CONTENTS"))=1}0~  
{IF @ISNA(@CELLPOINTER("CONTENTS"))=1}0~  
{DOWN}
```

\$A\$1

