in

COLLABORATORS

	TITLE : in		
ACTION	NAME	DATE	SIGNATURE
WRITTEN BY		July 26, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

in

1.1 ModuleInformation

```
ShowModule v1.10 (c) 1992 $#%!
now showing: "rexx/rxslib.m"
NOTE: don't use this output in your code, use the module instead.

(----) OBJECT rxslib
(   0)   lib:lib (or ARRAY OF lib)
(  34)   flags:CHAR
(  35)   shadow:CHAR
(  36)   sysbase:LONG
(  40)   dosbase:LONG
(  44)   ieeedpbase:LONG
(  48)   seglist:LONG
(  52)   nil:LONG
(  56)   chunk:LONG
(  60)   maxnest:LONG
(  64)   null:PTR TO nexxstr
(  68)   false:PTR TO nexxstr
(  72)   true:PTR TO nexxstr
(  76)   rexx:PTR TO nexxstr
(  80)   command:PTR TO nexxstr
(  84)   stdin:PTR TO nexxstr
(  88)   stdout:PTR TO nexxstr
(  92)   stderr:PTR TO nexxstr
(  96)   version:PTR TO CHAR
( 100)   taskname:PTR TO CHAR
( 104)   taskpri:LONG
( 108)   taskseg:LONG
( 112)   stacksize:LONG
( 116)   rexxdir:PTR TO CHAR
( 120)   ctable:PTR TO CHAR
( 124)   notice:PTR TO CHAR
( 128)   rexxport:mp (or ARRAY OF mp)
( 162)   readlock:INT
( 164)   tracefh:LONG
( 168)   tasklist:lh (or ARRAY OF lh)
( 182)   numtask:INT
( 184)   liblist:lh (or ARRAY OF lh)
( 198)   numlib:INT
```

```
( 200)    cliplist:lh (or ARRAY OF lh)
( 214)    numclip:INT
( 216)    msglist:lh (or ARRAY OF lh)
( 230)    nummsg:INT
( 232)    pgmlist:lh (or ARRAY OF lh)
( 246)    numpgm:INT
( 248)    tracecnt:INT
( 250)    avail:INT
(----) ENDOBJECT      /* SIZEOF=252 */

CONST RLFB_SUSP=2,
      RLFB_TRACE=0,
      RLFB_HALT=1,
      CTF_REXXSYM=8,
      CTB_REXXSYM=3,
      CTF_ALPHA=4,
      CTB_ALPHA=2,
      CTF_REXXOPR=16,
      CTB_REXXOPR=4,
      CTF_SPACE=1,
      CTB_SPACE=0,
      RXSTPRI=0,
      RLFMASK=7,
      RLFB_STOP=6,
      CTF_REXXSPC=$20,
      CTB_REXXSPC=5,
      RLFB_CLOSE=7,
      RXSCHUNK=$400,
      RXSNEST=$20,
      CTF_UPPER=$40,
      CTB_UPPER=6,
      CTF_LOWER=$80,
      CTB_LOWER=7,
      CTF_DIGIT=2,
      CTB_DIGIT=1,
      RXSSTACK=$1000

#define RXSDIR/0
#define RXSTNAME/0
#define RXSNAME/0
```