

#\$+ Sample Module>About (**Module TSAMPLE**)**Module Commands**

Sample Module

Star

{bmct toso.bmp}

**North America, Inc.**648 Ashbury Street  
San Francisco, CA 94117  
U. S. A.

Phone 1-800-275-9406

Phone (415) 522 0612

Fax (415) 522 0287

CompuServe GO TOSOENG

**Germany**Selchower Straße 32  
D-12049 Berlin  
Germany

Phone +49 30 621 5931

Fax +49 30 621 4064

CompuServe GO TOSOGER

**Internet**sales@tommysoftware.com (Sales)  
support@tommysoftware.com (Technical Support)  
http://www.tommysoftware.com (World Wide Web)

Module TSAMPLE Help - Version 1.00e - Copyright 1996 TommySoftware®

# IDX\_INDEX

\$ Sample Module&gt;About

+ IDB\_MAIN:1

## #\$+ Sample Module>Star (**Module TSAMPLE**)

### General

This command draws a star. The star is determined by entering its center and two radius.

#### 1. *Enter center point*

The center point of the star can be entered by clicking the mouse anywhere in the drawing.

Optionally, specific coordinates can be entered. Press the F8 key or press ENTER. Absolute or polar coordinates can then be entered. For further information on coordinate entry, see [Coordinate Entry \(F8\)](#).

#### 2. *Enter radius 1*

The first radius of the star can be entered by clicking the mouse anywhere in the drawing at a point through which the circle should run.

Optionally, specific coordinates can be entered. Press the F8 key or press ENTER. Absolute, relative or polar coordinates can then be entered.

You can also enter a specific radius. This gives the first radius of the star. For further information on coordinate entry, see [Coordinate Entry \(F8\)](#).

#### 3. *Enter radius 2*

The second radius of the star can be entered by clicking the mouse anywhere in the drawing at a point through which the circle should run.

Optionally, specific coordinates can be entered. Press the F8 key or press ENTER. Absolute, relative or polar coordinates can then be entered.

You can also enter a specific radius. This gives the second radius of the star. For further information on coordinate entry, see [Coordinate Entry \(F8\)](#).

The star is assigned to the current layer. In addition, it contains a reference to the current pen.

### Options

[How can I access information on this dialog?](#)

```
{bmc sm0000.shg}
```

---

```
# IDX_COMMAND1  
$ Sample Module>Star  
+ IDB_MAIN:1
```

# Clicking on this button will close the dialog accepting all changes. Any changes or operations specified will be carried out.

# Clicking on this button will close the dialog, without accepting any changes. Any following operation will not be carried out.

# The value in this edit field determines the number of indent the star shall have.

# The value in this edit field determines the rotation of the star, i.e. the orientation of the first indent of the star.

