

A500Accel

COLLABORATORS

	<i>TITLE :</i> A500Accel		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 24, 2024	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	A500Accel	1
1.1	A500 Accelerator	1

Chapter 1

A500Accel

1.1 A500 Accelerator

Amiga 500 Accelerator Processor

By Leslie Ayling. Edited by PARASITE.

Welcome once again to cheapskates corner, where we try and buy the world for a song. This time around we shall increase the speed of the processor to just over 14Mhz, double the standard speed, for under \$25 !!!!

You will need the following -

1. an MC68000p12A 16MHz processor. These are available in Sydney from VSI electronics, 16 DICKSON ave ARTARMON 2064 ph (02)4398622 cost is \$18.90 plus tax (\$22.68 tax inc.)
2. a 74F74 D type flip flop. Geoff wood at Lane Cove or Rod Irving should keep them.
3. a few short lengths of hook-up wire.
4. a SPDT switch.

Refer to the accompanying circuit diagram.

Note: Keep the leads to the switch as SHORT as possible.

The circuit is relatively straight forward. the 74F74 is wired as a positive edge triggered divide by two circuit, which provides the alternate clock frequency of 14.18Mhz approxiamately. The old 68000 8Mhz processor is removed and replaced with the 16Mhz version which has is clock pin (15) bent out horizontally so we can connect our new circuitry to it. The SPDT switch either connects the normal 7Mhz signal or the new 14Mhz signal to the 68000's clock input.

The switch can be changed while the machine is on, however it will simply lock up. Just reset as usual from the keyboard once you have changed speed.

I have a revision 5 board with new 1.3 roms which cope with the new speed quite happily. Using the program CRAMDEN-SI from MEGADISC 10 to compare the difference the mod makes : the standard position gives-
performance relative to amiga 1000 : 1.0
performance relative to ibm pc/xt : 3.2

On high speed the performance is-
performance relative to amiga 1000 : 1.7
performance relative to ibm pc/xt : 5.2

so roughly a 70% increase in performance.
Even though the clock speed is doubled to the processor, the performance doesn't increase to 2.0 because the agnus and the other support chips are still running at the same speed as before thus holding the processor up for a slightly higher percentage of the total time than before.

This mod basically gives the same capability as the CMI accelerator board priced at \$399 in sydney, with the exception that it isn't software controlled. However when it's only costing 1/16th the price one cant really complain!!.

The machine should work on the 1000 and 2000 however the pin numbers may be different. I suggest you compare the a500 schematics with that of your machine and make note of the differences.

ADDENDUM

One machine this mod was carried out on had trouble with the one of the disk drives at high speed. It appeared to be trying to step the head of the internal drive faster than the drive could physically move and refused to boot. When I connected a drive with a 5ms track-track access time and booted off of it the problem dissappeared.

I have a patch for this problem for normal DOS disks to slow down the step rate which sits in the boot sector. It may be a problem however for protected software or non-standard boot sector type programs. Don't despair however the patch is very small and should fit in somewhere anyway. Just drop me a line. If your machine exhibits the problem, the patch disk is available DIRECT from me with various usefull disk speedup utils and a Trackdisk step-rate alteration program, plus loads of other priceless information on gurus, reset program flow, diagnostics all on an ARP1.3 system disk for the princely sum of \$5 !! There should be no problem with HARD disks however.

End.

Back To Main Menu

Back To Projects Menu