

Technical Note TN1074

QuickTime For Windows: Resolving Common Installation Issues

CONTENTS

[Installation Dialogs Explained](#)

[Control Panel Tips to Customize Installation](#)

[Troubleshooting](#)

[Un-installing QuickTime for Windows](#)

[Summary](#)

[References](#)

[Downloadables](#)

Many questions can arise when installing QuickTime for Windows due to the different versions of Windows currently available and the various options that the installer provides. This Note discusses some of the most common installation issues that you or your developer technical support team may encounter and how to resolve them.

This Note focuses on QuickTime for Windows v 2.1.2. If you are using an earlier version, it is recommended that you upgrade to 2.1.2, since this will resolve many installation problems that may occur with earlier versions. You can download the latest version, which is available at <http://quicktime.apple.com/sw/sw.html>.

The first section of this Note discusses the dialogs that occur during the installation of QTW 2.1.2. The second section provides you with some useful tips for using the Control Panel to customize your installation. The third section talks about common problems related to installation and how to resolve them. Finally, the last section explains the best way to un-install QTW.

Updated: [Oct 01 1996]


Installation Dialogs Explained

The QTW 2.1.2 installer brings up a number of dialogs to help walk you through the installation process.

On starting the installer you may receive a message stating that another QuickTime program or library has been detected in memory. It asks if you want to restart Windows. If you do not wish to restart Windows, you can simply go to your Task List, select the QuickTime tasks, and end them. However, this requires quitting the installer and then starting it again once you have ended the tasks.

The License Agreement Dialog

Normally, the first dialog box that appears when running the installer is the License Agreement Dialog. This dialog is new with QTW version 2.1.2. You should read it and click the Agree button to continue with installation. If you select the Disagree button, the installation is canceled. There may be some installations of QTW 2.1.2 that do not include the license agreement dialog. This is because QTW application developers do have the option to remove this dialog.




The Begin Install Dialog

The Begin Install dialog is the next to appear when you select Agree from the previous dialog. If you choose the Help button from this dialog box, you will find some helpful setup information. However, there is one clarification that should be made to this information. It states that you must have at least 6 MB of available space on your hard drive. This isn't exactly true. The finished installation will take up 6 MB of disk space. However, the installation process actually requires just over 10 MB of disk space. So, in reality, you need approximately 10.1 MB of disk space available for installation.



The Check Existing Versions Dialog

When you choose the Install button from the Begin Install dialog, a new dialog appears: Check Existing Versions. This dialog gives you the option to check for existing versions of QTW. If you select this option, the installer looks for any files from an earlier installation of QTW and marks them for deletion. The files won't actually be deleted at this time. After the installation is complete, the installer looks for any remaining files marked for deletion that were not overwritten by the new installation, and will delete them at that time. Be aware, however, that the installer won't check directories on read-only volumes, such as CD-ROMS. Also, be aware that the 16-bit installer will only check for existing versions of 16-bit QTW files. Similarly, the 32-bit installer will only check for existing versions of 32-bit QTW files.



It is recommended that you select the Check Existing Versions option to insure a clean install. You select it by clicking on the Start button. If you do not wish to check for existing versions, you must select the Skip button.

Assuming that you have decided to check for any existing versions as recommended, you now see a dialog box displaying the directories as they are being checked. Below the directory name are two options that you may select at any time during the checking process:

- Skip Disk: Skips checking the current disk and begins checking the next disk.
- Skip All: Stops checking completely.



When a directory is found that contains one or more files from a earlier installation, the checking stops and the dialog notifies you of the directory name and gives you the following options:


- Delete: Marks for deletion the QTW files within the specified directory.
- Skip: Skips checking this directory and continues to the next.
- Skip Disk: Skips checking the current disk an begins checking the next disk.
- Skip All: Stops checking completely.

When checking is completed (or Skip All was selected), the Complete Install dialog appears. At this point no changes have been made to your system. Remember, files have only been marked for deletion, but not actually deleted. Selecting Exit from this dialog will leave your system untouched. Most likely, you will select Install, which will bring you to the Installing Files dialog.


Note: There may be some QTW 2.1.2 installations that do not give users this option of checking existing versions. These installers will automatically check for existing versions with no option for the user to cancel. This is because QTW application developers do have the ability to make this option automatic.

The Installing Files Dialog

The Installing Files dialog displays a progress bar while the files are being installed. Any existing files with the same name will be overwritten. Once all files are installed, any files marked for deletion that did not get overwritten will be deleted. The progress bar will then hit 100%, which will bring up a small dialog stating Updating INI Files, which tells you that it is updating the WIN.INI and SYSTEM.INI files, as well as the registry as appropriate on Win95 and WinNT.



While the files are installing, the progress bar may be interrupted by the error dialog box displayed below. To resolve this, you should first click the OK button which will cancel the installation. Next, make sure that you don't have the system control panel window open. Do not pay attention to the instructions in the error dialog because it doesn't make sense in this situation. If, after reattempting installation, you still get the error, shut down Windows and reboot the system.



Next, Program Manager pops up as the installer creates a QTW program group for Program Manager. This is followed by the Success dialog which tells you that the installation was successful. It gives you the option to Exit or Play Sample at this point. When you select Play Sample, the Movie Player is launched with the sample movie in an idle state.




To play the movie, you need to choose one of the following three ways to start it:

1. The keyboard method: press the spacebar, hit enter or hit return.
2. Click the play button.
3. Double-click on the movie image itself.

The movie will loop continuously until you stop it. Choose one of the following three ways to stop the movie:

1. The keyboard method: press the spacebar, hit enter or hit return.
2. Click the pause button (which previously was the play button)
3. Single-click on the movie image.

When you select Play Sample and the Movie Player is launched, it is at that point that your installation is complete. If you select Exit instead of Play Sample, a dialog will appear asking if you are sure you don't want to play the sample movie. When you click Yes, installation is complete. If you click No, the Success dialog reappears so that you again have the option to play the sample movie. The only purpose of playing the sample movie is to verify that the installation was successful.



[Back to top](#)

Control Panel Tips To Customize Installation

The QuickTime Control Panel is useful to verify your setup. You can also use it to customize your installation. See the Troubleshooting section later in this Note for instances when you may want to modify the QuickTime Control Panel. Here are some QuickTime Control Panel tips:

Tip #1

Click the Verify Setup button from the QuickTime Control Panel. This will either verify a successful installation with a message No Problems Found, or it will display any missing files designating an unsuccessful installation.

Tip #2

Don't use the Apply button when you've made modifications to the QuickTime Control Panel. The Apply button will write changes to the QTW.INI file, but will not take effect until after the Control Panel is closed. Therefore, it is better to use the Close button, which asks you if you want to apply your changes if you have, in fact, made changes. When you select Yes, the modifications are actually applied and the Control Panel is closed at the same time.

Tip #3

Restart Windows after making modifications to the QuickTime Control Panel, especially if you were having problems. This insures that changes will take effect when you next start Movie Player.

[Back to top](#)

Troubleshooting

This section contains error messages and problems related to installation and how to resolve them.

In general, for most installation problems you should first check the QTW version that is installed. If it is a version earlier than 2.1.2, the software should be upgraded. This will resolve a lot of installation problems. The interactive way to determine the installed version of QuickTime for Windows is to run Movie Player (player.exe in the Windows directory) and click on Help|About Movie Player.

Errors During Installation

If the installer reports an error indicating that it can't write to a file or that the file is being shared by another application, reboot the system.

If the installer reports an error during the "modifying .INI files" stage, the problem is that your WIN.INI file is too big. The QTW installer calls Windows' SetProfileString(), which fails if Win.ini is larger than 32KB. This is most likely caused by the file becoming clogged with hundreds of lines of PostScript font declarations or something similar.

The workaround is to rename WIN.INI to something else, then install QuickTime for Windows. This creates a new WIN.INI that has just a few lines in it. You can then use a text editor to move those lines to the appropriate sections near the beginning of the big .INI file. Delete the small WIN.INI and rename the big file back to WIN.INI.

An Error During Re-Install

Sometimes when you do a re-install you may receive an error message saying that the QTINSTAL.EXE file is missing. If you look for this file, you will find that it really is missing! Because this is your executable installer file, you need to re-install from the original installation location (CD-ROM, network server, diskette, etc.)

Fixing Audio Break-up Problems

Some audio cards and drivers use a large amount of CPU time. This can cause break-up of the audio accompanied by poor video performance. The original SoundBlaster Pro, for example, has problems when the total audio data rate exceeds 22050 bytes per second. To improve performance, the audio data rate can be limited by the use of several settings in the QTW Control Panel's More|Audio screen. Here are two ways to limit the rate to 22050:

1. For mono audio at 22050 bytes per second, set:

Sample Rate Requested hz: 22050

Sample Depth: 8 bit

Channels: Mono

2. For stereo audio at 22050 bytes per second, set:

Sample Rate Requested hz: 11025

Sample Depth: 8 bit

Channels: Stereo

Note: Automatic Rate Adjustment should only be selected if your only performance problem is the audio slowly drifting out of synch with the video.

To save these settings, click Close, and restart Windows (to be on the safe side) before retesting performance.

Audio-Video Synchronization Problems

QTW 2.1.2 contains an automatic-audio-rate-adjustment feature which was meant to correct audio playback problems on systems that contain an ESS sound chip. While this goal is usually achieved, on some systems undesirable side-effects such as high-pitched sound may occur.

The solution to this problem (when it occurs) is as follows:

1. Go to the QuickTime Control Panel and select More|Audio.
2. Change the Sample Rate-Requested hz: to "default".
3. Make sure that Automatic Rate Adjustment is selected.

4. Click Close, and then restart Windows (to be on the safe side).
5. Play the calibration movie, SAMPLE.MOV, from the Windows directory. This will recalibrate the...sound chip.
6. Exit Movie Player and go back to the QuickTime Control Panel.
7. Select More|Audio and deselect Automatic Rate Adjustment.
8. Click Apply, and then Close. Sound should now be fine.

Encountering DynaLink Errors

A Dynalink error may occur if, for some reason, there are older versions of QTW files installed. This would only occur in 16-bit QTW.

To resolve this problem, you should first try reinstalling QTW 2.1.2, making sure that you select the Check for Existing Versions option during installation. See the Installation Dialogs section of this Note for more details.

If the problem still occurs, you are probably running an application from a read-only volume, such as a CD-ROM, which has an older version of QTW on it. Your only option at this point is to uninstall QTW 2.1.2 (see the section Un-installing QuickTime for Windows). Then you can install your application from the CD-ROM which will install the required early version of QTW.

Fixing Video Draw Problems

If QuickTime for Windows doesn't recognize or falsely recognizes the display board, or if you simply suspect that your problems are related to drawing the Movie image on the screen, you need to change the Video Draw Method. The recommended way to do this is with the QuickTime Control Panel; however, it can also be done by editing the QTW.INI file.

To do this from the Control Panel, follow these steps:

1. Select More|Video|Draw Method from the QuickTime Control Panel.
2. Change the Optimization to: Driver.
3. Click Close, and restart Windows (to be on the safe side).
4. If that doesn't work, try the other Optimizations. They are listed in order of speed (fastest to slowest), so try the faster ones first.

Editing the QTW.INI file, however, is *not* recommended. The reason is that it's easy to get it wrong. The only time you might have to do this is if your video is so messed up that you can't even bring up the Control panel without crashing. In that case, you need to edit the QTW.INI file.

To do this by editing the QTW.INI file, add or change the [Video] section of QTW.INI to read:

```
[Video]
Optimize=Driver
```

Note that this is how you fix 16-bit QTW. To fix 32-bit QTW, you change the Section name from [Video] to [Video 32].

If 'Driver' doesn't work, try 'BMP', 'RAW', and 'DIB'.

[Back to top](#)

Un-Installing QuickTime for Windows

QuickTime for Windows v. 2.1.2 has an un-installer that works with Windows 95 and Windows NT. It does not work,

however, with Windows 3.1.

There are several reasons why you may want to uninstall QTW 2.1.2. For example, you may want to free up disk space, or you may need to run an application from a CD-ROM that requires an older version of QTW. You should not un-install QTW to free up memory because, when QTW is not being called, it is not loaded into memory at all and therefore does not use any unnecessary overhead.

If you must uninstall QTW 2.1.2 and you're using Windows 3.1, remove all files in the Windows directory and Windows System directory with the date of 8/27/96 and time stamp of 2: 12: 00AM. The only file you do not want to delete is the 2.1.2 installer file, so that you can re-install QTW 2.1.2 in the future. This is the safest way to manually un-install QTW.

Follow these steps to manually un-install QTW:

1. In the File Manager, go to the Windows directory.
2. Select View|Sort by date
3. Click and select the first file with the date of 8/27/96 and time stamp of 2: 12: 00AM.
4. Shift-Click the last file in the list with the same date and time stamp so that all files with this date and time stamp are highlighted.
5. Control-Click on the QTINSTAL.EXE file so that you don't remove the 2.1.2 installer. This file is no longer highlighted.

Note: For 32-bit, it's QT32INST.EXE, not QTINSTAL.EXE.

6. Delete the highlighted files.
7. Repeat steps 1 through 6 for the Windows System directory but skip step 5, since the QTINSTAL.EXE file doesn't exist in this directory.

Playing MPEG Videos Through QTW, But Only Under Special Configurations

Currently, there are no known MPEG boards that work with QTW. In the past, the REALmagic MPEG boards did work with QTW; the latest REALmagic boards, however, do not. Those users with old REALmagic boards may be able to play MPEG videos through QTW, but only under the following configuration:

1. Windows 3.1
2. One of the discontinued REALmagic boards: ReelMagic, REALmagic Lite, or REALmagic Rave
3. The discontinued REALmagic driver, version 2.01.

Most users may not have this configuration and, therefore, must play MPEG videos using the application or method provided with their MPEG board.

Because there was support for MPEG through QTW in the past, versions of QTW 2.0.0 - 2.1.0 associate .MPG files with the QuickTime Movie Player. This means that when you open a .MPG file, Movie Player will launch and attempt to play the MPEG video. Now that MPEG support for QTW is no longer available, Movie Player will still launch but display a message stating that QuickTime cannot play this video. The problem was fixed in QTW 2.1.1 by removing the .MPG file association.

This file association problem in the earlier versions led some hardware manufacturers to ask their customers not to install QuickTime or applications that install QuickTime. These manufacturers are not aware of the fix. Thus, any users concerned about installing QTW because their computer manufacturer recommends against it should feel safe to install QTW 2.1.2 and applications that install QTW 2.1.1 or later.

Steps to Insure That an Old Installer Doesn't Associate .MPG Files With QuickTime

If you are installing an application that installs a version of QTW earlier than version 2.1.1, you should follow the steps below to insure that the old installer doesn't associate .MPG files with QuickTime:

1. Check the current file association for .MPG files and make a note of it.
2. Install QTW 2.1.2.
3. Install the application.
4. Check the file association for .MPG files again.
5. If the file association for .MPG files was not changed, you are done. If it has changed, proceed to step 6.
6. Change the .MPG file association back to what it was in step 1.
7. Reinstall QTW 2.1.2 since it was overwritten by an older version.

The reason this series of steps works is because when the application's installer attempts to install the older version of QTW in step 3 above, the installer will see that there is already a newer version installed and skip the QTW part of its installation. However, there is a possibility that the application's installer was not written to notice that a newer version of QuickTime was already installed and, as a result, the older version of QTW will be installed. This is what would cause the .MPG file association to be changed in step 4 from what it originally was in step 1. You can then correct the problem by changing the .MPG file association back to what it was and then reinstalling QTW 2.1.2.

Variations in Methods for Changing .MPG File Association

The method for changing the .MPG file association will vary depending of the version of Windows being used. For Windows 3.1, in the File Manager, you need to select Association from the File menu. For Windows 95, you need to open an explorer window and select Options from the View menu. Then, you click on File Type and edit the file association.

Note: If the file association for .MPG files was changed by an earlier installation of QTW, installing QTW 2.1.1 or 2.1.2 will not restore the file association back to what it originally was. Thus, .MPG files will continue to launch QuickTime, even with the new version installed. You need to manually correct the file association using the method described above. If you don't know what the original .MPG file association was, you need to contact your MPEG vendor to get it.

[Back to top](#)

Summary

Because there are many set-up options and other issues to consider when installing QTW, the typical user may encounter problems. The solution to many of the problems is to simply update to QTW 2.1.2, if you have not already. This Note explains the installation process and some of the recommended options that should be selected. It also discusses error messages and other problems that may occur as a result of installation and how to resolve them.

[Back to top](#)

References

[QuickTime Windows QAs](#)

[QuickTime web site](#)

[Back to top](#)

Downloadables



Acrobat version of this Note (K).

[Download](#)

[Back to top](#)

Technical Notes by [API](#) | [Date](#) | [Number](#) | [Technology](#) | [Title](#)
[Developer Documentation](#) | [Technical Q&As](#) | [Development Kits](#) | [Sample Code](#)