

Somar™ ACTS™ Version 1.7 Help Contents

Copyright © 1994-1995 Somar Software

Send problem reports and comments to 72202.2574@compuserve.com

For more information about the Somar product line, visit the Somar Software Web site at <http://www.somar.com>.

[Overview](#)

[Installation](#)

[Setup](#)

[Command Line Options](#)

[Uninstallation](#)

[Copyright/License/Warranty Disclaimer](#)

[Order Form](#)

[Technical notes](#)

Overview

Somar ACTS is an automatic computer time source program for Microsoft® Windows NT™ and Windows 95. Somar ACTS allows you to set the internal clock of your computer with accuracy of about a second, using either the National Institute of Standards and Technology (NIST) or United States Naval Observatory (USNO) time source. Somar ACTS dials the time source using a modem, obtains the current time, and then uses this time to set the system time on your PC.

Somar ACTS can optionally be run as a batch program, so you can use the AT command to schedule it to run late at night, for example.

There are programs similar to Somar ACTS for Windows 3.1 and DOS, but these will not work under Windows NT, because Windows NT requires a program to have the SetSystemTime privilege before it can set the internal clock, and programs do not have this privilege by default. See [Installation](#) for how to ensure that Somar ACTS can obtain the SetSystemTime privilege.

Installation

- 1) Place ACTSNT.EXE and ACTSNT.HLP together in any directory.
- 2) (Windows NT only) Ensure that all users who will be running ACTSNT.EXE have the SetSystemTime right. Members of the Administrators and Power Users groups have this right by default. You can assign this right to other users using the User Manager (User Rights option under the Policies menu).
- 3) The first time ACTSNT.EXE is run, it will create the following registry keys:
(Windows NT and Windows 95):
HKEY_LOCAL_MACHINE\SOFTWARE\SomarSoftware\ACTS

(Windows NT only):
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\EventLog\Application\Somar ACTS
- 4) Use the Setup dialog to configure Somar ACTS.
- 5) Select the Dial and Set Time option to set your computers time. Observe the results display to verify that the modem is configured properly.
- 6) See Command Line Options for how to run Somar ACTS as a batch program.
- 7) (Windows NT only) Somar ACTS adds event log entries each time it sets the system time. You can view these entries using Event Viewer.
- 8) Note that there is no need to make any Time Zone adjustments when using Somar ACTS. The time source, Windows NT and Somar ACTS all use Universal Time (UTC), even though your computer may be setup to display a local time. See Technical notes for further discussion.

Setup

Time source

You can choose to use either of the following sources to set your computers time:

NIST	1-303-494-4774
USNO	1-202-653-0351

Both sources give similar results.

Modem

Somar ACTS has only been tested with Hayes ® compatible modems. It always sets the comm port for 1200 bps, 8 data bits, no parity, 1 stop bit. The modem must be configured to return verbose result codes. Example of typical modem setup strings:

Initialize	ATQ0V1E1S0=0
Dial	ATDT9-1-303-494-4774
Hangup	ATH

Command Line Options

- /b** Batch option. Dial and set time immediately, without waiting for operator input, then terminate.
Retry 0 times unless **/retry:** option is specified.
Return code of 0 if time set successfully, non-zero otherwise.
- /retry:n** Number of retries allowed if dialing attempt fails.
Value of 2 results in 3 attempts total (original plus 2 retries).
Default value is 0.
- /f** Force failure of dialing attempts for debug purposes.
- /u** Uninstall (removes Somar ACTS registry keys). Does not delete `ACTSNT.EXE` or `ACTSNT.HLP`.

Uninstallation

- 1) Run `ACTSNT.EXE` with the `/u` option to delete the Somar ACTS registry keys.
- 2) Delete `ACTSNT.EXE` and `ACTSNT.HLP` from your computer.

Copyright/License/Warranty Disclaimer

Somar ACTS is Copyright © 1994-1995 Somar Software, All rights reserved.
Send problem reports and other comments to 72202.2574@compuserve.com.

You should carefully read the following terms and conditions before using this software. Use of this software indicates your acceptance of these terms and conditions. If you do not agree with them, do not use the software.

License Agreement

This is not free software. You are hereby licensed to: use the Shareware Version of the software for a 21 day evaluation period; make as many copies of the Shareware version of this software and documentation as you wish; give exact copies of the original Shareware version to anyone; and distribute the Shareware version of the software and documentation in its unmodified form via electronic means. There is no charge for any of the above.

You are specifically prohibited from charging, or requesting donations, for any such copies, however made; and from distributing the software and/or documentation with other products (commercial or otherwise) without prior written permission, with one exception: Disk Vendors approved by the Association of Shareware Professionals are permitted to redistribute Somar ACTS, subject to the conditions in this license, without specific written permission.

You are specifically prohibited from copying or redistributing the keyfile (ACTSNT.KEY) that will be sent to you upon receipt of your registration payment.

Unregistered use of Somar ACTS after the 21-day evaluation period is in violation of federal copyright laws.

A single registered copy of Somar ACTS can only be installed/executed on a single computer. If you install Somar ACTS on a file server and execute it over the network from workstations, then you must have a license for each of these workstations.

Site/organization licenses are available. A site/organization license gives you the right to use the software on an unlimited number of computers belonging to a single organization (corporation, government agency, etc). See the order form for pricing.

Upon receipt of your registration payment, you will be sent a key file (ACTSNT.KEY), which is to be placed in the same directory as ACTSNT.EXE. This key file will be your proof of registration and will cause your registration name and number to appear in the Help>About dialog box.

For how to register and pay, see [Order form](#).

Note that Somar Software reserves the right to increase the registration fee at any time without notice. If the fee has been increased, and your payment is received after such increase, then Somar Software has the right to require additional payment before accepting your registration and sending you a key file. Once you have paid the then current registration fee, and Somar Software has accepted your fee and sent you a key file, you have the right to use the version of Somar ACTS that you paid for, for as long as you want, without additional payment. Future versions of Somar ACTS may require a different key file. You may be required to pay an additional fee to upgrade to such future versions.

Governing Law

This agreement shall be governed by the laws of the District of Columbia.

Disclaimer of Warranty

THIS SOFTWARE AND THE ACCOMPANYING FILES ARE SOLD "AS IS" AND WITHOUT WARRANTIES AS TO PERFORMANCE OF MERCHANTABILITY OR ANY OTHER WARRANTIES WHETHER EXPRESSED OR IMPLIED. IN PARTICULAR, THERE IS NO WARRANTY THAT SOMAR ACTS WILL SET THE TIME ON YOUR COMPUTER ACCURATELY. SOMAR ACTS IS NOT CAPABLE OF SETTING YOUR COMPUTERS CLOCK MORE ACCURATELY THAN WITHIN A FEW SECONDS, AND IN SOME CASES SOMAR ACTS MAY NOT SET THE TIME CORRECTLY AT ALL, DUE COMMUNICATION AND OTHER DELAYS THAT CAUSE THE TIME CODE RECEIVED FROM THE TIME SOURCE TO BE INACCURATE, AND BECAUSE THE TIME SOURCES MAY CHANGE THEIR FORMATS AT ANY TIME. IT IS YOUR RESPONSIBILITY TO MONITOR THE MESSAGES PRODUCED BY SOMAR ACTS AND VERIFY THAT THE TIME IS BEING SET CORRECTLY TO WITHIN A FEW SECONDS. IN ADDITION, SOMAR ACTS IS NOT GUARANTEED TO RUN ON ANY PARTICULAR COMPUTER, DUE TO THE GREAT VARIETY OF COMPUTER SOFTWARE/HARDWARE CONFIGURATIONS, UPON MOST OF WHICH SOMAR ACTS HAS NOT BEEN TESTED. THERE IS NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

GOOD DATA PROCESSING PROCEDURE DICTATES THAT ANY PROGRAM BE THOROUGHLY TESTED BEFORE RELYING ON IT. THE USER MUST ASSUME THE ENTIRE RISK OF USING THE PROGRAM. ANY LIABILITY OF THE SELLER WILL BE LIMITED EXCLUSIVELY TO PRODUCT REPLACEMENT OR REFUND OF PURCHASE PRICE.

Order Form - Somar ACTS V1.7

To print this order form, click on Print Topic in the File pull-down menu.

Current Somar voice/fax numbers and hardcopy mail address and any other ordering instructions are available at <http://www.somar.com/ordering.htm> or via email from 72202.2574@compuserve.com. This information is not included here because it may change from year to year.

You can register and pay for Somar ACTS by 3 methods:

VISA/Mastercard credit card. Send this form via hardcopy mail or fax, or send information via email (you must accept risks of eavesdropping on email), or place order by voice phone.

Check in US dollars drawn on a US bank, payable to Somar Software. Send with this form via hardcopy mail.

CompuServe registration service (GO SWREG, specify ID 2189). Charge will appear on your CompuServe monthly statement. Key file will be sent via email only.

When your registration payment is received, you will be sent a key file (ACTSNT.KEY) via email (SMTP MIME or CompuServe attachment). This key file will be your proof of license and will contain your registration name (see below) in encrypted format. This registration name will appear in the Help>About box when a valid key file is properly installed. You can also order a 3.5" diskette containing the keyfile and most recent version of the software, at an additional cost, to be shipped via hardcopy mail.

_____ licenses at US\$10 each (at least 1 required) = _____
(purchase 10 licenses total and automatically get a "site" license
for unlimited usage by a single organization)
Airmail shipping and handling + US\$5
(only if you want key file sent on 3.5" diskette)
Current DC sales tax (if shipping address is in DC, USA) + _____

Pay by (circle one): Check Visa Mastercard Total = _____

Credit card #: _____ Exp date: _____

Name on card: _____ Signature: _____

Registration name: _____
(name that will appear in the key file, normally a company name)

Email address (required): _____

Voice: _____ Fax: _____

Shipping address (include country if outside USA):

Technical notes

Time sources

Somar ACTS obtains the current time by dialing a time source and then waiting for a time code string to be sent. It is not necessary to send any commands to the time source. The time source sends the time code string automatically every second on the second.

Format of NIST time code string

```
jjjjj yy-mm-dd hh:mm:ss tt l uuu aaaaa UTC(NIST) O
```

```
jjjjj      = last 5 digits of days since jan 1, 4713 b.c.  
yy-mm-dd   = year (last 2 digits), month, day in UTC time  
hh:mm:ss   = hours, minutes, seconds in UTC time  
tt         = daylight saving indicator  
l          = leap second indicator  
uuu        = correction factor for old format UTC  
aaaaa      = milliseconds that time is being advanced  
UTC(NIST)  = constant  
O          = on-time marker  
           = '*' if time is uncorrected  
           = '#' if time is corrected
```

The on-time marker should be returned to NIST until it changes to a '#'. At that time, the time should be received by your computer exactly at the start of the second. The aaaaa correction factor will indicate how many milliseconds early NIST is sending time in order to compensate for transmission delays. Initially, NIST will send time 45 milliseconds early.

Format of USNO time code string (visit <http://www.usno.navy.mil> for more info)

```
jjjjj ddd hhmmss UTC
```

```
jjjjj      = last 5 digits of days since jan 1, 4713 B.C.  
ddd        = julian day of current year  
hhmmss     = hours, minutes, seconds in UTC time  
UTC        = constant
```

Modem algorithm

1. Open comm port.
2. Initialize comm port for 1200 bps, 8 data bits, no parity, 1 stop bit, DTR enabled.
3. Write initialize string to modem.
4. Wait for OK from modem (wait max of 100 seconds)
5. Write dial string to modem.
6. Loop receiving time code string from modem. When time code is stable, set PC clock. Loop at most 15 seconds.
7. Clear DTR.
8. Wait 3.2 secs, write +++ to modem, wait 3.2 secs.
9. Write modem hangup string.
10. Wait for OK from modem (wait max of 10 seconds).
11. Close comm port.

Cancel operation if BUSY, NO CARRIER, ERROR, NO ANSWER or NO DIALTONE received from modem at any time, or if comm port error.

Significance of time zone

You can use the Control Panel Date/Time applet to set the time zone and daylight saving settings for your computer. The only purpose of these setting is to affect the local time displayed by programs such as CLOCK.EXE. Windows NT always stores time internally using Universal Time (which is the local time at 0 degrees longitude). Somar ACTS simply passes the Universal Time received from the time source to Windows NT, and so does not need to be aware of the local time zone or daylight savings settings for your computer.

