

TTManager

Jody Tierney

Copyright © CopyrightÂ©1996-97 Jody Tierney

COLLABORATORS

	<i>TITLE :</i> TTManager		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Jody Tierney	March 26, 2025	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	TTManager	1
1.1	TTManger Documentation	1
1.2	TTManager: What Is It?	1
1.3	TTManager: Requirements	2
1.4	TTManager: Legal Issues	2
1.5	TTManager: Installation	3
1.6	TTManager: Startup Options	3
1.7	TTManager: Window Position Keywords	4
1.8	TTManager: Window Dimension Keywords	4
1.9	TTManager: Font Keywords	4
1.10	TTManger: AppIcon Keyword	5
1.11	TTManager: Page Keyword	5
1.12	TTManager: Edit Mode Keyword	5
1.13	TTManager: Load Mode Keyword	6
1.14	TTManager: Load Type Keyword	6
1.15	TTManager: Maximum Undo Levels Keyword	6
1.16	TTManager: Close After Save Keyword	7
1.17	TTManager: No Warnings Keyword	7
1.18	TTManager: No Icons Keyword	7
1.19	TTManager: Commodity Priority Keyword	8
1.20	TTManager: Hotkey Keyword	8
1.21	TTManager: The Commodity Interface	8
1.22	TTManager: Input Qualifiers	9
1.23	TTManager: The AppMenu	9
1.24	TTManager: The AppIcon	10
1.25	TTManager: The GUI	10
1.26	TTManager Window - Global Gadgets: Filename Gadget	11
1.27	TTManager Window - Global Gadgets: Icon Type Cycle Gadget	11
1.28	TTManager Window - Global Gadgets: Page Cycle Gadget	12
1.29	TTManager Window - ToolType Page Gadgets: ToolType Loading Gadgets	12

1.30	TTManager Window - ToolType Page Gadgets: ToolType Display & Editing	13
1.31	TTManager Window - ToolType Page Gadgets: Undo & Redo Buttons	14
1.32	TTManager Window - Global Gadgets: To Save, Or Not To Save...	14
1.33	TTManager Window - Information Page Gadgets: Stack Gadget	15
1.34	TTManager Window - Information Page Gadgets: Default Tool Gadget	15
1.35	TTManager Window - Information Page Gadgets: Comment Gadget	15
1.36	TTManager Window - Information Page Gadgets: Protection Bit Gadgets	16
1.37	TTManager Menus	16
1.38	TTManager Menus: Project - New & Open	17
1.39	TTManager Menus: Project - Save & Save As	17
1.40	TTManager Menus: Project - Close & Close All	18
1.41	TTManager Menus: Project - About	18
1.42	TTManager Menus: Project - Quit	19
1.43	TTManager Menus: Edit - Cut, Copy, Paste, & the Clipboard Unit	19
1.44	TTManager Menus: Edit - Undo, Redo, & Flushing	20
1.45	TTManager Menus: Information - Icon Type	21
1.46	TTManager Menus: Information - Protection	21
1.47	TTManager Menus: ToolTypes - Enable, Disable, & Toggle All	22
1.48	TTManager Menus: Edit - Delete	22
1.49	TTManager Menus: ToolTypes - Loading From Icons & ASCII	23
1.50	TTManager Menus: ToolTypes - Save As ASCII	24
1.51	TTManager Menus: ToolTypes - Sort	24
1.52	TTManager Menus: ToolTypes - Reverse	24
1.53	TTManager Menus: Settings - Close After Save	25
1.54	TTManager Menus: Settings - Warnings	25
1.55	TTManager Menus: Settings - Create Icons	25
1.56	TTManager: Keyboard Shortcuts	26
1.57	TTManager: @#%*!!!	27
1.58	TTManager: Be Advised...	27
1.59	TTManager: The Shape Of Things To Come	28
1.60	TTManager: Binary Archaeology	28
1.61	TTManager: Credit Where Credit Is Due Dept.	30
1.62	TTManager: Me	31

Chapter 1

TTManager

1.1 TTManger Documentation

TTManager v2.0a
©1996-97 J. Tierney

Introduction	What TTManager is, and what it can do.
Legalities	The part no one bothers to read.
Requirements	They're few.
Installation	Nothing to it.

The Interface	
Startup Options	"If you start me up..."
Commodity Control	
The AppMenu	
The AppIcon	
The GUI	
The Menus	
Keyboard Shortcuts	

Known Bugs	Time to stand in the tea chest.
Notes	A few things to be aware of.
To Do	Today the ToolTypes; tomorrow the world!
History	Once upon a time...

Credits	Many thanks to...
The Author	Hey, that's me!

1.2 TTManager: What Is It?

Introduction:

TTManager began as an attempt to improve upon the tooltype editing features (both of them :-)) offered by Workbench's standard icon information requester. With version 2.0 it's become a complete alternative to the information requester, allowing the user to not only manipulate tooltypes, but also the protection bits, file comment, icon type, and more. ...And all this in an easy to use resizable, font-sensitive GadTools GUI.

Features:

- * Font-sensitive, resizable, style guide compliant GUI.
- * AppIcon and AppWindows for drag & drop convenience.
- * Adds itself to Workbench's Tools menu (AppMenu item).
- * It's a Commodity.
- * Seven ways to manipulate individual tooltypes:
 - Add.
 - Edit.
 - Toggle.
 - Delete.
 - Move.
 - Duplicate.
 - Add to Clip.
- * Load tooltypes from ".info" or ASCII files in the following ways:
 - Replace.
 - Append.
 - Only new.
 - Only existing.
- * Tooltypes may be saved to an ASCII text file.
- * Three multiple-deletion options:
 - All.
 - Current to top.
 - Current to end.
- * Multiple undo/redo.
- * Sort and reverse options.
- * Enable, disable, or toggle all tooltypes at once.
- * Clipboard support - Cut, Copy, and Paste to/from units 0-9.
- * Set the:
 - Icon type (tool, project, drawer, disk, or trash).
 - Stack.
 - Default tool.
 - Comment.
 - Protection bits.
- * Rename an icon and its associated file, drawer, or volume.
- * It's fully functional and free.

1.3 TTManager: Requirements

Required:

- Workbench 2.04 or higher.

Recommended:

- Cycle To Menu or MCP - Drop-down menus for cycle gadgets.
- New Edit, MCP, or MultiCX - Clipboard support and better editing for string gadgets.

1.4 TTManager: Legal Issues

Copyright:

TTManager is copyright ©1996-97, Jody J. Tierney. All rights reserved.
 ...Lefts, ups, downs, and all other directions, dimensions, and orientations
 are also reserved (that ought to cover things).

TTManager is Giftware. If you find it useful consider sending a little
 something (or even a big something :-)) my way.

Distribution:

TTManager is freely distributable in it's original form by any means you care
 to employ (FTP sites, BBSes, CD-ROMs and coverdisks (I'd appreciate a copy),
 carrier pigeons, holocubes, etc.). The only restriction (but it's an important
 one) is that no fee, beyond a nominal charge to cover media and copying, which
 is not to exceed \$4 US, is attached.

TTManager may not be included with any commercial product without written
 permission from the author.

Special permission is granted to include TTManager on the Aminet CD-ROMs and
 Fred Fish's disks and CD-ROMs.

Disclaimer:

No warranties, expressed or implied. Use this program at your own risk.
 Although much effort has been, and continues to be, put into this program to
 ensure safe and stable operation, I take no responsibility for any damages
 and/or losses incurred through the use/misuse of this program.

1.5 TTManager: Installation

Installation:

Place TTManager anywhere you'd like (well, not there! :-)).

1.6 TTManager: Startup Options

Startup Options:

The following options may be used as ToolTypes or CLI arguments. All are
 optional.

Keyword	CLI Shortcut	Argument	Default Setting
LEFTEDGE	X	0 - 65535	0
TOPEDGE	Y	0 - 65535	0
WIDTH	W	0 - 65535	0
HEIGHT	H	0 - 65535	0
FONT	F	Font name.	Default screen font.
FONTSIZE	FS	Point size.	Default screen font size.
APPICON	AI	Icon name.	No name - use internal image.
APPICONX	AIX	0 - 65535	None - Workbench places it.
APPICONY	AIY	0 - 65535	None - Workbench places it.
NOAPPICON	NAI	None.	An AppIcon appears.

PAGE	P	Keyword.	TOOLTYPES
EDITMODE	EM	Keyword.	ADD
LOADMODE	LM	Keyword.	REPLACE
LOADTYPE	LT	keyword.	ICON
MAXUNDO	MU	0 - 65530	10
CLOSEAFTERSAVE	CAS	None.	Windows remain open.
NOWARNINGS	NW	None.	Warning requesters appear.
NOICONS	NI	None.	Save As ASCII creates an icon.
CX_PRIORITY	CXPRI	-128 - 127	0
HOTKEY	KEY	Key sequence.	

1.7 TTManager: Window Position Keywords

Window Position Keywords:

```
X, LEFTEDGE <0 - 65535>
Y, TOPEDGE <0 - 65535>
```

These two keywords set the initial position TTManager's windows will open at.

Default: 0.

1.8 TTManager: Window Dimension Keywords

Window Dimension Keywords:

```
X, WIDTH <0 - 65535>
Y, HEIGHT <0 - 65535>
```

These two keywords set the dimensions TTManager's windows will initially open to. TTManager may adjust these values to fit the screen size and the minimum space required to create the GUI.

Default: 0 (Smallest possible size).

1.9 TTManager: Font Keywords

Font Keywords:

- F, FONT

Font to use in TTManager's window. It isn't necessary to supply the ".font" extension.

- FS, FONTSIZE <point size>

What size the font specified by FONT should be.

Note: In order to use a custom font, both FONT and FONTSIZE must be specified.

Default: Default screen font.

1.10 TTManager: AppIcon Keyword

AppIcon Keyword:

- AI, APPICON <icon name>

Use <icon name>'s image instead of TTManager's default AppIcon image. It isn't necessary to supply the ".info" extension.

- AIX, APPICONX <0 - 65535>

- AIY, APPICONY <0 - 65535>

These two keywords specify the location of the AppIcon on the Workbench screen. Note that the vertical (Y) position "0" is just below the screen's title bar.

- NAI, NOAPPICON

If specified, TTManager will not create an AppIcon.

Default: Create an AppIcon using the built-in image, and allow Workbench to determine its position.

1.11 TTManager: Page Keyword

Page Keyword:

- P, Page <page>

Which page is initially active when a TTManager window is opened. <page> is either INFORMATION or TOOLTYPES.

Default: TOOLTYPES

1.12 TTManager: Edit Mode Keyword

Edit Mode Keyword:

- EM, EDITMODE <mode>

Which edit mode is initially active when a TTManager window is opened.

<mode> is one of the following: ADD,
EDIT,
TOGGLE,
DELETE,
MOVE,
DUPLICATE, or
ADDTOCLIP.

Default: ADD

1.13 TTManager: Load Mode Keyword

Load Mode Keyword:

- LM, LOADMODE <mode>

Which load mode is initially active when a TTManager window is opened.

<mode> is one of the following: REPLACE,
APPEND,
NEW, or
EXISTING.

Default: REPLACE

1.14 TTManager: Load Type Keyword

Load Type Keyword:

- LT, LOADTYPE <type>

Which load type is initially active when a TTManager window is opened.

<type> is either: ICON or
ASCII.

Default: ICON

1.15 TTManager: Maximum Undo Levels Keyword

Maximum Undo Levels Keyword:

- MU, MAXUNDO <0 - 65530>

How many operations TTManager remembers, and may undo. Setting MAXUNDO to "0" disables the undo system (don't do this; I spent a lot of time on the undo routines - use 'em! :-)).

Default: 10

1.16 TTManager: Close After Save Keyword

Close After Save Keyword:

- CAS, CLOSEAFTERSAVE

If this keyword is specified, the TTManager window will be closed after a Save operation.

This option may also be enabled or disabled by the Close After Save menu option.

Default: TTManager's windows remain open after saving.

1.17 TTManager: No Warnings Keyword

No Warnings Keyword:

- NW, NOWARNINGS

If specified, "Are you sure?" requesters and the like are suppressed.

This option may also be enabled or disabled by the No Warnings menu option.

Default: Warning requesters are enabled.

1.18 TTManager: No Icons Keyword

No Icons Keyword:

- NI, NOICONS

Does this option seem a bit strange in an icon manipulation program? :-)
It's used by the Save As ASCII menu option - whether or not the text file will have an icon.

This option may also be enabled or disabled by the Create Icons menu option.

Default: Create icons.

1.19 TTManager: Commodity Priority Keyword

Commodity Priority Keyword:

- CXPRI, CX_PRIORITY <-128 - 127>

Sets TTManager's priority as a Commodity.

Default: 0

1.20 TTManager: Hotkey Keyword

Hotkey Keyword:

- KEY, HOTKEY <key sequence>

When the hotkey is pressed TTManager opens a file requester allowing you to select icon(s) to edit.

The default hotkey combination is "rcommand shift i" (the right Amiga key, either shift key, and "i").

Default: rcommand shift i
(The right Amiga key, either shift key, and "i".)

1.21 TTManager: The Commodity Interface

Commodity Control:

TTManager responds to the following commands from the Commodities Exchange:

Active/Inactive:

When TTManager is in an active state, the hotkey may be used to invoke a file requester and open icons for editing.

Remove:

Quits TTManager. If Warnings are enabled, you will receive an "Are you sure?" requester.

Hotkey:

TTManager has a hotkey, specified by the HOTKEY startup option. When this key sequence (rcommand shift i by default) is received TTManager opens a file requester, allowing icons to be selected for editing.

1.22 TTManager: Input Qualifiers

Qualifiers:

The following qualifiers may be used when specifying a hotkey. Those marked with an asterisk ("*") require version 38 of the commodities.library (Workbench 2.1).

```

shift                - Either shift key.
lshift, left_shift * - Left shift key.
rshift, right_shift * - Right shift key.

caps                 - Caps lock key or either shift key.
capslock, caps_lock * - Caps lock key.

control, ctrl * - Control key.

alt                  - Either alt key.
lalt, left_alt *    - Left alt key.
ralt, right_alt *   - Right alt key.

numericpad, numpad *, num_pad *, numeric_pad * - A key on the numeric keypad.

lcommand, left_command *, lamiga *, left_amiga * - Left Amiga key.
rcommand, right_command *, ramiga *, right_amiga * - Right Amiga key.

leftbutton, lbutton *, left_button * - Left mouse button.
midbutton, mbutton *, middlebutton *, middle_button * - Middle mouse button.
rightbutton, rbutton *, right_button * - Left mouse button.
```

1.23 TTManager: The AppMenu

TTManager AppMenu Item:

```

Tools
:
TTManager
:
```

TTManager adds an item (creatively named "TTManager") to Workbench's Tools menu. What happens when this item is selected depends on whether any icons are also selected.

TTManager Menu Item and No Icons Selected:

TTManager will open an information requester with three options:
 Okay - This simply closes the requester.

Open - Opens a file requester; a new window will be opened for each file selected.

Quit - Quits TTManager.

TTManager Menu Item and No Icons Selected:

TTManager will open a window for each selected icon.

1.24 TTManager: The AppIcon

TTManager AppIcon:

TTManager's AppIcon may have icons dropped onto it, and may also be double-clicked.

Dropping Icons:

Dropping icons onto TTManager's AppIcon will open a window where the icon's tooltypes may be edited.

Double-Clicking:

Double-clicking TTManager's AppIcon will open an information requester with three options:

Okay - This simply closes the requester.

Open - Opens a file requester; a new window will be opened for each file selected.

Quit - Quits TTManager.

1.25 TTManager: The GUI

TTManager's Window:

TTManager may have 25 windows open at once. They resemble the following:

ToolType Page:

```
|o| TTManager v2.0          |' |[]|
File: System3.0:WBStartup/TTManager
@| Tool
----- @| ToolTypes -----
| Load...: @| Replace All From: @| Icon |
| ----- |
| LEFTEDGE=10
|
| TOPEDGE=10                ##|
| FONT=Helvetica            ##|
| FONTSIZE=13
^|
| APPICON=SYS:WBStartup/TTManager
v|
| ----- |
| FONTSIZE=13                |
| Edit Mode: @| Edit          Undo
Redo|
-----
      Save      Save As...      Cancel  _
|/
```

```

File Information Page:
|o| TTManager v2.0                               |' |[]|
   File: System3.0:WBStartup/TTManager
@| Tool
   ----- @|Information -----
   |           Size: 69988 bytes - 137 blocks       |
   |   Last Modified: 04-Jul-97 - 12:12:47          |
   | Stack: 4096      Default Tool:                  |
   | Comment:                                             |
   | |
   | ./ Readable                               Script |
   | ./ Writable                               Pure   |
   | ./ Executable                          ./ Archived|
   | ./ Deletable                               Hidden |
   | |
   -----
   | Save           Save As...           Cancel  _  |
   |_/

```

1.26 TTManager Window - Global Gadgets: Filename Gadget

File Name Gadget:

Use this gadget to rename the icon currently being edited. If no data is entered, the name is unchanged.

The renaming takes effect when the icon is saved.

Keyboard Shortcut: I (activates the string gadget.)

Notes:

- * This not only renames the icon, but the file the icon is associated with, as well. For example, renaming "DPaintIV" to "DPaint4.6" means both "DPaintIV.info" and "DPaintIV" will be renamed.
- * The underlying file is only renamed if the icon type hasn't been changed. It makes no sense to rename a drawer, for example, if the icon has been changed to a tool. In cases such as this, the icon is saved using the new name and the original file/drawer/disk name and icon are unchanged.
- * Disks are renamed only if both the original and new names are:
<Volume name>:Disk.

1.27 TTManager Window - Global Gadgets: Icon Type Cycle Gadget

Icon Type Cycle Gadget:

This gadget diaplays the type of icon currently being edited. It may also be used to change the icon's type.

The types of icons are: Disk,

Drawer,
Tool,
Project, and
Trash.

1.28 TTManager Window - Global Gadgets: Page Cycle Gadget

Page Cycle Gadget:

This gadget switches between the ToolType page, where tooltypes may be manipulated, and the File Information page, where things such as the stack and protection bits may be set.

You can go to the last page to see how it all ends. :-)

The initial position of this gadget may be set at start-up by the PAGE keyword.

Keyboard Shortcut: p (cycles forwards through the pages.)
P (cycles backwards through the pages.)

1.29 TTManager Window - ToolType Page Gadgets: ToolType Loading Gadgets

Load Button:

Pops up a file requester allowing you to add tooltypes from another icon(s) to the one currently being edited. The exact way the tooltypes are loaded in depends on how the Load Mode and From Type cycle gadgets are set.

Keyboard Shortcut: L (opens a file requester.)

Load Mode Cycle Gadget:

Replace All - The old tooltypes are replaced by the new ones.

Append All - The new tooltypes are appended to the end of the tooltype list.

Only New - Each new tooltype is checked against the current list of tooltypes, and added to the end of the list if no match is found.

Only Existing - Similar to Only New, except that if a match is found the new tooltype replaces the old one. The new tooltype is discarded if it isn't already in the list.

Keyboard Shortcut: m (cycles forwards through the possible modes.)
M (cycles backwards through the possible modes.)
(Cycling is an excellent form of exercise.)

From Type Cycle Gadget:

This selectes whether the new tooltypes are to come from an ".info" file, or an ASCII text file.

Keyboard Shortcut: f (cycles forwards through the possible types.)
F (cycles backwards through the possible types.)
(Always wear a helmet while cycling.)

Note:

- * The load modes Only New and Only Existing compare the tooltype's keyword. Given the tooltype "(LEFTEDGE=360)", these modes are looking for a match to "LEFTEDGE" (the keyword's value (if any) and whether it's enabled or disabled is ignorred).
- * TTManager's windows are AppWindows. Icon(s) may be dropped into the window, and the appropriate action (determined by the Load Mode and From Type cycle gadgets) is performed.
- * The inital setting of the load mode and load type cycle gadgets may be set via the LOADMODE and LOADTYPE keywords.

1.30 TTManager Window - ToolType Page Gadgets: ToolType Display & Editing

The ListView:

The icon's tooltypes are displayed here. What happens when an item is clicked on depends on the setting of the Edit Mode cycle gadget.

The ListView String Gadget:

Nothing out of the ordinary here. It's used to add or edit the items in the listview, depending on the Edit Mode cycle gadget's setting. It's disabled if the edit mode isn't Add or Edit.

Edit Mode Cycle Gadget:

Add - Inserts the new tooltype after the currently selected one.

Edit - Lets you change the currently selected tooltype.

Toggle - Enables or disables (surrounds with parentheses "()") the selected tooltype.

Delete - Any tooltype clicked on is removed from the list.

Move - Click on a tooltype, and then click where you'd like to move it to (within reason (and the listview) :-)). The tooltype will be inserted after the one you clicked on.

Duplicate - Others may struggle with the ethics and morality of cloning; TTManager leaves the matter entirely up to you. :-) Click on a tooltype and an identical copy appears (Marvel Comics is discouraged from using this mode ;-)).

Add to Clip - Clicking on a tooltype appends it to the text in the current clipboard unit.

Use the Clear Clip menu item to clear the contents of the current clipboard unit.

Keyboard Shortcut: e (cycles forwards through the possible types.)
E (cycles backwards through the possible types.)
(Cycling is a non-polluting mode of transport.)

Note: The initial setting of the edit mode gadget may be set via the EDITMODE keyword.

1.31 TTManager Window - ToolType Page Gadgets: Undo & Redo Buttons

Undo Button:

Clicking undo undoes the last operation. The number of operations which may be undone is set by the MAXUNDO tooltype or CLI option (the default is 10).

Keyboard Shortcut: U (performs an undo.)

Redo Button:

Redo undoes an undo. :-)

Keyboard Shortcut: R (performs a redo.)

Note: Nearly any operation may be undone. Following is a list of the (few) actions which cannot be undone:

- * Save
- * The New and Open menu options.
- * Closing the window.
- * Quitting TTManager.

1.32 TTManager Window - Global Gadgets: To Save, Or Not To Save...

Save Button:

Saves the icon using the path and name displayed in the window's title bar and file name string gadget.

If the Close After Save menu option is set the window will then close itself.

Keyboard Shortcut: S (performs a save.)

Save As Button:

Opens a requester allowing the icon to be saved under a new name.

Keyboard Shortcut: A (opens a file requester.)

Save As Notes:

- * The original ".info" file (and any file it may belong to) are unchanged.
- * Unlike the File Name string gadget, only the ".info" file will be saved.
- * Also, unlike the File Name gadget, the destination may be a different volume.

Cancel Button:

Closes the window without saving anything.

Keyboard Shortcut: C (closes the window.)

1.33 TTManager Window - Information Page Gadgets: Stack Gadget

Stack Gadget:

This gadget allows you to set the tool's (or default tool's) stack. The stack is an amount of memory reserved for temporary storage. A stack size of "0" means the default stack size will be used (currently 4096 bytes).

This gadget is enabled for tool, project, and disk icon types, and disabled for drawers.

Keyboard Shortcut: K (activates the integer gadget.)

1.34 TTManager Window - Information Page Gadgets: Default Tool Gadget

Default Tool String Gadget:

This gadget allows you to set the project's or disk's default tool. This program will be run when the project icon is double-clicked, or when this disk is dropped onto another disk icon.

This gadget is enabled for project and disk icon types, and disabled for tools and drawers.

Keyboard Shortcut: T (activates the string gadget.)

1.35 TTManager Window - Information Page Gadgets: Comment Gadget

Comment String Gadget:

Tools, projects, and drawers may have an 80 character comment attached to

them.

Keyboard Shortcut: O (activates the string gadget.)

Note: The comment is actually stored along with a file, not in the icon, so the comment will be lost if no file exists when the icon is saved.

1.36 TTManager Window - Information Page Gadgets: Protection Bit Gadgets

Protection Bit Checkbox Gadgets:

These checkbox gadgets are used to set the various AmigaDOS protection bits.

Readable - The file may be read. Tools, projects, and drawers.
 Writable - The file may be written to. Tools, projects, and drawers.
 Executable - The file may be executed. Tools only.
 Deletable - The file may be deleted. Tools, projects, and drawers.
 Script - The file is an AmigaDOS script and may be run without having to issue the Execute command. Projects only.
 Pure - The file is pure and may be made resident. Tools only.
 Archived - The file has been backed up. Tools, projects, and drawers.
 Hidden - Unused by AmigaDOS. It balances out the GUI nicely, though. :-)

Note: Protection bits are actually stored along with a file, not in the icon, so the protection bits will be lost if no file exists when the icon is saved.

1.37 TTManager Menus

Menus:

Project	Edit	Information	ToolTypes	↔
Settings				
New... [A]N	Cut	[A]X Icon Type »	Enable All	[A]+ ./ Close ↔
After Save?				
Open... [A]O	Copy	[A]C Protection »	Disable All	[A]- ./ Warnings ↔
?				
~~~~~	Paste	[A]V	Toggle All	[A]\ ./ Create ↔
Icons?				
Save [A]S	Clear Clip	[A]O	~~~~~	
Save As... [A]A	Clip Unit	»	Delete	»
~~~~~	~~~~~		~~~~~	
Close [A]1	Undo	[A]U	Load From Icon	»
Close All [A]!	Redo	[A]Z	Load From ASCII	»
~~~~~	Flush	»	~~~~~	
About... [A]?			Save As ASCII... [A]D	
~~~~~			~~~~~	
Quit [A]Q			Sort	[A]T
			Reverse	[A]R

"[A]" represents the right Amiga key.

1.38 TTManager Menus: Project - New & Open

Menus:

```
Project
New...      A N
Open...     A O
:
```

New

Opens a file requester for an icon to open. The selected file's icon will be opened in a new window.

Menu Shortcut: <Right Amiga> N

Open

Opens the selected file's icon in the current window. The window's previous contents are lost. This operation cannot be undone.

Menu Shortcut: <Right Amiga> O

1.39 TTManager Menus: Project - Save & Save As

Menus:

```
Project
:
Save      A S
Save As... A A
:
```

Save

Saves the icon using the path and name displayed in the window's title bar and file name string gadget.

If the Close After Save menu option is set the window will then close itself.

Menu Shortcut: <Right Amiga> S

Save As

Opens a file requester allowing you to save the icon under a different name.

Menu Shortcut: <Right Amiga> A

Save As Notes:

* The original ".info" file (and any file it may belong to) are unchanged.

- * Unlike the File Name string gadget, only the ".info" file will be saved.
- * Also, unlike the File Name gadget, the destination may be a different volume.

1.40 TTManager Menus: Project - Close & Close All

Menus:

```
Project
      :
Close      A 1
Close All  A !
      :
```

Close
Closes the current window.

Menu Shortcut: <Right Amiga> 1

Close All
Closes all open (TTManager) windows.

Menu Shortcut: <Right Amiga> !

Note: If Warnings are enabled, and the tooltypes have been modified, a confirmation requester will appear before the window is closed.

1.41 TTManager Menus: Project - About

Menus:

```
Project
      :
About...      A ?
      :
```

About
Displays the following information:

- * TTManager's version.
- * My e-mail address.
- * The path and name of the icon being edited.
- * The number of items in the undo buffer.

Menu Shortcut: <Right Amiga> ?

1.42 TTManager Menus: Project - Quit

Menus:

```
Project
:
Quit...      A Q
```

Quit

Quits TTManager. Of little use; included for completeness. ;-)

Menu Shortcut: <Right Amiga> Q

Note: If Warnings are enabled, and the tooltypes have been modified, a confirmation requester will appear before each window is closed, and one more requester will pop up before TTManager quits.

1.43 TTManager Menus: Edit - Cut, Copy, Paste, & the Clipboard Unit

Menus:

```
Edit
Cut      A X
Copy     A C
Paste    A V
Clear Clip A 0
Clip Unit  »->./0
:         1
          2
          3
          4
          5
          6
          7
          8
          9
```

Cut

Copies the tooltype list to the clipboard, and then deletes the list.

Menu Shortcut: <Right Amiga> X

Copy

Copies the tooltype list to the clipboard.

Menu Shortcut: <Right Amiga> C

Paste

Inserts the contents of the clipboard into the tooltype list after the

current item.

Menu Shortcut: <Right Amiga> V

Clear Clip

Clears any text in the current clipboard unit. Useful with the Add to Clip edit mode.

Menu Shortcut: <Right Amiga> 0

Clip Unit

Allows you to select which clipboard unit (0 to 9) Cut, Copy, and Paste will use.

1.44 TTManager Menus: Edit - Undo, Redo, & Flushing

Menus:

Edit

:

Undo A U

Redo A Z

Flush »->Current Buffer A '
 All Buffers A "

Undo

Clicking undo undoes the last operation. The number of operations which may be undone is set by the MAXUNDO tooltype or CLI option (the default is 10).

Menu Shortcut: <Right Amiga> U

Redo

Redo undoes an undo. :-)

Menu Shortcut: <Right Amiga> Z

Note:

Nearly any operation which may be undone. Following is a list of the (few) actions which cannot be undone:

- * Save
- * The New and Open menu options.
- * Closing the window.
- * Quitting TTManager.

Flush:

Current Buffer

Empties the current window's undo/redo buffer. Note that this cannot be undone. :-)

Menu Shortcut: <Right Amiga> '

All Buffers

Each TTManager window has it's own undo buffer. This option empties the undo undo buffer in every TTManager window.

Menu Shortcut: <Right Amiga> "

1.45 TTManager Menus: Information - Icon Type

Menus:

```
Information
Icon Type  »->  Disk
               Drawer
               ./Tool
               Project
               Trash
```

Icon Type

Selects the icon type.

1.46 TTManager Menus: Information - Protection

Menus:

```
Information
:
Protection »-> ./Readable
               ./Writable
               ./Executable
               ./Deletable
               Script
               Pure
               ./Archived
```

Protection

Sets the tool's, project's, or drawer's protection bits.

Readable	- The file may be read. Tools, projects, and drawers.
Writable	- The file may be written to. Tools, projects, and drawers.
Executable	- The file may be executed. Tools only.
Deletable	- The file may be deleted. Tools, projects, and drawers.
Script	- The file is an AmigaDOS script and may be run without having to issue the Execute command. Projects only.
Pure	- The file is pure and may be made resident. Tools only.
Archived	- The file has been backed up. Tools, projects, and drawers.

Note: Protection bits are actually stored along with a file, not in the icon, so the protection bits will be lost if no file exists when the icon is saved.

1.47 TTManager Menus: ToolTypes - Enable, Disable, & Toggle All

Menus:

```
ToolTypes
Enable All      A +
Disable All     A -
Toggle All      A \
:
```

Enable All

Removes any parentheses ("()") surrounding a tooltype.

Menu Shortcut: <Right Amiga> +

Disable All

Brackets all tooltypes with parentheses ("()"), thus disabling them.

Menu Shortcut: <Right Amiga> -

Toggle All

Any disabled tooltypes are enabled, and vice-versa.

Menu Shortcut: <Right Amiga> \

1.48 TTManager Menus: Edit - Delete

Menus:

```
ToolTypes
:
Delete      »->All      A .
:           Current To Top A <
           Current To End A >
```

Delete

All

Deletes the entire tooltype list.

Menu Shortcut: <Right Amiga> .

Current To Top

Deletes the tooltypes from the currently selected one to the beginning of the list.

Menu Shortcut: <Right Amiga> <

Current To End

Deletes all tooltypes from the currently selected one onwards.

Menu Shortcut: <Right Amiga> >

1.49 TTManager Menus: ToolTypes - Loading From Icons & ASCII

Menus:

```
ToolTypes
:
Load From Icon      »
Load From ASCII     »->Replace...
:                   Append...
                   Only New...
                   Only Existing...
```

Load From Icon

Pops up a file requester allowing you to add tooltypes from another icon(s) to the one currently being edited.

Load From ASCII

Same as above, only now the contents of the selected file(s) are added to the list.

Replace - The old tooltypes are replaced by the new ones.

Append - The new tooltypes are appended to the end of the tooltype list.

Only New - Each new tooltype is checked against the current list of tooltypes, and added to the end of the list if no match is found.

Only Existing - Similar to Only New, except that if a match is found the new tooltype replaces the old one. The new tooltype is discarded if it isn't already in the list.

Note:

- * The modes Only New and Only Existing compare the tooltype's keyword. Given the tooltype "(LEFTEDGE=360)", these modes are looking for a match to "LEFTEDGE" (the keyword's value (if any) and whether it's enabled or disabled is ignored).
 - * These menu options are equivalent to setting the Load Mode and From Type cycle gadgets and pressing the Load button.
-

1.50 TTManager Menus: ToolTypes - Save As ASCII

Menus:

```
ToolTypes
      :
Save As ASCII... A D
      :
```

Save As ASCII

Opens a file requester allowing you to save the tooltype list as a text file. An icon will be created for this file if the Create Icons? menu option is on.

Menu Shortcut: <Right Amiga> D

1.51 TTManager Menus: ToolTypes - Sort

Menus:

```
ToolTypes
      :
Sort          A T
      :
```

Sort

Sorts the tooltype list into alphabetical order.

Menu Shortcut: <Right Amiga> T

Note:

- * The sort is case-sensitive.
- * The tooltypes are sorted by their keywords only, and their state (enabled or disabled) is ignored.

1.52 TTManager Menus: ToolTypes - Reverse

Menus:

```
ToolTypes
      :
Reverse          A R
```

Reverse

Reverses the order of the items in the tooltype list.

Menu Shortcut: <Right Amiga> R

1.53 TTManager Menus: Settings - Close After Save

Menus:

```
Settings
./ Close After Save?
:
```

Close After Save

If this menu item is checked, the window will be closed after performing a Save. Otherwise the window remains open.

Note: This option may be turned on at startup by using the CLOSEAFTERSAVE keyword.

1.54 TTManager Menus: Settings - Warnings

Menus:

```
Settings
:
./ Warnings?
:
```

Warnings

If this menu item is checked, TTManager will pop up a confirmation requester before certain important actions are performed, such as closing a window when the tooltypes have been modified but not saved, or quitting the program.

Note: This option may be turned off on startup by using the NOWARNINGS keyword.

1.55 TTManager Menus: Settings - Create Icons

Menus:

```
Settings
:
./ Create Icons?
```

Create Icons

An odd option, eh? :-) If this item is checked, then the text file created by the Save As ASCII menu option will have an icon.

Note: This option may be turned off on startup by using the NOICONS keyword.

1.56 TTManager: Keyboard Shortcuts

Gadget Keys - Global:

File string gadget	i
Undo button	u
Redo button	r
Save button	s
Save As button	a
Cancel button	c

Gadget Keys - Information Page:

Stack integer gadget	k
Default tool string gadget	t
Comment gadget	o

Gadget Keys - ToolType Page:

Load button	l
Load Mode cycle gadget	m, M
From Type cycle gadget	f, F
Edit Mode cycle gadget	e, E

Keys are case-insensitive except for the cycle gadget shortcuts. With a cycle gadget, the shifted key will cycle backwards through the available options.

Menu Shortcuts:

Project

New...	A	N
Open...	A	O
Save	A	S
Save As...	A	A
Close	A	l
Close All	A	!
About...	A	?
Quit	A	Q

Edit

Cut	A	X
Copy	A	C
Paste	A	V
Undo	A	U
Redo	A	Z
Flush	»	Current Buffer A /
		All Buffers A "

Tooltypes

Enable All	A	+
Disable All	A	-
Toggle All	A	\
Delete	»	All A .
		Current To Top A <
		Current To End A >
Save As ASCII...	A	D
Sort	A	T
Reverse	A	R

"A " stands for the right Amiga key.

1.57 TTManager: @#%*!!!

Known Bugs:

- The items in the Information menu sometimes ignore being selected.
- In the Information menu, if the disk type is changed and then, without releasing the right mouse button, the protection bits are altered the new protection bit settings will be ignored.

(This Information menu is more trouble than it's worth. :-)

If you come across any bugs, please report them to me.

1.58 TTManager: Be Advised...

Note:

- Sort and the Only ... load modes compare the tooltype's keyword, and ignore any value or whether it's disabled or not. This is a feature, not a bug. :-)
 - The various (okay, three) options in the Settings menu are shared by all TTManager windows (this is intentional).
 - The About requester's text isn't yet attractively formatted.
 - TTManager's tooltype list is (currently) limited to around 65,534 tooltypes (if you call that a limit (show me the program that uses 60,000+ tooltypes! :-))). This limit isn't checked (yet), so strange things may happen if you attempt to overflow the list. You've been warned...
 - TTManager's windows aren't independent processes. If one window is performing a time consuming task (sorting 60,000 tooltypes? :-)) input to other TTManager windows will be blocked. In practice, this isn't something which is likely to be noticed.
 - Protection bits and comments are stored with a file, not in the icon. So if you save an icon and there isn't a file that goes along with it the comment and protection bit settings will be lost.
 - TTManager can now move a file across volumes. For example, "DH0:T/Maybe" could be renamed and moved to "DF0:Definitely". The renaming process consists of first calling the AmigaDOS Copy command, and then Delete if the copy was successful (this will probably be improved later).
 - The Information page doesn't display any relevant or useful information for disk icons. ...Yet.
-

1.59 TTManager: The Shape Of Things To Come

Today the ToolTypes; tomorrow the world!

Future Plans:

Some possibilities for the future are:

- Bug fixes; replacing them with newer, more interesting bugs. (Priority.)
- Fiddle with the code to make it smaller, more efficient, and to introduce new bugs to fix. :-)
- Interesting information if the icon belongs to a disk.
- An "Image" page? We'll see...
- More information in the About requester.
- More error checking/requesters.
- ARexx interface.
- Search requester.
- Localization.
- Multiselection in the listview. (Not anytime soon.)
- New default AppIcon image.
- Patch into and replace Workbench's Information requester.

If there's a feature you'd like to see, or think should be a priority, let me know.

1.60 TTManager: Binary Archaeology

History:

A long time ago, on a hard drive far, far away...

2.0a:

- The listview string gadget would initially be empty if EDITMODE was set to "EDIT". A crash would result if this non-existent string was edited.
- Keyboard shortcuts for page-specific gadgets only function when their page is active (except for the Undo and Redo buttons).
- The Stack, Default Tool, and Comment gadgets now have keyboard shortcuts.
- Updated the docs.

2.0:

- Many big changes:
- Added the Icon Type cycle gadget.
- Added the Page cycle gadget...
- ...And the Information page, which allows manipulation of a file's:
 - Stack,
 - Default Tool,
 - Comment, and
 - Protection bits.
- The File name gadget now displays the path and file name. The window's title bar just displays "TTManager v2.0".
- Removed the Original Name menu item. The File name gadget is now serviced by the undo routines.
- The undo routines now handles the File name gadget and all new gadgets and menus.
- The File name gadget can now move files across volumes, and

relabel disks.

- Added the Information menu.
- The keywords for EDITMODE, LOADMODE, and LOADTYPE no longer have to be entered in all caps.

1.3a:

- Fixed the bug which crashed 68000/68010 systems (had GTLV_LABELS set to -1 when creating the gadget (dumb, dumb, dumb, dumb, dumb, dumb, dumb)).
- Fixed the minimum window height and listview height calculations. Again.
- A little more code cleaning, and small fixes.

1.3:

- Clear Clip menu option.
- Add to Clip edit mode.
- Some code cleaning; saved 624 bytes.

1.2a:

- Changed the default hotkey string to a 2.04 compatible format.

1.2:

- TTManager is now a Commodity.
- Added an AppMenu item (why didn't I think of this before?).
- Quits when a Break-C is recieved.
- NOAPPICON, CX_PRIORITY, and HOTKEY keywords.

1.1a: (unreleased)

- No longer keeps a permanent lock on Workbench; only when a window is open.

1.1:

- EDITMODE, LOADMODE, and LOADTYPE keywords.
- Items pasted from the clipboard are now inserted after the currently selected tooltype.

1.0:

- Bug fixes, and general fiddling around with things.

0.9b:

- MAXUNDO keyword; undos can now be limited or disabled.
- Some minor bug fixes.

0.9a:

- Okay, the "Duplicate" edit mode can really be undone now.
- Also able to be undone/redone:
 - The delete all/current to top/end menu options.
 - Clipboard cutting and pasting.
 - All the load-modes (replace all, append all, etc. (from either icons or ASCII)).

0.9:

- Undo & Redo. So far, the following can be undone/redone:
 - All the edit modes, add, edit, toggle, delete, move, & duplicate.
 - Reverse tooltype list.
 - Enable/disable/toggle-all tooltypes.
 - Flush undo buffer (current & global).
 - The "About" requester now displays some info. about the current window.
 - Keyboard shortcuts for more of the menus & the GUI.
-

0.8:

- Improved the quit-program process (as if you would ever want to quit TTManager (well, maybe to start up a newer version) :-)).
- Huge internal changes; optimised and replaced about half the source with OO code.

0.7b:

- Fixed various Enforcer hits and bugs.

0.7a:

- Added a version string.
- Bug Fix: Didn't check if tooltype pointer was NIL.

0.7:

- Clipboard support.

0.6:

- Sort.
- The tooltype load modes "Only New" & "Only Existing".
- Fixed the window minimum-height calculation.

1.61 TTManager: Credit Where Credit Is Due Dept.

Many thanks to the following:

- God - Life, the universe, and everything.
 - My parents.
 - Wouter van Oortmerssen - Amiga E. The best programming language I've ever used.
 - Matt Dillon/Aaron Digulla - DME/XDME.
 - Heinz Wrobel - HWGRCS.
 - Peter Bornhall - Iconite, an excellent icon package. The AmigaGuide and drawer icon were created from the Iconite clipart, which I mangled a bit to get to four colors.
 - My cat - Various programming suggestions and solutions. "Sleep on it," being one of many valuable lessons.
 - Greg Donner - Beta testing.
 - The Ramones,
U2,
Blondie,
Deborah Harry,
The Heads - Music to program by.
 - You - For using TTManager!
-

1.62 TTManager: Me

Contacting Me:

Comments, questions, bug reports, or whatever can be directed to me at the addresses below (e-mail is preferred). Check out the Web page from time to time; the latest versions of whatever I happen to be working on will always be available there first.

Snail: Jody Tierney
29118 Lark Street
Elkhart, IN 46514-9579
USA

E-mail: jtierney@cyberlink-inc.com
WWW: <http://www.cyberlink-inc.com/jtierney>