

# NEXTSTEP for Intel Processors Release 3.3

## Display Driver Overview

**Driver:** Number Nine GXE64 Pro

**Driver Overview:** NeXTanswer #1797

**Last Update:** June 24, 1996

## Availability Information

**A version of this driver is on the CDROM**

**Newer Released Driver in NeXTanswers\*:** Yes, Version 3.32, as NeXTanswer #1891

**Newer Beta Driver in NeXTanswers\*:** No, Version 0.00, as NeXTanswer #

**Driver Name / Installer .pkg:** Number9GXE64ProDisplayDriver

**Driver Type:** Display

**Driver Scope:** Product Family

**Supported Components:** S3 964 (Vision), TI TVP3025 RAMDAC

**PC Bus / Interface Supported by Driver\*\*:** PCI, VL-Bus

**General Overview notes:** This graphics driver is designed to support the PCI and VL-Bus versions of the GXE64Pro Graphics adapters from Number Nine Corp. These cards are based on the S3-964 Graphics controller chipset and support 2MB or 4 MB of VRAM. This driver supports both configurations including a variety of high-resolution and high-color (32bit) modes. The high performance RAMDAC on these adapters allows support of very high resolutions including 1600x1200 with 16-bit color.

### **Supported Products / Add-on Adapters:**

Number 9 GXE 64 Pro (PCI, 4MB VRAM)

Number 9 GXE 64 Pro (PCI, 2MB VRAM)

Number 9 GXE 64 Pro-1600 (PCI, 4MB VRAM, 200Mhz RAMDAC) - not tested, but should work

Number 9 GXE 64 Pro (VL-Bus, 4MB VRAM)

Number 9 GXE 64 Pro (VL-Bus, 2MB VRAM)

Number 9 GXE 64 Pro-1600 (VL-Bus, 4MB VRAM, 200Mhz RAMDAC) - not tested, but

should work

**Supported Products / Systems (ie integrated into PC System):**

**Special Features of Driver / Driver Notes:**

This device driver provides information in the Configure application's help panel. Choose Info>Help from the Configure menu and scroll down to find this device driver's help topic.

## Display Driver Details

**Supported Connectors:** 15-pin High Density (VGA)

**Access Mode:** Linear Framebuffer

**Adapter Memory:** 2MB VRAM, 4MB VRAM

**Display Modes (Number in () after resolution indicates frame buffer size required)**

**32 Bit Color Modes\*\*:**

1024x768 (4MB+), 1152x864 (4MB+), 640x480 (2MB+), 800x600 (2MB+)

**16 Bit Color Modes\*\*:**

1024x768 (2MB+), 1152x864 (2MB+), 1280x1024 (4MB+), 1600x1200 (4MB+), 800x600 (1MB+)

**8 Bit Color / Greyscale Modes\*\*:**

1024x768 (1MB+), 1280x1024 (2MB+), 1600x1200 (2MB+), 800x600 (1MB+)

## Known Problems

Our driver currently does not work with BIOS rev 1.03.08 and higher.

The DRAM (non-Pro) versions of this card are not supported by this driver. See the S3 Generic Driver, NeXTanswer #1737\_S3\_Generic\_Driver\_Overview.rtf

# Driver Version Notes

## Future Planning

**Future / Update Planning:**  
**Reason for New Driver / Update:**  
**New Driver / Update Timeframe:**

**New Driver / Update Description:**

**Note:** Information contained in the "Future Planning" section of this document does not constitute a commitment on the part of NeXT to complete the planned development work.

- \* - Any NeXTanswer number that is blank indicates that a driver will not be released for this version of NEXTSTEP.
- \*\* - Indicates information that is inclusive of the entire capability of this driver. Not all devices supported by this driver may include all features listed. Check any available NeXTanswers and the hardware manual for the device for additional information.

## Product Vendor

Number Nine Visual Technology  
18 Hartwell Avenue  
Lexington, MA 02173-3103  
  
Voice: (617) 674-0009  
FAX: (617) 674-2919  
BBS: (617) 862-7502 (8/1/N, up to 28kbps)  
URL: <http://www.nine.com>