

# Index

## A

absolute magnitude  
  of a vector 8-4  
Advanced User's Manual x  
alarms  
  acknowledging 2-27  
  appointment 2-27  
  changing 2-29  
  control 2-29  
  deleting 2-29  
  past-due 2-29  
  viewing 2-29  
alerts 2-4  
algebra commands  
  accessing 5-6  
algebraic mode 2-4, 2-21  
alpha keyboard 2-4, 2-10  
alpha left-shift keyboard 1-4  
alpha right-shift keyboard 1-4  
amortizing 6-13  
analyzing functions 4-37  
  area 4-39  
  extrema 4-38  
  finding areas 4-39  
  intersection 4-39  
  intersection of 4-39  
  roots 4-38  
  slope 4-38  
angle units 2-4, 8-2  
  degrees 2-4  
  grads 2-4  
  radians 2-4  
animation 4-23  
annual interest rate 6-11  
annunciators 2-4  
appointments 2-27  
  changing 2-29  
  deleting 2-29  
  setting 2-28  
  viewing 2-29  
approximate mode 2-4, 2-23  
area beneath plot 4-39

arguments  
  specifying in RPN mode E-3  
  using in a program 10-5  
arithmetic commands  
  accessing 5-6  
array 8-7  
  creating 8-7  
  editing 8-9  
  navigating through 8-9  
arrow keys 1-10  
axes 4-8

## B

bad guess message 6-4  
bar charts *See* bar plots  
bar plots 4-31  
bases  
  binary 2-5  
  decimal 2-5  
  hexadecimal 2-5  
  octal 2-5  
batteries D-2  
  replacing D-3  
beep 2-18  
best correlation, data modelling 9-5  
bin number, generating frequencies 9-4  
bivariate data, calculating summary statistics 9-6  
bivariate data, data modelling 9-5  
branching  
  in programming 10-13

## C

calculations  
  in RPN mode E-3  
  RPN examples E-4  
  sample 2-24  
calculator modes 2-18  
calculus commands 5-17  
  accessing 5-6  
CAS *See* computer algebra system  
characters

- entering 2-10
  - lower-case 2-10
  - special 2-11
  - upper-case 2-10
- characters tool 2-12
- check fields 2-16
- clock 2-20
  - display 2-19
- coefficients, polynomial 6-5
- command line 2-7
  - calculations 2-24
  - editing 2-13
  - multi-line entries 2-8
- commands 2-6
  - CAS command categories 5-6
  - interactive stack commands E-7
- comparison functions, in programming 10-13
- complex mode 5-4
- complex numbers 5-6
  - entering  $i$  in Equation Writer 3-4
- components of expressions
  - selecting in Equation Writer 3-7
- compounding interest periods 6-11
- computer algebra system 2-20
  - command categories 5-6
  - expanding part of expression 5-12
  - expansion 5-11
  - factorization 5-11
  - factorizing expressions 5-11, 5-13
  - RPN example calculation E-6
  - settings 2-20
  - substitution 5-10
- condition statements, in programming 10-13
- confidence intervals 9-14
- confidence intervals, inferential statistics 9-14
- conic plots 4-13
- constant message 6-4
- contrast 2-3
- control alarm 2-29
  - setting 2-30
- coordinate notation 2-4, 2-18, 8-2
  - cylindrical 2-4
  - rectangular 2-4
  - spherical 2-4

- coordinates
  - of plots 4-35
- correlation coefficient, data modelling 9-5
- covariance value, data modelling 9-5
- cross product 8-5
- cursor
  - coordinates 4-35
  - movement 4-34
- cursor mode 3-5, 3-6
- custom keyboard 1-5

## D

---

- data
  - for statistical plotting 4-28
  - modelling 9-5
  - transfer A-2
  - using in a program 10-6
- data fields 2-14
- date
  - formatting 2-27
  - setting 2-26
- default screen 2-3
- default values, resetting 2-16
- defining functions 7-4
- descriptive statistics 9-2
- determinant 8-11
- dialog box *See* input forms
- differential equations
  - plotting 4-15
  - solving 6-10
  - stiff solver 4-16
- differentiating step-by-step 5-19
- directories 2-6, 7-5
  - copying 7-9
  - creating 7-6
  - deleting 7-8
  - moving 7-9
  - moving up 7-8
  - renaming 7-9
  - selecting 7-7
- directory tree 7-6
- display contrast 2-3
- display modes 2-19
- dot product 8-5
- drawing graphs 4-3

## E

---

- e* 3-4
- editing, full page 2-19
- engineering mode 2-9
- entry mode 3-5
- environmental limits D-1
- EQ 4-41
- equation
  - creating in Equation Writer 3-2
  - placing on the stack E-2
  - solving a polynomial 6-5
  - solving differential equations 6-10
- Equation Writer 3-2
  - examples 3-8
  - modes of operation 3-5
  - selecting terms 3-7
  - shortcut keys 3-9
  - using computer algebra 5-9
- error messages B-1
- error on start up D-6
- error trapping 10-15
- Euler identities 5-14
- exact mode 2-5, 2-23
- expanding
  - expressions 5-11
  - part of an expression 5-12
- exponent 2-9
- exponential commands, accessing 5-6
- exponential expressions 5-14
- expressions
  - creating and saving 3-2
  - editing 3-3
  - expanding 5-11
  - factorizing 5-11
  - in Equation Writer 3-7
- extended data fields 2-15
- extrema 4-38, 6-4
- eyepoint 4-20

## F

---

- factorizing 5-11, 5-13
- fast 3-D plots 4-27
- fields
  - check 2-16
  - data 2-14
  - extended data 2-15

- list 2-15
- File Manager 7-6
- financial calculations
  - amortizing results 6-13
  - solving 6-11
- Fit Data input form 9-5
- fix mode 2-9
- flags
  - setting and clearing 2-20
- flash ROM 7-10
- font
  - choosing 2-19
  - size 2-19
- fraction mark 2-19
- frequencies 9-2
- full-page editing 2-19
- function keyboard 1-3
- functions
  - analyzing 4-37
  - area 4-39
  - defining 7-4
  - extrema 4-38
  - intersection of 4-39
  - plotting 4-6
  - roots of 4-38
  - slope of 4-38
  - user-defined 7-4

## G

---

- Gaussian elimination 8-11
- global variables 10-8, 10-11
- graphing 4-3
- Greek alphabet 1-4
- gridmap plots 4-24
- guarantee xii

## H

---

- half-tangent computer algebra function 5-14
- halting the system D-4
- header size 2-20
- histograms 4-33
- history 2-3, 2-5, 2-21
  - clearing 2-5
  - entering from 2-12
  - saving 2-5

home directory 7-5  
 hypothesis tests, inferential statistics 9-9

## I

*i* 3-4  
 I/O A-1  
 Implied multiplication in Equation Writer 3-4  
 indenting 2-19  
 independent variable  
   configuring 5-4  
 inferential statistics  
   confidence intervals 9-14  
   example data 9-7  
   hypothesis tests 9-9  
   One-Proportion Z-Interval 9-15  
   One-Sample Z-Interval 9-14  
   One-Sample Z-Test 9-9  
   Two-Proportion Z-Interval 9-16  
   Two-Proportion Z-Test 9-11  
   Two-Sample T-Interval 9-17  
   Two-Sample Z-Interval 9-15  
 input forms 2-14  
   calculations in 2-17  
 input/output A-1  
 integers 2-8  
 integration commands 5-17  
 interactive stack E-7  
 interest component, amortizing 6-13  
 interest rate, financial calculations 6-11  
 intersections 4-39

## K

key click 2-19  
 key conventions 1-10  
 keyboard  
   alpha 2-10  
   alpha left-shift 1-4  
   alpha right-shift 1-4  
   customized 1-5  
   function 1-3  
   left-shift 1-3  
   primary 1-3  
   right-shift 1-3  
   unlocking 2-11

user 1-5  
 keys  
   arrow 1-10  
   Equation Writer shortcut keys 3-9  
   function of each 1-5

## L

left-shift keyboard 1-3  
 line breaks, adding 10-4  
 linear systems 6-7, 8-11  
 linearization  
   example 5-16  
   with computer algebra 5-14  
 list fields 2-15  
 lists 8-6  
   creating 8-6  
 local variables  
   in a program 10-8  
 logarithmic commands, accessing 5-6  
 logarithmic terms  
   collecting in an expression 5-14  
 looping 10-13  
 low memory D-6  
 lower-case characters 2-10

## M

mantissa 2-9  
 matrix 8-7  
   arithmetic 8-10  
   determinant of 8-11  
   placing on the stack E-2  
   representing a linear system 6-8  
   row-reduced echelon form 8-12  
 Matrix Writer 8-7  
 maximum value in statistical data 9-3  
 mean, calculating 9-3  
 memory 7-10  
   low D-6  
   out of D-7  
   resetting D-5  
 menu item, selecting 2-6  
 menus 2-3, 2-6  
   multi-screen 2-7  
   programming 10-4  
 minifont  
   for display and editing 2-19

- minimum value
  - generating frequencies 9-4
  - in statistical data 9-3
- modes 2-18
  - algebraic 2-4, 2-21
  - approximate 2-4, 2-23
  - calculator 2-18
  - changing 2-18
  - complex 5-4
  - complex number 2-4
  - computer algebra system 2-20, 5-2
  - cursor 3-5, 3-6
  - display 2-19
  - engineering 2-9
  - entry 3-5
  - exact 2-4, 2-23
  - fix 2-9
  - operating 2-18
  - program 2-4
  - real number 2-4
  - RPN 2-22, E-1
  - scientific 2-9
  - selection 3-5, 3-6
  - standard 2-9
  - step-by-step 5-4, 5-19
  - term selection 3-5, 3-6
  - textbook 2-20
- modulo, configuring 5-4
- multiplication
  - implied in Equation Writer 3-4

## N

---

- natural logarithm 3-4
- negative numbers 2-8
- nested procedures in a program 10-7
- non-rational expressions, simplification mode 5-5
- Normal Z-distribution, confidence intervals 9-14
- number displays
  - engineering mode 2-9
  - fix mode 2-9
  - scientific mode 2-9
  - standard mode 2-9
- number format 2-18
- numbers
  - negative 2-8

- positive 2-8
- real 2-8
- numeric solver 6-2

## O

---

- objects
  - purging D-7
  - storing 7-1, 7-2
  - transferring A-1
  - types in input forms 2-16
- on and off 2-2
  - can't turn on D-2
- One-Proportion Z-Interval 9-15
- One-Sample T-Interval 9-17
- One-Sample T-Test 9-12
- One-Sample Z-Interval 9-14
- One-Sample Z-Test 9-9
- operands
  - Equation Writer tree structure 3-7
- operators
  - Equation Writer tree structure 3-7
- outer product 8-5
- output/input A-1

## P

---

- parametric plots 4-8
- parametric surface plots 4-25
- partial derivatives 4-16
- past-due alarm 2-29
- payment period, financial calculations 6-11
- Pearson correlation, data modelling 9-5
- periodic payment amount 6-11
- plots
  - axes 4-8
  - bar 4-31
  - conic 4-13
  - cursor coordinates 4-35
  - differential equation 4-15
  - display coordinates 4-35
  - display range 4-6
  - fast 3-D 4-27
  - function 4-6
  - gridmap 4-24
  - histograms 4-33
  - parametric 4-8

- parametric surface 4-25
- polar 4-10
- pseudo-contour 4-21
- scatter 4-29
- slopefield 4-19
- statistical 4-3, 4-28
- tracing 4-35
- truth 4-17
- wireframe 4-20
- Y-slice 4-23
- zooming 4-36
- plotting
  - basic steps 4-3
  - variables 4-41
- polar plots 4-10
- polynomials
  - finding coefficients 6-5
  - finding roots 6-5
  - setting the order 5-4
- port memory 7-11
- ports 7-1, 7-10
- PPAR 4-41
- primary keyboard 1-3
- principal remaining, amortization 6-13
- problems D-1
- procedures in a program 10-7
- program
  - halted 2-4
  - mode 2-4
- programming
  - arguments in 10-5
  - branching and looping 10-13
  - data 10-6
  - getting started 10-2
  - menu 10-4
  - variables 10-8
- programming modes
  - algebraic 10-5
  - RPN 10-5
- pseudo-contour plots 4-21
- purging D-7

## R

- RAM 7-10
- real number mode 2-4
- real numbers 2-8
- regression formula, data modelling 9-5

- regression model, finding 9-5
- regulatory information *See also* environmental limits
  - Canada xi
  - Japan xi
  - USA x
- reminder *See* appointment
- reset defaults 2-16
- resetting calculator D-2
- reverse Polish notation *See* RPN
- right-shift keyboard 1-3
- rigorous mode, setting 5-5
- roots 4-38
  - polynomial 6-5
- RPN 2-22, E-1
- RPN mode 2-22, E-1
  - example calculations E-4
  - interactive stack commands E-7
  - performing calculations E-3

## S

- sampling grid 4-19, 4-20, 4-23, 4-27
- saving a program 10-4
- scalar magnitude 8-4
- scalar product 8-5
- scientific mode 2-9
- screen contrast 2-3
- screen, default 2-3
- selecting terms in Equation Writer 3-7
- selection mode 3-5
- semi-colon
  - keyboard shortcut 10-4
  - separating functions in a program 10-4
- serial cable A-1
- shortcut keys in Equation Writer 3-9
- $\Sigma$ DAT 4-41
- $\Sigma$ PAR 4-42
- sign reversal
  - interpreting equation-solve results 6-4
- simplifying non-rational expressions
  - mode 5-5
- simultaneous equations 6-7
- single-variable statistics 9-2
  - calculating 9-3
- slope 4-38

- slopefield plots 4-19
- solving equations 6-2
  - interpreting results 6-4
  - linear systems 6-7, 8-11
  - simultaneous equations 6-7
- special characters 2-11
- stack
  - Also see* history
  - example calculations E-4
  - interactive stack commands E-7
  - manipulating data E-7
  - performing calculations E-3
- standard deviation 9-3
- standard mode 2-9
- statistical plots 4-3, 4-5, 4-28
- statistics
  - application 9-2
  - descriptive 9-2
  - inferential 9-7
  - mean 9-3
  - regression tests 9-6
  - single variable 9-3
  - standard deviation 9-3
  - summary 9-2
  - variance 9-3
- status 2-4
- status area 2-3
  - change size of 2-19
  - changing the size of 2-20
- step-by-step differentiating 5-19
- step-by-step mode 5-4
- stiff solver 4-16, 6-10
- substitution 5-10
- summary statistics 9-6
- symbolic solving 5-6
- symbols, entering 1-4, 2-11
- syntax 1-5
- system halt D-4

## T

---

- tables 4-40
  - customizing 4-40
- term selection mode 3-5
- terms
  - selecting in Equation Writer 3-7
- terms and conditions xi
- textbook mode 2-20

- 3-D plots 4-27
- time
  - formatting 2-27
  - setting 2-26
- time-value-of-money calculations 6-11
- TPAR 4-42
- tracing a plot 4-35
- transferring data A-2
- trapping errors 10-15
- tree structure
  - in Equation Writer 3-7
- trigonometric expressions 5-14
- trigonometry 5-14
  - accessing commands 5-6
- troubleshooting xi, D-1
- truth plots 4-17
- turning on and off 2-2
- Two-Proportion Z-Interval 9-16
- Two-Proportion Z-Test 9-11
- Two-Sample T-Interval 9-17
- Two-Sample T-test 9-13
- Two-Sample Z-Interval 9-15

## U

---

- units C-1
  - converting C-1
  - SI C-1
- upper-case characters 2-10
- user keyboard 1-5, 2-4
- user-defined functions 7-4

## V

---

- variables 2-6, 7-2
  - copying 7-9
  - creating 7-2
  - deleting 7-8
  - editing 7-10
  - global 10-8
  - independent 5-4
  - listing 7-3
  - local 10-8
  - moving 7-9
  - plotting 4-41
  - renaming 7-9
  - selecting 7-7
- variance 9-3

- vector mathematics
  - absolute magnitude 8-4
  - dot product 8-5
  - vector product 8-5
- vectors 8-2
  - creating 8-2
  - polynomial 6-5
- verbose mode, configuring 5-4
- view volume 4-20
- VPAR 4-42

## W

---

- warnings *See* error messages
- warranty xii
- wireframe plots 4-20

- World Wide Web x

## Y

---

- Y-slice plots 4-23

## Z

---

- Z-Interval, inferential statistics 9-14
- zooming
  - factor 4-36
  - in 4-36
  - out 4-36
  - proportional 4-36
  - reset default 4-36
- ZPAR 4-42